

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
12 July 2001 (12.07.2001)

PCT

(10) International Publication Number
WO 01/49721 A2

(51) International Patent Classification⁷: **C07K 14/195**,
C12N 15/31, G01N 33/68, C12Q 1/68, A61K 48/00,
38/16, G01N 33/50

Robert, E. [US/US]; 105 Corine Drive, Pennington,
NJ 08543 (US). **THANASSI, Jane, A.** [US/US]; 552
Woodhouse Avenue, Wallingford, CT 06492 (US).

(21) International Application Number: PCT/US00/35604

(74) Agents: **SHER, Audrey**; Bristol-Myers Squibb Company,
P.O. Box 4000, Lawrenceville-Princeton Road, Princeton,
NJ 08543-4000 et al. (US).

(22) International Filing Date:
29 December 2000 (29.12.2000)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
60/174,089 30 December 1999 (30.12.1999) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ,
DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR,
HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ,
NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM,
TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(71) Applicant (*for all designated States except US*): **BRIS-
TOL-MYERS SQUIBB COMPANY** [US/US]; P.O. Box
4000, Lawrenceville-Princeton Road, Princeton, NJ 08543-
4000 (US).

(84) Designated States (*regional*): ARIPO patent (GH, GM,
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian
patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European
patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE,
IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF,
CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **DOUGHERTY,**
Thomas, J. [US/US]; 791 Ives Row, Cheshire, CT 06410
(US). **PUCCI, Michael, J.** [US/US]; 182 Stocking Brook
Road, Kensington, CT 06037 (US). **DOUGHERTY,**
Brian, A. [US/US]; 10 Rosemary Lane, Killingworth,
CT 06419 (US). **DAVISON, Daniel, B.** [US/US]; 37
Marks Court, Branford, CT 06405 (US). **BRUCCOLERI,**

Published:

— Without international search report and to be republished
upon receipt of that report.

*For two-letter codes and other abbreviations, refer to the "Guid-
ance Notes on Codes and Abbreviations" appearing at the begin-
ning of each regular issue of the PCT Gazette.*

(54) Title: NOVEL BACTERIAL GENES AND PROTEINS THAT ARE ESSENTIAL FOR CELL VIABILITY AND THEIR
USES

(57) Abstract: The present invention provides novel bacterial genes and their encoded polypeptides thereof which are essential for
bacterial cell viability, and their uses.

WO 01/49721 A2

NOVEL BACTERIAL GENES AND PROTEINS THAT ARE ESSENTIAL FOR CELL VIABILITY AND THEIR USES

5

10 Throughout this application various publications are referenced. The disclosures of these publications in their entireties are hereby incorporated by reference into this application in order to more fully describe the state of the art to which this invention pertains.

FIELD OF THE INVENTION

15

The present invention relates generally to nucleotide sequences, and polypeptides encoded by the sequences, that are essential for bacterial viability, and to methods of using the nucleotide and polypeptide sequences.

BACKGROUND OF THE INVENTION

20

25

Bacterial genera, such as *Streptococcus*, *Staphylococcus*, *Pseudomonas*, *Yersinia*, *Salmonella*, and *Enterobacter*, are the cause of numerous afflictions in humans and animals. Bacterial infection can lead to serious health conditions, including pneumonia, osteomyelitis, meningitis, sinusitis, otitis, cystitis, and even food poisoning. Typically, these infections can be treated with standard antimicrobial agents such as antibiotics. However, the emergence of pathogenic bacterial strains that are resistant to antibiotics has risen alarmingly in the past two decades. This situation has created an urgent need for the development of new antimicrobial agents.

30

One strategy for developing new antimicrobial agents is to identify bacterial gene sequences that encode gene products that are essential for bacterial cell viability and

develop and/or identify agents which inhibit the function of the gene product. DNA sequencing technology has advanced from sequencing one gene at a time to sequencing entire genomes, the sum of all genes in an organism. With the recent arrival of bacterial genomic information, it is now possible to compare multiple bacterial genomes in an attempt to identify genes that encode conserved gene products. In this manner, one skilled in the art may identify a set of conserved bacterial genes, including a subset of genes that are essential for bacterial cell viability. The essential gene is then used as a starting point to develop therapeutic agents that inhibit or inactivate the product of the essential gene.

The availability of DNA sequence information for multiple microbial genomes is a recent development. The public release of the first complete genome, *Haemophilus influenzae* (Fleischmann, R.D., et al. 1995 *Science* 269:496-512), was followed in rapid succession by a number of public and private genome sequencing programs. Presently, some 20 completely sequenced bacterial genomes have been published, and over 100 other sequencing projects are underway (Blattner, F.R., et al., 1997 *Science* 277:1453-74; Ferretti, J.J., et al., 1997 *Adv Exp Med Biol* 418:961-963; Koonin, E.V., et al., 1996 *Methods Enzymol* 266:295-322). Analyses of these data indicate that approximately 46% of putative bacterial genes are of unknown function having no attributable function.

Others have pursued various strategies to identify bacterial genes that are essential for viability. These strategies include: identifying genes that are expressed by the bacteria when present in the infected host (Hensel, M., et al., 1995 *Science* 269:400-3), identifying essential genes by isolating temperature sensitive mutants (Schmid, M.B., et al., 1998 *Curr Opin Chem Biol* 2:529-34), and identifying genes in pathways known from prior physiological studies to be essential (Skarzynski, T. et al., 1996 *Structure* 1996 4:1465-74)

There continues to be a need to identify bacterial genes that encode gene products that are essential for cell viability, such as cell replication, growth, and survival. These genes and their encoded gene products can be used as a starting point towards identifying agents

that inhibit functions essential for cell viability, thereby causing bacterial cell stasis or death (e.g., antibacterial agents).

5 The present invention provides experimental identification of novel, conserved essential genes (*ceg*) from bacteria and their encoded protein products. The *ceg* genes are considered essential to cell viability because disruption of an endogenous *ceg* gene results in lethality of a bacterial cell (e.g., as determined by failure to recover viable chloramphenicol-resistant colonies, as described herein). Thus, the gene products encoded by these genes are potentially valuable targets for chemotherapeutic intervention
10 of bacterial infections.

The *ceg* nucleotide sequences of the invention were obtained by large-scale computational comparisons of multiple genome sequences to identify conserved protein coding regions, followed by gene disruption to identify *cegs*. The conservation of protein
15 sequences in many cases is believed to reflect the higher level conservation of common biochemical pathways essential for bacterial function and viability.

SUMMARY OF THE INVENTION

20 The acronyms "CEG" and "*ceg*" stand for Conserved Essential Gene. For convenience, the italicized term *ceg* refers herein to *ceg* nucleotide sequences. The capitalized term CEG refers herein to CEG polypeptide sequences.

Embodiments of the *ceg* nucleotide sequences and the CEG polypeptide sequences are
25 designated CFEs which stands for CEG For Expression. The CFEs are polypeptides resulting from expression of the *ceg* nucleotide sequence.

The present invention provides isolated nucleotide sequences of conserved essential genes from bacteria, designated *ceg*. The invention also provides recombinant nucleic
30 acid molecules including the *ceg* sequences of the invention, and methods of uses thereof. Examples of nucleic acid molecules having *ceg* sequences are described in SEQ ID

NOS.: 1-113. The invention further provides isolated polypeptides and recombinant polypeptides having the CEG sequences of the invention, and methods of uses thereof. Examples of polypeptides having CEG sequences are described in SEQ ID NOS.: 114-226.

5

The *ceg* sequences of the present invention are DNA or RNA. Further, the invention includes nucleic acid molecules that are identical or nearly identical (e.g., similar) with the *ceg* sequences of the invention. The invention additionally provides polynucleotide sequences that hybridize under stringent conditions to the *ceg* sequences of the invention.

10

A further embodiment provides polynucleotide sequences which are complementary to the *ceg* sequences of the invention. Yet another embodiment provides *ceg* nucleic acid molecules that are labeled with a detectable marker. Another embodiment provides recombinant nucleic acid molecules, such as a vector or a fusion molecule, including the *ceg* sequences of the invention.

15

The present invention provides various *ceg* sequences, fragments thereof having essential gene activity, and related molecules such as antisense molecules, oligonucleotides, peptide nucleic acids (PNA), fragments, and portions thereof.

20

The present invention relates to the inclusion of the polynucleotides encoding CEG gene products, such as CEG polypeptides, in an expression vector which can be used to transform host cells or organisms. Such transgenic hosts are useful for the production of CEG gene products for the development of antibacterial agents such as antibiotics.

25

The invention further provides substantially purified CEG gene products, and uses thereof.

The invention also relates to pharmaceutical compositions comprising antisense molecules capable of disrupting expression of *ceg* sequences, agonists, antagonists or inhibitors of CEG gene products, and antibodies reactive against the CEG polypeptides.

30

These compositions are useful for preventing the growth or survival of bacteria, for example, in the treatment of conditions associated with bacterial infections.

BRIEF DESCRIPTION OF THE FIGURES

5

Figure 1: A schematic representation of the gene disruption assay, as described in Example 3, *infra*. A) A recombinant vector undergoing homologous recombination with the host genome. B) The result of homologous recombination.

- 10 Figure 2: A schematic representation of the polarity test for operons, as described in Examples 2 and 3, *infra*. A) The recombinant vector undergoing homologous recombination with the host genome. B) Case 1: one possible result of homologous recombination; the downstream Gene B has an independent promoter. C) Case 2; another possible result of homologous recombination; the downstream Gene B does not have an independent promoter.
- 15

- Figure 3: Purification of 2CFE 75, as described in Example 6, *infra*. A) Fractionation profile of 2CFE 75 eluted from a Ni-NTA column. B) Gel electrophoresis of pooled fractions of CFE 75. C) Non-denaturing gel electrophoresis to determine oligo form of
- 20 2CFE 75.

Figure 4: Fractionation profile of 2CFE 3 eluted from a hydroxyapatite column, as described in Example 7, *infra*.

- 25 Figure 5: The biosynthesis pathway of Coenzyme A which starts with phosphorylation of pantothenate.

- Figure 6: Circular dichroism spectra of 2CFE 101 and 103, as described in Example 10, *infra*. A) Circular dichroism spectra of 2CFE 101 and 103 at 25 degrees C. B) Circular
- 30 dichroism thermal melt spectra of 2CFE 101 and 103 at a range of zero to 100 degrees C.

Figure 7: Circular dichroism spectra of aggregate and monomer pools of 2CFE 101 and 103, as described in Example 10, *infra*. A) Circular dichroism spectra of aggregate and monomer pools of 2CFE 101 and 103 at 25 degrees C. B) Circular dichroism thermal melt spectra of aggregate and monomer pools of 2CFE 101 and 103 at a range of zero to 100 degrees C.

5

Figure 8: Absorbance spectra of pantothenate-dependent production of ADP, as described in Example 10, *infra*.

Figure 9: The results of size exclusion chromatography and gel electrophoresis showing the oligomeric forms of 2CFE 21 and 39, as described in Example 11, *infra*. Lanes 1-6 contain 2CFE 21, lane 7 is a molecular weight marker, lanes 8-10 contain 2CFE 39.

Figure 10: Gel electrophoresis of a helicase reaction using 2CFE 21 and 39 and radiolabeled synthetic Holliday Junction template, as described in Example 11, *infra*. Lane 1 contains the synthetic Holliday Junction template; lane 2 contains the synthetic duplex; lane 3 contains a single-stranded template; lane 4 contains the helicase reaction using 2CFE 39; lane 5 contains the helicase reaction using 2CFE 21; lanes 6-8 contain the helicase reaction using 2CFE 39 and 21 at varying concentrations (e.g., 1, 2, and 3 μ M each); and lane 9 contains the helicase reaction using 2 μ M each 2CFE 39 and 21 in the presence of ethidium bromide.

20

Figure 11: A graph depicting the results of the helicase reaction which were monitored by measuring the unquenching of the Holliday Junction templates with time, as described in Example 11, *infra*.

25

Figure 12: Capillary electrophoresis results of 2CFE 8 with and without ssDNA, as described in Example 12, *infra*. A) Electropherogram of 2CFE 8 alone. B) Electropherogram of 2CFE 8 in the presence of a 32-nucleotide single-stranded oligomer.

Figure 13: Gel mobility shift assay of 2CFE 8, and 2CFE 8 in the presence of a single-stranded 32-mer, as described in Example 12, *infra*. A) An ethidium bromide-stained,

30

native, polyacrylamide gel containing 2CFE 8, and 2CFE 8 in the presence of a 32-mer. B) The same native, polyacrylamide gel stained with Coomassie.

Figure 14: The N-acetyl glucosamine pathway putatively mediated by 2CFE 3 and 2CFE 86, as described in Example 13, *infra*.

Figure 15: Capillary electrophoresis results of 2CFE 3 with and without putative substrates, as described in Example 13, *infra*. A) Electropherogram of 2CFE 3 with and without glucosamine-1-phosphate. B) Electropherogram of 2CFE 3 with and without D-glucose-1-phosphate. C) Electropherogram of 2CFE 3 alone, 2CFE 3 and glucose-1-phosphate, and 2CFE 3 and glucose-6-phosphate. D) Electropherogram of 2CFE 3 alone or in the presence of glucosamine-1-phosphate, glucosamine-6-phosphate, D-glucose, D(+) galactose, and α -D-glucose-1-phosphate.

Figure 16: Capillary electrophoresis results of FITC-derivitized 2CFE 3 polypeptide with and without D-glucosamine-6-phosphate (substrate) to produce the product D-glucosamine-1-phosphate, using laser-induced fluorescence, as described in Example 13, *infra*. Electropherogram of D-glucosamine-6-phosphate (putative substrate), 2CFE 3 reacted with D-glucosamine-6-phosphate, and the product glucosamine-1-phosphate.

Figure 17: Gel electrophoresis of 2CFE 86 eluted from an Ni-NTA column, as described in Example 13, *infra*.

Figure 18: HPLC analysis of a coupled reaction including 2CFE 3, 2CFE 86, and D-glucosamine-6-phosphate to produce the product, UDP-N-acetylglucosamine-1-phosphate (UDPAG), as described in Example 13, *infra*.

Figure 19: A fatty acid biosynthesis pathway.

Figure 20: Size exclusion chromatography to determine the molecular weight and oligomeric form of 2CFE 34, as described in Example 14, *infra*. Selected eluted samples were sized by gel electrophoresis.

5 Figure 21: Gel electrophoresis of 2CFE 41 eluted from a Ni-NTA column, as described in Example 15, *infra*.

Figure 22: Capillary electrophoresis results of 2CFE 40, 41, and 46, as described in Example 15, *infra*.

10

Figure 23: Depicts a schematic diagram of a ligand which binds 2CFE 34. The ligand is 2-phenyl-N-(3 carboxyl-4hydroxyphenyl) azabicyclo [4.3.0] nona-2, 8-diene.

15 Figure 24: Depicts a schematic diagram of a ligand which binds 2CFE 43. The ligand is N-(3, 5-dinitrobenzyl)-7-trifluoromethyl benza diaza furanolactone.

Figure 25: Depicts a schematic diagram of a ligand which binds 2CFE 43. The ligand is 2-amino (N-para-methylphenyl sulfonamide)-3-phenylpropionic acid.

20 Figure 26: A nucleic acid sequence of 2CFE1 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 27: A nucleic acid sequence of 2CFE2 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25

Figure 28: A nucleic acid sequence of 2CFE3 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

30 Figure 29: A nucleic acid sequence of 2CFE4 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 30: A nucleic acid sequence of 2CFE5 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

- 5 Figure 31: A nucleic acid sequence of 2CFE6 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 32: A nucleic acid sequence of 2CFE7 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

10

Figure 33: A nucleic acid sequence of 2CFE8 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

- 15 Figure 34: A nucleic acid sequence of 2CFE9 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 35: A nucleic acid sequence of 2CFE10 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

- 20 Figure 36: A nucleic acid sequence of 2CFE11 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 37: A nucleic acid sequence of 2CFE12 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25

Figure 38: A nucleic acid sequence of 2CFE13 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

- 30 Figure 39: A nucleic acid sequence of 2CFE14 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 40: A nucleic acid sequence of 2CFE15 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 41: A nucleic acid sequence of 2CFE16 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 42: A nucleic acid sequence of 2CFE17 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 43: A nucleic acid sequence of 2CFE19 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 44: A nucleic acid sequence of 2CFE21 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 45: A nucleic acid sequence of 2CFE24 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 46: A nucleic acid sequence of 2CFE25 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 47: A nucleic acid sequence of 2CFE26 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 48: A nucleic acid sequence of 2CFE27 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 49: A nucleic acid sequence of 2CFE28 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 50: A nucleic acid sequence of 2CFE29 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

5 Figure 51: A nucleic acid sequence of 2CFE30 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 52: A nucleic acid sequence of 2CFE31 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

10 Figure 53: A nucleic acid sequence of 2CFE32 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 54: A nucleic acid sequence of 2CFE33 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

15

Figure 55: A nucleic acid sequence of 2CFE34 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

20 Figure 56: A nucleic acid sequence of 2CFE35 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 57: A nucleic acid sequence of 2CFE36 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25 Figure 58: A nucleic acid sequence of 2CFE37 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 59: A nucleic acid sequence of 2CFE38 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

30

Figure 60: A nucleic acid sequence of 2CFE39 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

5 Figure 61: A nucleic acid sequence of 2CFE40 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 62: A nucleic acid sequence of 2CFE41 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

10 Figure 63: A nucleic acid sequence of 2CFE42 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 64: A nucleic acid sequence of 2CFE43 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

15

Figure 65: A nucleic acid sequence of 2CFE44 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

20

Figure 66: A nucleic acid sequence of 2CFE45 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 67: A nucleic acid sequence of 2CFE46 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25

Figure 68: A nucleic acid sequence of 2CFE47 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 69: A nucleic acid sequence of 2CFE48 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

30

Figure 70: A nucleic acid sequence of 2CFE49 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

5 Figure 71: A nucleic acid sequence of 2CFE50 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 72: A nucleic acid sequence of 2CFE51 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

10 Figure 73: A nucleic acid sequence of 2CFE52 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 74: A nucleic acid sequence of 2CFE53 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

15

Figure 75: A nucleic acid sequence of 2CFE54 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

20 Figure 76: A nucleic acid sequence of 2CFE55 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 77: A nucleic acid sequence of 2CFE56 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25 Figure 78: A nucleic acid sequence of 2CFE57 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 79: A nucleic acid sequence of 2CFE58 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

30

Figure 80: A nucleic acid sequence of 2CFE59 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

5 Figure 81: A nucleic acid sequence of 2CFE60 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 82: A nucleic acid sequence of 2CFE61 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

10 Figure 83: A nucleic acid sequence of 2CFE62 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 84: A nucleic acid sequence of 2CFE64 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

15

Figure 85: A nucleic acid sequence of 2CFE65 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

20

Figure 86: A nucleic acid sequence of 2CFE66 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 87: A nucleic acid sequence of 2CFE67 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25

Figure 88: A nucleic acid sequence of 2CFE68 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 89: A nucleic acid sequence of 2CFE69 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

30

Figure 90: A nucleic acid sequence of 2CFE70 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

5 Figure 91: A nucleic acid sequence of 2CFE71 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 92: A nucleic acid sequence of 2CFE72 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

10 Figure 93: A nucleic acid sequence of 2CFE75 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 94: A nucleic acid sequence of 2CFE76 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

15

Figure 95: A nucleic acid sequence of 2CFE78 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

20 Figure 96: A nucleic acid sequence of 2CFE79 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 97: A nucleic acid sequence of 2CFE80 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25 Figure 98: A nucleic acid sequence of 2CFE81 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 99: A nucleic acid sequence of 2CFE82 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

30

Figure 100: A nucleic acid sequence of 2CFE83 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

5 Figure 101: A nucleic acid sequence of 2CFE84 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 102: A nucleic acid sequence of 2CFE85 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

10 Figure 103: A nucleic acid sequence of 2CFE86 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 104: A nucleic acid sequence of 2CFE87 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

15 Figure 105: A nucleic acid sequence of 2CFE88 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

20 Figure 106: A nucleic acid sequence of 2CFE89 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 107: A nucleic acid sequence of 2CFE90 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25 Figure 108: A nucleic acid sequence of 2CFE91 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 109: A nucleic acid sequence of 2CFE92 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 110: A nucleic acid sequence of 2CFE94 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

5 Figure 111: A nucleic acid sequence of 2CFE95 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 112: A nucleic acid sequence of 2CFE96 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

10 Figure 113: A nucleic acid sequence of 2CFE97 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 114: A nucleic acid sequence of 2CFE99 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

15

Figure 115: A nucleic acid sequence of 2CFE101 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

20 Figure 116: A nucleic acid sequence of 2CFE102 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 117: A nucleic acid sequence of 2CFE103 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25 Figure 118: A nucleic acid sequence of 2CFE104 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 119: A nucleic acid sequence of 2CFE105 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

30

Figure 120: A nucleic acid sequence of 2CFE106 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

5 Figure 121: A nucleic acid sequence of 2CFE107 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 122: A nucleic acid sequence of 2CFE108 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

10 Figure 123: A nucleic acid sequence of 2CFE109 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 124: A nucleic acid sequence of 2CFE111 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

15

Figure 125: A nucleic acid sequence of 2CFE112 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

20 Figure 126: A nucleic acid sequence of 2CFE113 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 127: A nucleic acid sequence of 2CFE114 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

25 Figure 128: A nucleic acid sequence of 2CFE115 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 129: A nucleic acid sequence of 2CFE116 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

30

Figure 130: A nucleic acid sequence of 2CFE117 deposited with the American Type Culture Collection as ATCC designation _____ on December 20, 2000.

Figure 131: Schematic structures of alkylolids which are ligands, for example, of 2CFE42.

5

DETAILED DESCRIPTION OF THE INVENTION

Definitions

10 All scientific and technical terms used in this application have meanings commonly used in the art unless otherwise specified. As used in this application, the following words or phrases have the meanings specified.

As used herein, a *ceg* nucleic acid molecule is said to be "isolated" when the nucleic acid
15 molecule is substantially separated from contaminant nucleic acid molecules that encode polypeptides other than CEGs. Additionally, isolated nucleic acid molecule refers to any RNA or DNA sequence obtained from a natural source, or constructed by recombinant methods, or synthesized. A skilled artisan can readily employ nucleic acid isolation procedures to obtain an isolated nucleic acid molecule having *ceg* sequences.

20

The term "*ceg*" includes all isolated forms of *ceg* nucleotide and CEG amino acid sequences disclosed herein. The *ceg* sequences encode gene products that have essential biological functions in bacterial cells, such as, for example, nucleotide biosynthesis, amino acid biosynthesis, DNA replication, RNA transcription, protein translation, DNA
25 recombination, DNA repair, biosynthesis of cofactors (e.g., Coenzyme A), biosynthesis of prosthetic groups, cellular processes (e.g., chaperones, cell division, and polypeptide secretion), energy metabolism (e.g., pentose phosphate pathway, glycolysis, gluconeogenesis), fatty acid biosynthesis, cell wall biosynthesis, and/or biosynthesis of purines, pyrimidines, nucleosides, and nucleotides. Accordingly, the gene products of the
30 *ceg* nucleotide sequences are required for viability of bacterial cells. The term "*ceg*" also includes variants having nucleotide sequence similarity to the disclosed *ceg* sequences,

including sequences isolated from various bacterial genera and species, allelic variants, mutant variants, and *ceg* variants that encode conservative and non-conservative amino acid substitutions. The present invention also provides for all *ceg* sequences generated by recombinant DNA technology, including complementary sequences, *ceg* sequences that
5 hybridize to the sequences of the invention at high stringency hybridization conditions, fusion genes comprising a *ceg* sequence, and codon usage variants.

The term "essential genes" refers to a nucleotide sequence that encodes a gene product having a function which is required for cell viability. The term "essential protein" refers
10 to a polypeptide that is encoded by an essential gene and has a function that is required for cell viability. Accordingly, a mutation that disrupts the function of the essential gene or essential proteins results in a loss of viability of cells harboring the mutation.

"Non-essential genes" or "non-essential proteins" refer to genomic information, or the
15 protein(s) or RNAs encoded therefrom which, when disrupted by a mutation, do not result in a loss of viability of cells harboring said mutation under defined laboratory conditions.

As used herein, a nucleotide sequence is said to be "identical" to another reference
20 sequence when both nucleotide sequences are exactly alike.

As used herein, a nucleotide sequence is said to be "similar" to another reference sequence when a comparison of the two sequences shows that they have a low level of sequence differences. For example, two sequences are considered to be similar to each
25 other when the percentage of nucleotides that are shared between the two sequences is between about 70 % to 99.99% over the entire length of the two sequences.

As used herein an amino acid sequence is said to be "similar" to another reference sequence when a comparison of the two sequences shows that they have a low level of
30 sequence differences. For example, two sequences are considered to be similar to each

other when the percentage of amino acids that are shared between the two sequences may be between about 30% to 100% identity over the entire length of the two sequences.

As used herein, an "allele" or "allelic sequence" is an alternative form of the naturally-occurring *ceg* sequence. Alleles result from a mutation, that changes the nucleotide sequence, and generally produce altered mRNAs or polypeptides whose structure or function may or may not be altered.

"Substantially purified" as used herein means a specific isolated nucleic acid or protein, or fragment thereof, in which substantially all contaminants (i.e. substances that differ from said specific molecule) have been separated from said nucleic acid or protein.

In a host cell, an "endogenous" sequence as used herein means a nucleic acid sequence that is naturally-occurring and resides within the host genome.

In a host cell, an "exogenous" sequence as used herein means an isolated nucleic acid sequence that is introduced into the host cell, using any one of a variety of introduction methods, such as transfection, electroporation, cationic lipid or salt treatment methods.

"Knockout mutant" or "knockout mutation" as used herein refers to an *in vitro* engineered disruption of a region of endogenous chromosomal DNA (e.g., disruption of the genome), typically within a protein coding region. A knockout mutation can be generated by inserting an exogenous DNA sequence into the homologous endogenous sequence. A knockout mutation occurring in a protein coding region is expected to disrupt normal expression of the protein coding region. This usually leads to loss of the function provided by the protein.

In order that the invention herein described may be more fully understood, the following description is set forth.

A) MOLECULES OF THE INVENTION**1.) CEG NUCLEIC ACID MOLECULES**

- 5 The present invention provides isolated and recombinant *ceg* nucleic acid molecules and fragments thereof, and related molecules, such as sequences complementary to *ceg* sequences or a portion thereof, and those that hybridize to the nucleic acid molecules of the invention.
- 10 The *ceg* polynucleotide sequences, also referred to herein as nucleic acid molecules of the invention, are preferably in isolated form, including DNA, RNA, DNA/RNA hybrids, and related molecules, and fragments thereof. Specifically contemplated are genomic DNA, ribozymes, and antisense molecules, as well as nucleic acid molecules based on an alternative backbone or including alternative bases, whether derived from natural sources or
- 15 synthesized. Embodiments of particular *ceg* polynucleotide and amino acid sequences include, but are not limited to, the sequences described in Tables I and II (e.g., SEQ ID NOS:1-113, 114-226 and SEQ ID NOS: 227-339, 340-452, respectively). The *ceg* polynucleotide and amino acid sequences were designated *cfe* which stands for CEG For Expression.
- 20 Biological samples of the 2CFE nucleic acid molecules (e.g., SEQ ID NOS: 227-331) were deposited on December 20, 2000 with the American Type Culture Collection (ATCC), 10801 University Blvd., Manassas, VA 20110-2209.

TABLE I

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO. (Polypeptide)	POLARITY
CFE 1	1	114	+
CFE 2	2	115	-
CFE 3	3	116	-
CFE 4	4	117	+
CFE 5	5	118	-
CFE 6	6	119	+

TABLE I

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO. (Polypeptide)	POLARITY
CFE 7	7	120	-
CFE 8	8	121	+
CFE 9	9	122	+
CFE 10	10	123	+
CFE 11	11	124	+
CFE 12	12	125	+
CFE 13	13	126	-
CFE 14	14	127	+
CFE 15	15	128	-
CFE 16	16	129	-
CFE 17	17	130	-
CFE 19	18	131	+
CFE 21	19	132	-
CFE 24	20	133	-
CFE 25	21	134	+
CFE 26	22	135	-
CFE 27	23	136	+
CFE 28	24	137	-
CFE 29	25	138	-
CFE 30	26	139	-
CFE 31	27	140	+
CFE 32	28	141	+
CFE 33	29	142	-
CFE 34	30	143	+
CFE 35	31	144	+
CFE 36	32	145	+
CFE 37	33	146	-
CFE 38	34	147	+
CFE 39	35	148	-
CFE 40	36	149	-
CFE 41	37	150	-
CFE 42	38	151	-
CFE 43	39	152	-
CFE 44	40	153	+
CFE 45	41	154	-
CFE 46	42	155	-

TABLE I

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO. (Polypeptide)	POLARITY
CFE 47	43	156	-
CFE 48	44	157	
CFE 49	45	158	+
CFE 50	46	159	+
CFE 51	47	160	+
CFE 52	48	161	-
CFE 53	49	162	+
CFE 54	50	163	+
CFE 55	51	164	+
CFE 56	52	165	+
CFE 57	53	166	+
CFE 58	54	167	+
CFE 59	55	168	-
CFE 60	56	169	+
CFE 61	57	170	+
CFE 62	58	171	
CFE 63	59	172	
CFE 64	60	173	+
CFE 65	61	174	+
CFE 66	62	175	+
CFE 67	63	176	+
CFE 68	64	177	-
CFE 69	65	178	+
CFE 70	66	179	+
CFE 71	67	180	-
CFE 72	68	181	-
CFE 73	69	182	+
CFE 74	70	183	-
CFE 75	71	184	-
CFE 76	72	185	+
CFE 77	73	186	
CFE 78	74	187	+
CFE 79	75	188	-
CFE 80	76	189	-
CFE 81	77	190	+
CFE 82	78	191	

TABLE I

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO. (Polypeptide)	POLARITY
CFE 83	79	192	-
CFE 84	80	193	-
CFE 85	81	194	-
CFE 86	82	195	-
CFE 87	83	196	-
CFE 88	84	197	-
CFE 89	85	198	+
CFE 90	86	199	+
CFE 91	87	200	-
CFE 92	88	201	-
CFE 93	89	202	+
CFE 94	90	203	+
CFE 95	91	204	+
CFE 96	92	205	+
CFE 97	93	206	-
CFE 98	94	207	
CFE 99	95	208	+
CFE 100	96	209	
CFE 101	97	210	-
CFE 102	98	211	+
CFE 103	99	212	-
CFE 104	100	213	+
CFE 105	101	214	-
CFE 106	102	215	-
CFE 107	103	216	-
CFE 108	104	217	+
CFE 109	105	218	-
CFE110	106	219	-
CFE 111	107	220	-
CFE 112	108	221	-
CFE 113	109	222	-
CFE 114	110	223	-
CFE 115	111	224	-
CFE 116	112	225	-
CFE 117	113	226	-

TABLE II

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO. (Polypeptide)	FIGURE
2CFE 1			26
2CFE 2			27
2CFE 3			28
2CFE 4			29
2CFE 5			30
2CFE 6			31
2CFE 7			32
2CFE 8			33
2CFE 9			34
2CFE 10			35
2CFE 11			36
2CFE 12			37
2CFE 13			38
2CFE 14			39
2CFE 15			40
2CFE 16			41
2CFE 17			42
2CFE 19			43
2CFE 21			44
2CFE 24			45
2CFE 25			46
2CFE 26			47
2CFE 27			48
2CFE 28			49
2CFE 29			50
2CFE 30			51
2CFE 31			52
2CFE 32			53
2CFE 33			54
2CFE 34			55
2CFE 35			56
2CFE 36			57
2CFE 37			58
2CFE 38			59
2CFE 39			60

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO. (Polypeptide)	FIGURE
2CFE 40			61
2CFE 41			62
2CFE 42			63
2CFE 43			64
2CFE 44			65
2CFE 45			66
2CFE 46			67
2CFE 47			68
2CFE 48			69
2CFE 49			70
2CFE 50			71
2CFE 51			72
2CFE 52			73
2CFE 53			74
2CFE 54			75
2CFE 55			76
2CFE 56			77
2CFE 57			78
2CFE 58			79
2CFE 59			80
2CFE 60			81
2CFE 61			82
2CFE 62			83
2CFE 64			84
2CFE 65			85
2CFE 66			86
2CFE 67			87
2CFE 68			88
2CFE 69			89
2CFE 70			90
2CFE 71			91
2CFE 72			92
2CFE 75			93
2CFE 76			94
2CFE 78			95
2CFE 79			96
2CFE 80			97

CFE Designation	SEQ. ID NO. (Nucleotide)	SEQ. ID NO. (Polypeptide)	FIGURE
2CFE 81			98
2CFE 82			99
2CFE 83			100
2CFE 84			101
2CFE 85			102
2CFE 86			103
2CFE 87			104
2CFE 88			105
2CFE 89			106
2CFE 90			107
2CFE 91			108
2CFE 92			109
2CFE 94			110
2CFE 95			111
2CFE 96			112
2CFE 97			113
2CFE 99			114
2CFE 101			115
2CFE 102			116
2CFE 103			117
2CFE 104			118
2CFE 105			119
2CFE 106			120
2CFE 107			121
2CFE 108			122
2CFE 109			123
2CFE 111			124
2CFE 112			125
2CFE 113			126
2CFE 114			127
2CFE 115			128
2CFE 116			129
2CFE 117			130

a) Variant *ceg* Nucleotide Sequences

The present invention also provides nucleic acid molecules having a nucleotide sequence
5 substantially identical or similar to the *ceg* sequences (SEQ ID NOS: 1-113, 227-331)
disclosed herein.

The present invention provides nucleotide sequences which are similar to SEQ ID
NOS:1-113 and/or SEQ ID NOS:227-331. The present invention provides nucleotide
10 sequences which vary from SEQ ID NOS:1-113 or 227-331 by a range of about 1% to
about 70%.

The present invention encompasses variations in polynucleotide sequences resulting from
mutations and/or from transfer of genetic material from one cell to another (e.g.,
15 horizontal gene transfer or horizontal gene exchange).

The present invention also provides for variants of the polynucleotide *ceg* sequences
disclosed herein, including variants isolated from naturally-occurring sources, those
generated by recombinant DNA technology or other in vitro synthesis methodologies
20 (e.g., PCR). The variant polynucleotide sequences of the invention encode polypeptides
that exhibit the biological activity of naturally-occurring CEG polypeptides, such as
activity required for bacterial cell viability.

In general, for example, a variant of *ceg* polynucleotide sequences may encode a
25 polypeptide that differs by one or more amino acid substitutions. The variant may have
conservative changes, wherein a substituted amino acid has similar structural or chemical
properties, eg, replacement of leucine with isoleucine.

A polynucleotide sequence can encode conservative amino acid substitutions without
30 altering either the conformation or the function of the polypeptide. Such changes include
substituting any of isoleucine (I), valine (V), and leucine (L) for any other of these

hydrophobic amino acids; aspartic acid (D) for glutamic acid (E) and vice versa; glutamine (Q) for asparagine (N) and vice versa; and serine (S) for threonine (T) and vice versa. Other substitutions can also be considered conservative, depending on the environment of the particular amino acid and its role in the three-dimensional structure of the protein. For example, glycine (G) and alanine (A) can frequently be interchangeable, as can alanine (A) and valine (V). Methionine (M), which is relatively hydrophobic, can frequently be interchanged with leucine and isoleucine, and sometimes with valine. Lysine (K) and arginine (R) are frequently interchangeable in locations in which the significant feature of the amino acid residue is its charge and the differing pK's of these two amino acid residues are not significant. Still other changes can be considered "conservative" in particular environments.

A variant may also have nonconservative changes, eg, replacement of a glycine with a tryptophan. Other variations may also include amino acid deletions or insertions, or both. Guidance in determining which and how many amino acid residues may be substituted, inserted or deleted without abolishing biological or immunological activity may be found using computer programs well known in the art, for example, DNASTAR software.

Another type of *ceg* sequence variant includes naturally-occurring allelic variants of *ceg* which share significant similarity (e.g., between about 30- 99%) to the disclosed CEG polypeptide sequence. Allelic variants of the *ceg* sequences can encode conservative or non-conservative amino acid substitutions of the CEG polypeptide sequence herein described.

An example of allelic variants of *ceg* are mutant alleles of *ceg* polynucleotide sequences that encode a polypeptide having one or more changes in the polypeptide sequence, such as amino acid substitutions, deletions, insertions, frame shifts, or truncations. The mutant alleles of *ceg* may or may not encode a CEG polypeptide having the same biological functions as wild-type CEG proteins.

Variations in the bacterial genomic sequences can also arise from transfer of genetic material to another bacterial cell. The transfer of gene sequences can occur intraspecies or interspecies. Gene transfer can occur between bacterial cells which are members of the same or different populations. A population includes, but is not limited to, a serotype isolate, a clinical isolate, a naturally-occurring isolate, a strain, and a species. The transfer of genetic material can occur between cells within a population; for example transfer between serotype A to serotype A, or between *S. pneumoniae* and *S. pneumoniae*. The transfer of genetic material can occur between cells of different populations; for example, between serotype A to serotype B or *S. pneumoniae* and *S. mutans*.

Gene transfer can give rise to mutant or polymorphic variant genes sequences. In rare cases, gene transfer introduces new gene sequences that confer a new phenotype, such as antibiotic resistance. The transfer of genetic material includes transfer of large regions of genomic sequences which include partial gene sequences, whole single gene sequences, or multiple gene sequences. This mode of transfer can give rise to replacement of native whole gene sequences or introduction of new sequences in the recipient cell. This mode of transfer gives rise to mosaic gene sequences in the recipient cell.

The variation of genomic sequences resulting from gene transfer can be examined using molecular techniques, including: multilocus enzyme electrophoresis (Selandar, R. K., et al., 1986 *Appl. Environ. Microbiol.* 51:837-884); and restriction endonuclease cleavage electrophoretic profiling (Coffey, T. J., et al., 1991 *Mol. Microbio.* 5:2255-2260); pulse-field gel electrophoresis fingerprinting (Bygraves, J. A. and Maiden, M. C. J. 1992 *J. Gen. Microbiol.* 138:523-531); and ribotyping (Stull, T. L., et al., 1988 *J. Infect. Dis.* 157:280-286). The degree of variation can vary greatly, and ranges from little or no variation as exemplified by gene sequences of *E. coli* (Caugant, d. A., et al., 1981 *Genetics* 98:467-490; Whittam, T. S., et al., 1983 *Mol. Biol. Evol.* 1:67-83; Souza, V., et al., 1992 *Proc. Natl. Acad. Sci. USA* 89:8389-8393) and *Salmonella* (Selandar, R. K., et al., 1990 *Infect. Immun.* 58:2262-2275; Selandar, R.K. and Smith, N. H. 1990 *Rev. Med. Microbiol.* 1:219-228; Smith, J. M., et al., 1993 *Proc. Natl. Acad. Sci. USA* 90:4384-

4388), to extensive gene transfer in *Neisseria gonorrhoeae* (Smith, J. M., et al., 1993 *Proc. Natl. Acad. Sci. USA* 90:4384-4388).

Gene transfer can be examined between various isolates of a particular microbial species
5 which are antibiotic-sensitive or antibiotic-resistant (Coffey, T. J., et al., 1991 *Molec. Microbiol.* 5:2255-2260). Molecular biology techniques can be utilized to study the degree of transfer between populations, such as, for example, the degree of gene transfer between serotypes, isolates, strains, or species. The degree of transfer can be examined by comparing, for example, the penicillin binding proteins and numerous different loci
10 which encode metabolic enzymes or capsular biosynthesis enzymes.

For example, intra-species, inter-serotype, gene transfer is possible (Coffey, T. J., et al., 1991 *supra*). Additionally, intraspecies gene transfer in *S. pneumoniae* (Coffey, T. J., et al., 1998 *Mol. Microbiol.* 27:73-83), *Vibrio cholerae* (Bik, E. M., et al., 1995 *EMBO J.*
15 14:209-216), and *Haemophilus influenzae* (Kroll, J. S. and Moxon, E. R. 1990 *J. Bacteriol.* 172: 1374-1379) are possible.

Interspecies gene transfer is also possible (Dowson, C. G., et al., 1989 *Proc. Natl. Acad. Sci. USA* 86:8842-8846; Laibl, G., et al., 1991 *Mol. Microbiol.* 5:1993-2002; Bourgoin, F., et al., 1999 *Gene* 233:151-161).
20

Variant gene sequences arising from gene transfer can be continually generated in transformable bacteria (e.g., transformation competent), such as *S. pneumoniae*. For example, the worldwide spread of varying degrees of antibiotic resistance has been
25 documented and reviewed (Dowson, C. G., et al., 1994 *Trends Microbiol.* 2:361-366; Spratt, B. G. in *Bacterial Cell Wall*, eds Ghuysen J-M. and Hakenbeck, R. 1994 pp. 517-534; and reviewed in Maiden, M. C. J. 1998 *Clinic. Infect. Dis.* 27 (Supplement 1) S12-S20). For example, variant gene sequence arising from gene transfer can be tracked using a marker gene such as the gene which encodes the penicillin binding protein
30 (Barcus, V. A., et al., 1995 *FEMS Microbiol. Lett.* 126:299-303). At the nucleotide level, gene sequences encoding the penicillin binding proteins in susceptible and resistant

strains differ by about 14% to 23% (Hakenbeck, R. 1995 *Biochem. Pharmacol.* 50:1121-1127; Spratt, B. G. in *Bacterial Cell Wall*, eds Ghuysen J-M. and Hakenbeck, R. 1994 pp. 517-534; Spratt, B. G., et al., 1991 *Neisseria meningitidis* and *Streptococcus pneumoniae* eds. Camisi, J., et al., pp. 73-83; Coffey, T. J., et al., 1995 *Micro. Drug Resist.* 1:29-34).

5

The *ceg* nucleotide sequences can be isolated from various species of *Streptococcus* including *Streptococcus pneumoniae*. Additionally, the *ceg* sequences can be isolated from other Streptococcal species, including *S. mutans*, *S. pyogenes*, and *S. thermophila*. The *ceg* polynucleotide sequences can also be isolated from strains of other bacterial genera including, but not limited to, *Streptococcus*, *Escherichia*, *Bacillus*, *Pseudomonas*, *Yersinia*, *Salmonella*, and *Haemophilus*.

10

The present invention additionally provides isolated codon-usage variants that differ from the disclosed *ceg* nucleotide sequences, yet do not alter the predicted CEG polypeptide sequence or function. The codon-usage variants may be generated by recombinant DNA technology. Codons may be selected to optimize the level of production of the *ceg* transcript or CEG polypeptide in a particular prokaryotic or eukaryotic expression host, in accordance with the frequency of codon utilized by the host cell. Alternative reasons for altering the nucleotide sequence encoding a CEG polypeptide include the production of RNA transcripts having more desirable properties, such as an extended half-life or increased stability. A multitude of variant *ceg* nucleotide sequences that encode the respective CEG polypeptide may be isolated, as a result of the degeneracy of the genetic code. Accordingly, the present invention contemplates selecting every possible triplet codon to generate every possible combination of nucleotide sequences that encode the disclosed CEG polypeptides. This particular embodiment provides isolated nucleotide sequences that vary from the sequences as described in SEQ ID NOs.: 1-113 or 227-331, such that each variant nucleotide sequence encodes a polypeptide having sequence identity with the amino acid sequences, as described in SEQ ID NOs.: 114-226 or 332-436, respectively.

20

25

30

b) Complementary Sequences

The present invention includes polynucleotide sequences that are complementary to the sequences disclosed herein. The term "complementary" as used herein refers to the capacity of purine and/or pyrimidine nucleotides to associate through hydrogen bonding to form double stranded nucleic acid molecules. The following base pairs are related by complementarity: guanine and cytosine; adenine and thymine; and adenine and uracil. Complementary applies to all base pairs comprising at least two single-stranded nucleic acid molecules.

c) Sequences Capable of Hybridizing

Another embodiment provides nucleic acid molecules that will hybridize to *ceg* sequences under hybridization conditions. It is readily apparent to one skilled in the art that the stringency of the hybridization condition selected will depend upon the characteristics of the nucleic acid molecule to be hybridized, such as, the length, the degree of complementarity (e.g., exact or non-exact complementarity), the percent A/T content, and the objective of the hybridization experiment.

The hybridization procedure may be performed in low stringency hybridization conditions. Low stringency hybridization conditions will permit hybridization between two nucleic acid molecules that differ from exact complementarity by about 25% to 70%. Hybridization under standard high stringency conditions will occur between two complementary nucleic acid molecules (e.g., 100% exact complementarity) or two complementary nucleic acid molecules that differ from exact complementarity by about 1% to about 70%.

The high stringency hybridization conditions that disfavor non-homologous base pairing are well known in the art. Typically, high stringency hybridization conditions, includes but is not limited to, hybridizing at 50 °C to 65 °C in 5X SSPE, and washing at 50 °C to

65 °C in 0.5X SSPE. Typically, low stringency conditions, includes but is not limited to, hybridizing at 35 °C to 37 °C in 5X SSPE and 40% to 45% formamide and washing at 42 °C in 1-2X SSPE. The conditions and formulas for high stringency hybridization methods are well known in the art and can be readily obtained in *Molecular Cloning; A Laboratory Manual* (2nd edition, Sambrook, Fritsch, and Maniatis 1989, Cold Spring Harbor Press) or in *Short Protocols in Molecular Biology* (Ausubel, F. M., et al., 1989, John Wiley & Sons).

d) Fragments of *ceg* Sequences

The invention further provides nucleic acid molecules having fragments of the *ceg* sequences, such as a portion of the *ceg* sequence (e.g., SEQ ID NOS:1-113, 227-331) disclosed herein. The size of the fragment will be determined by its intended use. For example, the length of the fragment to be used as a nucleic acid probe or PCR primer is chosen to obtain a relatively small number of false positives during probing or priming. Alternatively, a fragment of the *ceg* sequence may be used to construct a recombinant fusion gene having a *ceg* sequence fused to a non-*ceg* sequence.

The nucleic acid molecules, fragments thereof, and probes and primers of the present invention are useful for a variety of molecular biology techniques including, for example, hybridization screens of libraries, or detection and quantification of mRNA transcripts as a means for analysis of gene transcription and/or expression. Preferably, the probes and primers are DNA. A probe or primer length of at least 15 base pairs is suggested by theoretical and practical considerations (Wallace, B. and Miyada, G. 1987 "Oligonucleotide Probes for the Screening of Recombinant DNA Libraries" in: *Methods in Enzymology*, 152:432-442, Academic Press). Other lengths of fragments, probes, or primers are possible and routine to determine.

The probes and primers of this invention can be prepared by methods well known to those skilled in the art (Sambrook, et al. *supra*). In a preferred embodiment the probes

and primers are synthesized by chemical synthesis methods (ed: Gait, M. J. 1984 *Oligonucleotide Synthesis*, IRL Press, Oxford, England).

One embodiment of the present invention provides nucleic acid primers that are complementary to *ceg* sequences, which allow the specific amplification of nucleic acid molecules of the invention or of any specific parts thereof. Another embodiment provides nucleic acid probes that are complementary for selectively or specifically hybridizing to the *ceg* sequences or to any part thereof.

e) Derivative Nucleic Acid Molecules

The nucleic acid molecules of the invention include peptide nucleic acids (PNAs), or derivative molecules such as phosphorothioate, phosphotriester, phosphoramidate, and methylphosphonate, that specifically bind to single-stranded DNA or RNA in a base pair-dependent manner (Zamecnik, P. C., et al., 1978 *Proc. Natl. Acad. Sci.* 75:280284; Goodchild, P. C., et al., 1986 *Proc. Natl. Acad. Sci.* 83:4143-4146).

PNA molecules comprise a nucleic acid oligomer to which an amino acid residue, such as lysine, and an amino group have been added. These small molecules, also designated anti-gene agents, stop transcript elongation by binding to their complementary (template) strand of nucleic acid (Nielsen, P. E., et al., 1993 *Anticancer Drug Des* 8:53-63). For example, reviews of methods for synthesis of DNA, RNA, and their analogues can be found in: *Oligonucleotides and Analogues*, eds. F. Eckstein, 1991, IRL Press, New York; *Oligonucleotide Synthesis*, ed. M. J. Gait, 1984, IRL Press, Oxford, England. Additionally, methods for antisense RNA technology are described in U. S. patents 5,194,428 and 5,110,802. A skilled artisan can readily obtain these classes of nucleic acid molecules using the herein described *ceg* polynucleotide sequences, see for example *Innovative and Perspectives in Solid Phase Synthesis* (1992) Egholm, et al. pp 325-328 or U. S. Patent No. 5,539,082.

f) RNA Molecules

The present invention provides RNA molecules that encode the predicted *ceg* gene products. In particular, the RNA molecules of the invention may be isolated full-length or partial mRNA molecules or RNA oligomers that encode CEG gene products. The RNA molecules of the invention include the nucleotide sequences encoding all or portions of CEGs.

The RNA molecules of the invention also include antisense RNA molecules, peptide nucleic acids (PNAs), or non-nucleic acid molecules such as phosphorothioate derivatives, that specifically bind to the sense strand of DNA or RNA in a base pair-dependent manner. A skilled artisan can readily obtain these classes of nucleic acid molecules using the herein described *ceg* sequences.

g) Labeled Nucleic Acid Molecules

The nucleic acid molecules having *ceg* sequences can be labeled with a detectable marker. Examples of a detectable marker include, but are not limited to, a radioisotope, a fluorescent compound, a bioluminescent compound, a chemiluminescent compound, a metal chelator or an enzyme. Technologies for generating labeled DNA and RNA probes are well known in the art (See e.g. Sambrook et al., *supra*).

2.) RECOMBINANT NUCLEIC ACID MOLECULES

Also provided are recombinant nucleic acid molecules, such as recombinant DNA molecules (rDNAs) that comprise *ceg* sequences or fragments thereof. As used herein, a recombinant DNA molecule is a DNA molecule that has been subjected to molecular manipulation *in vitro*. Methods for generating rDNA molecules are well known in the art, for example, see Sambrook et al., *Molecular Cloning* (1989), *supra*.

a) Vectors

The nucleic acid molecules of the invention may be recombinant molecules each comprising the sequence, or portions thereof, of a *ceg* sequence linked to a non-*ceg* sequence. For example, the *ceg* sequence may be fused operatively to a vector to generate a recombinant molecule. The term vector includes, but is not limited to, plasmids, cosmids, and phagemids. A preferred vector includes an autonomously replicating vector comprising a replicon that directs the replication of the rDNA within the appropriate host cell. The preferred vectors can also include an expression control element, such as a promoter sequence, which enables transcription of the inserted *ceg* sequences and can be used for regulating the expression (e.g., transcription and/or translation) of an operably linked *ceg* sequence in an appropriate host cell such as *Escherichia coli*. Expression control elements are known in the art and include, but are not limited to, inducible promoters, constitutive promoters, secretion signals, enhancers, transcription terminators, and other transcriptional regulatory elements. Other expression control elements that are involved in translation are known in the art, and include the Shine-Dalgarno sequence, and initiation and termination codons. The preferred vector also includes at least one selectable marker gene that encodes a gene product that confers drug resistance such as resistance to ampicillin or tetracycline. The vector also comprises multiple endonuclease restriction sites that enable convenient insertion of exogenous DNA sequences.

The preferred vectors for generating *ceg* transcripts and/or the encoded CEG polypeptides are expression vectors which are compatible with prokaryotic host cells. Prokaryotic cell expression vectors are well known in the art and are available from several commercial sources. For example, a pET vectors (e.g., pET-21, Novagen Corp.) may be used to express CEG polypeptides in bacterial host cells.

b) Recombinant Vectors for Integration

The present invention provides recombinant vectors that may be used to integrate
5 exogenously provided sequences into the genome of a host cell. The recombinant
integration vectors of the present invention include a gene that encodes a selectable
marker and *ceg* sequences, or fragments thereof. The integration vectors are used to
integrate the *ceg* sequence into a target gene sequence that resides within the bacterial
10 host genome (e.g., endogenous sequence), thereby disrupting the function of the target
gene sequence within the bacterial cells. These integration vectors may be used in a gene
disruption assay to screen candidate *ceg* nucleotide sequences, in order to identify the
candidate sequences that encode a gene product that is required for bacterial cell viability.

Accordingly, these recombinant integration vectors include candidate *ceg* sequences that
15 will be screened to determine if the candidate *ceg* sequences encode a gene product that
is required for cell viability. The candidate *ceg* sequence that is included as part of the
recombinant integration vector is the "exogenous" *ceg* sequence that is employed as the
"disrupting" sequence in a gene disruption assay. The *ceg* sequence that resides within
the host genome is the "endogenous" or "target" *ceg* sequence.

20 The integration event rarely occurs, for example, by non-homologous recombination in
which a recombinant vector, that includes the exogenous *ceg* sequence, inserts the
exogenous *ceg* sequence into a random location within the host genome. In a more
preferred embodiment, the integration event inserts the exogenous *ceg* sequence into a
25 specific target site within the host genome. The targeted integration event can involve
homologous recombination in which the integration vector, that includes the exogenous
ceg sequence, inserts the exogenous *ceg* sequence into its homologous target *ceg*
sequence that resides within the host's genome (e.g., the endogenous *ceg* sequence)
(Figure 1). Further, the exogenous *ceg* sequence can be used as a disrupting sequence
30 whereby the homologous recombination event integrates the exogenous *ceg* sequence
into the endogenous target *ceg* sequence resulting in disruption of the function of the

endogenous *ceg* sequence. For example, disrupting the function of the endogenous *ceg* sequence may result in the loss of bacterial cell viability.

5 An example of a recombinant vector that can be used as an integration vector in *S. pneumoniae* is the pEVP-3 vector (Jean-Pierre Claverys, et al. 1995 *Gene* 164: 123-128). The pEVP-3 vector integrates an exogenous sequence by homologous recombination involving a Campbell-type event (S. Adhya and A. Campbell 1970 *J. Mol. Biol.* 50:481-490). The pEVP-3 vector includes a replicon that functions only in gram-negative bacteria, such as *E. coli*. Therefore, the pEVP-3 vector cannot replicate in *S.*
10 *pneumoniae*. This vector also contains multiple cloning sites, and confers resistance to chloramphenicol in both a gram-negative and gram-positive bacteria, such as *S. pneumoniae*.

c) Fusion Gene Sequences

15

A fusion *ceg* gene is another example of a recombinant molecule of the invention. A fusion gene includes a *ceg* sequence operatively fused (e.g., linked) to a non-*ceg* sequence such as, for example, a tag sequence to facilitate isolation and/or purification of the expressed CEG gene product (Kroll, D.J., et al., 1993 *DNA Cell Biol* 12:441-53).

20

Alternatively, a recombinant fusion molecule has a *ceg* sequence of the invention fused to a *ceg* sequence isolated from a different microbial source. For example, the disclosed *ceg* sequences isolated from *S. pneumoniae* can be fused to a *ceg* sequence isolated from a different bacterial species.

25

3.) CEG PROTEINS AND POLYPEPTIDE MOLECULES

30

The invention additionally provides CEG proteins and peptide fragments thereof that are isolated or substantially purified. Embodiments of particular CEG amino acid sequences are disclosed in Tables I and II (SEQ ID NOS:114-226 and SEQ ID NOS:332-436, respectively).

The present invention also includes polypeptides having sequence variations from the predicted CEG polypeptide sequences disclosed herein, including mutant variants, conservative substitution variants, and similar CEG polypeptides from other prokaryotic organisms. For convenience, such proteins are referred to herein as "CEG proteins", "CEG polypeptides", or "proteins of the invention".

As used herein, CEG protein refers to a polypeptide having amino acid sequence identity or similarity to any one of the predicted amino acid sequences, as provided in SEQ ID NO.: 114-226 or 332-436. The variant CEG polypeptides can be allelic forms of CEG, such as mutant forms of CEG polypeptides. The present invention also provides conservative substitution-mutants of the CEG proteins that maintain functional activity of wild-type CEG (e.g., the CEG polypeptide is required for bacterial cell viability).

The CEG protein may be isolated from any source whether natural, synthetic, semi-synthetic, or recombinant. As used herein, "natural" refers to a polypeptide which is found in nature. Accordingly, the CEG proteins may be isolated from a prokaryotic organism, such as a bacterial strain including, but not limited to, *Streptococcus*, *Escherichia*, *Bacillus*, *Pseudomonas*, *Yersinia*, *Salmonella*, and *Streptomyces*. The CEG proteins of the invention, and fragments thereof, can also be generated by recombinant methods or chemical synthesis methods.

The CEG polypeptides of the invention are essential for the viability of a bacterial cell. Further, the CEG polypeptides can exhibit at least any one of the following functions: a pantothenate kinase, a Holliday Junction branch migration protein, a single stranded DNA binding protein, a phosphoglucosamine mutase, an acetyltransferase, an uridylyltransferase, a malonyl CoenzymeA:ACP transacylase, a 3-oxoacyl-ACP synthase II, a 3-oxoacyl-ACP reductase, a phosphomethylpyrimidine (HMP-P) kinase, a GTP binding protein, a ATP binding protein, or a 4-aminoimidazole carboxylase. Putative functions can include, but are not limited to, sugar transferase, teichoic acid biosynthesis, ribosome recycling factor, response regulator, nicotinate phosphoribosyltransferase,

nitropropane dioxygenase, (3R)-hydroxymyristol acyl carrier protein dehydrase, sugar dehydrogenase, murein biosynthesis, cobalamin biosynthesis, ABC transporter, tRNA modification enzyme, arylsulfatase, 16S processing enzyme, tRNA methyl transferase, elongation factor P, signal recognition particle, protein export, undecaprenol kinase, SRP docking domain, diacyl glycerol kinase, dihydopicillinate reductase, HU-DNA binding protein, thiamine biosynthase, GreA transcription elongation factor, dTDP-L-rhamnose synthase, ATP-binding motif, ribose-5-p-3-epimerase-like activity, GTP pyrophosphokinase, acetyl-CoA carboxylase, O-sialoglycoprotein endopeptidase, glucosamine-fructose-6-phosphate aminotransferase, Strpn adhesion-associated ABC-permease, GTP pyrophosphokinase RelA, IMP dehydrogenase, DNA gyrase subunit B, acetyl-CoA carboxylase subunit AccD, phosphoglycerol kinase, acetyl-CoA carboxylase carbonyl transferase, phosphopanthetheine adenylyltransferase, oligopeptide transport permease subunit, translocation protein, perM permease, DNA pol III gamma and tau subunits, DNA pol III delta subunit, signal peptidase I, acetyl-coA carboxylase biotin carboxyl carrier protein, protein chain release factor-1, replicative DNA helicase, topoisomerase, pentapeptide-transferase, elongation factor G, spore coat polysaccharide biosynthesis protein C, protein release factor B, DNA polymerase III alpha subunit, phosphoprotein phosphatase, chaparonin, UDP-N-acetylmuramoylalanyl-D-glutamate-2, 6-diaminopimelate ligase, techuronic acid biosynthesis, UDP-glucose lipid carrier transferase, transcription termination factor, chromosome segregation factor, amino acid biosynthesis, HMG-CoA reductase, hypoxanthine-guanine phosphoribosyltransferase.


a) MODULATORS OF CEG POLYPEPTIDES

The invention provides compounds that modulate (e.g., activate or inhibit) the function of a CEG polypeptide. Such compounds can provide lead-compounds for developing drugs for diagnosing and/or treating conditions associated with bacterial infections. The modulator is a compound that may alter the function of the CEG polypeptide, such as activating or inhibiting the function of a CEG polypeptide. For example, the compound can act as agonist, antagonist, partial agonist, partial antagonist, cytotoxic agents,


inhibitors of cell proliferation, and cell proliferation-promoting agents. The activity of the compound may be known, unknown or partially known.

Suitable ligands include, but are not limited to, diazalactones, *N*-protected amino acid,
5 azabicyclodiene, and alkaloids.

An example of a diazalactone is:




An example of a *N*-protected amino acid is:




10

An example of an azabicyclodiene is:



Examples of alkaloids are:



5 B) METHODS FOR MAKING THE CEG PROTEINS AND POLYPEPTIDES

Recombinant methods are preferred if a high yield is desired. Recombinant methods involve expressing the cloned gene in a suitable host cell. For example, a host cell is introduced with an expression vector having the CEG sequence, then the host cell is

10 cultured under conditions that permit *in vivo* production of the CEG protein. The recombinant vector can integrate the CEG sequence into the host genome. Alternatively, the CEG sequence can be maintained extra-chromosomally, as part of an autonomously replicating vector.

15 1. HOST-VECTOR SYSTEMS

The invention further provides a host-vector system comprising the vector, plasmid, phagemid, or cosmid comprising a *ceg* nucleotide sequence, or a fragment thereof, introduced into a suitable host cell. The host-vector system can be used to produce the

CEG polypeptides encoded by the *ceg* nucleotide sequences. The host cell can be prokaryotic or eukaryotic. Examples of suitable prokaryotic host cells include bacteria strains from genera such as *Escherichia*, *Bacillus*, *Pseudomonas*, *Streptococcus*, and *Streptomyces*. Examples of suitable eukaryotic host cells include a yeast cell, a plant cell,
5 or an animal cell, such as a mammalian cell. A preferred embodiment provides a host-vector system comprising the pET21 vector having a *ceg* sequence introduced into an *E. coli* λ DE3 lysogen which is useful, for example for the production of the CEG protein, herein designated CFE polypeptides and CFE proteins.

- 10 Introduction of the rDNA molecules of the present invention into an appropriate cell host is accomplished by well known methods that typically depend on the type of vector used and host system employed. For example, transformation of prokaryotic host cells by electroporation and salt treatment methods are typically employed, see for example, Cohen
15 et al., 1972 *Proc Acad Sci USA* 69:2110; Maniatis, T., et al., 1989 *Molecular Cloning, A Laboratory Manual*, Cold Spring Harbor Laboratory, Cold Spring Harbor, NY. Transformation of vertebrate cells with vectors containing rDNAs, electroporation, cationic lipid or salt treatment methods are typically employed, see, for example, Graham et al., 1973 *Virology* 52:456; Wigler et al., 1979 *Proc Natl Acad Sci USA* 76:1373-76.
- 20 Successfully transformed cells, i.e., cells that contain a rDNA molecule of the present invention, can be identified by well known techniques. For example, cells resulting from the introduction of a rDNA of the present invention can be selected and cloned to produce single colonies. Cells from those colonies can be harvested, lysed and their DNA content examined for the presence of the rDNA using a method such as that described by Southern,
25 *J Mol Biol* (1975) 98:503, or Berent et al., *Biotech* (1985) 3:208, or the proteins produced from the cell assayed via a biochemical assay or immunological method.

Procarvates are generally used as host cells for cloning and producing the products of exogenous DNA sequences. For example, the *Escherichia coli* K12 BL21 (λ DE3)
30 (Novagen) is particularly useful for expression of foreign proteins. Other strains of *E. coli*, and bacilli such as *Bacillus subtilis*, Enterobacteriaceae such as *Salmonella*

typhimurium or *Serratia marcescans*, various *Pseudomonas*, *Streptococcus*, and *Streptomyces* species may also be employed as host cells in cloning and expressing the recombinant proteins of this invention.

- 5 In general terms, the production of recombinant CEG proteins may involve using a host/vector system, or other methods may be used. The host/vector system may employ the following steps.

- 10 A nucleic acid molecule is obtained that encodes a CEG protein or a fragment thereof, such as any one of the polynucleotides disclosed in SEQ ID NOs.: 1-113 or 227-331. The CEG-encoding nucleic acid molecule is preferably inserted into an expression vector in operable linkage with suitable expression control sequences, to generate an expression vector including the CEG-encoding sequence. The expression vector is introduced into a suitable host, by standard transformation methods, and the resulting transformed host is cultured
15 under conditions that allow the production of the CEG protein. For example, if expression of the CEG gene is under the control of an inducible promoter, then suitable growth conditions would include the appropriate inducer. The CEG protein (e.g., designated a CFE polypeptide or protein), so produced, is isolated from the growth medium or directly from the cells; recovery and purification of the protein may not be necessary in some
20 instances where some impurities may be tolerated. A skilled artisan can readily adapt an appropriate host/expression system known in the art for use with CEG-encoding sequences to produce a CEG protein (Cohen, et al., *supra*; Maniatis et al., *supra*).

- 25 Host cells harboring the nucleic acids disclosed herein are also provided by the present invention. A preferred host is *E. coli* strain BL21(λDE3) transfected or transformed with a vector comprising a nucleic acid of the present invention. The invention also provides a host cell capable of expressing the *ceg* sequences described herein. The preferred host cell is any strain of *E. coli* that can accommodate high level expression of an exogenously introduced gene.

30

The proteins of the present invention can also be made by chemical synthesis. The principles of solid phase chemical synthesis of polypeptides are well known in the art and may be found in general texts relating to this area (Dugas, H. and Penney, C. 1981 *Bioorganic Chemistry*, pp 54-92, Springer-Verlag, New York). CEG polypeptides may be synthesized by solid-phase methodology utilizing an Applied Biosystems 430A peptide synthesizer (Applied Biosystems, Foster City, Calif.) and synthesis cycles supplied by Applied Biosystems. Protected amino acids, such as t-butoxycarbonyl-protected amino acids, and other reagents are commercially available from many chemical supply houses.

The polypeptides of the invention exhibit properties of a CEG protein, such as, for example, the ability to elicit the generation of antibodies that specifically bind an epitope associated with CEG polypeptides. Accordingly, the CEG polypeptide, or any oligopeptide thereof, is capable of inducing a specific immune response in appropriate animals or cells and binding with specific antibodies.

C) ANTIBODIES THAT RECOGNIZE AND BIND THE PROTEINS AND POLYPEPTIDES OF THE INVENTION

The invention further provides antibodies (e.g., polyclonal, monoclonal, chimeric, humanized, and human antibodies) that bind a CEG polypeptide. The most preferred antibodies will selectively bind a CEG polypeptide and will not bind (or will bind weakly) a non-CEG polypeptide. Antibodies that are particularly contemplated include monoclonal and polyclonal antibodies, as well as fragments thereof (e.g., recombinant proteins) which include the antigen binding domain and/or one or more complement determining regions of these antibodies. These antibodies can be from any source, for example, rabbit, sheep, rat, dog, cat, pig, horse, mouse, and human.

The invention encompasses antibody fragments that specifically recognize a CEG polypeptide. As used herein, an antibody fragment is defined as at least a portion of the variable region of the immunoglobulin molecule that binds to its target, i.e., the antigen binding region. Some of the constant region of the immunoglobulin may be included.

As will be understood by those skilled in the art, the regions or epitopes of a CEG polypeptide to which an antibody is directed may vary with the intended application. For example, antibodies intended for use in an immunoassay for the detection of membrane-bound CEG proteins on viable bacterial cells should be directed to an accessible epitope on membrane-bound CEG proteins. Antibodies that recognize other epitopes may be useful for the identification of CEG protein within damaged or dying cells, for the detection of secreted CEG protein or fragments thereof.

- Various methods for the preparation of antibodies are well known in the art. For example, antibodies may be prepared by immunizing a suitable mammalian host using a CEG protein, peptide, or fragment, in isolated or immunoconjugated form (Harlow, 1989 *Antibodies*, Cold Spring Harbor Press, NY). In addition, fusion proteins comprising CEG polypeptides may also be used, such as a CEG protein/GST-fusion protein. Cells expressing or overexpressing a CEG polypeptide may also be used for immunizations. Similarly, any cell engineered to express CEG protein may be used. This strategy may result in the production of monoclonal antibodies with enhanced capacities for recognizing endogenous CEG protein.

- The present invention contemplates chimeric antibodies that comprise a human and non-human immunoglobulin portion. The antigen combining region (variable region) of a chimeric antibody can be derived from a prokaryotic source (e.g., bacteria) and the constant region of the chimeric antibody which confers biological effector function to the immunoglobulin can be derived from a eukaryotic source (e.g., human). The chimeric antibody should have the antigen binding specificity of the prokaryotic antibody molecule and the effector function conferred by the eukaryotic antibody molecule.

In one example, the procedure used to produce chimeric antibodies can involve the following steps:

- a) Identifying and cloning the correct immunoglobulin gene segment encoding the antigen binding portion of the antibody molecule. This gene segment is known as the VDJ, variable, diversity and joining regions for heavy chains or VJ, variable,

joining regions for light chains or simply as the V or variable region. This gene regions may be in either the cDNA or genomic form;

b) Cloning the gene segments encoding the constant region or desired part thereof;

c) Ligating the variable region with the constant region so that the complete chimeric antibody is encoded in a form that can be transcribed and translated;

d) Ligating this construct into a vector containing a selectable marker and gene control regions such as promoters, enhancers and poly(A) addition signals;

e) Amplifying this construct in bacteria;

f) Introducing this DNA into eukaryotic cells (transfection) most often mammalian lymphocytes;

g) Selecting for cells expressing the selectable marker;

h) Screening for cells expressing the desired chimeric antibody; and

k) Testing the antibody for appropriate binding specificity and effector functions.

Chimeric antibodies of several distinct antigen binding specificities have been produced by protocols well known in the art, including anti-TNP antibodies (Boulianne et al., 1984 *Nature* 312:643); and anti-tumor antigen antibodies (Sahagan et al., 1986 *J. Immunol.* 137:1066). Likewise, several different effector functions have been achieved by linking new sequences to those encoding the antigen binding region. Examples of these include enzymes (Neuberger et al., 1984 *Nature* 312:604); immunoglobulin constant regions from another species and constant regions of another immunoglobulin chain (Sharon et al., 1984 *Nature* 309:364; Tan et al., 1985 *J. Immunol.* 135:3565-3567). Additionally, procedures for modifying antibody molecules and for producing chimeric antibody molecules using homologous recombination to target gene modification have been described (Fell et al., 1989 *Proc. Natl. Acad. Sci. USA* 86:8507-8511).

The predicted amino acid sequence of a CEG protein may be used to select specific regions of the CEG protein for generating antibodies. For example, hydrophobicity and hydrophilicity analyses of a CEG polypeptide may be used to identify hydrophobic and hydrophilic regions in the CEG protein. Regions of the CEG protein that show immunogenic structure, as well as other regions and domains, can readily be identified using

various other methods known in the art, such as Chou-Fasman, Garnier-Robson, Kyte-Doolittle, Eisenberg, Karplus-Schult or Jameson-Wolf analysis. Fragments that include the immunogenic regions are particularly suited for generating specific classes of antibodies.

- 5 Methods for preparing a protein for use as an immunogen and for preparing immunogenic conjugates of a protein with a carrier such as BSA, KLH, or other carrier proteins are well known in the art. In some circumstances, direct conjugation using, for example, carbodiimide reagents may be used; in other instances linking reagents such as those supplied by Pierce Chemical Co., Rockford, IL, may be effective. Administration of a CEG
10 immunogen is conducted generally by injection over a suitable time period and with use of a suitable adjuvant, as is generally understood in the art. During the immunization schedule, titers of antibodies can be taken to determine adequacy of polyclonal antibody formation.

- While the polyclonal antisera produced in this way may be satisfactory for some
15 applications, for pharmaceutical compositions, monoclonal antibody preparations are preferred. Immortalized cell lines which secrete a desired monoclonal antibody may be prepared using the standard method of Kohler and Milstein (*Nature* 256: 495-497) or other techniques as described in *Monoclonal Antibodies; A Manual of Techniques*, CRC press, Inc., Boca Raton, Fla. (1987) ed. Zola. The immortalized cell lines secreting the desired
20 antibodies are screened by immunoassay in which the antigen is the CEG polypeptide having binding activity, or a fragment thereof. When the appropriate immortalized cell culture secreting the desired antibody is identified, the cells can be cultured either *in vitro* or by production in ascites fluid.

- 25 The desired monoclonal antibodies are then recovered from the culture supernatant or from the ascites supernatant. Fragments of the monoclonal antibodies of the invention or the polyclonal antisera (e.g., Fab, F(ab')₂, Fv fragments, fusion proteins) which contain the immunologically significant portion (i.e., a portion that recognizes and binds a CEG protein) can be used as antagonists, as well as the intact antibodies. Humanized antibodies directed
30 against a CEG polypeptide are also useful. The advantage of using humanized antibodies is that they are less immunogenic in humans. As used herein, a humanized antibody is an

immunoglobulin molecule which is capable of binding to a CEG polypeptide and which comprises a FR region having substantially the amino acid sequence of a human immunoglobulin and a CDR having substantially the amino acid sequence of non-human immunoglobulin or a sequence engineered to bind a CEG protein. Methods for humanizing
5 murine and other non-human antibodies by substituting one or more of the non-human antibody CDRs for corresponding human antibody sequences are well known (Jones et al., 1986 *Nature* 321: 522-525; Riechman et al., 1988 *Nature* 332: 323-327; Verhoeyen et al., 1988 *Science* 239: 1534-1536; Carter et al., 1993 *Proc. Natl. Acad. Sci. USA* 89: 4285; and Sims et al., 1993 *J. Immunol.* 151: 2296).

10 Use of immunologically reactive fragments, such as the Fab, Fab', or F(ab')₂ fragments is often preferable, especially in a therapeutic context, as these fragments are generally less immunogenic than the whole immunoglobulin. Further, bi-specific antibodies specific for two or more epitopes may be generated using methods generally known in the art. Further,
15 antibody effector functions may be modified so as to enhance the therapeutic effect of the antibodies of the invention. For example, cysteine residues may be engineered into the Fc region, permitting the formation of interchain disulfide bonds and the generation of homodimers which may have enhanced capacities for internalization, ADCC and/or complement-mediated cell killing (Caron et al., 1992 *J. Exp. Med.* 176: 1191-1195;
20 Shopes, 1992 *J. Immunol.* 148: 2918-2922). Homodimeric antibodies may also be generated by cross-linking techniques known in the art (Wolff et al., *Cancer Res.* 53: 2560-2565). The invention also provides pharmaceutical compositions having the monoclonal antibodies or anti-idiotypic monoclonal antibodies of the invention.

25 The antibodies or fragments may also be produced, using current technology, by recombinant means. Regions that bind specifically to the desired regions of the CEG protein can also be produced in the context of chimeric or CDR grafted antibodies of multiple species origin. The invention includes an antibody, e.g., a monoclonal antibody which competitively inhibits the immunospecific binding of any of the monoclonal
30 antibodies of the invention to a CEG protein.

Alternatively, methods for producing fully human monoclonal antibodies, include phage display and transgenic methods, are known and may be used for the generation of human monoclonal antibodies (reviewed in: Vaughan et al., 1998 *Nature Biotechnology* 16: 535-539). For example, fully human monoclonal antibodies may be generated using cloning technologies employing large human Ig gene combinatorial libraries (i.e., phage display) (Griffiths and Hoogenboom, "Building an *in vitro* immune system: human antibodies from phage display libraries", in: *Protein Engineering of Antibody Molecules for Prophylactic and Therapeutic Applications in Man*, Clark, M. (Ed.), Nottingham Academic, pp 45-64 (1993); Burton and Barbas, "Human Antibodies from combinatorial libraries" *Id.*, pp 65-82). Fully human monoclonal antibodies may also be produced using transgenic mice engineered to contain human immunoglobulin gene loci as described in PCT Patent Application WO98/24893, Jakobovits et al., published December 3, 1997 (see also, Jakobovits, 1998 *Exp. Opin. Invest. Drugs* 7: 607-614). This method avoids the *in vitro* manipulation required with phage display technology and efficiently produces high affinity, authentic human antibodies.

The antibody or fragment thereof of the invention may be labeled with a detectable marker or conjugated to a second molecule, such as a therapeutic agent (e.g., a cytotoxic agent) thereby resulting in an immunoconjugate. For example, the therapeutic agent includes, but is not limited to, an anti-tumor drug, a toxin, a radioactive agent, a cytokine, a second antibody or an enzyme. Further, the invention provides an embodiment wherein the antibody of the invention is linked to an enzyme that converts a prodrug into a cytotoxic drug.

Examples of cytotoxic agents include, but are not limited to ricin, ricin A-chain, doxorubicin, daunorubicin, taxol, ethiduum bromide, mitomycin, etoposide, teniposide, vincristine, vinblastine, colchicine, dihydroxy anthracin dione, actinomycin D, diphtheria toxin, *Pseudomonas* exotoxin (PE) A, PE40, abrin, arabin A chain, modeccin A chain, alpha-sarcin, gelonin, mitogellin, retstrictocin, phenomycin, enomycin, curicin, crotin, calicheamicin, sapaonaria officinalis inhibitor, and glucocorticoid and other chemotherapeutic agents, as well as radioisotopes such as ^{212}Bi , ^{131}I , ^{131}In , ^{90}Y , and ^{186}Re .

Suitable detectable markers for diagnostic used include, but are not limited to, a radioisotope, a fluorescent compound, a bioluminescent compound, chemiluminescent compound, a metal chelator or an enzyme. Antibodies may also be conjugated to an anti-cancer pro-drug activating enzyme capable of converting the pro-drug to its active form. See, for example, U.S. Patent Nos. 4,952,394 and 5,716,990.

Additionally, a recombinant protein of the invention comprising the antigen-binding region of any of the monoclonal antibodies of the invention can be made. In such a situation, the antigen-binding region of the recombinant protein is joined to at least a functionally active portion of a second protein having therapeutic activity. The second protein can include, but is not limited to, an enzyme, lymphokine, oncostatin or toxin. Suitable toxins include those described above.

Techniques for conjugating or joining therapeutic agents to antibodies are well known (Arnon et al., "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in: *Monoclonal Antibodies And Cancer Therapy*, Reisfeld et al. (eds.), pp. 243-56, Alan R. Liss, Inc. 1985; Hellstrom et al., "Antibodies For Drug Delivery", in: *Controlled Drug Delivery* (2nd Ed.), Robinson et al. (eds.), pp. 623-53, Marcel Dekker, Inc. 1987; Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in: *Monoclonal Antibodies '84: Biological And Clinical Applications*, Pinchera et al. (eds.), pp. 475-506 (1985); and Thorpe et al., "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", in: *Immunol. Rev.*, 62:119-58 (1982)). Techniques for joining detectable markers to antibodies are also known.

D) PHARMACEUTICAL COMPOSITIONS OF THE INVENTION

The invention includes pharmaceutical compositions for use in the treatment of microbial infections comprising a pharmaceutically effective amount of an anti-CEG antibody or a CEG polypeptide.

In one embodiment, the pharmaceutical compositions may comprise a CEG antibody, either unmodified, conjugated to a therapeutic agent (e.g., drug, toxin, enzyme or second antibody) or in a recombinant form (e.g., chimeric or bispecific). The compositions may additionally include other antibodies or conjugates (e.g., an antibody cocktail).

5

The pharmaceutical compositions also preferably include suitable carriers and adjuvants which include any material which when combined with the molecule of the invention (e.g., an anti-CEG antibody or a CEG protein) retains the molecule's activity and is non-reactive with the subject's immune systems. Examples of suitable carriers and adjuvants include, but are not limited to, human serum albumin, ion exchangers, alumina, lecithin, buffer substances such as phosphates, glycine, sorbic acid, potassium sorbate, and salts or electrolytes such as protamine sulfate. Other examples include any of the standard pharmaceutical carriers such as a phosphate buffered saline solution, water, emulsions such as oil/water emulsion, and various types of wetting agents. Other carriers may also include sterile solutions, tablets including coated tablets and capsules. Typically such carriers contain excipients such as starch, milk, sugar, certain types of clay, gelatin, stearic acid or salts thereof, magnesium or calcium stearate, talc, vegetable fats or oils, gums, glycols, or other known excipients. Such carriers may also include flavor and color additives or other ingredients. Compositions comprising such carriers are formulated by well known conventional methods. Such compositions may also be formulated within various lipid compositions, such as, for example, liposomes as well as in various polymeric compositions, such as polymer microspheres.

The pharmaceutical compositions of the invention can be administered using conventional modes of administration including, but not limited to, intravenous, intraperitoneal, oral, intralymphatic or administration directly into the tumor. Intravenous administration is preferred.

The pharmaceutical compositions of the invention may be in a variety of dosage forms which include, but are not limited to, liquid solutions or suspensions, tablets, pills, powders, suppositories, polymeric microcapsules or microvesicles, liposomes, and

injectable or infusible solutions. The preferred form depends upon the mode of administration and the therapeutic application.

5 The CEG polypeptides and proteins of this invention are found in common pathogenic bacterial species such as *Streptococcus pneumoniae*. This organism causes upper respiratory tract infections. Thus, the peptides and proteins of this invention can be used as immunogens in subunit vaccines for vaccination against a pathogenic bacteria such as *Streptococcus pneumoniae*. Additionally, the *ceg* sequences of the invention can be used as DNA vaccines (U.S. Patent No. 5,736,524 and U.S. Patent No. 5,989,553).

10 The polypeptides and proteins of this invention can be formulated as univalent and multivalent vaccines. The protein can be mixed, conjugated or fused with other antigens, including B or T cell epitopes of other antigens.

15 Further, when a haptenic peptide of the proteins of the invention is used, (i.e., a peptide which reacts with cognate antibodies, but cannot itself elicit an immune response), it can be conjugated to an immunogenic carrier molecule. Conjugation to an immunogenic carrier can render the oligopeptide immunogenic. Examples of carrier molecules are tetanus toxin or toxoid, diphtheria toxin or toxoid and any mutant forms of these proteins
20 such as CRM.sub.197. Others include exotoxin A of *Pseudomonas*, the heat labile toxin of *E. coli* and rotaviral particles (including rotavirus and VP6 particles). Alternatively, a fragment or epitope of the carrier protein or other immunogenic protein can be used. For example, the happen can be coupled to a T cell epitope of a bacterial toxin.

25 In formulating the vaccine compositions with the CEG polypeptides or proteins of the invention, alone or in the various combinations described, the immunogen is adjusted to an appropriate concentration and formulated with any suitable vaccine adjuvant. Suitable adjuvants include, but are not limited to: surface active substances, e.g., hexadecylamine, octadecylamine, octadecyl amino acid esters, lysolecithin, dimethyl-
30 dioctadecylammonium bromide), methoxyhexadecylglycerol, and pluronic polyols; polyamines, e.g., pyran, dextransulfate, poly. IC, carbopol; peptides, e.g., muramyl

dipeptide, dimethylglycine, tuftsin; oil emulsions; and mineral gels, e.g., aluminum hydroxide, aluminum phosphate, etc. and immune stimulating complexes. The immunogen may also be incorporated into liposomes, or conjugated to polysaccharides and/or other polymers.

5

The vaccines can be administered to a human or animal in a variety of ways. These include intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, oral and intranasal routes of administration. Further, the vaccines can be live or inactivated vaccines.

10

The most effective mode of administration and dosage regimen for the compositions of this invention depends upon the severity and course of the disease, the patient's health and response to treatment and the judgment of the treating physician. Accordingly, the dosages of the compositions should be titrated to the individual patient.

15

E) USES OF THE MOLECULES OF THE INVENTION

1) MOLECULAR WEIGHT MARKERS

The nucleic acid molecules of the invention and their encoded proteins may be employed as molecular weight markers. For example, the molecular weight of each of the nucleic acid molecules having *ceg* sequences and their predicted polypeptides can be determined and can be used to compare against other gene sequences and proteins whose molecular weights are unknown.

25

2) DIAGNOSTICS

The nucleic acid molecules of the invention may be employed in diagnostic embodiments. For example, the presence of nucleotide sequences which are identical or similar to the *ceg* sequences of the invention may be detected within a biological sample.

30

The biological sample may include blood, serum or a swab from nose, ear or throat, may be determined by means of a nucleic acid detection assay.

5 Nucleic acid probes or primers having sequences complementary to *ceg* sequences may be used in a hybridization assay to detect the presence of the sequences which are identical or similar to the *ceg* sequences of the invention in the biological samples. Typically, nucleic acids molecules obtained from a suitable biological sample are hybridized with labeled probes or primers. The resulting hybridized molecules are detected and resolved by methods well known in the art, such as Northern or Southern
10 blotting, micro-array technology, or amplifying with PCR technology. Other hybridization techniques and systems are known that can be used in connection with the detection aspects of the invention, including diagnostic assays such as those described in Falkow et al., U.S. Pat. No. 4,358,535.

15 Examples of the PCR technology are disclosed in U.S. Patent Nos. 4,683,202 and 4,965,188 (incorporated herein by reference). Generally, nucleic acid molecules are obtained from a suitable biological source and contacted with two primers corresponding to the *ceg* sequences disclosed herein, under conditions which allow for hybridization and polymerization to occur. A pair of probes, one corresponding to the 5' flanking region
20 and the other corresponding to the 3' flanking region, would be sufficient to detect the nucleic acid molecules of the invention in a biological sample and may be used to indicate the amount of bacteria present.

Alternative methods of detecting nucleic acid molecules include, for example, in situ
25 hybridization techniques, where a *ceg* probe is used to detect homologous sequences within one or more cells, such as cells within a clinical sample or even cells grown in tissue culture. As is well known in the art, the cells are prepared for hybridization by fixation, e.g. chemical fixation, and placed in conditions that allow for the hybridization of a detectable probe with nucleic acids located within the fixed cell.

30

The amount of *ceg* sequences present in a biological sample can be quantified and compared to the levels in a normal or "healthy" sample. For example, *ceg* sequences present in either increased or decreased levels, compared to the levels found in the control sample may indicate the presence of bacteria. This information is useful for diagnosis of a bacterial infection that requires treatment with an antibacterial agent.

Alternatively, the amount of CEG polypeptides present in a biological sample may be determined by means of an immunoassay. For example, labeled antibodies reactive against CEG polypeptides may be used in an immuno-reactive assay to detect the presence of CEG polypeptides in the biological samples.

3) SCREENING CANDIDATE CEG SEQUENCES

a) Gene Disruption Assay

The *ceg* nucleotide sequences of the invention can be used to identify nucleotide sequences which are identical or similar to the *ceg* sequences that are required for bacterial cell viability. For example, the *ceg* sequences can be used in a bacterial gene disruption assay to screen candidate nucleotide sequences to identify sequences required for bacterial cell viability.

The disruption assay can involve: introducing into a host cell a recombinant vector that is capable of integration into the host genome, where the recombinant vector includes a candidate sequence that putatively encodes a cell-viability gene product (e.g., the exogenous *ceg* sequence); the vector integrates the candidate sequence into a target sequence within the host's genome (e.g., the endogenous *ceg* sequence); and the host cell, so introduced, is screened for viability. The recombinant vector preferably includes a selectable marker so that the introduced host cell can be screened for viability in the presence of a selectable agent.

For example, Figure 1 shows a schematic representation of a gene disruption assay, within a bacterial host cell. In Figure 1A, the recombinant vector, pEVP3, includes the CAT gene (e.g., the selectable marker chloramphenicol acetyl transferase) and an internal region of the *ceg* disrupting sequence; the internal region excludes the 5' and 3' ends of the *ceg* sequence. The "X" in Figure 1 indicates the recombinant pEVP3 vector undergoing homologous recombination with the target sequence (e.g., within the host genome). In Figure 1B, the resolved pEVP3 vector that is integrated into the host genome, is shown. Left to right are the following elements: the native promoter of the target gene; a 5' partial copy of the target gene; the body of the integrated pEVP3 vector including the disrupting gene and CAT; and, a 3' partial copy of the target gene. Thus, integration of the pEVP3 vector via homologous recombination results in two partial gene duplications flanking the integrated vector. If the target gene is not essential for survival, it is possible to recover chloramphenicol-resistant colonies of *S. pneumoniae*. Failure to recover chloramphenicol resistant colonies, in the presence of the proper controls as described below, indicates that the target gene may be essential for cell viability.

More particularly, the gene disruption assay for screening candidate *ceg* sequences can involve the following steps. The recombinant pEVP-3 vector encoding CAT resistance and having a fragment of a candidate *ceg* sequence, can be introduced into transformation-competent *S. pneumoniae* cells by methods that are well-known in the art (Lee, M.S., et al., 1998 *Appl. Environ. Microbiol.* 64:4796-4802). The preferred size of the *ceg* fragment can be between about 200 to about 500 bp in length. It is advantageous that the candidate *ceg* sequence does not include the 5' and 3' ends that encode the N- and C-terminal ends of the CEG polypeptide. This insures that the inserted *ceg* fragment and the disrupted endogenous *ceg* gene sequence are not capable of expression of a full-length, functional *ceg* gene product. The transformation-competent cells can be obtained by performing the transformation step in the presence of a heptadecapeptide that induces competence for transformation of *S. pneumoniae* (Havarstein, L. S., et al., 1995 *Proc. Nat'l. Acad. Sci.* 92:11140-11144), such as the CSP-1 peptide. The CSP-1 can be naturally-derived or synthetic. Additionally, the transformation step can be optimized by performing the transformation when the cells have reached a density which is optimal for

transformation (e.g., 3×10^7 cells per ml.) (Havarstein, L. S. et al. *supra*). The recombinant vector can be introduced into the competent pneumococci and may undergo homologous recombination, whereby the candidate *ceg* fragment recombines with the corresponding endogenous *ceg* sequence, resulting in targeted integration of the vector into the pneumococcal genome and disruption of the endogenous *ceg*.

The transformed cells can be plated on or cultured in chloramphenicol-containing growth medium. The cells can be cultured under standard conditions, such as 37° C in 5% CO₂ for approximately 40 to 48 hours, for the purpose of selecting cells that carry the integrated vector.

Additionally, control samples can be run in parallel with the gene disruption assay, in order to determine whether the gene disruption procedure is working properly. For example, the control samples can be used to calibrate the gene disruption experiment so that disruption of a known non-essential bacterial gene results in an approximate number of colonies per plate. Similarly, the disruption of a known essential gene can be calibrated to yield only zero or one colony per plate. The appearance of one colony is due to the rare illegitimate recombination into a non-homologous sequence. In particular, a known non-essential gene such as the *lytA* gene (Tomasz, A., et al., 1988 *J. Bacteriol.* 170:5931-5934) can be used so that between about 70 to 100 chloramphenicol-resistant colonies will grow per plate. Similarly, the *fisZ* gene (Lutkenhaus, J. F., et al., 1980 *J. Bacteriol.* 143:1281-1288), a known essential gene, can be used to yield zero or, rarely, one colony per plate. As is well known in the art, specific parameters that are involved in any given gene disruption assay can be adjusted to calibrate the desired number of plated cells in the control samples. Experimental parameters that can be adjusted include, but are not limited to, the *E. coli* strain used to propagate the vector/insert, the fragment length of the sequence to be integrated, the amount of recombinant integration vector used to transform the cells, use of transformation-competent cells, and plating density of the transformed cells.

The transformed cells carrying the recombinant integration vector that disrupts expression of an endogenous essential gene (e.g., the target *ceg* gene) can be identified, based on a selectable phenotype such as non-viability. For example, the cells that carry a disrupted non-essential gene will be viable and, due to the integration of pEVP3, will grow on chloramphenicol-containing medium. In contrast, cells that carry a disrupted essential gene will not grow (e.g., non-viable) on the chloramphenicol-containing medium. Thus, the transformed cells that do not grow under these selective conditions carry an endogenous gene sequence that is essential for cell viability which has been disrupted by an exogenous candidate fragment, thereby identifying a *ceg* sequence. Steps one through three may be repeated in order to confirm that the *ceg* sequences, so identified, are essential for cell viability.

b) Autolysin Assay

It is advantageous to perform additional steps to determine whether the homologous recombination events result in disruption of the intended target gene sequence. The *lytA* transformation control can be used to confirm that the transformation system is functioning properly. For example, a phenotypic test for autolysin activity (*lytA* gene product) can be performed to determine that the exogenous *lytA* fragment is correctly integrated into the *lytA* site within the host genome. This typically involves flooding the culture plates containing transformants carrying the integrated *lytA* control vector with a solution of detergent, such as 0.1% deoxycholate, which triggers cell lysis in *lytA*-intact cells (e.g., the cells that have not undergone homologous recombination). After about 5-10 minutes the colonies with intact *lytA* will appear ghost-like due to cell lysis, and the colonies with a disrupted *lytA* gene will appear intact.

c) Polarity Analysis

The *ceg* sequences that are confirmed to be essential for cell viability can be examined further by performing a polarity analysis to determine if the corresponding endogenous *ceg* sequence is organized in an operon. Polarity is an effect unique to prokaryotes and is

the result of the operon organization of bacterial genomes. Many bacterial genes are arranged in operons in which multiple genes are under the control of a single regulatory sequence (e.g., a promoter) and are transcribed into a single mRNA transcript. With respect to the orientation of multiple genes within an operon, the genes that are proximal to the regulatory sequence are said to be "upstream" genes and the genes that are distal are said to be "downstream" genes. For example, many operons contain genes encoding different proteins that catalyze discrete steps of a common biochemical pathway. Thus, any of the proteins that catalyze the steps of the pathway may be essential for cell viability.

The presence of operons in a bacterial host genome may influence the interpretations of the gene disruption results. For example, disruption of an upstream gene may be erroneously interpreted as affecting the expression of the disrupted gene but may, in fact, have expression effects on the intact downstream genes. Therefore, it is advantageous to perform a polarity analysis to determine if a *ceg* sequence is part of an operon.

A polarity analysis can involve performing an *in vivo* gene disruption procedure using, as the disrupting sequence, a *ceg* sequence that includes the entire *ceg* coding sequence region but lacking expression regulatory sequences. This differs from the gene disruption assay, which involves the central region of the *ceg* sequence. The polarity analysis involves gene duplication via homologous recombination. For example, the pEVP-3 vector having the entire coding region of a *ceg* sequence can be used for the polarity analysis (Figure 2 A). The polarity analysis will yield different results depending on the organization of the endogenous target sequence within the host genome.

For example, Figure 2 shows a schematic representation of the polarity test for operons, within a bacterial host cell. In Figure 2A, the recombinant vector, pEVP3, includes the CAT gene and the entire coding region of the *ceg* disrupting sequence. The "X" in Figure 2 indicates the recombinant pEVP3 vector undergoing homologous recombination with the target sequence. Two of the possible results of homologous recombination are shown in Figures 2 B and C.

In Figure 2 B, case 1, if the endogenous target sequence is not organized in an operon, the integration event may yield: a functional target sequence (e.g., it is capable of expression); a duplicate non-functional target sequence that lacks a promoter; and a functional downstream gene (e.g., Gene B) that is controlled by its own promoter. The cells carrying this type of integrated target sequence can be recovered as viable cells that grow in the presence of chloramphenicol; this condition is termed "polarity negative".

In Figure 2 C, case 2, if the target sequence is organized in an operon, then the integration event may yield an integration site that is similar to that described for case 1, including: a functional target sequence; and a duplicate non-functional target sequence which is not functional. However, this integration event may also yield a non-functional downstream gene (e.g., Gene B) because expression of this downstream gene is controlled by a promoter located upstream of the insertion site. The cells that carry this type of integrated target sequence will be non-viable; this condition is termed "polarity positive". Thus, the polarity analysis provides a method to determine whether integration of a recombinant vector into a target *ceg* sequence effects expression of downstream genes.

The *ceg* sequences disclosed herein (SEQ ID NOs.: 1-113, 227-331) encode gene products that are essential for viability in *S. pneumoniae*. Furthermore, many of these *ceg* sequences have been analyzed for the polarity effect and the results are presented in Table I. One subset of *ceg* sequences is classified as polarity negative (-), since the homologous recombination event did not effect the expression of downstream genes. Another subset of *ceg* sequences is classified as polarity positive (+), since the homologous recombination event did affect the expression of downstream genes. The *ceg* sequences that have not yet been classified as polarity positive or negative are indicated in Table I as a blank. For the *ceg* sequences that are classified as polarity positive, the genes downstream of the disrupted endogenous *ceg* sequences may or may not also be essential.

4) ASSAYS FOR IDENTIFYING CEG LIGANDS AND OTHER BINDING AGENTS

- The present invention provides screening methods for identifying agents that interact and/or bind to the CEG proteins of the invention, such as a ligand. An agent can be, for example, a natural product, a derived or synthetic chemical molecule, a polypeptide, a nucleic acid molecule, or a metal. The agents that interact with CEG proteins may cause bacterial cell death by disrupting the functions of CEG proteins, including, but not limited to, nucleotide biosynthesis, DNA replication, RNA transcription, protein translation, and/or cell wall biosynthesis. Accordingly, the present invention provides screening methods for identifying agents having antibacterial activity, such as agents that cause bacterial cell death by interacting with the CEG proteins. These antibacterial agents are useful for treating diseases and afflictions associated with bacterial infections.
- Various methods can be used to discover agents having antibacterial activity, as determined by the ability of the binding agent to bind to a CEG protein and disrupt the function of the CEG protein. These screening methods include whole cell *in vivo* assays as well as *in vitro* assays with cellular components.
- An *in vivo* screening method for identifying ligands that bind CEG polypeptides can be performed in a whole cell assay. A typical method may be the use of whole bacterial cells to assess the antibacterial properties based on cell growth or viability. These methods can include methods for measuring cell growth and/or viability, for example, by optical density or zones of growth (Koch, A. L. et al., 1970 *Anal. Biochem.* 38:252-259; Biemer, J. J. et al., 1973 *Ann. Clin. Lab. Sci.* 2:135-140; *Manual of Clinical Microbiology*, 7th edition, Murray, P. R. (ed), ASM Press), by growth inhibition in an agar assay (Murray, P. R., *supra*), or other means of detecting cell metabolism (Mychajlonka, M. et al., 1980 *Antimicrob. Agents Chemother.* 17:572-582), and are well known to those skilled in the art. In addition, there are molecular biology-based detection methods for use with whole bacterial cells, such as gene reporter assays, to monitor the effect of the ligand on specific targets (Slauch, J. M., et al., 1991 *Methods Enzymol.* 204:213-248). Examples of the reporter genes include, but are not limited to, beta-

galactosidase, alkaline phosphatase, luciferase, and green fluorescent protein. For example, one embodiment provides a reporter system that monitors inhibition of DNA synthesis by fusing a reporter such as beta-galactosidase (*lacZ*) to genes known to be upregulated by the cessation of DNA synthesis as a result of the binding of ligands to the DNA synthetic apparatus. (Shurvinton, C. E., et al., 1982 *Mol. Gen. Genetics* 185:352-355; Rosato, A., et al., 1998 *Antimicrob. Agents Chemother.* 42:1392-1396).

Alternatively, the yeast two-hybrid system (Fields, S. and Song, O. 1989, *Nature* 340:245-246) may be adapted to screen for ligands that bind CEG polypeptides. Generally, the yeast two-hybrid system is performed in a yeast host cell carrying a reporter gene, and is based on the modular nature of the GAL transcription factor which has a DNA binding domain and a transcriptional activation domain. The yeast two-hybrid system relies on the physical interaction between a recombinant polypeptide that comprises the GAL DNA binding domain and another recombinant polypeptide that comprises the GAL transcriptional activation domain. The physical interaction between the two recombinant polypeptides reconstitutes the transcriptional activity of the transcription factor, thereby causing expression of the reporter gene. Either of the recombinant polypeptides used in the two-hybrid system can be generated to include a CEG polypeptide sequence to screen for binding partners of CEG.

Another method uses the bacterial CEG proteins as the basis for *in vitro* assay systems to detect binding agents. Typically, the *in vitro* screening method comprises: a) generating the CEG protein of the invention, or membranes enriched in the CEG protein; b) exposing the CEG protein or membranes to a candidate agent; and c) detecting the interaction of the CEG protein with the agent by any suitable means. Additionally, the screening methods may be adapted to automated high-throughput procedures, such as PANDEX.RTM Baxter-Dade Diagnostics, allowing for efficient high-volume screening of candidate agents.

An alternative method for screening potential ligands involves an *in vitro* binding procedure. Typically, the CEG proteins of the invention can be produced using

recombinant DNA technology and host-vector systems as described herein. A candidate agent is introduced into a reaction vessel containing the CEG protein, or fragment thereof; the candidate agents may be detectable by methods such as, but not limited to, radioisotope or chemical labeling. Binding of the CEG protein by a candidate agent can be determined by any suitable means, including, for example, quantifying bound label versus unbound label using any suitable method. Binding of a candidate agent may also be detected by methods similar to an alternative physical method disclosed in U.S. Patent No. 5,585,277. In this method, binding of a candidate agent to a protein is assessed by monitoring the ratio of folded protein to unfolded protein, for example by monitoring sensitivity of the protein to a protease, or amenability to binding of the protein by a specific antibody against the folded state of the protein, or binding to chaperone protein, or by binding to any suitable surface.

The invention provides methods of identifying compounds that modulate (e.g., activate or inhibit) the function of a CEG polypeptide. Essentially any compound can be used in the assays of the invention. The preferred compounds are those that are soluble in aqueous or organic solutions. It will be appreciated by those of skill in the art that there are many commercial suppliers of chemical compounds that can be used in the methods of the invention, including Sigma Chemical Co. (St. Louis, Mo.), Aldrich Chemical Co. (St. Louis, Mo.), Sigma-Aldrich (St. Louis, Mo.), Fluka Chemika-Biochemica Analytika (Buchs, Switzerland), and the like.

The present invention provides methods for detecting compounds which are identified as modulators of CEG function. The methods of the invention can be performed using isolated CEG polypeptides, or use whole cells expressing the CEG polypeptide. The steps of the method using isolated CEG polypeptides include: contacting the isolated CEG polypeptide with a candidate compound; and determining whether the function of the CEG polypeptide is altered. The steps of the method using whole cells include: contacting the whole cells with a candidate compound; and determining whether the cell dies, indicating the compound inhibited the function of a CEG polypeptide.

The preferred methods of the invention provide high-throughput screening assays for identifying compounds which modulate the function of a CEG polypeptide. The high throughput methods permit screening of large libraries of compounds. For example the high throughput methods can use automated assay steps. The assays can be performed in parallel on a solid support, as microtiter formats on microtiter plates in robotic assays are well known. A preferred embodiment of the methods includes adapting the methods to use microtiter plates or pico- nano- or micro-liter arrays. In high throughput assays it is desirable to run positive controls to ensure that the components of the assays are working properly.

The high throughput screening methods of the invention include providing a combinatorial library containing a large number of compounds (candidate modulator compounds) (Borman, S. *C. & E. News*, 1999, 70(10), 33-48). Such combinatorial chemical libraries can be screened in one or more assays to identify library members (particular chemical species or subclasses) that exhibit the ability to modulate the function of the CEG polypeptide (Borman, S., *supra*; Dagani, R. *C. & E. News*, 1999, 70(10), 51-60). The compounds, so identified, can serve as lead-compounds or can themselves be used as potential or actual therapeutics.

A combinatorial chemical library is a collection of diverse chemical compounds generated by using either chemical synthesis or biological synthesis, to combine a number of chemical building blocks, such as reagents. For example, a linear combinatorial chemical library, such as a polypeptide library, is formed by combining a set of chemical building blocks (amino acids) in every possible way for a given compound length (i.e., the number of amino acids in a polypeptide compound). Millions of chemical compounds can be synthesized through such combinatorial mixing of chemical building blocks.

Preparation and screening of combinatorial chemical libraries is well known to those of skill in the art. Such combinatorial chemical libraries include, but are not limited to, peptide libraries (see, e.g., U.S. Pat. No. 5,010,175, Furka, *Int. J. Pept. Prot. Res.*, 1991, 37:487-493 and

Houghton, et al., *Nature*, 1991, 354, 84-88). Other chemistries for generating chemical diversity libraries can also be used. Such chemistries include, but are not limited to, peptoids (PCT Publication No. WO 91/19735); encoded peptides (PCT Publication WO 93/20242); random bio-oligomers (PCT Publication No. WO 92/00091); benzodiazepines (U.S. Pat. No. 5,288,514); diversomers, such as hydantoins, benzodiazepines and dipeptides (Hobbs, et al., *Proc. Nat. Acad. Sci. USA*, 1993, 90, 6909-6913); vinylogous polypeptides (Hagihara, et al., *J. Amer. Chem. Soc.* 1992, 114, 6568); nonpeptidal peptidomimetics with *beta*-D-glucose scaffolding (Hirschmann, et al., *J. Amer. Chem. Soc.*, 1992, 114, 9217-9218); analogous organic syntheses of small compound libraries (Chen, et al., *J. Amer. Chem. Soc.*, 1994, 116, 2661; Armstrong, et al. *Acc. Chem. Res.*, 1996, 29, 123-131); or small organic molecule libraries (see, e.g., benzodiazepines, Baum *C&E News*, 1993, Jan. 18, page 33,); oligocarbamates (Cho, et al., *Science*, 1993, 261, 1303); and/or peptidyl phosphonates (Campbell, et al., *J. Org. Chem.* 1994, 59, 658); nucleic acid libraries (see, Seliger, H et al., *Nucleosides & Nucleotides*, 1997, 16, 703-710); peptide nucleic acid libraries (see, e.g., U.S. Pat. No. 5,539,083); antibody libraries (see, e.g., Vaughn, et al., *Nature Biotechnology*, 1996, 14(3), 309-314 and PCT/US96/10287); carbohydrate libraries (see, e.g., Liang, et al., *Science*, 1996, 274, 1520-1522 and U.S. Pat. No. 5,593,853, Nilsson, UJ, et al., *Combinatorial Chemistry & High Throughput Screening*, 1999 2, 335-352; Schweizer, F; Hindsgaul, O. *Current Opinion In Chemical Biology*, 1999 3, 291-298); isoprenoids (U.S. Pat. No. 5,569,588); thiazolidinones and metathiazanones (U.S. Pat. No. 5,549,974); pyrrolidines (U.S. Pat. Nos. 5,525,735 and 5,519,134); morpholino compounds (U.S. Pat. No. 5,506,337); benzodiazepines (U.S. Pat. No. 5,288,514); and other similar art.

Devices for the preparation of combinatorial libraries are commercially available (see, e.g., 357 MPS, 390 MPS, Advanced Chem. Tech, Louisville Ky., Symphony, Rainin, Woburn, Mass., 433A Applied Biosystems, Foster City, Calif., 9050 Plus, Millipore, Bedford, Mass.). In addition, numerous combinatorial libraries are themselves commercially available (see, e.g., ComGenex, Princeton, N.J., Asinex, Moscow, Ru, Tripos, Inc., St. Louis, Mo., ChemStar, Ltd., Moscow, RU, 3D Pharmaceuticals, Exton, Pa., Martek Bio sciences, Columbia, Md., etc.).

In the high throughput methods of the invention, several thousand different candidate compounds can be screened in a relatively short period of time. For example, each well of a microtiter plate can be used to run a separate assay against a selected potential modulator, or if concentration or incubation time effects are to be observed, every 5-10 wells can test a single modulator. Thus, a single standard microtiter plate can assay about 100 (96) modulators. If 1536 well plates are used, then a single plate can easily assay from about 100 to about 1500 different compounds. It is possible to assay many different plates per day; assay screens for up to about 6,000-20,000, and even up to about 100,000-1,000,000 different candidate modulator compounds are possible using the methods of the invention.

The following examples are presented to illustrate the present invention and to assist one of ordinary skill in making and using the same. The examples are not intended in any way to otherwise limit the scope of the invention.

EXAMPLE 1

The following provides a general description of how a list of candidate *ceg* sequences was generated. The list was generated by selecting candidate *ceg* gene sequences from a Concordance web engine using the method described in: Bruccoleri, R.E., Dougherty, T.J., Davison, D.B. (1998) "Concordance analysis of microbial genomes" in: *Nucleic Acids Res* 26:4482-4486.

Microbial Genomics CEG Discovery Process Summary.

Microbial Concordance Analysis

The entire genomic sequence data of various bacteria was acquired from several public and proprietary sequence database sources, including GTC (Genome Therapeutics Corporation), and TIGR (The Institute for Genomic Research).

Predicted ORFs from the genomic data were identified, translated, and stored. The desirable ORFs were at least 90 amino acid residues in length. Concordance analysis was performed among bacteria and various parameters were used to filter out genes with high similarity to eukaryotes.

5

Concordance Analysis

The entire genomic sequence of various Eubacteria was acquired from several public and private sources. The proprietary PathoGenome System from Genome Therapeutics Corporation, Waltham, MA, USA contributed data. Public data was obtained from GenBank (<http://ncbi.nlm.nih.gov>), The Institute for Genomic Research (TIGR), the Yeast Proteome Database, from Proteome, Inc. of Beverly, MA, and the Sanger Center of the Medical Research Council of the United Kingdom (<http://www.sanger.ac.uk>). Additionally, the non-microbial sequence data used as a basis for comparison and data subtraction was obtained from a proprietary database, including the LifeSeq Database from Incyte Pharmaceuticals, Palo Alto, CA.

Where required, Incyte nucleotide sequences were translated into protein sequences in all six possible reading frames. GTC supplied predicted protein sequences with their data. In the case of other eubacterial nucleotide sequences, the program CRITICA (Badger, J. and Olsen, G., 1999 "CRITICA: coding region identification tool invoking comparative analysis" in: *Molecular Biology and Evolution* 16:512-524). The sequences were stored in flat files on a Unix computer system. Each predicted amino acid sequence had to be greater than 90 amino acids.

25

Each predicted protein sequence was compared to every other sequence (an "all-against-all" comparison). The program used was FASTA (Pearson, W.R., "Flexible sequence similarity searching with the FASTA3 program package." *Methods in Molecular Biology* 2000 132:185-219.) The parameters used were ktup=2, and all scores above the default cutoff were kept. The output was processed and stored in a PostGres 95 database (<http://www.postgresql.org>). Graphical user interfaces, using web browser technology, were constructed to query the database.

A Concordance Analysis was performed on the data. The question used to generate the dataset was show all *Streptococcus pneumoniae* open reading frames with a similarity greater than or equal to 30% overall protein sequence identity to both selected gram-
5 positive and/or gram-negative bacteria in the database. The data was further required not to match yeast or human sequences at greater than 30% overall protein sequence similarity. The resulting dataset included a list of more than 400 conserved amino acid sequences having known or unknown function. The amino acid sequences having
10 unknown functions formed the basis of a list designated Conserved Unknown Reading Frames, or CURFs which is a subset of the total list of CEGs (e.g., CURFs includes known and unknown).

The resulting list of conserved genes (e.g., more than 400 sequences) was used as a basis
15 for selecting and screening bacterial gene sequences that are essential for cell viability. The Concordance system was designed to permit high-throughput identification of conserved gene sequences in the database. (Brucoleri, R, Dougherty, T, and Davison, D. 1998 "Concordance analysis of microbial genomes" *Nucleic Acids Res.* 26:4482-4486.)

20 Data Curation And Analysis

Exact N-terminal and C-terminal translational start sites of genes were identified by pairwise similarity searches, multiple sequence alignments. Ribosome binding sites, terminators, nearby genes, operons were identified.

25 The resulting list of conserved genes was used as a basis for selecting and screening bacterial gene sequences that are essential for cell viability. This Concordance system was designed to permit high throughput use of the conserved gene sequences contained on the list. A set of Knockout PCR primers were generated, based on the list of
30 conserved genes, for the purpose of use in the gene disruption procedure described below. The PCR primers were designed to amplify a central 300-500 bp region of the *ceg* (to prevent generation of a functional copy of the *ceg* gene following integration),

ordered electronically, the primers were placed in a 96-well format, and used in the gene disruption procedure as described below.

EXAMPLE 2

The following provides a description of the procedure to generate recombinant vectors of pEVP-3 having inserts of candidate *ceg* nucleotide sequences. The Knockout primers generated by the method described in Example 1 above were used to generate DNA fragments comprising candidate *ceg* sequences.

Genomic PCR Knockout Target Fragment Generation

96-well plate format were set up (36 μ l H₂O, 5 μ l 10 \times VentTM buffer, 1 μ l gene specific, knockout forward primer (0.5 μ g/ μ l), 1 μ l gene specific knockout reverse primer (0.5 μ g/ μ l), 0.5 μ l VentTM DNA polymerase (2000 U/ml New England Biolabs, Beverly, MA), 1.5 μ l each dNTPs (10mM; 6.0 μ l total), 0.5 μ l *S. pneumoniae* chromosomal DNA (0.5 μ g/ μ l), 50 μ l total volume/reaction).

The nucleotide sequences of the forward and reverse knockout primer pairs were generated from the nucleotide sequence information obtained from the Genomic Therapeutics Corporation database for *Streptococcus pneumoniae*. The primer pairs were each used in a PCR reaction to generate a unique internal (e.g., central region) fragment of the candidate gene targeted for knockout.

The PCR program was set in the PCR machine (Initial 95 $^{\circ}$ C - 5 minutes; 30 Cycles of: 95 $^{\circ}$ C - 1 minute, 58 $^{\circ}$ C - 1 minute, 72 $^{\circ}$ C - 30 seconds; Final, 72 $^{\circ}$ C - 10 minutes, 4 $^{\circ}$ C - hold indefinitely). 5 μ l of each reaction was run on an 0.8% agarose gel after purifying fragment over PCR purification kit (Qiagen) to visualize the fragments then ligation reactions were performed.

Ligation Reactions proceeded (set up in 96-well plate format (10.0 µl genomic PCR fragment (generated from step 2 above), 1.0 µl pEPV-3 SmaI-cut vector (1: 10 dilution of vector DNA at 50-100 ng/µl), 1.5 µl 10× ligation buffer (New England Biolabs™), 1.0 µl T4 DNA Ligase (New England Biolabs™ 400,000 U/ml), 1.5 µl ddH₂O, 15.0 µl total reaction volume).

Reactions were allowed to incubate in 96-well plate at 14 °C overnight in the PCR machine. Transformations into *E. coli* for in vivo amplification were proceeded the following day.

The nucleotide sequences of the forward and reverse primer pairs used for the polarity test were generated in a similar manner, from the nucleotide sequence information obtained from the Genomic Therapeutics Corporation database for *Streptococcus pneumoniae*. The primer pairs were each used in a PCR reaction to generate a unique fragment of the candidate gene targeted for the polarity test. The fragment generated for the polarity test included the entire *ceg* coding sequence region but lacking the expression regulatory sequences.

Transformation into *E. coli* (strain LE392):

The next day, 3 µl of above ligation mix was used per transformation reaction plus 50 µl LE392 competent cells. Reactions were set up in 96-well plate format; incubated on ice for 30 minutes; heat-shocked at 42° C for 90 seconds; and incubated on ice 2 minutes; 100 µl SOC media (Gibco BRL) was added; then incubated at 37° C on platform shaker for 1 hour; plated on LB/chloramphenicol (13.0 µg/ml) agar plates for constructs overnight at 37° C with plates inverted and proceeded with colony PCR to confirm constructs. The universal primers flanking the insert site in pEVP-3 were used for PCR amplification.

The colony PCR involved the following. 96-well plate format was set up (36.5 µl H₂O, 0.5 µl pEPV3 forward primer (0.25 µg/µl), 0.5 µl pEPV3 reverse primer (0.25 µg/µl), 1.5

µl each (6.0 µl total) dNTPs (10 mM), 0.5 µl Vent™ DNA polymerase, 5 µl 10× Vent™ buffer, 1 µl of a 1:50 cell dilution, 50 µl total volume).

pEPV3 forward primer: 5' CATCAAGCTTATCGATACCGTCG 3' (SEQ ID NO:437)

5 p EPV3 reverse primer: 5' CACAGTAGTTCACCACCTTTTCCC 3' (SEQ ID NO:438)

Colonies of *E. coli* LE392 were picked onto a master plate of LB + 13 µg/ml chloramphenicol (incubate throughout the day at 37° C) and then into 50 µl H₂O which has been placed into a 96-well plate. 1 µl of this dilution was used in above PCR reaction
10 (if the 96-well dilution plate is kept you will not need to prepare a master plate). Cultures for minipreps of plasmid candidates may be prepared directly from the cell dilutions.

The PCR program was run (95 °C - 5 minutes, 30 Cycles of: 95 °C - 1 minute, 58 °C - 1 minute, 72 °C - 30 seconds, 72 °C - 10 minutes, 4 °C - hold).

15

A 10 µl/ reaction was run on a 1.0 % TBE gel. A gel designed for 96 well plates and a multichannel pipettor were used to ease loading of the sample rows. The gel was run and stained with ethidium bromide. The positive clones were identified with appropriate molecular size insert(s), amplified by the flanking pEVP-3 primers.

20

Minipreps Of Plasmids To Identify Cells Carrying The Pevp-3 Vector With An Insert

The constructs that carried an insert were identified. The constructs having an insert were inoculated into a 5 ml LB/Cm culture, and incubated over night at 37 °C with
25 aeration. Miniprep plasmid DNA was prepared by a standard procedure. The miniprep DNA was digested with appropriate restriction enzymes to confirm the presence of the insert (enzymes flank SmaI site in pEVP-3) (10 µl miniprep DNA, 2 µl 10 × buffer, 1 µl XbaI, 1 µl XhoI, 6 µl ddH₂O; 20 µl total volume for digest).

To confirm the presence of an insert, the digest reactions were electrophoresed on an agarose gel and the gel was stained with ethidium bromide. The positive clones were used for the *S. pneumoniae* KNOCKOUTs procedure.

- 5 The confirmatory PCR reactions, using knock out-specific primers (quality control step) involved 35.5 μ l H₂O, 5 μ l 10 \times VentTM buffer, 1 μ l knockout forward primer (0.5 μ g/ μ l), 1 μ l knockout reverse primer (0.5 μ g/ μ l), 0.5 μ l VentTM (6.0 μ l total) DNA Polymerase (2000 U/ml), 1.5 μ l each dNTPs (10mM, 6.0 μ l total), 1.0 μ l miniprep DNA from test clone, 50 μ l total reaction volume. The PCR program was as follows: 95 °C for 5
10 minutes, 30 Cycles of: 95 °C for 1 minute, 60 °C for 1 minute, 72 °C for 30 seconds, 72 °C for 10 minutes, hold at 4 °C. The presence of the correct-sized insert was confirmed by agarose gel electrophoresis and ethidium bromide staining. The confirmed clones were used for the *S. pneumoniae* gene KNOCKOUT procedure. Glycerol stocks were made of all positive *E. coli* LE392 constructs and frozen at - 80 degrees C.

15

EXAMPLE 3

- The following provides a description of the high throughput gene disruption procedure used in *S. pneumoniae* strain (e.g., gene knockout procedure). The candidate *ceg*
20 fragments that were generated by the method described in Example 2 were used in the gene disruption procedure in order to identify *ceg* nucleotide sequences that are required for cell viability.

- Reactions were set up in a 1.5 ml eppendorf tubes or 96 well plate (1 μ g total of miniprep
25 pEVP-3 + insert DNA (usually 10 μ l of Qiagen miniprep DNA); then 200 μ l of *S. pneumoniae* (strain Rx-1) competent cells diluted 1:10 in competence media was added (1 ml of competence media = 980 μ l Todd Haywitt (Difco Laboratories) with 0.5% yeast extract, 20 μ l 10% BSA, 1 μ l 10 % CaCl₂, and 0.5 μ l (200 μ g/ml) Csp-1 competence peptide).

30

Controls were run with each KNOCKOUT experiment and involved 1 µg pEPV3 *Lyt A* construct = positive control (non-essential), or 1 µg pEPV3 *Fts Z* construct = negative control (essential). Then the 96 well plates and controls were incubated at 37 °C for 2.5 to 3 hours in 37 °C room without shaking. The 200 µl of the samples were plated on
5 Todd Hewitt agar plates with 0.5% yeast extract and 2 µg/ml chloramphenicol.

The samples were incubate over night at 37 °C in 5% CO₂ incubator. Control plates were checked for presence of colonies (pEVP-3::*lytA*) and no growth (pEVP-3::*ftsZ*). Plates were examined for growth (ca. 70-150 colonies) designating nonessentials and zero
10 colonies designating essential genes.

The polarity test was performed in a similar manner, using the polarity fragments described in Example 3.

15 EXAMPLE 4

The following provides a description of the autolysin procedure used to determine that the non-essential control samples of *S pneumoniae* contain a disrupted *lytA* gene.

20 Phenotypic Autolysin Test

The culture plates containing transformants carrying the *lytA* control vector were flooded
25 with 0.1% deoxycholate in H₂O. The plates were observed after 5-10 minutes. Plates with "ghosts" indicated intact *lytA* gene, or plates without "ghosts" indicated a disrupted *lytA* gene. The "ghost" phenomenon is due to detergent triggered autolysis of the cells, causing a gradual fading of the colonies.

30 The detergent treatment triggers the autolysin in *lytA* intact cells; it cannot trigger the autolysin (*lytA* gene product) in *lytA* disrupted cells. Colonies with intact *lytA* "ghost" in 5-10 minutes due to massive pneumococcal cell lysis.

EXAMPLE 5

The following provides a description of the procedure used to express the CEG proteins (e.g., designated CFE proteins) in *E. coli* cells.

CEG Protein Production

Full-length *ceg* gene were inserted into pET-21 expression vector using the *E. coli* BL21 λ DE3 expression system using the following method:

For each *ceg*, custom primers were used to insert N- and C- termini into vectors such that the 5' end (N-terminus of the CEG) is positioned properly for expression behind the T7 promoter and optimally placed with regard to the pET ribosome binding site. The pET vectors contain an *NdeI* site which allows positioning of ATG start site in the vector. In cases where the *ceg* sequence contains an internal *NdeI* site, blunt ligation of the *ceg* PCR fragment into the vector is accomplished via Klenow fill-in of the *NdeI* site. In many cases, primers were also designed such that the *ceg* 3' (C-terminus of the expressed protein) will contain an in-frame extension of 6X-histidine residues, encoded in the vector sequence of pET-21. The individual *cegs* were PCR amplified via custom designed primers as described above. Both *ceg* PCR and vector DNA were digested with appropriate restriction enzymes. The full-length *ceg* were ligated into the pET expression vector. The ligation mixture was transformed into competent *E. coli* BL21 λ DE3 cells and selected for transformants on LB agar with 50 μ g/ml ampicillin. Positive insert bearing clones were screened via minipreps of the plasmids and size analysis on 0.8% agarose gels, with detection by ethidium bromide staining, as above.

Protein Production

The proper reading frame of each *ceg* inserted into pET-21 is verified by DNA sequencing.

A small (2-5 ml) test culture of *E. coli* BL21 λ DE3 with the insert-bearing plasmid is tested for protein expression by IPTG induction of the expression vector for 1-2 hours. The expression is verified by SDS-Polyacrylamide Gel Electrophoresis analysis of a whole cell extract (SDS extract of 0.5-1 ml of cells treated at 100 °C for 5 minutes) to determine whether the protein is over-expressed and migrates at the correct predicted molecular weight.

The protein is overproduced and purified via the following method. A large scale (500-1000ml) culture of *E. coli* is grown to early logarithmic phase in broth (e.g., LB broth) and protein expression induced for 2 hours with IPTG (isopropyl-D-thiogalactoside). The cells are harvested by centrifugation (8000 X G; 15 minutes) and the cell pellets resuspended in 20 ml. of buffer. The cells are lysed by sonication, and the supernatant fluid centrifuged at low speed (5000 X G, 15 min.) to remove unbroken cells. The supernatant fluid, containing the over-expressed protein is subjected to Ni-NTA affinity column chromatography (Quiagen, Inc., Chatsworth, CA). The 6X-histidine residues linked at the C-terminal end of the CEG proteins permit rapid protein purification via selective binding to a Ni-NTA resin column. The protein-bound Ni-NTA resin was to remove contaminants, and the bound proteins subsequently eluted with imidazole and recovered. It is possible to upscale this procedure to larger volumes for higher yields of proteins.

EXAMPLE 6

The following provides a description of the methods used to purify all 2CEG polypeptides (e.g., 2CFE polypeptides #19-117; SEQ ID NOS:349-436) having a histidine tag at their C-terminal ends. The 2CEG polypeptides having the his-tags were produced by the methods described in Example 5, *supra*. As an example, results of purification of 2CFE 75 polypeptide are presented.

Production Of The CFE Polypeptides

The BL21λDE3 cells harboring recombinant pET-21 vectors carrying a 2CFE nucleotide sequence (SEQ ID NOS:244-331) were cultured in LB broth containing ampicillin.

- 5 When the A₆₀₀ reached approximately 0.6, protein production was induced by adding 1.0 mM of IPTG, the cells were cultured for an additional 2 hours. The cell pellet was collected by centrifugation, and the collected cell pellet was sonicated in Solution A (50 mM NaPO₄; 300 mM NaCl, pH 8.0). The sonicated cells were centrifuged at 10,000 RPM to remove the debris.

10

Purification Of The CFE Polypeptide

The supernatant was diluted with Solution A, loaded onto a Ni-NTA column (Quiagen) equilibrated with Solution A; the column bed size was 2.5 x 25 cm, and the flow rate was
15 approximately 3.0 ml/minute. The 2CFE protein was eluted using a linear gradient of imidazole, using 0-250 mM in 450 ml, flow rate approximately 3.0 ml/minute. The eluted samples were collected as 22 ml fractions per tube and the eluted samples were monitored using spectrophotometry. The amount of protein in the eluted fractions was estimated using the Bradford method (Bradford, M. M., 1976 *Anal. Biochem.* 72:248) and
20 the samples were run on an SDS-PAGE gel (Novex EC6008) (Figure 3 A). Fractions were selected for pooling based on the results of the SDS-PAGE gel. The pooled fractions were concentrated using a 10,000 MW Centricon (Amicon) to approximately 5 ml.

- 25 The 2CFE 75 polypeptide, a precipitate formed and was redissolved upon increasing the sample volume and removing the imidazole by repeated concentration in 50 mM Tris, 100 mM NaCl, pH 7.5. Varying amounts of the 2CFE 75 polypeptide were diluted in either 20 mM Tris, 20 mM KCl, pH 7.5 or 20 mM Tris, 20 mM MgCl₂, pH 7.5 at concentrations of 12, 24, or 36 ug/ml. The diluted samples were electrophoresed on an
30 SDS-PAGE gel under non-reducing conditions (Figure 3 B). The results of Figure 3 B suggests that 2CFE 75 forms a multimer.

EXAMPLE 7

The following provides a description of the methods used to purify CEG polypeptides that lack a histidine tag (e.g., 2CFE polypeptides #1-17; SEQ ID NOS:332-348). As an example, the results of purification of CFE 3 polypeptide are presented.

Purification of the CFE 3 Polypeptide

The 2CFE 3 polypeptide was produced using the large scale IPTG-induced method described in Example 5, *supra*. The 2CFE 3 (SEQ ID NO:334) polypeptide lacks a C-terminal histidine tag. The 2CFE 3 polypeptide was purified using a 2-column procedure. The 2CFE 3 polypeptide preparation was eluted from a 26/10 Q Sepharose column (Pharmacia) using a 0-1.0 M NaCl gradient, 2 ml/minute flow rate, and the gradient size was 1 liter. Then the 2CFE 3 polypeptide was eluted from a hydroxyapatite Bio-gel column (Bio-Rad) using a 5-200 mM potassium phosphate (pH 8.0) gradient, the flow rate was 0.3 ml/minute, and the gradient size was 300 ml. A sample of the 2CFE 3 preparation was run on a polyacrylamide gel (Figure 4).

EXAMPLE 8

The following provides a description of the size exclusion chromatography methods used to estimate the molecular weight and determine whether the CEG polypeptides oligomerize. The CFE polypeptide may oligomerize to form monomers, dimers, tetramers, hexameric rings, or other oligomeric forms.

Size exclusion chromatography was performed on all isolated 2CFE polypeptides #s 1-117 (e.g., SEQ ID NOS:332-436). This method was performed using various types of columns, depending on the particular 2CFE polypeptide tested.

The Biosil SEC-125 HPLC Gel Filtration column (BioRad Laboratories, Inc) was used, for example, to characterize CFE 8. The mobile phase was 0.2 M KH_2PO_4 , 0.9% NaCl pH 6.8.

- 5 The Phenomenex 600 x 7.5 mm Biosep SECS 3000 column was used, for example to characterize 2CFE 21 and 39. The mobile phase for size exclusion was 50 mM Na_2HPO_4 , pH 7.0 and 150 mM NaCl run at 1 ml/minute in a Gilson HPLC system, with protein detection at 280 nm.

10 EXAMPLE 9

The following provides a description of the computer-aided methods used to search for similarities between the amino acid sequences of the CEG polypeptides and sequences available through public and proprietary databases. In many cases, the function of the CEG polypeptides was suggested by the results of the similarity searches. The function of some of these CEG polypeptides has been confirmed by performing additional analyses. Table V provides a list of the suggested and confirmed functions of CEG polypeptides designated CFEs #1-117.

- 20 The putative function of the CFE polypeptides were determined using computer-aided bioinformatic approaches, including distant homologies, motif searching, or predictions based on statistical rules. For example, the distant homology approach involved pairwise or multiple sequence alignments, employing tools such as FASTA, and Psi-BLAST. The motif searching approach involved using sophisticated hidden Markov models. The approach based upon predictions of statistical rules involved prediction of transmembrane regions, coiled-coil, and other structural motifs. These approaches have been reviewed in *Computational Methods In Molecular Biology* 1998, eds. Salxber, S.L., Searls, D.B. Searls, and Kasif, S. , Elsevier, and in *Bioinformatics: A Practical Guide To The Analysis Of Genes And Proteins* 1998 eds Baxevanis, A. D. and Francis Ouellete, B.F. , Wiley-Interscience.

30

Global sequence similarity searches were performed using the amino acid sequences of all the conserved essential gene sequences (e.g., CFEs 1-117; SEQ ID NOS:114-226) to search against a non-redundant protein database using the BLAST2 algorithm (Altschul S.F., et al., 1997 *Nucleic Acids Res.* 25(17):3389-3402). In a similar search, similar sequences were identified in the Concordance database using the "Neighbor" function (Brucoleri R. E., Dougherty T.J., Davison D.B. 1998 *Nucleic Acids Res.* 26(19):4482-4486). To determine if the predicted amino acid sequences were full length and in the proper reading frame, BLAST-type searching and CLUSTAL multiple sequence alignments (Higgins D.G., et al., 1996 *Methods Enzymol.* 266:383-402) were used.

Local sequence similarity searches were performed, by searching for Prosite (Hofmann K., et al., 1999 *Nucleic Acids Res.* 27(1):215-219) and Pfam motifs (Bateman A., et al., 2000 *Nucleic Acids Res.* 28(1):263-266). Additionally, the amino acid sequences of the CFEs were analyzed by performing protein threading analyses using the ProCeryon fold recognition program (Sippl, et al., 1992 *Proteins* 13:258-271; Sippl, J. 1993 *J. Comp. Aided Mol. Design* 7:473-501; www.proceryon.com) and Geneformatics.

In bacteria, many operons include genes encoding different proteins that catalyze discrete steps of a common biochemical pathway. Therefore, the operon structures in *S. pneumoniae* was compared with that in other bacteria in order to predict the function of CFE polypeptides.

Additionally, analysis of bacterial metabolic pathways were performed using Pathway Tools from DoubleTwist, based on the EcoCyc system (Karp P.D., et al., 1999 *Nucleic Acids Res.* 1999 27(1):55-58). This analysis was used to predict which CFEs mediate various steps of the pathways.

When the sequence identity between a CFE polypeptide and the annotated database (e.g., SwissProt, Genbank) was low (e.g., sequence identity less than about 30%), a Protein Threading (e.g., fold recognition) method was used to predict similarities in the folded protein structure of CFE polypeptides in the absence of a high level of sequence similarity with proteins in the databases (review by Teichmann, et al., 1999 *Current Opinion in*

Structural Biology 9:390-399). The Protein Threading method predicts the compatibility of a query sequence (e.g., CFE polypeptide sequences) with each of the folds in a library of known protein structures. The library of known protein structures as developed, maintained, and updated throughout the search process.

5 A list of potential structural folds, onto which each query was compatible, was generated for all CFE polypeptides (e.g., SEQ ID NOS:114-226). The fold assignments for each query were used to generate pairwise sequence alignments. The pairwise sequence alignments were used to generate protein models of the query polypeptide (e.g., CFE polypeptides).

10 The pairwise sequence alignments were also used to compare the position of critical residues of the structural template with the query polypeptide. The list of critical residues was generated by using multiple sequence alignments derived from a structural classification of proteins to generate a conservation profile which provided sequence-specific positions conserved across a homologous family of protein folds. Comparative
15 modeling was used to search the model of the query polypeptide for the critical residues and determine whether the structural and functional motifs are conserved in the query protein. Conservation of structural and functional motifs permitted assignment of putative structure and function to a query polypeptide sequence.

20 The Protein Threading method was used to search for putative folded structure and function for all CFE polypeptides (SEQ ID NOS:114-226). The CFE polypeptides having significant sequence identity (e.g., more than 30%) to known proteins were assigned putative functions with a high level of confidence.

25 **EXAMPLE 10**

The following provides a description of the methods used to characterize purified, CFE
101 polypeptide. The 2CFE 101 polypeptide mediates the conversion of pantothenate to
30 4' phosphopantothenate, and is predicted to be a pantothenate kinase.

Computer-Aided Comparison

The computer-aided comparison, as described in Example 9 *supra*, suggests that the amino acid sequence of the CFE 101 polypeptide (SEQ ID NO:210) is 42% similar to the amino acid sequence of the coaA protein of *E. coli*. Thus, CFE 101 may be a pantothenate kinase, which mediates the conversion of pantothenate to 4' phosphopantothenate (Figure 5).

Circular Dichroism and Circular Dichroism Thermal Melt Analysis

Circular dichroism and circular dichroism melt methods were used to determine the folded structure of the expressed and isolated 2CFE polypeptides. For example, this method was used to characterize the folded structure of isolated 2CFE 101 (SEQ ID NO:421).

The starting concentration of the 2CFE 101 polypeptide was such that OD₂₀₅ was approximately 1.5, and the OD₂₈₀ was approximately 0.05 (e.g., 0.05 to 0.1 mg/ml). The starting concentration of 2CFE 101 was approximately 344 μ M in 50% glycerol, 50 mM Tris, 100 mM NaCl, 5 mM MgCl₂, 0.5 mM EDTA, at pH 7.5. The polypeptide was diluted to a final concentration of 7 μ M, as determined by absorbance at A₂₈₀, in 20 mM Na-phosphate, 100 mM KCl, at pH 7.0. The circular dichroism analysis was performed using quartz cuvettes, the instrumentation was from JASCO (Model J-720), the readings were performed at 25 degrees C (Figure 6 A). The band width was 1 nm, the sensitivity was 20 mdeg, the response was 0.25 seconds, the scan speed was 50 nm/minute, and the step was 0.5. The circular dichroism thermal melt analysis was performed at a range of between 0 and 100 degrees C (Figure 6 B). Additionally, the circular dichroism was performed comparing monomer and aggregate pools of 2CFE 101.

Size Exclusion Analyses

Size exclusion chromatography methods were performed using the Biosil SEC column, as described in Example 8 *supra*. The results suggest that the 2CFE 101 polypeptide
5 forms monomer (40,200 Da) and oligomers (194,000 Da). The specific activity of the monomer and oligomeric forms of 2CFE 101 were determined, as described below.

Biochemical Assays

10 The biochemical assays of the 2CFE 101 polypeptide was based on the PK/LDH coupled enzyme assays described by Vallari, D. S., et al. (1987 *J. Biol. Chem.* 262:2468-2471) and Song, W. -J., et al., (1994 *J. Biol. Chem.* 269:27051-27058).

Briefly, the assay was performed as follows. The reaction included: 885 μ l of 0.1 M
15 Tris-HCl (pH 7.6), 25 μ l NADH (14.1 mM), 20 μ l ATP (10.7 mM), 50 μ l phospho-enol-pyruvate (56 mM), 5 μ l LDH/PK (lactose dehydrogenase/PK; Sigma, catalog # P-0294, 60 U/ ml PK, 1050 U/ml LDH), 5 μ l of the 2CFE 101 polypeptide (9 mg/ml in 50 mM Tris-HCl, pH 7.5, 100 mM NaCl which was diluted to 4.5 mg/ml in 50% glycerol). The reaction was started by adding 10 μ l pantothenate (100 mM; Sigma, catalog # P2250).
20 The production of ADP in the reaction was monitored by measuring the absorbance a 340 nm. The results in Figure 8 show that the 2CFE 101 polypeptide mediates ADP production in the presence of pantothenate and ATP. The K_m of pantothenate (n=4) was 144 (\pm 16.5) μ M, the V_{max} of the 2CFE 101 polypeptide (n=4) was 2.04 (\pm 0.25) μ M min⁻¹ mg⁻¹. The monomer form has a specific activity of approximately 1.7 μ M min⁻¹ mg⁻¹.
25 The oligomeric form has a specific activity of 0.26 μ M min⁻¹ mg⁻¹.

Alternatively, the 2CFE 101 polypeptide can be tested in an assay that monitors the conversion of pantothenate to 4'-phosphopantothenate. The same reaction described above can be used, except ¹⁴C-labeled pantothenate is used. The reaction can be
30 monitored by measuring the amount of ¹⁴C-labeled 4'-phosphopantothanate produced.

EXAMPLE 11

The following provides a description of the methods used to characterize purified, CFE 39 and CFE 21 polypeptides, carrying a C-terminal histidine 6-tag. The methods include
5 helicase reactions, in which synthetic Holliday Junction templates are resolved into duplex structures. In one method, helicase reaction was monitored using radiolabeled templates. In another method, the helicase assay was adapted for use in a high throughput assay employing fluorescence labeled templates.

10 Computer-Aided Comparison

The computer-aided comparison, as described in Example 9 *supra*, suggests that the CFE 39 polypeptide (SEQ ID NO: 148) is an RuvA homologue. The comparison also suggests that CFE 21 (SEQ ID NO:132) is an RuvB homologue.

15

Previous studies by Parsons and others have shown that RuvA and RuvB proteins, in *E. coli*, promote branch migration or movement of Holliday Junctions during genetic recombination and DNA repair (Parsons, C. A., et al., 1992 *Proc. Natl. Acad. Sci. USA* 89:5452-5456; Tsaneva, I. R., et al., 1993 *Proc. Natl. Acad. Sci. USA* 90:1315-1319;
20 Muller, B., et al., 1993 *J. Biol. Chem.* 268:17179-17184; Mitchell, A. H. and S. C. West 1996 *J. Biol. Chem.* 271:19497-19502; Parsons, C. A. and S. C. West 1993 *J. Molec. Biol.* 232:397-405; Tsaneva, I. R., et al., 1992 *Molec. Gen. Genet.* 235:1-10; Mitchell, A. H. and S. C. West 1994 *J. Molec. Biol.* 1994 243:208-215).

25 Size Exclusion Chromatography

Size exclusion chromatography was performed on 2CFE 39 (SEQ ID NO:366) and 2CFE 21 (SEQ ID NO:350) using the Phenomenex 600 x 7.5 mm Biosep SECS 3000 column, as described in Example 8 *supra*. Protein standards (BioRad) were used to calibrate the
30 column, including thyroglobulin (670,000 Da), gamma globulin (158,000 Da), ovalbumin (44,00 Da), myoglobin (17,00 Da), and B-12 (1350 Da).

The results indicate that 2CFE 39 (RuvA) forms tetramers and 2CFE 21 (RuvB) forms a hexameric ring structure. Selected eluted samples were electrophoresed on a polyacrylamide gel (Novagen) (Figure 9).

5

The Holliday Junction Analysis Using Radiolabeled Templates

The Holliday Junction analysis was performed using radiolabeled, synthetic, asymmetrical, Holliday Junction templates, as described in Hiom, K. and S. C. West
10 1995 *Cell* 80:787-793. The Holliday Junction templates were produced by annealing together four separate, single-stranded, oligonucleotide strands to form four-stranded structures (e.g., the Holliday Junction template). The Holliday Junction templates were reacted with the 2CFE 39 and 2CFE 21 polypeptides, in a helicase reaction, to test their ability to generate two duplex structures.

15

Producing the Synthetic Holliday Junction Templates

The asymmetrical Holliday Junction templates were produced by annealing the following oligonucleotide sequences:

20

Oligonucleotide strand 1:

5'-CCAGTGATCACATACGCTTTGCTAGGACATCTTGATATCAGCCCACGTT
CACCCGCCTACCAGTGCCACGTTGTATGCCACGTTGACC-3' (SEQ ID NO:438)

25 Oligonucleotide strand 2:

5'-GGGTCAACGTGGGCATACAACGTGGCACTGGTAGGCGGGTGAACGTGGG
CTGATATCAAGATGTCCATCTGTCCGTTTCATCTATGACGT-3' (SEQ ID NO:439)

Oligonucleotide strand 3:

30 5'-AACGTCATAGATGAACGGACAGATCATGGTGCTTTTAAAGTCTAGAGAC
TATCGAGCATTAGTACCAGTATCGAATCCGTCTTGTCAA-3' (SEQ ID NO:440)

Oligonucleotide strand 4:

5'-TTTGACAAGACGGATTCGATACTGGTACTAATGCTCGATAGTCTCTAGAC
TTTAAAAGCACCATGTAGCAAAGCGTATGTGATCACTG-3' (SEQ ID NO:441)

5

Oligonucleotide strand 3 was labeled at the 5' end using approximately 300 ng of oligonucleotide strand 3, 1 μ l 10x Phosphate Buffer, 5 μ l 32 P ATP, 1 μ l T4 polynucleotide kinase (Gibco-BRL)), in a 10 μ l volume, and the reaction was performed at 37 degrees C for 30 minutes. The reaction was loaded onto a G50 column to remove the unincorporated radiolabel. The final concentration of the radiolabeled oligonucleotide strand 3 was approximately 15 ng per μ l.

10

Approximately equimolar amounts of the four oligonucleotide strands were annealed (e.g., hybridized). The annealing reaction included: 5 μ l Annealing Buffer (200 mM Tris-Cl pH 8.0, 100 mM $MgCl_2$, 1 M NaCl, 10 mM DTT); 450 ng of radiolabeled oligonucleotide strand 3; and 1000 ng each of oligonucleotide strands 1, 2, and 4; in 50 μ l total reaction volume. The control annealing reaction included: 5 μ l Annealing Buffer, 60 ng radiolabeled oligonucleotide strand 3; 1000 ng oligonucleotide strand 4; in 50 μ l total reaction volume. Annealing was performed at 95 degrees C for 5 minutes, 65 degrees C for 30 minutes, 42 degrees C for 30 minutes, and room temperature (e.g., between about 23 to 27 degrees C) for 30 minutes to generate the synthetic Holliday Junction templates. The synthetic Holliday Junction templates were gel or column-purified to remove the duplex and non-annealed products. As a control, oligonucleotide strands 3 and 4 were annealed to form duplex structures. The synthetic Holliday Junction templates and duplex structures were stored at -20 degrees C.

20

25

CFE 39 and CFE 21: The Helicase Reaction Using Radiolabeled Templates

The helicase reaction was performed to determine whether 2CFE 39 and 2CFE 21 resolved the synthetic Holliday Junction templates into duplex structures. The helicase reaction was performed as follows. A 50 μ l total reaction volume included: 25 μ l of 2x

30

Reaction Buffer (50 mM Tris-Cl pH8.0, 30 mM MgCl₂, 2 mM ATP); 1 µl synthetic Holliday Junction template (36 ng); 2 µl 2CFE 39 (1 µM); and 2 µl 2CFE 21 (1 µM). The reaction was incubated at 37 degrees for 30 minutes. The reaction was stopped by adding 5 µl Stop Buffer (100 mM Tris-Cl pH 7.5, 5 mg/ml Proteinase-K, 5% SDS). The
5 stopped reaction was returned to 37 degrees C for 5 minutes. The helicase reaction was loaded onto and run on a non-denaturing, 12% PAGE, Tris-glycine gel.

The results shown in Figure 10, lanes 6, 7 and 8, indicate that the 2CFE 39 and 2CFE 21 polypeptides resolved the synthetic Holliday Junction templates into duplex structures.

CFE 39: The Helicase Reaction

It has been previously shown that *E. coli* RuvA binds to Holliday Junction templates (Parsons, C. A., et al., 1992 *Proc. Natl. Acad. Sci. USA* 89:5452-5456). The ability of *S.*
15 *pneumoniae* CFE 39 to bind to a Holliday Junction template can be tested by employing the helicase assay described herein. The results of the helicase assay can be monitored by performing a gel shift assay and/or capillary electrophoresis. The presence of a Holliday Junction template bound to 2CFE 39, which migrates more slowly than the Holliday Junction template alone, would indicate that *S. pneumoniae* 2CFE 39 binds to Holliday
20 Junction templates.

CFE 39 and CFE 21: Holliday Junction Analysis Using Fluorescent-Labeled Templates

The helicase reaction described herein was performed using Holliday Junction templates
25 having one oligonucleotide strand labeled with a fluorescent agent and another strand labeled with a quenching agent. The 5' fluorescent end and the 3' quenching end of the strands that make up the Holliday Junction templates are in proximity to each other, resulting in a non-fluorescent template. When the Holliday Junction templates are resolved into duplex structures, the fluorescent and quench ends are not in proximity to
30 each other, resulting in fluorescence.

The Holliday Junction templates used to perform this experiment comprised the following: the 5' end of oligonucleotide strand 1 was labeled with a fluorescein (e.g., the fluorescent agent), and the 3' end of oligonucleotide strand 4 was labeled with DABCYL (e.g., the quenching agent). The oligonucleotide strand 1 labeled with fluorescein and the oligonucleotide strand 4 labeled with DABCYL were custom synthesized (Gibco-BRL Life Technologies, Inc.).

The fluorescein and DABCYL labeled oligonucleotides were annealed in a reaction, as described above, to generate synthetic Holliday Junction templates. The helicase reaction was performed as described above. The results of the helicase reaction were monitored by measuring the unquenching of the Holliday Junction templates with time (Figure 11).

The helicase assay using Holliday Junction templates labeled with fluorescent-quenching agents can be adapted for use in high throughput analyses to test 2CFE 39, 2CFE 21, and other polypeptides for their ability to resolve the templates into duplex structures.

EXAMPLE 12

The following provides a description of the methods used to characterize purified, CFE 8 polypeptide, which lacks a histidine tag. The CFE 8 is a putative DNA single-stranded binding protein.

Computer-Aided Comparison

The computer-aided comparison, as described in Example 9 *supra*, suggests that the CFE 8 polypeptide (SEQ ID NO:121) may be a single strand binding protein homologue, such as SSB.

Size Exclusion Chromatography

The 2CFE 8 polypeptide (SEQ ID NO:339) was characterized by size exclusion chromatography, using the Biosil SEC-125 HPLC Gel Filtration column as described in Example 8 *supra*. The chromatogram showed one peak corresponding to a molecular weight of approximately 89 kDa. Based on the nucleotide sequence, the predicted molecular weight of 2CFE 8 is 17,351 Da. In non-denaturing conditions, 2CFE 8 forms a multimer.

Binding Reaction

The 2CFE 8 polypeptide was reacted with a single-stranded oligonucleotide A. Briefly, the binding reaction included: 50 μ M of 2CFE 8 polypeptide, 50 μ M oligo strand A, 20 mM Tris/20 mM KCl pH 7.5. The binding reaction was performed at 37 degrees C, for 2 hours.

Oligonucleotide strand A:

5'-TTAGGGCCCGGGCTATCTTACAATCTCGTT-3' (SEQ ID NO:442)

Capillary Electrophoresis

The results of the binding reaction was monitored by capillary electrophoresis, following the methods described in "Handbook of Capillary Electrophoresis" 2nd Edition, 1997, ed. J. Landers.

Separation was performed using an uncoated capillary tube (360 μ m o.d., 50 μ m i.d., with a 50 cm effective separation length; Watrex International, Inc., Pittsford, NY) and 50 mM borate pH 9.3 as the mobile phase, at 25 kVolts, 20 minutes separation time.

The results indicate that 2CFE 8 alone elutes as a sharp peak, indicating little adsorption to the uncoated capillary wall (Figure 12 A). The shape of the peak and peak retention

time changed with 2CFE 8 in the presence of all oligonucleotides tested (Figure 12 B). As a negative control, MurB polypeptide (Pucci, M. J., L. F. Discotto, and T. J. Dougherty 1992 "Cloning and Identification of the *Escherichia coli* murB DNA sequence, which encodes UDP-N-acetylenolpyruvoylglucosamine reductase" *J. Bacteriol.* 174:1690-1693) was reacted with the same oligonucleotides. MurB reacted with or without the oligonucleotides showed no change in peak shape or retention time.

After capillary electrophoresis analyses, the 2CFE8 alone and 2CFE plus oligonucleotide samples were run on native polyacrylamide gels to determine whether the polypeptide was intact. The results indicate that in all cases, 2CFE 8 was intact and had not degraded with time or storage.

Mobility Shift Assays

The ability of 2CFE 8 polypeptide to bind oligonucleotide strand A was tested in a mobility shift assay.

The results indicate that 2CFE 8 binds single stranded oligonucleotides (Figure 13 A and B). In Figure 13 A, the gel was stained with ethidium bromide. The unbound oligonucleotides appear near the bottom of the gel, while the bound oligonucleotides appear near the middle. The same gel was stained with Coomassie (Figure 13 B), revealing that 2CFE 8 polypeptide bound to the oligonucleotide migrated further than unbound 2CFE 8, due to the change in charge carried by the oligonucleotide. Various ratios of 2CFE8:oligo were tested. The optimal binding ratio was 2:1.

The Effect of $MgCl_2$

The 2CFE 8 polypeptide precipitated in the presence of 5 mM $MgCl_2$. The precipitation was reversible by the addition of 1 μ M of the oligonucleotides tested. The observation indicates specific binding between 2CFE 8 polypeptide and the oligonucleotides tested.

Scintillation Proximity Assay

Scintillation proximity assay (SPA) methods can be used in a high throughput screening procedure to monitor, for example, a binding reaction. SPA utilizes beads (Amersham) which are coated on the surface with a particular compound or molecule. For example, the SPA bead may be coated with avidin to facilitate binding with any molecule having a biotin tag.

The binding reaction of the 2CFE 8 polypeptide and the oligonucleotide strand A can be monitored using SPA beads and a scintillation counter. The beads can be coated with avidin, the 2CFE 8 polypeptide can be tagged with biotin, and the oligonucleotide strand A can be radiolabeled.

EXAMPLE 13

The following provides a description of the methods used to characterize purified, 2CFE 3 (SEQ ID NO:334) and 2CFE 86 (SEQ ID NO:409) polypeptides.

The 2CFE 3 polypeptide catalyzes the conversion of D-glucosamine-6-phosphate to D-glucosamine-1-phosphate, indicating that 2CFE 3 mediates amino-sugar biosynthesis through the N-acetyl glucosamine pathway (Figure 14).

The 2CFE 86 polypeptide catalyzes the conversion of D-glucosamine-1-phosphate to N-acetylglucosamine-1-phosphate, and the conversion of N-acetylglucosamine-1-phosphate to UDP-N-acetylglucosamine-1-phosphate, which indicates that 2CFE 86 also mediates amino-sugar biosynthesis through the N-acetyl glucosamine pathway (Figure 14).

Computer-Aided Comparisons Of CFE 3

The computer-aided comparison, as described in Example 9 *supra*, suggested that the CFE 3 polypeptide (SEQ ID NO:116) is a phosphoglucosamine mutase, such as GlmM.

Purification of the CFE 3 Polypeptide

The 2CFE 3 polypeptide was produced using the large scale IPTG-induced method described in Example 5, *supra*. The 2CFE 3 polypeptide lacks a C-terminal histidine tag.

- 5 The 2CFE 3 polypeptide was purified using a 2-column procedure. The 2CFE 3 polypeptide preparation was eluted from a 26/10 Q Sepharose column (Pharmacia) using a 0-1.0 M NaCl gradient, 2 ml/minute flow rate, and the gradient size was 1 liter. Then the 2CFE 3 polypeptide was eluted from a hydroxyapatite Bio-gel column (Bio-Rad) using a 5-200 mM potassium phosphate (pH 8.0) gradient, the flow rate was 0.3 ml/minute, and the gradient size was 300 ml. A sample of the 2CFE 3 preparation was electrophoresed on an SDS polyacrylamide gel (Figure 4).

Affinity Capillary Electrophoresis of CFE 3

- 15 Affinity capillary electrophoresis methods were used to determine whether the 2CFE 3 polypeptide binds to various glucose derivatives. Binding was performed under equilibrium conditions, in which the sugars were dissolved in the running buffer and reacts with 2CFE 3 during separation in the column. The affinity capillary electrophoresis method used to analyze 2CFE 3 follows the methods described in "Handbook of Capillary Electrophoresis" 2nd Edition, 1997, ed. J. Landers.

- 25 Briefly, 2CFE 3 polypeptide was reacted with increasing amounts of various glucose derivatives (e.g., substrate) at 25, 30 and 37 degrees C. The glucose derivatives included UDP-glucose, glucose-1-phosphate, glucose-6-phosphate, glucosamine-1-phosphate, and glucosamine-6-phosphate. The reaction included: 2CFE 3 polypeptide (2.0 mg/ml), separation buffer (25 mM Tris; 192 mM Glycine, pH 8.0; BupH Tris-Glycine Buffer Packs, Pierce). Separation was performed at 25 kVolts, separation time was 15 or 20 minutes.

- 30 The results shown in Figure 15 A indicate that at 25 degrees C, 2CFE 3 binds to D-glucose-1-phosphate in a dose-dependent manner, as the peak shape and/or the retention

time for 2CFE 3 changes in the presence of 100 and 500 μ M D-glucose-1-phosphate compared to unreacted 2CFE 3.

5 The results shown in Figure 15 B indicate that at 25 degrees C, 2CFE 3 binds to D-glucosamine-6-phosphate in a dose-dependent manner, as the peak shape and/or the retention time for 2CFE 3 changes in the presence of 100 and 500 μ M D-glucosamine-6-phosphate compared to unreacted 2CFE 3.

10 The results shown in Figure 15 C indicate that at 25 degrees C, the 2CFE 3 polypeptide also binds to glucose-6-phosphate.

15 A comparison of 2CFE 3 reacted with various glucose derivatives, at 30 degrees C, is shown in Figure 15 D. The results indicate that D-glucosamine-6-phosphate is a putative substrate for 2CFE 3, as this reaction exhibits the greatest change in peak shape and/or retention time.

CFE 3: Capillary Electrophoresis and Laser-Induced Fluorescence

20 In a further analysis of 2CFE 3 polypeptide, capillary electrophoresis was performed with laser-induced fluorescence in order to separate and detect interaction between the substrate (e.g., D-glucosamine-6-phosphate) and the product (e.g., D-glucosamine-1-phosphate) in a one dose, one time-point procedure.

25 The 2CFE 3 polypeptide was derivitized by reacting 10 mM FITC (fluorescein isothiocyanate dissolved in methanol; Calbiochem, San Diego, CA) with D-glucosamine-6-phosphate, at ambient temperature, in the dark, overnight. The FITC-derivatized 2CFE 3 polypeptide (2.0 mg/ml) was reacted with the substrate (D-glucosamine-6-phosphate and D-glucosamine-1-phosphate) for one hour.

30 Separation was performed using an uncoated capillary (360 μ m o.d., 50 μ m i.d., with a 50 cm effective separation length) and 50 mM borate (pH 9.3) as the mobile phase. The

argon-ion laser had an excitation wavelength of 488 nm and an emission filter of 520 nm (Beckman, Fullerton, CA). The results shown in Figure 16 indicate that 2CFE 3 binds and catalyzes the conversion of D-glucosamine-6-phosphate to D-glucosamine-1-phosphate.

5

Computer-Aided Comparison Of CFE 86

The comparison results, as described in Example 9 *supra*, suggested that the CFE 86 polypeptide (SEQ ID NO:195) is an acetyltransferase, such as GlmU which is a bifunctional enzyme in *E. coli*. It has been previously shown that, in *E. coli*, GlmU is a bifunctional protein having both the acetyltransferase and uridylyltransferase active sites (Mengin-Lecreulx, D. and J. van Heijennort 1994 *J. Bacteriol.* 176:5788-5795; Gehring, Al., et al., 1996 *Biochemistry* 35:579-585). The bifunctional enzyme catalyzes the conversion of D-glucosamine-1-phosphate to N-acetylglucosamine-1-phosphate (acetyltransferase), and catalyzes the conversion of N-acetylglucosamine-1-phosphate to UDP-N-acetylglucosamine-1-phosphate (uridylyltransferase). The K_m of the acetyltransferase and uridylyltransferase reactions has been previously calculated (Mengin-Lecreulx, D. and J. van Heijennort 1994 *supra*). Additionally, the crystal structure of GlmU from *E. coli* is known (Brown, K., et al., 1999 *EMBO J.* 18:4096-4107).

20

Purification of the CFE 86 Polypeptide

The 2CFE 86 polypeptide (SEQ ID NO:409) has a C-terminal histidine tag. The 2CFE 86 polypeptide was produced using the large scale IPTG-induced method described in Example 5, *supra*. The 2CFE 86 polypeptide was purified using the Ni-NTA affinity column method described in Example 6, *supra*. The eluted 2CFE 86 polypeptide was dialyzed against 50 mM Tris-Cl, 100 mM NaCl, 25% glycerol, pH 8.0. Samples of the purified 2CFE 86 polypeptide were electrophoresed on a polyacrylamide gel (Figure 17).

30

Coupling CFE 3 and CFE 86 to Produce UDPAG

A biochemical assay was performed, to determine whether 2CFE 3 and 2CFE 86 convert D-glucosamine-6-phosphate to UDP-N-acetylglucosamine-1-phosphate (e.g., UDPAG).

- 5 The 2CFE 3 and 2CFE 86 polypeptides were used in a coupled reaction based on the assays described in Jolly, L. P., et al., 1999 *Eur. J. Biochem.* 262:202-210.

- A time-dependent and dose-dependent assay were performed. Briefly, the assay was performed in 96-well plates, each well including 100 μ l volume. The assay included: 1
10 mM D-glucosamine-6-phosphate (Sigma); 0.7 mM D-glucosamine-1,6-diphosphate (Sigma); 1.2 mM acetyl-Coenzyme A (Sigma); and 5 mM uridine-5'-phosphate (Sigma); 3 mM $MgCl_2$ (Sigma); 50 mM Tris-Cl, pH 8.0 (Life Technologies). The reaction was started by adding 1 μ g of 2CFE 3; and 10 μ g of 2CFE 86. The reaction was performed at room temperature. The reaction was stopped at 0, 15, 30, and 65 minutes, by filtering out
15 the 2CFE polypeptides.

- The results of the assay was monitored by HPLC (high pressure liquid chromatography) using an Optisil 10 μ SAX column (250 x 4.6 mm), measuring at 262 nm, the mobile phase was 150 mM KH_2PO_4 (pH 3.5), and 1.5 ml/minute flow rate. The results shown in
20 Figure 18 show the time-dependent assay and indicate that HPLC detected the presence of UDPAG.

CFE 86: The Uridyltransferase Reaction

- 25 The 2CFE 86 polypeptide was tested in a uridyltransferase reaction, in which N-acetyl-D-glucosamine-1-phosphate and UTP produce UDP-N-acetylglucosamine. The uridyltransferase reaction was monitored using a malachite green/inorganic pyrophosphatase assay (e.g., malachite green-IPPAse assay) and/or monitored using HPLC. The malachite green-IPPAse assay was used to measure orthophosphate
30 production from digestion of the pyrophosphate liberated in the uridyltransferase reaction.

The malachite green reagent was prepared as follows. A 0.045 % solution of malachite green (Sigma; M9636) was prepared in water. A 4.2 % solution of ammonium molybdate (Mallinckrodt) was prepared in 4N HCl. The malachite green and ammonium molybdate were mixed in a 3:1 ratio, and stirred for about 20 minutes. The mixture was filtered, and stored at 4 degrees C. The inorganic pyrophosphatase (Sigma; I-2267) was diluted to 0.1 U/ μ l in 50 mM Tris/3mM $MgCl_2$ pH 8.0, and stored at 4 degrees C.

The uridylyltransferase reaction was performed in 96-well plates. The coupled reaction described herein was performed, in the presence of 2CFE 3 alone or 2CFE 3 and 2CFE 86, and included the addition of 0.5 U/well of the diluted inorganic pyrophosphate. The reaction was mixed for 5 minutes at room temperature. The reaction was stopped by the addition of 240 μ l/well of the malachite green reagent and 30 μ l/well of 34% sodium citrate, and the reaction was mixed. The results of the uridylyltransferase reaction was monitored by spectrophotometry at 660 nm.

The results of separate uridylyltransferase reactions were monitored by HPLC, using a Phenosphere-NEXT C18 column (250 x 4.6 mm). The mobile phases included A and B as follows: A) methanol/10 mM potassium phosphate pH 6.5 (0:100); and B) methanol/10 mM potassium phosphate pH 6.5 (40:60). The mobile phases were run under the following conditions: 100% mobile phase A for 5 minutes, to 100% mobile phase B in 3 minutes; and hold 100% mobile phase B for 9 minutes. The retention time for the UDPAG product is approximately 5.75 to 6.0 minutes.

The results three uridylyltransferase reactions, monitored by HPLC are summarized in Table III below.

TABLE III

<u>Purified CFE 86:</u>	<u>Specific Activity (nmol/min/μg):</u>
2CFE 86-1	3.1
2CFE 86-2	3.4
2CFE 86-3	3.1

The results of the uridylyltransferase reactions, monitored by HPLC or HPLC and Malachite Green IPPase assays are summarized in Table IV below.

TABLE IV

<u>Reaction:</u>	<u>K_m (μM):</u>	<u>Method:</u>
<u>Acetyltransferase reaction:</u>		
Glucosamine-1-P	94	HPLC
Acetyl-coA	150	HPLC
<u>Uridylyltransferase reaction:</u>		
N-acetylglucosamine-1-P	48	HPLC and MG/IPPase
UTP	79	HPLC

EXAMPLE 14

The following provides a description of the methods used to characterize various 2CFE polypeptides, including CFE 21, 34, 35, 39, and 90. The molecular weight of these 2CFE polypeptides were analyzed by size exclusion chromatography and gel electrophoresis. The 2CFE 34, 35, and 90 polypeptides putatively mediate fatty acid biosynthesis.

Computer-Aided Comparison

The computer-aided comparison, as described in Example 9 *supra*, suggests that CFE 34 (SEQ ID NO:143), CFE 35 (SEQ ID NO:144), and 90 (SEQ ID NO:199) are polypeptides which mediate a fatty acid biosynthesis pathway (Figure 19)

The comparison suggests that CFE 34 is a malonyl CoA:ACP transacylase, which catalyzes the reaction in which malonyl CoA and acyl carrier protein (ACP) are converted to malonyl-ACP and CoA. Thus, the CFE 34 polypeptide may be a homologue of *E. coli* FabD.

The comparison suggests that CFE 90 is a 3-oxoacyl-ACP synthase II (beta ketoacyl-ACP synthase II) which catalyzes the reaction in which malonyl-ACP is converted to beta aceto acetyl-ACP. Thus, the CFE 90 polypeptide may be a homologue of *E. coli* FabF.

The comparison suggests that CFE 35 is a 3-oxoacyl-ACP reductase (beta aceto acetyl ACP reductase) which catalyzes the reaction in which beta-keto-acetyl-ACP is converted to beta-hydroxy-acetyl-ACP. Thus, the CFE 35 polypeptide may be a homologue of *E. coli* FabG.

Size Exclusion Chromatography

The estimated molecular weights of 2CFE 34 (SEQ ID NO:361), 2CFE 35 (SEQ ID NO:362), and 2CFE 90 (SEQ ID NO:413) were determined using the Biosil SEC-125 HPLC Gel Filtration column as described in Example 8, *supra*.

The results suggest that 2CFE 34 polypeptide is a monomeric protein (33,093 Da), 2CFE 35 is a trimeric protein (25,758 Da; approximately 85%), and 2CFE 90 is a dimeric protein (43,930 Da). Selected eluted samples of 2CFE 34 were electrophoresed on a polyacrylamide gel (Figure 20).

Biochemical Assay: CFE 34

The function of 2CFE 34 was determined by performing various biochemical reactions.

- 5 To determine whether 2CFE 34 catalyzes the conversion of malonyl-CoA to malonyl and CoA, the following reaction was performed.

The biochemical reaction was performed in the presence of acyl carrier protein. The reaction included the following: 10 μM ^{14}C labeled malonyl-CoA, 20 μM ACP, 30 μM 10 2CFE 34 (e.g., FabD) in 20 mM Tris-Cl, pH 8.0 and 5 mM DTT in 300 μl volume. The reaction was performed at room temperature (e.g., approximately 24 degrees C) for 30 minutes. The reaction was terminated with the addition of 45 μl of 0.5% TFA. The labeled reaction was injected onto a MonoQ 5/5 column on a Gilson HPLC. Detection was performed by monitoring the radioactivity of the continuous flow-through of the 15 HPLC effluent. Chromatography was performed using a buffer gradient for column elution. Buffer A included 20 mM Tris-Cl, pH 8.3. Buffer B was the same as Buffer A and included 1 M NaCl. The program was held at 90% A, 10% B for 10 minutes followed by a linear ramp to a final mix of 50% of each Buffer A and B over 10 minutes.

- 20 The substrate (e.g., ^{14}C malonyl-CoA) eluted at 9.9 minutes, the product (e.g., ^{14}C malonyl-ACP) eluted at 14.3 minutes. The results indicate that CFE 34 catalyzes the conversion of malonyl-CoA and acyl carrier protein (ACP) to malonyl-ACP and CoA.

EXAMPLE 15

25

The following provides a description of the methods used to characterize CFE polypeptides 40, 41, and 46.

Computer-Aided Comparison

The computer-aided comparison, as described in Example 9 *supra*, suggests that the CFE 40 polypeptide (SEQ ID NO:149) is a phosphomethylpyrimidine (HMP-P) kinase
5 involved in thiamine biosynthesis.

The comparison, as described in Example 9 *supra*, suggests that the CFE 41 polypeptide (SEQ ID NO:150) has a GTP-binding motif and may be a protease.

10 The comparison, as described in Example 9 *supra*, suggests that the CFE 46 polypeptide (SEQ ID NO:155) has an ATP-binding motif.

Affinity Purification of CFE 41

15 The large-scale method described in Example 5 *supra* (e.g., IPTG-induced protein production) was used to prepare a sample of 2CFE 41 polypeptide (SEQ ID NO:368). The sample was affinity purified using the Ni-NTA method described in Example 6, *supra*. The eluted fractions were loaded onto and run on a 12% SDS-PAGE gel (Novex) (Figure 21).

20

Circular Dichroism and Circular Dichroism Thermal Melt Analysis

Circular dichroism and circular dichroism thermal melt methods were performed using JASCO instrumentation. The concentration of the isolated 2CFE 40 (SEQ ID NO:367)
25 was approximately 21 μ M, in a 0.1 cm pathlength cell at 210 nm. The circular dichroism spectrum suggests that this preparation of 2CFE 40 had mixed alpha and beta secondary structure. The circular dichroism thermal melt spectrum suggests that 2CFE 40 has a T_m of approximately 67 degrees C. The 2CFE 40 polypeptide precipitates at approximately the T_m .

The concentration of the isolated 2CFE 41 (SEQ ID NO:368) was approximately 70 μ M, in a 0.02 cm pathlength cell. The circular dichroism spectrum suggests that this preparation of 2CFE 41 had mixed alpha and beta secondary structure, with a greater percentage of alpha structures. The circular dichroism thermal melt spectrum suggests that 2CFE 41 has a T_m of approximately 38 degrees C. The 2CFE 41 polypeptide precipitates at approximately the T_m .

The concentration of the isolated 2CFE 46 (SEQ ID NO:373) was approximately 23 μ M, in a 0.1 cm pathlength cell at 280 nm. The circular dichroism spectrum suggests that this preparation of 2CFE 46 had mixed alpha and beta secondary structure. The circular dichroism thermal melt spectrum suggests that 2CFE 46 is highly stable at elevated temperatures. At 90 degrees C, the 2CFE 46 polypeptide exhibited only a 27% loss in signal and the polypeptide remained soluble.

Capillary Electrophoresis

Capillary electrophoresis was performed on samples of purified 2CFE 40, 41 and 46. The electropherograms of 2CFE 40, 41, and 46 are shown in Figure 22.

EXAMPLE 16

The following provides a description of methods that can be used to characterize CEG polypeptides (e.g., CFE polypeptides).

Computer-Aided Compilation

Computer-aided compilation of bacterial metabolic pathways may be analyzed using Pathway Tools from Doubletwise, based on the EcoCyc system (Karp P.D., et al., 1999 *Nucleic Acids Res.* 1999 27(1):55-58). This analysis may be used to predict which CFEs mediate various steps of the pathways. This information may be used in combination

with the results of a binding reaction which identifies a ligand or substrate that binds with a CFE polypeptide.

Identifying the Function of a CFE Polypeptide

The function of a CFE polypeptide may be identified by identifying a ligand or substrate which binds with the CFE polypeptide. The ligand or substrate may be identified using fractionation and affinity capillary electrophoresis methods. The following method is based upon the assumption that the bacterial cell lysate includes the ligand or substrate.

A bacterial host cells carrying an endogenous (e.g. native) CFE gene or carrying a recombinant vector which includes a CFE gene may be cultured so that the CFE polypeptide is produced by the cell. The cells may be ruptured in order to obtain the cell lysate. The cell lysate may be fractionated using HPLC technology. The HPLC fractions may be reacted with a CFE polypeptide in a binding reaction, and the binding reaction may be analyzed by affinity capillary electrophoresis methods. The ligand or substrate which reacts with the CFE polypeptide may be identified using mass spectrophotometry methods (in "Mass Spectrometry" 1990 eds. McCloskey, J. A., in *Methods in Enzymology* volume 193; Henion, J., et al., 1993 "Mass Spectrometric Investigations of Drug-Receptor Interactions" *Ther. Drug Monit.* 15:563-569; Loo, J. A., et al., 1999 "Application of Mass Spectrometry for Target Identification and Characterization" *Med. Res. Rev.* 19:307-319; Nguyen, D. N., et al., 1995 "Protein Mass Spectrometry: Applications to Analytical Biotechnology" *J. Chromatogr.* 705:21-45).

EXAMPLE 17

The following provides a description of nuclear magnetic resonance (NMR) spectroscopy methods that were used to characterize CFE polypeptides.

High resolution NMR spectroscopy was applied to ^{15}N -labeled, $^{13}\text{C}/^{15}\text{N}$ -labeled, $^2\text{H}/^{13}\text{C}/^{15}\text{N}$ -labeled, and type-specifically isotopically labeled CFE polypeptide samples

in the solution state for the following purposes: to assess various aspects of the structural state, e.g., foldedness, structural integrity; to refine a previously determined experimental structure of a close sequence homologue; to refine a homology-modeled structure; to assess the potential for a CFE polypeptide to bind small molecules; and to identify small-molecule pharmacophoric fragments that bind specifically to the CFE polypeptide (‘Nuclear Magnetic Resonance’ 1994 eds. James, T. L. in *Methods in Enzymology* volume 239).

The NMR analysis includes screening both a compound deck of approximately 4,500 commercially available, structurally and chemically diverse compounds (the small-molecule pharmacophore deck) and a compound deck of proprietary, known, anti-microbial compounds (anti-microbial deck) against the CFE polypeptides (i.e., target polypeptides) to determine, either based upon perturbations to the chemical shifts of the amide proton and/or nitrogen resonances, as measured from a two-dimensional proton-nitrogen heteronuclear single-quantum correlation spectrum (2D screening method), or based upon increases in the linewidth of the compound's proton resonance(s), as measured by a one-dimensional $T_{1\rho}$ spin-lock difference spectrum (1D screening method), both whether a compound binds to a CFE polypeptide and, in the case of the 2D screening method, where the compound binds on the CFE polypeptide.

Isotopic Labeling of CFE Polypeptides

BL21-DE3 *E. coli* bacteria are transformed with the CFE expression vectors. Expression takes place between 20°C and 37°C in minimal media containing [^{15}N]-ammonium sulfate as the sole nitrogen source and either glucose, [^2H] $_{13}$ -glucose, or [^{13}C] $_6$ -glucose as the sole carbon source. Glucose is used for preparing uniformly ^{15}N -labeled and $^2\text{H}/^{15}\text{N}$ -labeled CFE polypeptides. [^2H] $_{13}$ -glucose is used for preparing type-specifically $^1\text{H}/^{13}\text{C}$ -labeled, uniformly ^{15}N -labeled CFE polypeptides. [^{13}C] $_6$ -glucose is used for preparing $^{13}\text{C}/^{15}\text{N}$ -labeled CFE polypeptides. The minimal media is prepared in 100% H_2O for expressing both uniformly ^{15}N -labeled and uniformly $^{13}\text{C}/^{15}\text{N}$ -labeled CFE polypeptides; the minimal media is prepared in 95% D_2O (deuterium oxide) and 5% H_2O for expressing

both type-specifically $^1\text{H}/^{13}\text{C}$ -labeled, uniformly ^{15}N -labeled and just uniformly $^2\text{H}/^{15}\text{N}$ -labeled CFE polypeptides. In the case of type-specifically $^1\text{H}/^{13}\text{C}$ -labeled, uniformly ^{15}N -labeled CFE polypeptides, 40 mg/L of protonated and uniformly $^{13}\text{C}/^{15}\text{N}$ -labeled isoleucine, valine and leucine amino acids are added to the minimal media.

5

NMR Screening

Compounds in the anti-microbial deck are pre-dissolved to a target concentration of 16 mM in deuterated DMSO (dimethylsulfoxide) with each deck well containing only one
10 compound. Compounds in the small-molecule, pharmacophore deck are pre-dissolved in deuterated dmso to a target concentration of 50 mM in groups of 8, i.e., each deck well contains 8 unique compounds with each compound at a target concentration of 50 mM.

3.5 μL of compound is placed at the bottom of a well in a 96-well, screening plate. This
15 well will be referred to as the compound screening well. Each compound screening well contains solution from only one deck well. 166.5 μL of buffer is added to each compound screening well. 170 μL of a CFE polypeptide solution, initially at a concentration ranging from 200-300 μM , is added to each compound screening well; the contents of that well are then thoroughly mixed. The control screening well contains only 3.5 μL of deuterated
20 dmso. The screening plate is then centrifuged in a bucket rotor for 15 minutes at 3,500 rpm to insure that all particulate matter is at the bottom of the well.

The 2D screening method requires a single control screening well in which the compound solution consists only of deuterated DMSO. The 1D screening method requires a control
25 screening well for each compound screening well. In the case of the 1D screening method, the control screening well is prepared identically to the compound screening well except that the 170 μL of a CFE polypeptide solution is replaced by 170 μL of buffer.

The screening plate is covered with aluminum foil and placed onto a rack of a Gilson
30 liquid handler. The Gilson liquid handler, under computer control by the NMR host/data-acquisition software, is responsible for removing each sample from the screening plate,

injecting the sample into a high-resolution, $^1\text{H}/^{15}\text{N}$ double-resonance NMR flow-probe, removing the sample from the flow-probe, and dispensing it back into the screening plate well from which the sample was originally removed. NMR data are collected on the sample while the sample resides in the NMR flow-probe. The type of NMR data
5 collected depends upon whether the 2D or 1D screening method is being used.

Determining Structural Characteristics of a CFE Polypeptide

In assessing various aspects of the structural state of a CFE polypeptide, NMR was used
10 to provide the following information. The proton 1D spectra and proton-nitrogen 2D correlation NMR spectra were used to assess the overall foldedness of a CFE polypeptide without actually describing in detail that folded state. Unfolded and substantially misfolded proteins produced distinct signatures in these two types of NMR spectra.

- 15 The chemical shift of most protein nuclei in either the set $\{\text{H}_\text{N}, \text{H}_\alpha, \text{H}_\beta, \text{C}', \text{C}_\alpha, \text{C}_\beta, \text{N}\}$ or the set $\{\text{H}_\text{N}, \text{C}', \text{C}_\alpha, \text{C}_\beta, \text{N}\}$ for perdeuterated (e.g., ^2H -labeled) proteins were determined by procedures well known in the art that involve collecting up to 10 triple-resonance NMR data sets. The protein secondary structure was delineated as either helical, turn or extended (e.g., β -sheet) by measuring $\Delta(\delta_{\text{C}_\alpha} - \delta_{\text{C}_\beta})$, $\Delta\delta_{\text{C}'}$, and $\Delta\delta_{\text{H}_\alpha}$ where δ refers to the
20 chemical-shift value and Δ refers to the difference between chemical-shift values measured in this protein and those measured for the same residue type in a random-coil (unstructured), tetrameric peptide.

This secondary-structure profile was generated in approximately 2-3 weeks per protein.

- 25 The secondary-structure profile was used to confirm the functional identity of a protein. It was also used to refine the list of possible functional identities of folds, predicted by various computational techniques including fold recognition which is associated with a protein or polypeptide.

NMR was used to generate folds of proteins or polypeptides for which both no structure was known of a sequence homologue and no structural homologue was discernible in the PDB by fold recognition techniques.

5 Refining a Structural Model

Nuclear Overhauser (NOE) data were used to refine both homology-modeled structured and previously determined experimental structures of close sequence homologues. This process took approximately 2-3 weeks per structure.

10

The CFE 88 polypeptide was characterized by NMR analysis to establish its secondary structure. The NMR data was used to filter the computer-aided threading analysis. The NMR-determined secondary structure for CFE 88 suggested that CFE 88 is structurally similar to 4-aminoimidazole carboxylase.

15

The characteristics of other CFE polypeptides were analyzed by NMR methods. A computer-aided threading analysis revealed that the N-terminal domain of the protein EGA, which both binds and hydrolyzes GTP, was both structurally similar and sufficiently similar in sequence to CFE 52 to suggest that CFE 52 had a similar function.

20

The NMR data of CFE 103 suggests that this polypeptide is unfolded. Circular dichroism spectra, as a function of temperature, also indicated that CFE103 was unfolded.

25

The CFES 2, 42, 43, 68 and 88 polypeptides were tested for their ability to bind potential inhibitor molecules by screening both the anti-microbial deck and the small-molecule, pharmacophore deck. CFE 34 was tested for its ability to bind potential inhibitor molecules by screening the anti-microbial deck.

Characterizing Small-Molecule Binding

NMR-based screening was used to measure binding against both the small-molecule, pharmacophore deck and the anti-microbial deck. Binding data from these screens
5 allowed assessment of the propensity of a protein to bind small molecules. The binding data was also used to identify sites on the protein which are capable of binding small molecules. The binding data was also used to identify common pharmacophores among the compounds which bind.

10 Reverse screening refers to a process whereby known anti-microbial compounds, the microbial target of which is unknown, are screened by a general method, e.g., binding as assessed by NMR, to find a physical interaction with polypeptide targets previously determined to be essential to the bacteria (i.e., the CFEs). The reverse screening method was used to determine which CFE polypeptides bind to which compounds in the anti-
15 microbial deck. The reverse screening method included the following. The compounds in a proprietary compound deck were screened for Minimal Inhibitory Concentration (e.g., MIC). The compounds exhibiting antimicrobial activity were designated active compounds. The CFE polypeptides were screened to determine which polypeptide bind to which active compounds. The CFE polypeptides which bound to the active
20 compound(s) were confirmed, where possible, i.e., in cases where an in-vitro assay was possible to construct, as being inhibited in their function as a polypeptide by the active compound(s) by examination of the inhibition profile of the compound(s) against the CFE polypeptides. For additional confirmation, the effect of the compound on the microorganism harboring the CFE polypeptide was monitored (e.g., whole cell assays).
25 The structure of the active compound was used as a basis to generate chemically-related compounds by iterative synthesis. The chemically-related compounds were tested in a screening assay for binding with CFE polypeptides. The active compounds and the chemically-related compounds of interest were the compounds which exhibited an increase in binding affinity for a CFE polypeptide and/or exhibited drug-like properties.

The results of the reverse screening are as follows. 127 compounds from the proprietary compound deck exhibited anti-microbial activity. 94 of these active compounds were selected based upon both lack of cytotoxicity and lack of excessive hydrophobicity. These 94 compounds were soluble to 16 mM in deuterated DMSO; these compounds
5 were also deemed to be sufficiently soluble in aqueous buffer for both the 2D and 1D NMR screening methods.

This subset of 94 compounds was used in an NMR-based screen to determine which compound binds to which CFE polypeptide. The CFE 42 polypeptide bound two
10 different compounds with K_d 's in the range of 0.2 to 1 mM; the CFE 43 polypeptide bound one compound with $K_d \sim 30$ -50 μ M; the CFE 34 polypeptide bound 13 compounds, one of which inhibited the polypeptide function with $IC_{50} < 10 \mu$ M.

The enzyme assay used to confirm the NMR results which suggested CFE 34 interaction
15 with the compounds included the following: 10 μ M 14 C-labeled malonyl CoA; 20 μ M ACP, 30 pM CFE 34; 20 mM Tris-Cl, pH 8.0; 5 mM DTT; in the presence of absence of 50 μ M of a compound solubilized at 40 mM in 100% DMSO and dilute 100-fold into 10% DMSO and further diluted 8-fold for a final concentration of 50 μ M in 1.25% DMSO. The reaction was performed at room temperature, the reaction was stopped with
20 the addition of TFA. Two hundred μ l of the reaction was injected onto a Mono Q 5/5 column. The chromatography conditions included: A) 20 mM Tris-Cl, pH 8.3; B) 20 mM Tris-Cl, pH 8.3, 1 M NaCl. Hold 10% B for 5 minutes, linear gradient from 10% B to 50%B in 10 minutes, back to 10% B in 1 minute, hold for 14 minutes to re-equilibrate. The reaction substrate (14 C- malonyl CoA) eluted at 9.9 minutes, the reaction product
25 (14 C-malonyl ACP) eluted at 14.3 minutes.

What is claimed is:

1. An isolated nucleic acid molecule encoding a polypeptide which is (1) essential for the viability of a bacterial cell and (2) has at least any one of the functions of a pantothenate kinase, a Holliday Junction branch migration protein, a single stranded DNA binding protein, a phosphoglucosamine mutase, an acetyltransferase, an uridylyltransferase, a malonyl CoenzymeA:ACP transacylase, a 3-oxoacyl-ACP synthase II, a 3-oxoacyl-ACP reductase, a phosphomethylpyrimidine (HMP-P) kinase, a GTP binding protein, a ATP binding protein, or a 4-aminoimidazole carboxylase.
2. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:97 or Figure 115 and wherein the polypeptide is a pantothenate kinase.
3. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:35, Figure 60, SEQ ID NO:19, or Figure 44, and wherein the polypeptide is a Holliday Junction branch migration protein.
4. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:8 or Figure 33 and wherein the polypeptide is a single stranded DNA binding protein.
5. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:3 or Figure 28 and wherein the polypeptide is a phosphoglucosamine mutase.
6. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:82 or Figure 103 and wherein the polypeptide is an acetyltransferase.

7. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:82 or Figure 103 and wherein the polypeptide is a uridylyltransferase.
- 5 8. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:30 or Figure 55 and wherein the polypeptide is a malonyl CoenzymeA:ACP transacylase.
- 10 9. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:86 or Figure 107 and wherein the polypeptide is a 3-oxoacyl-ACP synthase II.
- 15 10. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:31 or Figure 56 and wherein the polypeptide is a 3-oxoacyl-ACP reductase.
- 20 11. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:36 or Figure 61 and wherein the polypeptide is a phosphomethylpyrimidine (HMP-P) kinase.
12. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:37, Figure 62, SEQ ID NO:48, or Figure 73, and wherein the polypeptide is a GTP binding protein.
- 25 13. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:42 or Figure 67 and wherein the polypeptide is a ATP binding protein.

14. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:84 or Figure 105 and wherein the polypeptide is a 4-aminoimidazole carboxylase.
- 5 15. The isolated nucleic acid molecule of claim 1, wherein the nucleic acid molecule is shown in SEQ ID NO:48 or Figure 73 and wherein the polypeptide is a GTP binding protein.
- 10 16. An isolated nucleic acid molecule encoding a polypeptide which is essential for the viability of a bacterial cell, the nucleic acid molecule comprising a sequence shown in any one of SEQ ID NOS:1-113.
- 15 17. An isolated nucleic acid molecule encoding a polypeptide which is essential for the viability of a bacterial cell, the nucleic acid molecule comprising a sequence shown in any one of Figures 26-130.
18. An isolated nucleic acid molecule encoding any one of a polypeptide designated CFE 1-117 having the amino acid sequence shown in SEQ ID NO:114-226.
- 20 19. An isolated nucleic acid molecule comprising a nucleotide sequence which is complementary to the nucleotide sequence of claim 1, 16, 17 or 18.
20. The isolated nucleic acid molecule of claim 1, 16, 17 or 18 which is DNA or RNA.
- 25 21. The isolated nucleic acid molecule of claim 20, which is labeled with a detectable marker.
- 30 22. The isolated nucleic acid molecule of claim 21, wherein the detectable marker is selected from the group consisting of a radioisotope, a fluorescent compound, a

bioluminescent compound, a chemiluminescent compound, a metal chelator and an enzyme.

23. A vector comprising the nucleotide sequence of claim 1, 16, 17, or 18.

24. A host-vector system comprising the vector of claim 23, in a suitable host cell.

25. The host-vector system of claim 24, wherein the suitable host cell is selected from a group consisting of a yeast cell, a plant cell, and an animal cell.

26. The host-vector system of claim 24, wherein the suitable host cell is selected from a group consisting of an *Escherichia* cell, a *Bacillus* cell, a *Pseudomonas* cell, a *Streptococcus* cell, and a *Streptomyces* cell.

27. An isolated polypeptide which is essential for the viability of a bacterial cell comprising the amino acid sequence as shown in any one of SEQ. ID NOS: 114-226.

28. An isolated polypeptide which is essential for the viability of a bacterial cell encoded by the isolated nucleic acid molecule of claim 1, 16, 17, or 18.

29. The isolated polypeptide of claim 27 or 28 which is a fusion polypeptide.

30. A method for producing a polypeptide having the amino acid sequence of any one of SEQ ID NOS: 114-226 or a polypeptide encoded by the polynucleotide sequence as shown in any one of Figures 26-130, comprising:

- a) culturing the host-vector system of claim 24 under suitable conditions so as to produce the polypeptide; and
- b) recovering the polypeptide so produced.

31. A polypeptide produced by the method of claim 30.


32. A ligand which binds the polypeptide of claim 27 or 28.

5 33. The ligand of claim 32 which is an antibody or an immunologically active fragment thereof.

34. The ligand of claim 33, wherein the antibody is a monoclonal antibody.


10 35. The ligand of claim 32 which is a diazalactone.

36. The ligand of claim 35, wherein the diazalactone comprises the structure:




15 37. The ligand of claim 32 which is a *N*-protected amino acid.

38. The ligand of claim 37, wherein the *N*-protected amino acid comprises the structure:




20 39. The ligand of claim 32 which is an azabicyclodiene.

40. The ligand of claim 39, wherein the azabicyclodiene comprises the structure:




5 41. The ligand of claim 32 which is an alkaloid.

42. The ligand of claim 41, wherein the alkaloid comprises the structure:




10


43. The ligand of claim 41, wherein the alkaloid comprises the structure:




44. The ligand of claim 41, wherein the alkaloid comprises the structure:



5 45. The ligand of claim 41, wherein the alkaloid comprises the structure:




46. The ligand of claim 41, wherein the alkaloid comprises the structure:



- 5 47. A method for detecting the presence of the polypeptide of claim 27 or 28 in a sample, comprising contacting the sample with a ligand which binds the polypeptide and detecting the binding of the polypeptide with the ligand in the sample.
- 10 48. The method of claim 47, wherein the detecting comprises:
- a) contacting the sample with the ligand; and
 - b) determining whether a polypeptide-ligand complex is so formed.
- 15 49. The method of claim 47, wherein the sample is a cell, a tissue, or a biological fluid.
50. The method of claim 47, wherein the sample is blood, serum, a swab from nose, a swab from ear, or a swab from throat.
- 20 51. The method of claim 47, wherein the ligand is a diazalactone.


52. The method of claim 51, wherein the diazalactone comprises the structure:



53. The method of claim 47, wherein the ligand is a *N*-protected amino acid.

5


54. The method of claim 53, wherein the *N*-protected amino acid comprises the structure:



55. The method of claim 47, wherein the ligand is an azabicyclodiene.

10


56. The method of claim 55, wherein the azabicyclodiene comprises the structure:



57. The ligand of claim 47 which is an alkaloid.


15

58. The ligand of claim 57, wherein the alkaloid comprises the structure:




5

59. The ligand of claim 57, wherein the alkaloid comprises the structure:




60. The ligand of claim 57, wherein the alkaloid comprises the structure:




10

61. The ligand of claim 57, wherein the alkaloid comprises the structure:



5

62. The ligand of claim 57, wherein the alkaloid comprises the structure:



10

63. A method for detecting the presence of a target nucleic acid molecule as shown in any one of SEQ ID NOS:1-113 in a sample, comprising contacting the sample with the complementary nucleic acid molecule of claim 19 and detecting the binding of the target nucleic acid molecule with the complementary nucleic acid molecule in the sample.

15

64. The method of claim 63, wherein the detecting comprises:

- a) contacting the sample with the complementary nucleic acid molecule; and
- b) determining whether a complex comprising the target nucleic acid molecule and the complementary nucleic acid molecule is so formed.

65. The method of claim 63, wherein the sample is a cell, a tissue, or a biological fluid.

66. The method of claim 63, wherein the sample is blood, serum, a swab from nose, a swab from ear, or a swab from throat.

67. A pharmaceutical composition comprising the nucleic acid molecule of claim 1, 16, 17, or 18.

68. A pharmaceutical composition comprising the polypeptide of claim 27 or 28.

69. A pharmaceutical composition comprising the ligand of claim 32.

70. A method for determining whether a genomic nucleotide sequence of interest is essential for viability of a bacterial cell, comprising

- a. integrating an exogenous nucleotide sequence into the genomic nucleotide sequence of interest, wherein the exogenous nucleotide sequence comprises a portion of an open reading frame of the genomic nucleotide sequence of interest, and
- b. determining whether the cell having the genomic nucleotide sequence of interest so integrated is viable.

71. The method of claim 70, wherein the portion of the open reading frame comprises about 200 to 500 base pairs in length.

72. The method of claim 70, wherein the exogenous nucleotide sequence further comprises a nucleotide sequence conferring a selectable phenotype to the cell having the genome so integrated.

73. The method of claim 70, wherein determining comprises selecting the cell having the genome so integrated in the presence of a selection agent.

74. The method of claim 73, wherein the selection agent is chloramphenicol.

75. A nucleotide sequence of interest which is essential for viability of a bacterial cell isolated by the method of claim 70.

76. A bacterial cell comprising an exogenous nucleotide sequence integrated into the genomic nucleotide sequence of interest, generated by the method of claim 70.

77. A method for determining whether a genomic nucleotide sequence of interest resides within an operon, comprising

- a) integrating an exogenous nucleotide sequence into the genomic nucleotide sequence of interest; and
- b) determining whether the cell having the genomic nucleotide sequence of interest so integrated is viable, and wherein the exogenous nucleotide sequence lacks an expression regulatory sequence.

78. The method of claim 77, wherein the exogenous nucleotide sequence further comprises a nucleotide sequence conferring a selectable phenotype to the cell having the genome so integrated.

79. The method of claim 77, wherein determining comprises selecting the cell having the genome so integrated in the presence of a selection agent.

80. The method of claim 79, wherein the selection agent is chloramphenicol.

5 81. A method for inhibiting a function of a CEG polypeptide which is essential for viability of a bacterial cell, the method comprising contacting the CEG polypeptide with the ligand of claim 32 under suitable conditions thereby inhibiting the function of the CEG polypeptide.


10 82. The method of claim 81, wherein the function of the CEG polypeptide is selected from a group consisting of a pantothenate kinase, a Holliday Junction branch migration protein, a single stranded DNA binding protein, a phosphoglucosamine mutase, an acetyltransferase, an uridylyltransferase, a malonyl CoenzymeA:ACP transacylase, a 3-oxoacyl-ACP synthase II, a 3-oxoacyl-ACP reductase, a phosphomethylpyrimidine (HMP-P) kinase, a GTP binding protein, a ATP
15 binding protein, or a 4-aminoimidazole carboxylase.

83. The method of claim 81, wherein the CEG polypeptide is selected from a group consisting of CFE1-113.


20 84. The method of claim 81, wherein the CEG polypeptide is 2CFE 34 shown in Figure 55.

85. The method of claim 81, wherein the CEG polypeptide is 2CFE 43 shown in
25 Figure 64.


86. The method of claim 81, wherein the CEG polypeptide is 2CFE 34 shown in Figure 55 and the ligand is:



5 87. The method of claim 81, wherein the CEG polypeptide is 2CFE 43 shown in Figure 64 and the ligand is:



10 88. The method of claim 81, wherein the CEG polypeptide is 2CFE 43 shown in Figure 64 and the ligand is:




89. A method for identifying a ligand in a sample which specifically binds a CEG polypeptide, the method comprising:

- a) contacting the CEG polypeptide with the sample under suitable conditions so that a complex having the CEG polypeptide and the ligand is formed;
- b) recovering the complex so formed ; and
- c) separating the CEG polypeptide from the ligand in the complex and identifying the ligand so separated.

90. The method of claim 89, wherein the sample is a tissue or biological fluid.


91. The method of claim 89, wherein the ligand is an azabicyclodiene.

92. The method of claim 91, wherein the azabicyclodiene comprises the structure:




93. The method of claim 89, wherein the ligand is a diazalactone.

94. The method of claim 93, wherein the diazalactone comprises the structure:



95. The method of claim 89, wherein the ligand is a *N*-protected amino acid.


96. The method of claim 95, wherein the *N*-protected amino acid comprises the structure:



5


97. The method of claim 89, wherein the ligand is an alkaloid.

98. The ligand of claim 97, wherein the alkaloid comprises the structure:




10

99. The ligand of claim 97, wherein the alkaloid comprises the structure:




15


100. The ligand of claim 97, wherein the alkaloid comprises the structure:



101. The ligand of claim 97, wherein the alkaloid comprises the structure:



102. The ligand of claim 97, wherein the alkaloid comprises the structure:



Gene Disruption Assay




FIGURE 1

Polarity test for Operons





FIGURE 2

A.



B.




FIGURE 3




FIGURE 4





FIGURE 5

A.



B.





FIGURE 6

A.



B.




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11





FIGURE 12

A.

Minus BSA

Plus BSA



B.

Minus BSA

Plus BSA




FIGURE 13

N-Acetyl Glucosamine Pathway




FIGURE 14




FIGURE 15

C:




FIGURE 15

D.




FIGURE 15

CE Analysis of GlnA Following a One hour incubation with Glucosylase




FIGURE 16




FIGURE 17




FIGURE 18




FIGURE 19.




FIGURE 20




FIGURE 21




FIGURE 22




FIGURE 23




FIGURE 24




FIGURE 25

2 CFE1 "homologue of SEQ. ID NO. 1"

ATGATTATGCAGGAATTCTTGCCGGTGGAACTGGCACACGCATGGGGATCAGTAACTTGCCAAAACAAT
 TT TAGAGCTAGGTGATCGACCTATTTTGATTCATACAATTGAAAAATTNGTCTTGGAGCCAAGTATTGAA
 AAAATTGTAGTTGGTGTTCATGOAGACTGGGTTTCTCATGCAGAAAGATCTTGATAGATAAATATCTTCCTCT
 TTATAAGGAACGTATCATCATTACAAAGGGTGGTGTGCTGACCGCAATACAAGTATTAAGAACATCATTGAA
 GCCATTGATGCTTATCGTCCGCTTACTCCAGAGGATATCGTTGTTACCCACGATTCTGTTCTCCATTATT
 ACACTTCGCATGATTCAGGACAATATCCAACCTTGCCAAAATCATGACGCAGTGGACACAGTGGTAGAA
 GCGGTIGATACTATCGTTGAAAGTACCAATGGTCAATTTATTACAGATATTCCAAATCGTGCTCACCTTTA
 TCAAGGACAAAACACCTCAAACATTCCGTTGCAAGGACTTCATGGACCTTTATGGATCTCTTTCTGATGAA
 GAGAAAGAAATCTTGACAGATGCATGTAAATCTTTGTGATCAAAGGAAAAGATGTGGCTTTGGCCAAA
 GTGAAATACTCAAATCTGAAGATTACAACCGTAACAGATTTGAAGATTGCAAAAAGTATGATTGAGAAA
 GACTAG

2 CFE2 "homologue of SEQ. ID NO. 2"

ATGGCTAACGTAATTATTGAAAAAGCTAAAGAGAGAAATGACCCATCTCACCAATCACTTGCTCGTGAAT
 TTGGTGATTCGGTGCTGGTGCTGCAATGCAAGCTTGCTTGACCGTGATACATGTAGAATACTATGGAGTC
 GAACTCCTCTTAACCAAATCGCTTCAATTACGATTCAGAAAGCGCGTGTGTTGTTGGTAACACCAATTTGA
 CAAGTCTTCATTGAAAGACATCGACCGTGCTTGAACGCTTCTGATCTTGGTATCACACCGGCTAATGAC
 GGTTCTGTGATTCGCTTGTTATCCAGCTCTTACAGAAGAACTCGTCTGTGACCTTGCTAAAGAAAGTGA
 AGAAGGTTCGGCGAAAATGCTAAAGTGGCTGTCCGCAATATCCGTCGCGATGCTATGGACGAAGCTAAGA
 AACAAAGAAAAGCAAAAGAAATCACTGAAGACGAATTGAAGACTCTTGAAAAAGATATTCAAAAAGTA
 ACAGACGATGCTGTAAACACATCGACGACATGACTGCTAACAAAGAGAAAGAACTTTTGGAAAGTCTAA

2 CFE3 "homologue of SEQ. ID NO. 3"

ATGGGTAAATATTTTGGGACTGATGGAGTCCGTGGGAGAAGCTAACCTAGAGCTAACACCAGAATTAGCCT
 TTAAACTAGGACGTTTTGGAGGCTATGTTCTTAGTCAACATGAAACGGAAGCGCCGAAAGTCTTTGTAGG
 ACGTGACACACGTATTTACAGGGGAAATGCTGGAATCGGCCCTTGGTGGCAGGTCTCCTTTCAGTAGGGATT
 CAGGTATACAACTTGGTGTCTTGAACACACAGCAGTAGCTTACTTGGTTGAAACTGAAGGAGCAAGTG
 CCGGTGTGATTTCTGTGTAGCCACAACCCAGCCCTTGATAACGGAATCAAGTTCTTTGGCGGTGATGG
 CTTCAAACTAGATGATGAAAAAGAGCAGAAATTGAAGCCTTGCTAGATGCTGAGGAAGACACTCTTC
 TCTCCAAAGTGCAAGGCTTAGGAATTTTGGTAGATTATCCAGAAGGCTTGCCTAAGTATGAAGGATAC
 CTGTTTCAACTGGAACCTCTTGTATGGAATGAAGGTTGCCTTGGATACAGCTAATGGAGCAGCTTCTAC
 CAGTGCCCGTCAAATCTTTGCAGACCTTGGTGCCCAATTGACGGTTATCGGGGAAACACCAGACGGTCTT
 AACATCAACCTTAATGTTGGTTCAACACATCCAGAAGCCCTTCAAGAAGTGGTCAAAGAAAGTGGGTCA
 GCTATTGGTTTGGCCTTTGATGGAGACAGTGACCGCTTGATTGCTGTTGATGAGAATGGTGACATCGTCC
 ATGGTGACAAGATTATGTACATCATCGGAAAATACCTTTCTAAAAAAGGACAATTGGCTCAAAATACAAT
 TGTGACAACCTGTTATGTCTAACCTTGGTTTCCACAAGGCTTGAATCGCGAAGGTATTAACAAGGCAGTT
 ACTGCAGTTGGTGACCGCTACGTTGTTGAAGAAATGAGAAAATCAGGTTACAACCTTGGTGGTGAACAGT
 CTGGTACGTTATCTTGATGGATTACAATACCACAGGTGATGGTCAATTATCAGCAGTTCAATTGACTAA
 AATCATGAAGGAACTGGTAAGAGCTTATCAGAGTTGGCGGCAGAAGTAACGATTTATCCACAAAAATT
 AGTTAATATCCGAGTGGAAAACGTCATGAAGGAAAAGGCCATGGAAAGTGCCAGCTATCAAGGCCATCAT
 CGAGAAGATGGAAGAAGAAATGGCGGGGAACGGCCGTATCCTTGTTCTGTTCAAGTGGAAACAGAACCCCT
 CTTCGCTGTTATGCCAGAAGCGCTACAACAGAAGAAGTAGACTACTATGTTGATACCATCACAGATOTA
 GTTCGTGCTGAAATTGGGATTGACTAA

2 CFE4 "homologue of SEQ. ID NO. 4"

2 CFE 4 homologue of SEQ ID NO: 4

ATGAA AAAAATACTAATTGTAGATGATGAGAAACCAATCTCGGATATTATCAAGTTTAATATGACCAAGG
AAGGTTATGAAGTTGTAACCTGCTTTAATGGTCGTGAAGCGCTAGAGCAATTTGAAGCAGAGCAACCAGA
TATTATTATTCTGGATTGTATGCTTCCAGAAATTGATGGTTTAGAAGTTGCTAAGACCATTCGTAAGACAA
GCAGTTGTGCCATCTTATGCTTTCAGCCAAAGATAGTGAATTTGATAAGGTTATCGGTTTGGAACTTGGG
GCAGATGACTATGTAACGAAACCCCTTCTCCAATCGTGAGTTGCAGGCGCGTGTAAAGCTCTTCTGCGTC
GTCTCAACCTATGCCAGTAGATGGTCAGGAAGCAGATAGTAAACCTCAACCTATCCAAATTGGGGATT
AGAAATGTTCCAGACGCTACGTGGCTAA AAAAATATGGCGAAGAAGTAACTAGACTTAACCCATCGTGAATTT
GAGCTTTTGTATCATTTAGCACCCGATACAGGTCAAGTCATCACGCGGAAACACTTGTCTGAGACTGTCT
GGGGTTATGACTATTTTGGTGATGTCCGCACAGTTGATGTGACTGTACGACGCTGCGGTGAGAAGATTGA
AGATACGCCCAGCCGACCAGAGTATATCTTGACGCGCCGTGGTGTAGGGTATTACATGAGAAATAATGCT
TCA

2 CFE5 "homologue of SEQ. ID NO. 5"

ATGGAAGAAATCTCTGTATTGGTTGTGGAGCAACCATTGAGACGACAGATAAGGCTGGTCTTGGTTTTTA
CCCCAGTTGGCACTTGAAAAGGTTTGGAGACTGGCGAAGTCTATTGCCAACGCTGTTTCCGTCCTCC
CCACTCAATGAAATCACAGATGTCCAGTTGACGGACGATGATTTCCTCAAGCTCTTGACGAGGTGGGA
GACAGTGATGCTTTAGTGGTCAATGTCAATTGATATCTTTGATTTAATGGATCTGTCACTCCAGGTTTACC
AGGTTTCGTCCTGGGCAATGATGTCTCTTGGTAGGAAATAAAAAAGATATCCTTCTAAGTCAGTTAAG
TCTGCTAAGATTAGCCAGTGGCTCATGAAACGTGCCCATGAAGAAGGTCTTCGTCCAGTCGATGTGGTCC
TAACTTCAGCAAAAATAAATATGCCATTAAGGAAGTCATTGATAAGATTGAACACTACCGTAAGGGCC
GGGATCTCTATGTGTGGTGTGACCAACGTTGGAAAATCAACTCTAATCAATGCTATTATCCAAGAAAT
CAGGGGTGATCAGAAATGTCACTACTTTCACGCTTTCAGGGGACAACCTTGGACAAAATAGAGATTCCG
CTTGACGACGGATCTTATATTACGATACGCGGGGAATTATCCACCGCCACCAGATGGCTCACTACTTGA
CGGCAAAAACCTCAAGTATGTCACTCTTAAAGGAAATCAAGCCTAAGACCTATCAGCTTAATCTCTGA
GCAAAACCTATTTTTAGGTGGTTTGGGACGCTTTGACTTTATAGCAGGAGAAAAGCAAGGATTTACTGCT
TTCTTTGATAATGAACTCAAACCTCCATCCTAGCAAGCTTGAAGGAGCTAGTGCTTTCTACGATAAGCACC
TGGGAACTCTTCTGACACCACCAAAATAGCAAGGAAAAGAAAGATTTCCTCAAGGCTAGTCCAGCATGTETT
TACCATTAAGATAAGACAGACCTAGTCAATTCAGGCTAGGCTGGATTCTGTGAACAGGCATAGCAAAA
GTCCGCTGTGGGCACCAGAAGCGCTCGCCGTCTGTCACAGAAAAGCAATTATTAA

2 CFE6 "homologue of SEQ. ID NO. 6"

ATGATCCAGATGATAGTTTGACATTGCACACGGACTTGTACCAGATCAACATGATGCAGGTTTACTTTG
ACCAAGGATTACAATAAGAAGGCGGTCTTTGAGGTGTATTTCGCGCAACAGCCTTTTAAGAAGCGCTA
TGCGGTTTTGCAGGTTTGGAAAGAATTGTGAAGTCTTTGAAGACTTGCCTTTTCAGATAGTATATAG
CCTATTGGAGTCGCTTGGTTATCATGGGGCGTCTTGGATTACCTTCGCAATTTCAAGTTGGAGTTGACC
GTTCGTCTGCCAAGAAGGGGATTGGTTTTTGTCTAATGAACCGATTGTGCAGGTGGAAGGACCTCTAG
CCCAATGTCAAGTTGGTTCGAAACGGCTCTTTGAACATCGTCAACTACCAGACCTTGGTGGCGACGAAGGC
AGCTCGTATTCGTTTCGGTTATCGAAGATGAACCCCTTGATGGAGTTTGGGACACGTCGGGCTCAAGAAATG
GATGCCGCCATCTGGGGAACACGCGCAGCTGTGATTGGTGGCGCAATGGAACCAGCAACGTGCGTGCG
GGTAAGCTCTTTGACATTCTGTCTTGGGAACCCATGCCATGCTTGGTACAGGTTTATGGCAATGACTA
TGAAGCTTCAAGGCTTACGCTGCGCAACCAAAAATTTGTGTCTTTCTTGTGGATAOCTATGACACCTTC
GCATCGGTGTACAGCTGCCATTCAGGTGGCGCGTGAGCTGGGTGATTAGATTAACTTTATGGGTGTGCG
GATTGACTCTGGGGATATTGCTTACATTTCTAAGAAAGTCCGTCAGCAACTGGACGAGGCTGGATTTACA
GAGGCTAAGATTTATGCTTCTAATGATTTGGACGAAAATACTATCCTCAACCTCAAGATGCAAAAGGCCA
AGATTGATGTCTGGGGCGTGGGTACCAAGCTGATTACAGCCTATGACCAGCCAGCTCTTGGGGCGGTTTA
CAAGATTGTTGCAATCGAAGATGAAACTGGTCAGATGCGCAATACGATTAGCTGTCTAATAATGCGGA
AAAAGTCTCGACGCCAGGTAAGAAGCAGGTGTGGCGCATTACCAGTCGTGAAAAAGGCAAGTCAGAAG
GTGACTACATCACTTATGATGGTGTGGATATTAGCGACATGACAGAAATCAAGATGTTCCATCCGACCTA
TACATACATCAAGAAACGGTTCGTAATTTTATGTCGCTTCTCTTGGTGGATATCTTCAAAGAAGGTA
TATTAGTTTCAACTTGCCTAGTTTGAAGTACATTACAGGATTATGCCCGTAAGGAATTTGACAAGTTGTGG
GATGAGTATAAGCGTGTGCTCAATCCGCAGCACTATCCAGTGGATTGGCGCGTGATGTATGGCAAGATA
AGATGGACTTGATTGATAAGATGCGCAAGGAAGCCCTTGGTGAAGGAGAAGAAGATGA

2 CFE7 "homologue of SEQ. ID NO. 7"

ATGGCTACTATTCAATGGTTTCTGGTCACATGTCTAAAGCGCGTCGACAGGTGCAGGAAAATTTAAAT
TTGTTGATTTTGTGACGATTTTAGTAGATGCACGCTTGCCTCTATCTAGTCAAAATCCTATGTTGACCAAG

2CFE 7 (contd)

ATTGTTGGTGATAAAACCAAACTCTTGTATTTTAAACAAGGCCGACTTGGCTGATCCAGCAATGACCAAGG
 AATGGCGTCA GTATTTTGAATCACAAGGAATCCAGACGCTAGCTATCAACTCCAAAGAGCAAGTGACTGT
 AAAAGTTGTAACAGATGCGGCCAAGAAGCTCATGGCTGATAAGATTGCTCGCCAGAAAGAACGTGGGAT
 TCAGATTGAAACCTTGGTACCATGATTATCGGGATTCCAAACGCTGGTAAATCCACTCTGATGAACCGT
 TTGGCTGGTAAAAAGATTGCTGTTGTTGGAACAAGCCAGGGGTCACAAAAGGTCAACAATGGCTTAAA
 ACCAATAAAGATCTGGAAATCTTGGATACACCGGGGATTCTCTGGCCTAAGTTTGAGGATGAAACTGTTG
 CACTTAAGTTGGCAITGACTGGAGCTATCAAGGATCAGTTGCTTCTATGGATGAGGTTACCATTTTTGGT
 ATCAATTATTTCAAAGAACATTATCCAGAAAAGCTGGCTGAACGCTTCAAACAAATGAAAATGAAAGAA
 GAAGCCCTGTGATTATTATAGATATGACCCGCGCCCTCGGTTCCGTGATGACTATGACCGTTTTACAG
 TCTGTTGCTGAAGGAAGTCCGTGATGGCAAACCTCGGTAACCTATACCTTAGATACATTGGAAGACCTCGAT
 GCCAAGGATTAA

2CFE8 "homologue of SEQ. ID NO. 8"

ATGATTAACAATGTTGTACTTGTAGGGCGTATGACACGTGACGCTGAGTTGCGTTATACCCCATCAAATG
 TAGCAGTTGCGACTTTTACTCTTGCAGTAAACCGTACATTTAAGAGTCAAATGGTGAACGTGAGGCTGA
 TTTATCAATGTCGTTATGTGGCGCCAAACAGGCTGAAAATCTTGCTAACTGGGCTAAAAAAGGCTCACTT
 ATCGGGGTGACAGGTCGTATCCAGACTCGTAGTTACGATAACCAGCAAGGACAACGTGTCTACGTGACA
 GAGGTGCTGGCTGAGAAATTTCCAAATGTTGGAAGCCGTAGTGTGCGTGAGGGTCACACAGGTGGAGCT
 TACTCTGCACCAACTGCAAACTATTTCAGCACCTACAAATTCAGTACCAGACTTTTCACGTAATGAAAATC
 CATTTGAGCAACAAACCCATTGGATATTTTCAGATGATGATTACCATTTCTAA

2CFE9 "homologue of SEQ. ID NO. 9"

ATGAAAACGCGTATTACAGAATTATTGAAGATTGACTATCCTATTTTCCAAGGAGGGATGGCCTGGGTTG
 CTGATGTTGATTTGGCAGGGGCTGTTTCCAAGGCTGGAGGATTAGGAATTATCGGTGGGGGAAATGCCCC
 GAAAGAAGTTGTCAAGGCCAATATTGATAAAATCAAATCATTGACTGATAAACCCCTTGGGGTCAACATC
 ATGCTCTTATCTCCCTTTGTGGAAGATATCGTGGAATCTCGTTATTGAAGAAGGTGTTAAAGTTGTCAAC
 AGGAGCAGGAAATCCAAGCAAGTATATGGAACGTTTCCATGAAGCTGGGATAATCGTTATTCCTGTCOTT
 CCTAGTGTGCTTTAGCTAAACGCAATGGAAAAAATCGGTGCAGACGCTGTTATTGCAGAAGGAATGGAA
 GCTGGGGGGCATATCGGTAAATTAACAACCATGACCTTGGTGCGACAGGTAGCEACAGCTGTATCTATTC
 CTGTTATTGCTGCAGGAGGAATTGCGGATGGTGAAGGTGCTGCGGCTGGCTTTATGCTAGGTTGCAAGGGC
 GTTACAGGTGGGGACACGGTTTGTAGTTGCAAAAGAGTCAATGCCCCAACCTACAAAGGAGAAAT
 TTTAAAAGCAAGGGAATATTGACACTACGATTTTCAGCTCAGCACTTTGGTTCATGCTGTTCTGTTAAAA
 ATCAGTTGACTAGAGATTTTGAACCTGGCTGAAAAAGATGCCITTAAGCAGGAAGATCCTGATTTAGAAAT
 GTTTGAACAAATGGGAGCAGGTGCCCTAGCCAAAGCAGTTGTTCAAGGTGATGTGGAGGGTGGCTCTGTC
 ATGCGAGGTCAAATCGCAGGGCTTGTCTTAAAGAAGAAAACAGCTGAAGAAATCCTAAAAGATTGTATT
 ACGGAGCCGCTAAGAAAAATCAAGAAGAAGCCTCTCGGTGACAGGAGTTGTAAGAAATGACTAA

2CFE10 "homologue of SEQ. ID NO. 10"

ATGATCQATATTCAAGGAATCAAAGAAGCTCTTCCCCACCGTTATCCTATGCTTCTAGTGGACCGTGCTT
 GGAAGTGAGCGAGGATACCATTTGTTGCTATCAAAAATGTGACCATTAAACGAACCTTTCTTTAACGGCCAC
 TTTCCTCAATACCCAGTTATGCCAGGTGTTCTGATTATGGAAGCCTTGGCGCAAACCTGCTGGTGTGTTGGA
 GTTATCAAAACCTGAAAAATAAGGAAAACTGGTCTTTTACGCTGGTATGGACAAGGTTAAGTTCAAGAA
 GCAAGTTGTACAGGCGACCAATTGGTTATGACAGCGACTTTTGTAAAACGTCGTGGCACCATAGCTGTG
 GTTGAAGCAAAGGCTGAAAGTGATGGCAAGCTTGCAGCCAGTGATATCCTTACTTTTGCAATTGGGAAC
 AA

2CFE11 "homologue of SEQ. ID NO. 11"

ATGATTAATCAAATTTATCAACTAACTAAGCCTAAGTTTATCAATGTCAAATATCAGGAAGAGGCTATTG
 ACCAAGAGAAATCATATCCTTATCCGTCCCAACTACATGGCTGTCTGTGATGCGGATCAGCGTTACTATCA
 GGGAAAACGTGATCCCAAGATTTTGAATAAAAAGCTTCCAATGGCAATGATTACAGAGTCATGTGGAAC
 CGTCATTTCTGACCCGACCGGAACCTCAGAGGTTGGTCAAAAGTTGTGTCATGATTECCAATCAGTCTCT
 ATGCAGAGTGATGAAGAATTCTATGAAAACCTACATGACAGGACCCATTCTTGTCTAGTGGATTGATG
 GCTTTATGAGAGAGTTTGTCTCTCCCTAAAGATCGTGTGGTGGCTTATGATGCTATTGAAAGATACGGTT
 GCAGGCATTACAGAGTTTGTGAGTGTGGGCATGCACGCTATGAATCGTCTATTGACTCTTGTCTATAGCA
 AGCGGGAGCGCATCGCCGTTATTGGAGATGGAAGTTTAGCTTTTGTGGTTGCCAATATTATCAACTATAC
 TTGCCAGAAAGCAGAGATTGTGGTTATTGGTCGTCATTGGGAAAAGTTGGAACCTCTCTCATTGCCAAA

2 CFE 11 (Contd.)

GAATGCTATATTACGGATAATATTCTGAAAGATTGGCCTTTGACCATGCTTTTGAATGTTGTGGTGGTGA
TGGTACTGGACCACTATTAATGACTTGATTGCTACATTCGCTCAGGGAACGATTCTCATGATGGGA
GTTAGCGAATATAAAGTCAATCTCAATACTCGCGATGCCTTAGAAAAGGGCTTGATTTGGTTGGGTCAT
CTCGTTCTGGTTCGATTGATTTTGAATAATGCTATCCAAATGATGGAAGTCAAGAAATTTGCCAATCGTCTT
AAAAATATCCTTTATCTAGAAGAACCCTGTAAGAGAAATTAAGATATTTCATCGTGTCTTTGCAACCGATT
TAAACAAGCCCTTAAACAGTGTTTAAGTGGGAAGTATAA

2 CFE12 "homologue of SEQ. ID NO. 12"

ATGAACCTTAAAACTACTTTGGGCCTTCTTGCTGGGCGTTCTTCCCACTTCGTTTTAAGCCGTCTTGGACG
TGAACTACGCTCCAGGGAAAGTCGCCCTTCAATTTGATAAAGATATTTTACAAAGCCTAGCTAAGAAG
TACGAGATTGTCGTTGTCACTGGAACAAATGGA AAAACCCTGACAACTGCCCTCACTGTCCGGCATTITAA
AAGAGCTTTATGGTCAAGTTCTAACCAACCCAAGCGGTGCCAACATGATTACAGGGATTGCAACAACCTT
CCTAACAGCCAAATCTTCAAAAACCTGGGAAAAATATTGCCGCTCCTCGAAATTGACGAAGCCAGTCTATCT
CGIATCTGTGACTATATCCAGCCTAGTCTTTTGTCTACTTAATATCTTCCGTGACCAGATGGACCGTTTC
GGTGAAATCTATACTACCTATAACATGATATTGGATGCCATTGCAAAAAGTTCCAACCTGCTACTGTTCTCCT
TAACGGGAGACAGTCCAGCTTTTCTACAAGCCAACTATTCCAACCCCTATAGAGTATTTTGGTTTGGACTTGG
AAAAAGGACCCAGCCCACTGGCTCACTACAATACCGAAGGGATTCTCTGTCTGACTGCCAAGGCATCCT
CAATAATGAGCATAATACCTATGCAAACTTGGGTGCCTATATCTGTGAAGGTTTGGGATGTAACCGTCT
GATCTGACTATCGTTTGACAAAACCTGGTTGAGTTGACCAACAATCGCTCTCGCTTTGTCTATAGACGGCC
AAGAAATACGGTATCCAAATCGGGCGGCTCTATAATATCTATAACGCCCTAGCTGTCTGGCCATCGCCG
TTTCTAGGGTGGCGATTCCGCAACTCATCAACAGGGGATTGACAAGAGCCGTGCTGTCTTTGGACGCCAA
GAAACCTTTCTATCGGTGACAAGGAATGTACCCTTGTCTTGATTAAAAATCCAGTCCGTGCAACCCAAAG
CTATCGAAATGATCAAACTAGCACCTTATCCATTTAGCCTATCTGTCTCTCTTAATGCCAACTATGCAGAT
GGAAATGACACTAGCTGGATCTGGGATGCAGACTTTGAACAAATCACTGACATGGACATTCTGAAATCA
ACCTTGGCGGTGTTCTGTCATTCTGAAATCGCTCGTCCGCTCCGAGTGACTGGCTATCCAGCTGAGAAAAAT
CACTGAACAGAGTAATCTGGAGCAAGTTCTCAAGACCATTGAGAATCAAGACTGCAAGCATGCCTATATT
CTGGCAACTTATACTGCCATGCTGGAATTTCTGTAAGTCTGCTGCTAGTCTGATGATTGTAGAAAGGAGA
TGAACCTAA

2 CFE13 "homologue of SEQ. ID NO. 13"

ATGGTTTATACTTCACTTTCCTCAAAAGATGGCAATTACCCCTATCAGCTCAACATTGCCACCTCTACGG
AAATCTCATGAATACCTACGGGGGACAAATGGAACATCCTCATGCTCAAGTATGTGGCTGAAAAAAGCTGG
AGCCCAATGTGACCGTTGACATCGTTTCTCTCCATGATGACTTTGATGAAAAATCACTACGACATCGCTTTT
TCGGTGTGGTCAAGACTTTGAACAAAGTATCATTCGAGACGCTACCTGCTAAAAAAGAGAGCATTG
ACAACCTATCCAAAAAGACGGGTGTATGTTCTGGCTATCTGCGGTGGTTTCCAACCTATTGGGTCAATATTAT
GTTGAAGCTTCAGGAAAAAGCTATCGAAGGGCTAGGGGTCATGGGACACTACACGCTCAACCAGACCAAT
AACCGTTTATCTGGTGACATCAAGATTCACAATGAAGATTTCGATGAAACCTACTATGGATTGAAAAATC
ACCAAGGCCGTACCTTCTCTCTGATGACCAAAAACCGCTGGGACAGGTTGTCTATGGAAATGGAAACAA
CGAAGAAAAAGGTGGTGAAGGGGTTTATTATAAGAAATGCTTTGGTTCTACTTCCACGGGCCTATCCTC
TCTCGTAATGCCAATCTGGCTTATCGCCTAGTTACTACTGCCCTCAAGAAGAAATATGGTCAGGACATCC
AACTCCCTGCCTATGAGGATATCCTCAGCCAAGAAATCGCTGAAGAGTACAGTGACGTCAAAAGCAAGG
CTGACTTTCTTAA

2 CFE14

ATCAATCTAAAAAGAAAAATACAGAACCTTGTTTTTCGAGAAGTTGCAGAGGCTAGTCTGAGTGCTCATCGAG
AGAGTGCTTCGGTCTCTGTCAATTGCAGTTATCAAGTATGTAGATGTACCGACAGCGGAAGCCTTCTTCC
GCTAAGGTGTTCTCATATCGGTGAAAAATCGTGTAGATAAGTTTCTGGAAAAATATGAAGCTTTAAAGAT
CGAGATCTGACTTGGCATTGATTGGTACCTTGCAAGACGTAAGGTGAAAGATGTCATTCAATACGTTG
ATTATTTCCATGCATTGGACTCAGTAAAGCTAGCGGGGAAATTCAAAAAAGAAAGTGACCGAGTCATCA
AGTGTCTTCTTCAAGTAAGTAAATTTCTAAAGTAAGAAAGCAACACCGGTTTTTCGAGAGAGGAACTGCTGGA
AATCTTGGCAGAGTTAGCCAGACTAGATAAGATTGAATATGTTGGTTTAAATGACGATGGCACCTTTTGAG
GCTAGCAGTGACGAGTTGAAAGAGATTTTCAAGCGGGCCCAAGATTTACAAAGAGAAATTCAGAGAAA
CAAATTCAAAATATGCCTATGACCGAGTTAAGTATGGGAATGAGTCTGTGATTATAAAGAGCGGATTCAAT
TCGGTTCCACTTTTGTCTGATAGGTACATCATTTTAAAGTAG

2CFE15 "homologue of SEQ. ID NO. 15"

ATGGGAATTGCTCTAGAAAATGTGAATTTTATATATCAAGAAGGTAAGTCCCTTAGCTTCAGCAGCTTTGCT
 GGATGTTCTTTGACGATTGAAGATGGCTCTTATACAGCTTTAATTGGGCACACAGGTAGTGGTAAATCA
 ACTATTTTACAACCTCTTAAATGGTTTATTGGTGCCAAGTCAAGGGAGTGTGAGGGGTTTTTQATACCTTAAT
 CACCTGGACTTCTAAAAATAAAGATATTCGTCAAATTAGAAAACAGGTTGGCTTGGTATTTCAAGTTTGCT
 GAAAATCAGATTTTTGAAGAAACGGTTTTGAAGGACGTTGCTTTTGGACCGCAAAATTTTGGAGTTTCTG
 AAGAAGATGCTGTGAAGACTGCGCGTGAGAAAACCTGGCTCTGGTTGGAATTGATGAATCACTTTTGTATCG
 TAGTCCGTTTGAGCTGTCAAGGGGGACAAATGAGACGTTTCCATTGCAAGGCATACCTTGCCATGGAGCCA
 TGTATATTAGTCTTAGATGAGCCAACAGCTGGTCTAGATCCTCTAGGGAGAAAAGAGTTGATGACCTGT
 TCAAAAACCTCCACAGTCAGGGATGACCATCGTCTTGGTAACGCATTTGATGGATGATGTTGCTGAATA
 TGCTAATCAAATCTATGTAATGGAAGGGGACGTTTGTAAAGGGGGGCAACCAAGTGATGTCTTTCA
 AAGCTTGTTTTTATGGAAGAAGTTCAGTTGGGAGTACGTAAATTACGGCCTTTTGTAAACGATTGGCT
 GATAGAGGCGTGTCAATTAACGATTACCGATTAAAGATAGAGGAGTTCAAGGATCGCTAAATGGATAG

2CFE16 "homologue of SEQ. ID NO. 16"

ATGGATATTCATTTTTAGGAACGGGGGCTGGTCAGCCCTCTAAAGCCCGCAACGTTTCAAGTCTCGCCC
 TGAACCTCTTGGATGAGATTAACGAAGTTTGGCTCTTTGACTGTGGAGAAAGGTACGCAAAATCGCATTCT
 GCAAAACCAATTCGACCACGTAAGGTCAAGCAAAATCTTTATTACCATCTGCATGGAGACCACATTTTT
 GCTTTGCCAGGTTTCTTTCTAGCCGTGCCTTTCAAGGCAATGAAGAGCAGACAGATTTGGAAATCTACG
 GACCTCAAGGAATCAAGTCATTTGTCTTAACCAGCCTTCGTGTGTCAGGTTCTCGTCTGCCCTACCGCAT
 CATTTCCATGAGTTTGACCAAGATTCTCTGGGTAAATTTCTGAAACCGATAAAATTCAGTGTGTATGCAGA
 GGAAGCTGGACCACTATTTCTGTGTGGCTATCGTGTCAATGCAAAAGGATCTAGAAGGGACGCTGGAT
 GCTGAAAACCTCAAGGCTGCTGGTGTTCGTTCCGTTCCGCCCGCTTTTGGTAAATCAAAAACGGCCAGGATC
 TTGTTTTGGAAGACGGAAGTGAATCAAGGCAGCAGACTATATCTCAGCGCCACGTCACGGTAAGATTAT
 CACTATTTAGGAGACACTCGAAAAACGGGTGCCAGTGTGCGTCTGGCTGTCAATGCAGATGTCTTAGTT
 CATGATCCACTTATGGCAAGGGTGATGAAAAAATTGCTCGTAACCATGGTCACTCAACTAATATGCAAG
 CTGCAGAGTAGCGGTAGAAAGCAGGTGCCAAACGCCCTCTACTCAACCATATCAGTGCCCGTTTCTCTC
 AAAAGATATTAGCAAACTCAAGAAAGACGCTGCCACAAATTTTTGAAAATGTCCATGTGGTCAAGACTTG
 GAAGAAGTGGAAATCTAG

2CFE17 "homologue of SEQ. ID NO. 17"

ATGAGTAATATCAGTTTAAACAACACTTGGTGGTGTGCGTGAGAATGGAATAATATGTACATTGCTGAAA
 TTGGAGAGTCCATTTTTGTTTGAATGTAGGGTTAAAAATCTCTGAAAATGAACAATTAGGGGTGATGT
 GGTGATTCCAAACATGGATTACCTTTTTGAATAAGACGACCGTATTGCTGGGGTTTTCTTGACCCACGGGC
 ATGCGATGCCATTGGTGCTETACCTTATCTCTTGGCAGAGGGCTAAAGTTCTGTATTGGGTCTGAGTTG
 ACCATTGAGTTGGCAAAGCTCTTTGTCAAAGGAAATGATGCCGTTAAGAAATTTAATGATTTCATGTCA
 TTGATGAGAATACGGAGATTGATTTTGGTGGGACAGTGGTTTCTTCTTCCCTACGACTTACTCCGTCCA
 GAGAGTCTGGGAATTGTCTTGAAGACATCGGAAGGAAGCATCGTTTATACAGGTGACTTCAAATTTGACC
 AAACGGCTAGTGAATCTTATGCAACTGATTTTGCTCGTTTGGCAGAGATTGGTCTGTGACGGCGTCTGGC
 TCTCTCAGTGATTCCGGCCAATGCAGACAGCAATATTCAGGTGGCTAGTGAAAGTGAAGTTAGGGATGAA
 ATTACCAAACTATTGCTOACTGGGAAGGTCTGATCATCGTTGCAGCTGTTTCCAGTAATCTTTCTCGTAT
 TGAGCAATTTTTGACGCTGCGGATAAAACAGGTGACGATCGTCTTGACAGGATTGATATTGAAAAT
 ATGCTCGCAOAGCGATTCTGCTTAAGAAGTTGTCTTTAGCCAACGAAATCTCTTGATTAAGCCTAAAG
 ATATGCTCGCTTGAAGACCATGAGTTGATTATCTTTGAGACAGGTCTGATGGGTGAACCTATCAATGG
 ACTTGGTAAGATGTGCGATTGGTCCCATCGTTATGTAGAAATCAAGGATGGGGACCTGGTCTATATTGCT
 ACCGGTCCGTCTATTGCTAAAGAAGCCTTTGTTGCGCGTGTGGAATAATGATTTATCAGGCAGGTGGGG
 TTGTGAAATTGATTACCCAAAGTTTACATGTATCAGGGCACGGAAATGTGCGTGATTGTCAGCTGATGAT
 CAATCTTTTGCAACCTAAGTACCTCTTCCCTGTCAGGGGAGTATCGTGAGTTGGATGCTCACGCTAAG
 GCTGCGATGGCAAGTTGGGATGTTGCCAGACGCATCTTCACTTCTAAAGGGGACGACCATGCGCTTACG
 AGAATGAGACTTTGTTCCAGCTGGATCGGTTTACGACAGGAGATATCTTGATTGATGGGAATGCCATTGG
 TGATGTTGGAATGTTGTTCTTCTGTGACCGTAAGGTCTTGTGACAGGATGGAATTTTCATCGTGGCTATTA
 CAGTCAACCGTCTGTGAGAAGAAAATTGTGGCTAGAGCTCGTGTTCACACCGCTGGATTGTTTATCTCAA
 GAAGAGTCCGATATTCTCCGTGAAAGTTCAGAAATTGATTAAACCAACCGGTAGAAGAGTATCTTCAAGG
 AGATGACTTTGACTGGGCAGATCTCAAAGGTAAGGTTCTGTGACAAATCTGACCAAGTACCTCTTTGATCAA
 ACCAAGGCTCGGCCAGCCATTTTACCAGTAGTCATGGAAGCAAAATAA

2 (CFE19) "homologue of SEQ. ID NO. 18"

ATGACAAAAGAAATTCATCATGTAACGGTCTTACTCCACGAAACGATTGATATGCTTGACGTAAAGCCTG
 AAGGTATCTACGTTGATGCGACTTTGGGCGGAGCAGGACATAGCGAGTATTTATTAAGTAAATTAAGTGA
 AAAAGGCCATCTCTATGCCTTTGACCAGGATCAGAATGCCATTGACAATGCGCAAAAACGCTTGGCACCT
 TACATTGAGAAGGGAATGGTGACCTTTATCAAGGATAACTTCGCTCATTTACAGGCACGTTTGGCGGAAG
 CTGGTGTTCAGGAAATGATGGAATTTGTTATGACTTGGGAGTGTCTAGTCTCAATTGGACCAGCGTGA
 GCCTGCTTTTCTTATAAAAAGGATGCGCCACTGGACATGCGGATGAATCAGGATGCTAGTCTGACAGCC
 TATGAAGTGGTTAATCATTATGACTATCATGATTTGGTTCGTATTTTCTTCAAATACGGTGAGGATAAAT
 CTCTAAACAGATTGCGCGTAAGATTGAGCAAGCGCGTGAAGTGAAGCCGATTGAGACAACGACTGAGTT
 AGCAGAGATTATCAAGTTGGTCAAACCTGCCAAGGAACCTCAAGAAGAAGGGTCATCCTGCTAAGCAGAT
 TTCCAGGCTATTCGAATTGAAGTCAATGATGAACCTGGGAGCGGCAGATGAGTCCATCCAGCAGGCTATG
 CATATGTTGGCTCTGGATGGTAGAATTCAGTGATTACCTTTTATTCTTAGAAGACCGCTTGACCAAGCA
 ATTGTTCAAAGGAAGCTTCAACAGTTGAAGTTCCAAAAGGCTTGCCTTTTCATCCAGATGATCTCAAGCCC
 AAGATGGAATTTGGTGTCCCGTAAGCCAACTTTGCCAAGTGCGGAAGAGTTAGAAGCCAATAACCGCTCG
 CACTCAGCCAAGTTGCGCGTGGTCAGAAAAATTCACAAGCTCGAGCACCACCACCACCACCACTGA

2 CFE21 "homologue of SEQ. ID NO. 19"

ATGAGTAGAATTTTAGATAATGAGATAATGGGGGATGAGGAGTTAGTAGAACGCACGCTCCGTCCTCAG
 TATTTAGTGAATATATCGGACAGGATAAGGTCAAGGACCAGGTACAAATCTTTATTGAAGCTGCCAAAA
 TGCGGGATGAAGCGCTGGATCATGTGCTCTTATTTGGGCTCCAGGTCTCGGGAAAAACGACCATGGCCTT
 TGTATTGCCAACGAACCTGGGAGTCAATCTTAAGCAGACGTCGGGTCCAGTCATTGAAAAAGCCGGAGAT
 CTGGTAGCTATTTGAATGAGTTAGAGCCTGGGGATGTCTTTTTATTGATGAGATCCATCGTTTGCCAAT
 GTCAGTGAAGAGGTGCTTTATAGTGCTATGGAGGACTTCTACATAGATATTATGATTGGGGCTGGTGAG
 GGTAGTCTAGTGTTCATTTGGAGTTACCACTTTTACCTTGATTGGTGCGACGACTCGGGCTGGTATGCT
 CTCAAATCCGGTACGGGCACGTTTGGGATTACAGGCCATATGGAGTATTATGCCCATGCTGACTTGACA
 GAAATTTGTCGAGCGGACGGCAGATATTTTGAAGTGAATCACTCATGAGGCAGCATCTGAGTTGGCCC
 TACGTAGTCTGTTGGGACCCCTCGTATTGCCAATCGTCTCTCAAGCGCGTGGCGGATTTGCCAGATAATG
 GGGAAATGGGTAATTGATGATATTATTACCGATAAGGCTTTGACTATGCTGGATGTTGACCATGAAGGTT
 TGGACTATGTGGATCAAAAATCCTTCGTACCATGATTGAGATGTACAGTGGAGGACCTGTGGTCTAGG
 AACTCTTTCTGTGAATATCGCCGAAGAGCGTGAGACAGTTGAAGACATGTATGAGCCTTACTTGATTCAA
 AAAAGTTTATCATGCGGACACGGTCTGGACGGGTGGCGACTGCTAAGGCATATGAGCACTTAGGTTATG
 AATACAGTGAAAAAGCGGCGCACTCGAGCACCACCACCACCACCACTGA

2 CFE24 "homologue of SEQ. ID NO. 20"

ATCAGTATGTTTTAGATACAGCTAAGATTAAGGTCAAGGCTGGTAATGGTGGCGATGGTATGOTTGCCT
 TTGCTCGTGAAAAATATGTCCCTAATGGAGGCCCTTGGGGTGTTGATGGTGGTGGTGGTGGTGGTGGT
 CTTCGTTTAGACGAAGGACTACGTACCTTGATGGATTCCGCTACAATCGTCATTTCAAAGGCTGATTCTG
 GTCAAAAAGGGATGACCAAAAGGGATGCATGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
 GTACGACTGTTCTGATGCGGAGACTGGCAAGGTTTTAACAGATTGATTGAACATGGGCAAGAATTTAT
 CGTTGCCACCGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGTGGT
 ATCTCTGAAAAATGGAGAACCAGGTGAGGAACGTGAGTTACAATTGGAACATAAAAACTTGGCAGATGTC
 GGTTTAATAGGATTCCTCATCTGTAGGGAAGTCAACACTTTAAGTGTTATTACCTCAGCTAAGCCTAAAAAT
 TGGTGGCTACCACTTTACCACTATTGTACCAATTTAGGTTATGGTTCGCACCCAATCAGGTGAATCCTTTG
 CAGTAGCCGACTTGCCAGGTTTGATTGAAGGGGCTAGTEAAGGTGTGGTTTGGGAACCTCAGTTCTCTCCG
 TCACATCGAGCGTACAGTGTATCTTACATCATTTGATATGTCAGCTAGCGAAGCCCGTATCCATATG
 AGGATTACCTAGCTATCAATAAAGAGCTGGAGTCTTACATCTTCGCTCATGGAGCGTCCACAGATTAT
 TGTAACATAAAGATGGACATGCCTGAGAGTCAGGAAAACTTGAAGAATTTAAGAAAAAATTTGGCTGA
 AAATTATGATGAATTTGAAGAGTTACCAGCTATCTTCCAATTTCTGGATTGACCAAGCAAGGTCTGCA
 ACATTTTAGATGCTACAGCTGAATTGTTAGACAAGACACCAGAATTTTGTCTACGACGAGTCCGATA
 TGGAAAGAAGAAGTTTACTATGGATTTGACGAAGAAGAAAAAGCCTTTGAAATTAAGTCTGTATGACGATG
 CGACATGGGTACTTTCTGGTGA AAAACTCATGAAACTCTTTAATATGACCAACTTTGATCGTGTATGAATCT
 GTCATGAATTTGCCCGTCAGCTTCGTGGTATGGGGGTTGATGAAGCCCTTCGTGCGCGTGGAGCTAAAG
 ATGGGATTTGCTCCGATTGGTAAATTTGAGTTTGAATTTGTAGACCTCGAGCACCACCACCACCACCACTGA

2 CFE25 "homologue of SEQ. ID NO. 21"

ATGAAGTACTTTAATGTTGGGAAAATCGTTAATACGCAGGGATTACAGGGTGAGATGCCAGTCTTGCTG
 TGACGGATTTTGCAGAAGAACGGTTTAAAAAAGGAGCTGAGCTGGCTTTGTTTGATGAAAAAGATCAGTT
 TGTCCAACAGTGACCATCGCTAGCCACCGTAAACAGAAGAACTTTGACATTATTAATTCAAAGATATG
 TACCATATCAATACTATCGAAAAGTACAAGGGATACAGTCTCAAGGTCGCTGAGGAAGATTTGAATGAC
 CTAGACGATGTTGAATTTTACTATCACGAGATTATCGGTTTGGAAAGTCTATGAGGGTGATAGCTTGTTG
 GAAACATCAAGGAAATCCTGCAACCAGGTGCTAATGATGTCTGGGTGGTCAAACGAAAGGCAAACGTTG
 ATTTCCTTTTACCTTATATCCCACCAGTGGTCTCAATGTGTGATATTCCAAATAAACGGGTGATGTGGAA
 ATCTTAGAAGGGTTAGACGATGAAGATCTCGAGCACCACCACCACCACCTGA

2 CFE26 "homologue of SEQ. ID NO. 22"

ATGAAGATTGATATTTAACCCTCTTCCAGAGATGTTTTCTCCACTGGAGCACTCAATCGTTGGAAAGGC
 TCGAGAAAAAGGGCTCTTGGATATCCAGTATCATAATTTTCGAGAAAATGCTGAAAAGGCCCGTCATGTA
 GATCATGAGCCCTACGGAGGCGGTCAAGGCATGTTGCTCAGAGTACAACCTATTTTCGATTCTTTGATG
 CTATTGAAAAAATCCGCGCGTTATTCTCTCGATCCTGCTGGAAAGCAGTTTGAATCAGGCTTATGC
 TGAAGATTGGCTCAAGAGGAAGAGCTAATCTTTATCTGTGGGCACTATGAGGGTTATGATGAGCGCAT
 AAGACCTTGGTAACAGATGAGATTTCCCTAGGCGACTATGTTCTCACTGGTGGAGAATTGGCAGCTATGA
 CCATGATTGATGCTACAGTTCCGCTGATTCAGAAGTGATTGGCAAGGAGTCTAGCCACCAAGATGATAG
 TTTTCTTCAGGCTCTTTAGAATATCCTCAGTACACACGTCCTATGATTATCGAGGCATGGTCGTGCCAG
 ATGATATGATGAGTGGTCACCATGAAAAGATTCTGTCAGTGGCGATTGTACGAGAGTTTAAAGAAAACCTA
 CGAGCGCAGGCGGATTTACTTGAACATTATCAACTGACAGTAGAAGAAGAAAAAATGCTGGCAGAAAT
 CAAAGAAAAACAAAGAAGCGGCGGCACTCGAGCACCACCACCACCACCTGA

2 CFE27 "homologue of SEQ. ID NO. 23"

ATGATTGAAGCAAGTAAATTAAGCTGGTATGACCTTTGAAACAGCTGACGGCAAATTGATTCCGCGTTT
 TGGAAAGTATGTCACCACAAACCAGGTAAGGAAACACGATCATGCGTATGAAATTGCGTGATGTCCGTA
 CTGGTTCTACATTGACACAAGCTACCGTCCAGAGGAAAAATTTGAACAAGCTATTATCGAGACTGTCC
 AGCTCAATACTGTACAAAATGGATGACACAGCATACTTCATGAATACAGAACTTATGACCAATACGAA
 ATCCCTCTAGTCAATGTTGAAAACGAATTGCTTTACATCCCTTGAAAACCTCTGATGTGAAAATCCAATTCTA
 CGGAACCTGAAGTGATCGGTGTCAACGTTCTACTACTGTTGAGTTGACAGTTGCTGAAAACCTCAACCATCT
 ATCAAAGGTGCTACTGTTACAGGTTCTGGTAAACCAGCAACGATGGAAACTGGACTTGTCTGTAACGTTCT
 CAGACTTCATCGAAGCAGGACAAAACTCGTTATCAACACTGCAGAAGGAACCTTACGTTTCTCGTGCCCT
 CGAGCACCACCACCACCACCTGA

2 CFE28 "homologue of SEQ. ID NO. 24"

ATGGCAATTGAAAGTTTAACAGAACGTTTGCAGAACGTTTAAAAATCTACGTAAAAAAGGAAAAATCT
 CTGAATCTGATGTCCAAGAGGCAACCAAGAAATTCGCTTGGCCTTGGCTCGAGGCGGACGTTGCCTTGGC
 TGTGTGAAAGGACTTTATCAAGAAAGTTAGTGAGCGTGACGTCGGGCATGAGGTCAATGATACACTTAAT
 CCTGCGCAACAGATTATTAATAATCGTTGATGAGGAACTGACAGCCGTTTAGGTTCTGATACGGCAGAAA
 TTATCAAGTCACTAAGATTCCAACCATCATCATGATGGTTGGTTTACAAGGGGCTGGTAAAAACAACCTT
 TGCTGGTAAATTGGCCAACAACTCAAGAAAAGAGAAAATGCTCCTCTTGTATGGTTGCGGCGGATATT
 TATCGTCCAGCTGCCATTGACCAGCTTAAGACCTTGGGACAACAGATTGATGTGCCTGTCTTTGCACTTGG
 AACAGAAGTACAGCTGTTGAGATTGTACGTCAAGGTTTGGAGCAAGCCCAAACCTAATCATAACGACTAT
 GTCTTGAATTGATACTGCGGGTCTGTTGCAGATTGATGAGCTCCTCATGAATGAGCTTCGTGATGTGAAAG
 CATTGGGCTCAACCAAATGAAATCTTGTCTGCTGATGCTATGATTGGTCAGGAAGCAGCCAATGTTGC
 GCGTGAGTTTAAATGCTCAGTTGGAAGTGACTGGGGTCATCCTTACCAAGATTGATGGCGATACTCGTGQT
 GGTGCTGCTCTGTCTGTTCTGTCACATTACTGGAAAACCAATCAAGTTCAGTTGACAGGTGAAAAGATTA
 CGGACATTGAAACCTTCCACCCAGACCGCATGCTAGCCGTATCCTTGGTATGGGGGATATGCTCACTTT
 GATTGAGAAAGCTTCTCAGGAATACGATGAACAAAAGCCCTTGAATGGCTGAGAAGATGCGCGAAAA
 CACTTTGATTTTAATGATTTTCATCGATCAATTAGATCAGGTGCAAAAATATGGGGCCGATGGAAAGATT
 CTCAAGATGATTCCAGGTATGGCCAACAATCCAGCCCTTCAAAACATGAAGGTGGATGAACGCCAGATT
 GCTCGTAAACGTGCCATTGTGTCTTCGATGACACCTGAAGAGCGTGAAGAACCCAGATTGTTAAATCCAA
 GCCGTGCGCGTGTATTGCTGCTGGTTCTGGAATAACATTCTGCGAAGTCAATAAATTCATCAAGGACTTT
 AACCAGGCTAAACAGCTCATGCAGGGTGTATGTCTGGGGATATGAATAAAATGATGAAGCAAAATGGGG
 ATTAATCCAAATAACCTTCTAAAAATATGCCAAATATGGGAGGAATGGATATGTCTGCCCTTGAAGGAA

2 CFE 28 (contd)

TCATGSGACAAGGCGGTATGCCTGACTTATCAGCTCTCGGAGGAGCAGGAATGCCAGATATGAGCCAGA
TCTTTGGTGGCGGTTTGAAAGGTAAAATTGGTGAATTTGCCATGAAACAGTCCATGAAACGTATGGCTAA
CAAAATGAAGAAAGCGAAGAAGAAACGCAAGGCGGCCCACTCGAGCACCACCACCACCCTGA

2 CFE29 "homologue of SEQ. ID NO. 25"

ATGTAATCTTATTGAAATTTTAAAATCTATCTTCTTCGGGATTGTTGAAGGAATTACGGAATGGTTGCCGAT
TTCCAGTACAGGTCACTTGATTTTAGCAGAGGAGTTTATCCAATACCAAAATCAAAATGAAGCCTTTATG
TCCATGTTTAAATGTCGTGATTCAGCTTGGTGCTATTTTAGCAGTTATGGTGATTTATTTTAAACAAGCTCAAT
CCTTTTAAACCGACTAAGGACAAACAGGAAGTTTCGTAAGACTTGGAGACTATGGTTGAAGGTCTTGATTG
CCACTTTGCCCTTACTTGGTGCTTTAAATTTGATGATTGGTTTGATACCCACTTCCAATACATGGTTTCAG
TTGCTTCAATGTTGATTATCTACGGGGTTGCCCTTCATCTATTTGGAAAAGCGCAATAAAGCGCGTGCTATC
GAGCCAAGTGTAACAGAGTTGGACAAGCTTCCCTATACGACCGCTTTCTATATCGGACTCTTCCAAGTTCT
TGCTCTTTTACCAGGGACTAGCCGTTTCAGGTGCAACGATTGTCGGTGGTTTGTAAATGGAACCACTCGTT
CAGTTGTGACAGAATTTACCTTCTATCTTGGGATTCCCGTTATGTTTGGAGCTAGTGCTTAAAGATTTTC
AAATTTGTGAAGCCGGAGAACTCTTGAGCTTTGGGCAATTGTTTTGCTCTTGGTCGCGATGGGAGTAG
CTTTTGGCGTCAGCATGGTGGCTATTTCGCTTCTTGACCAGCTATGTGAAAAAACACGACTTCACCCCTTTT
GGTAAATACGGTATCGTGCTTGGTAGTGTTTGCTACTTTACAGTTTGTCCGTTTATTTGTACTCGAGCAC
CACCACCACCACCACTGA

2 CFE30 "homologue of SEQ. ID NO. 26"

ATGGGATTATTGACCGTCTATTCGGAAAAAAGAAGAACCTAAAAATCGAAGAAGTTGTAAAAGAAGCT
CTGGAAAATCTTGATTTGTCTGAAGATGTTGATCTCACTTCACAGAAGTTGAGGAAGTTTCTCAGGAAG
AAGCAGAGGTTGAAATTTGTTGAACAAGCTGTGTTCCAAGAAGAGGAAATCCAAGACACAGTTGAAGAAG
GTCTGGATTTAAGAGCCAGTTGTAGAAGTTTCTCAAAAAGAAGTCAAGAATTTCCCACTCAGAAGAAGG
GAATACTGAGTTTCTAGAGACTATAGAAGAAAATAATTCTGAAGTTCTTGAACCAGAAAAGGCTCAAGC
AGAAGAAACCGTTCAGGAAAAATATGACCGCAGTCTTAAGAAAACCTCGTACAGGTTTCCGTGCCCCGCTT
CAATGCTTCTTTGCTAACTTCCGCTCTGTTGACGAAGAATTTTTCGAGGAAGTGAAGAAGTCTGATTGA
TGAGTGATGTTGGTGTCCAAGTCGCTTCTAACTTAACGGAGGAAGTACGTTACGAAGCCAAGCTTGAAAA
TGCCAAAGAAACCTGATGCACTTCGTCGTCTATCATTTGAGAAATTTGGTTGAGCTTTATGAAAAGGATGGT
AGCTACGATGAAAGCATCCACTTCCAAGATAACTTGACAGTTATGCTCTTTGTTGGTGTGAATGGTGTG
GGAAAAACAACCTTCTATCGGAAAACTAGCCCCACCGCTACAAACAAGCTGGTAAGAAGGTCTATGCTGGTTG
CAGCAGATACCTTCCGTGCGGGTGCAGTAGCTCAGCTAGCTGAATGGGGCCGACGAGTAGATGTTCCAGT
AGTAAGTGGACCTGAAAAAGCTGATCCAGCCAGCGTGGTCTTTGATGGTATGGAACGTGCCGTGGCTGAA
GGTATCGATATTCTCATGATTGATACTGCTGGTCTGCTGCAAAATAAGGATAACCTTATGGCTGAGTTGG
AAAAGATTGGTCTGATTATCAAAACGTGTTGTGCCAGAAGCACCACATGAACCTTCTGGCACTTGATGCA
TCAACAGGTCAAAATGCCCTAGTACAGGGCCAAAGAAATTTTCGAAAAATCACACCTTTAACGGGAATTGTTT
TGACTAAGATTGATGGAAGTCTCGAGGAGGTGTGGTTCTAGCCATTCTGTAAGAACTCAATATTCTCTGT
AAAATTGATTGGTTTTGGTGAAAAAATCGATGATATTGGAGAGTTTAACTCAGAAAACTTTATGAAAGGT
CTCTTGAAGGTTTAAATCGCGGCCCACTCGAGCACCACCACCACCACCACTGA

2 CFE31 "homologue of SEQ. ID NO. 27"

ATGTATATTGAAATGGTAGATGAAACCTGGTCAAGTTTCAAAAAGAAATGTTGCAACAAACCCAAGAAATTT
TGGAATTTGCAGCCCAAAATTTAGGAAAAGAAGACAAGGAGATGGCAGTCACTTTTGTGACCAATGAGC
GTAGTCATGAACCTTAATCTGGAGTACCGTGACACCGACCGTCCGACAGATGTCATCAGCCTTGAGTATAA
ACCAGAATTGGAATTTGCCCTTTGACOAAGAGGATTGCTTGAATAATCCAGAAATGGCAGAGATGATGTCT
GAGTTTATGCTTATATTGGGGAATTGTTTCTATCTATCGATAAGGCTCATGAGCAGGCCGAAGAATATG
GTACAGCTTTGAGCGTGAGATGGGCTTCTTGGCAGTACACGGCTTTTACATATTAACGGCTATGATCAC
TATACTCCGGAAGAAAGCGGAGATGTTCCGGTTTACAAGAAAGAAATTTTGACAGCCTATGGACTCACA
AGACAACTCGAGCACCACCACCACCACCACTGA

2 CFE32 "homologue of SEQ. ID NO. 28"

ATGAGTATTCGAGTAATTATTGCCGGTTTTAAGGGAAAGATGGGCCAGGCTGCTTGTGAGATGGTATTGA
CTGATCCAGACTTGGACTTGGTGGCAGTTTGGATCCTTTTGAAGTCTGAGTCAGAATGGCAAGGTATTCTT
GTTTCAAGGATAAGGCTGATTAGCTGGTTTTGAAGCGGATGTCTGGGTAGATTTTACTACTCCAGCTGT
TCCCTACGAAAATACACGTTTTGCTCTTGAAAATGGCTTTGCTCCAGTAGTTGGAACGACTGGTTTCACGA

2CFE 32

Fig 53 (contd.)

GTGAAGAAATTGCAGAGCTAAAAGAATTTTCTCGTGCCCAAGACTTGGGTGGCCTGATTGCCCTAACTT
 TCCTTGGGTGCTGTCTTACTCATGCAATTTGCGACGCAGGCTGCCAAATATTTCCCAATGTGGAGATTA
 TTGAGCTCCATCATGACAAGAAAAGGATGCTCCGAGTGGAAACAGCCATTAAAACAGCTGAGTTGATGG
 CAGAGTTTCGAGAGTCCATTACAGCAAGGCGCAGCAGATGAGGAAGAGCTGATTGCTGGTGCCTCGTGGTG
 CTGACTTTGATGGTATGCGCATCCACTCAGTTTCGTTTGCCAGGCTTGGTAGCTCATCAAGAAGTCATCTT
 GCAATCAGGGAGAAGGGTTGACCTCCGTCATGACTCCTATGATCGCATCTCCTTCATGACAGGAGTCA
 ATTGGGAATTAAAGAAGTTGTCAAGCGTCATGAGCTTGTCTATGGATTAGAACAATTATTACTCGAGCA
 CACCACCACCACCTGA

Fig 54

2CFE33 "homologue of SEQ. ID NO. 29"

ATGGCAAAACAAACAAGATTTGATCGCTAAAGTAGCAGAAGCTACAGAATTGACTAAGAAAGACTCAGCA
 GCAGCAGTTGAAGCTGTATTTGCAGCAGTAGCTGACTATCTTGCAGCTGGTGAAAAAGTTCAATTGATCG
 GTTTTGGTAACTTTGAAGTTCTGTGAGCCTGCAGAACCTAAAGGTCGCAACCCACAACTGGTAAAGAAAT
 GACAAATGCAGCTTCTAAAGTACCAGCATTCAAAGCTGGTAAAGCTCTTAAAGACGCTGTTAAACTCGAG
 CACCACCACCACCACCTGA

Fig 55

2CFE34 "homologue of SEQ. ID NO. 30"

ATGACTAAAACAGCCTTTTATTTGCTGGTCAAGGTGCCCAGTATCTAGGGATGGGACGGGATTTCTATG
 ATCAGTATCCGATTGTTAAAGAAACGATTGATCGAGCGAGTCAGGTGCTAGGTTATGATTGCGTTATCT
 CATCGATACGGAAGAAGACAACTCAATCAGACCCGCTATACGCAACCAGCCATTCTAGCGACTTCGGTT
 GCTATCTACCGTTTATTGCAAGAAAAGGCTATCAGCCTGATATGGTTGCTGGTTGTCTCTTGGAGAATA
 CTCTGCTTGGTGGCAAGCGCGCCTTGGATTTTGAAGATGCGGTTGCTTGGTAGCTAAGCGTGGAGGC
 TATATGGAAGAAAGCGGCTCCTGCTGACTCTGGCAAGATGGTAGCAGTTCTCAATACGCCAGTAGAGGTCA
 TTGAAGAAGCTGTCAAAAAGCTTCTGAACTTGGAGTGGTTACTCCAGCCAACATAACACACCTGCAGA
 AATCGTCAATGTGGAGAAGTGGTTGCAGTTGATCGAGCGGTTGAACCTTTGCAAGAAGCAGGTGCCAA
 CGCTTGATTCTCTTAAGGTGTCAGGTCCCTTTCACACCTCTCTCCTTGAACCTGCTAGCCAGAACTAGC
 TGAACCTCTGGCTCAGGTAAGTTTTTCAGATTTACTTGTCCCTAGTCCGCAATACAGAAGCTGCTGTGA
 TGCAAAAAGAGGACATTGCTCAGCTCTTGACGCGTCAGGTCAAGGAACCCGTTCTGTTCTATGAAAGTAT
 TGGGGTCATGGAAGAAGCAGGCATAAGCAACTTTATCGAGATTGGACCGGGAAAGTCTTGTGAGGTTT
 GTTAAAAAATTGATCAAACTGCTCACTTAGCTCATGTGGAAGATCAAGCGAGTTTAGTAGCACTTTTAG
 AAAAATCGAGCACCACCACCACCACCTGA

Fig 56

2CFE35 "homologue of SEQ. ID NO. 31" 35

ATGAAACTAGAACATAAAAATATCTTATTACAGGTTCGAGTCCGTGGAAATTTGGTCTTGGCATGGCCACA
 AGTTTGTCAAGCAGGAGCCAACTTGTCTTAAACAGTCCGTGGGSCAATCTCAGAAGAAATGCTCGCTGA
 GTTTTCAACTATGGTATCAAGGTGGTTCCCACTTCAGGAGATGTATCAGATTTTGCAGACGCTAAGCGT
 ATGATTGATCAAGCTATTGCAGAACTGGGTTTCAGTAGATGTTTGGTCAACAATGCAGGGATTACCCAAG
 ATACTCTTATGCTCAAGATGACAGAAGCAGATTTTGA AAAAGTCTCAAGGTCAATCTGACTGGTGCCTT
 TATATCAGACAATCAGTCTTGAAACCGATGATGAAGCCAGAGAAGGTGCTATCATTAATATGCTTAGT
 GTTGTGCTTTGATGGGGAATATTGGTCAAGCTAAGTATGCTGCTTCAAGGCTGGCTTGATTGGCTTAC
 CAAGTCTGTGGCACGCGAGGTGCTAGTCGGAATATACGAGTCAATGTGATTGCTCCAGGAATGATTGAG
 TCTGATATGACAGCTATCTTATCAGATAAGATTAAGGAAGCTACACTAGCTCAGATTCCGATGAAAGAA
 TTGGGCAGGCAGAGCAGGTTGCAGATTGACAGTATTTTAGCAGGGCAAGATTATCTAACTGGTCAAGT
 GATTGCCATTGATGGTGGCTTAAGTATGCTCGAGCACCACCACCACCACCTGA

Fig 57

2CFE36 "homologue of SEQ. ID NO. 32"

ATGGGAGTGAAAAAGAACTAAAGTTGACTAGTTTGTAGGACTGTCTCTGTTAATCATGACAGCCTGTG
 CGACTAATGGGGTAAGTAGCGATATTACAGCCGAATCGGCTGATTTTGGAGTAAATTGGTTTACTTCTTT
 GCGGAAATCATTCGCTTTTATCGTTTGATATTAGTATCGGAGTGGGGATTATCTCTTTACGGTCTTGATT
 CGTACAGTCCCTCTTGCCAGTCTTTCAGGTGCAAAATGGTGGCTTCTAGGAAAAATGCAGGAAGCTCAGCCAC
 GCATTAAAGCGCTTCGAGAACAAATATCCAGTCCAGATATGGAAAGCAGAACCAACTAGAGCAGGAA
 TCGGTAAGATATTAAAGAAATGGGTGTCAGACAGTCAGACTCTCTTGGCCGATTTTGATTTCAGATGCC
 GGTTATTTTGGCCCTGTTCCAAGCCCTATCAAGAGTTGACTTTTTAAAGACAGGTCAATTTCTTATGGATTA
 ACCTTGGTAGTGTGGAACAACCTTGTCTTCCGATTTTAGCAGCAGTATTCACCTTTTTAAGTACTTGG
 TTGTTCAACAAGCTTTGTCTGAGCGAAATGGCGCTACGACTGCGATGATGATGGGATTCCAGTCTTGA
 TTTTATGTTTGCAGTTTATGCGCCAGGTGGAGTCGCCCTATACTGGACAGTGTCTAATGCTTATCAAGTC

2 CFE 36

(Cont'd) Fig 57
 TTGCAACCTATTCTTGAATAATCCATTCAAGATTATCGCAGAGCGCGAGGCCGTAGTACAGGCACAAA
 AAGATTGGGAAATAGAAAAAGAAAAGCCAAAGAAAAGGCTCAGAAAACGAAACTCGAGCACCACCAC
 CACCACCACTGA

2 CFE37 "homologue of SEQ. ID NO. 33"

Fig 58
 ATGAAGATTAGTAAGAGGCACCTATTAAATTATTCCATCTTGATTCCCTACTTGCTTTTATCTATTTTGGGC
 TTTGATTGGGTCTATTTCGACCAACCAGTGCTATTTTAATTGAAGAAGGCAAGAGCGCCTTGCAAGTTGGTTCG
 AAACCAAGGAATCTTTTGGATTGGTAGTTTGATACTGATTGCCTTAATTTATAAATTGAGACTAGATTTT
 TGAGAAATGAGCGACTAATCAATTTAGTTATATTAATAGAAATGCTTTTATTGTTCTTGGCTCGTTTTATT
 GGTATTTCAGTAAACGGGGCATAACGGTTGGATTTCGGTTGCAGGAGTAACTATTTCAGCCAGCTGAGTACT
 TAAAAATCAATTATTATTGGTATTTAGCTCACCAGATTCCTCAAACAGCAAGAAGAAATAGCTACTTATGA
 TTTTCAAGTTTGTACTCAAAATCAATGGCTTCCCCGTGCTTTTAAATGATTGGCGATTTCGTTCTCCTAGTTCT
 GATTGGAAATTTGGGAATTTCCCTGATTAGGAAATGCGACTATTTTAGTCTTGGTTTCTTGTATTATGT
 ATACAGTTAGTGAATCGCTTATCGCTGGTTTCAACCATTCTGGCGCTCGTATCTGCCGCTTCTGTCTTTG
 TTTGACCACTATCAGCCTAATCGGTGGTTGAGACCTTTTCAAAAATTCAGTATTTGGCTATGTAGCCAAA
 CCTTTAGTGCCTTTTAAATCCTTTTGGCGATCGTGCTGATGCAGGTCACCAGTTAGCTAATTTCTTATTTT
 GCCATGTCATGTTGGTGGTTGGTTGGTCTAGGTCTTGGAAACTCGATTGAAAAACGAGGTTATTTGCCAG
 AAGCTCATAACAGACTTTGTCTTTTCTATCGTGATTGAAGAAATTTGGCTTTGTTGGTGCCAGTCTTATTTAG
 CTCTCTTGTTTTCATGATTTTGGCGATTATCTTGGTGGTATTTCGAGCGGAGAAATCCTTTCAATGCCATGG
 TTGCACTCGGTGTGGAGGGATGATGTTGGTTCAGGTATTTGTCAATATCGGAGGGGATTTCGGGCTTGATT
 CCATCTACAGGAGTAACCTTCCCCTTCTATCCAGGGTGGAATAGTCTTCTAGTCTTATCAGTGGCAGT
 ACCCTTTGTCTTAAATATTGATGCCAGTGAAAAACGCGCTAAGTTGTACCGAGAATTGGAATAATCAACCA
 ATGAAGCTTCTGTTGAAGCTCGAGCACCACCACCACCACCACTGA

2 CFE38 "homologue of SEQ. ID NO. 34"

Fig 59
 ATGCTCGGAATTTTAACTTTATCTGGTTTTCGGGATTATTGTAGTGGTGCACGAGTTCCGGGCACTTCTA
 CTITGCCAAGAAATCAGGGATTTTAGTACGTGAATTTGCCATCGGTATGGGACCTAAAAATTTTGCTCACA
 TTGGCAAGGATGGAACGGCCTATACCATTGCAATCTTGCCTCTGGGTGGCTATGTCCGATGGCCGGTTG
 GGTGATGATACAACTGAAATCAAGACAGGAACGCCTGTTAGTTTGACACTTGCTGATGATGGTAAGGTT
 AAAAGCATCAATCTCTCAGGTAAAAAATTGGATCAAAACAGCCCTCCCTATGCAGGTGACTCAGTTTGATT
 TTGAAGACAAGCTCTTTATCAAAGGATGGTTCTGGAAGAAGAAAAACATTTGCAGTGGATCACGATGC
 AACGGTTGTGGAAGCAGATGGTACTGAGGTTCCGATTGCACCTTAGATGTTCAATATCAAAAATGCCAGT
 ATCTGGGGCAAACCTGATTACCAATTTTGCAGGTCTTATGAACAATTTTATCTTAGGTGTCGTTGTTTTT
 GGTTTTAATCTTTATGCAGGGTGGTGTGACAGATGTTGATACCAATCAGTTCCATATCATGCCCAAGGTG
 CCTTGGCCAAAGGTAGGAGTACCAGAAACGGCACAATTAACCAAGATTGGCTCACATGAGGTTAGCAACT
 GGGAAAGCTTGATCCAAAGCTGTGGAACAGAAACCAAAAGATAAGACGGCAACCGACTTTGGATGTGAETA
 TTCTGAAAAGGGGAGTGACAAACAAGTCACGTGTTACACCCGAAGATAGTCAAGGTCGTTACCTTCTAGG
 TGTCAACCGGGGGTTAAGTCAGATTTTCTATCCATGTTTGTAGGTGGTTTTACAACCTGCTGCTGACTCAG
 CTCTCCGAATCTCTCAGCTCTGAAAAATCTGATTTTCCAACCGGATTGAAACAAGTTGGGTGGACCTGTT
 GCTATCTTTAAGGCAAGTAGTGATGCTGCTAAAAATGGAAATGAGAAATATCTGTACTTCTTGGCAATGA
 TTTCATCAATATTGGGATTTTAAATCTTATTCCGATTCCAGCCTTGGATGGTGGTAAAGATTGTGCTCAAT
 ATCTAGAAAGCCATCCGCCGCAAAACCAATTGAAACAAGAAATTGAAACCTATGTCACCTTGGCCGGAGTG
 GTCAATCATGGTTGTCTTGATGATTGCTGTGACTTGAATGACATTATGCGACTCTTTTTTAGACTCGAGCA
 CCACCAGCACCACTGA

2 CFE39 "homologue of SEQ. ID NO. 35"

Fig 60
 ATGTACGCATATTTAAAAGGAATCATTACCAAAATTAAGTCCAAATACATTGTTCTTGAAACCAATGGTA
 TTGGTTATATCGTGCATGTGGCCAATCCTTATGCCTATTTCAGGTCAGGTTAATCAGGAGGCTCAGATTAT
 GTGCATCAGGTTGTGCGTGAGGACGCCATTTGCTTTATGGATTTCGCTCAGAGGATGAGAAAAAGCTCT
 TTCTTAGTCTAATTTGGGTCTCTGGGATTGGTCTGTATCAGCTCTTGCTATTATCGCTGCTGATGACAATG
 CTGGCTTGGTTGAAGCCATTGAAACCAAGAACATTACCTACTTGACCAAGTTCCCTAAAAATTGGCAAGAA
 AACAAGCCAGCAGATGGTGTGGACTTGAAGGGCAAGGTAGTAGTTGCAGGAGATGGCCTTCCCTGCCAA
 GGTCCAGTGCAAGCAAGTGCTGAAAACCAAGAATTGGAAGAAGCTATGGAAGCCATGTTGGCTCTGGG
 CTACAAGGCAACAGAGCTCAAGAAAATCAAGAAATCTTTGAAGGAACGACAGATACAGCTGAGAACTA
 TATCAAGTCGGGCCCTTAAAAATGTTGGTCAAACCTCGAGCACCACCACCACCACCACTGA

2 CFE40 "homologue of SEQ. ID NO. 36"

ATGAAGAATAATCGTATTTTAGCACTTCTGGAATGATATTTTAGTGGTGGTGGACTGTCAGCTGATT
 GGCTACCTATACCTTGAACGGCTTGCATGGGTTTGTAGCAGTGACTTGTGTTGACAGCCTTGACAGAAAAA
 GGATTTGAAGTCTTTCCAACCTGATGATACCATTTTCAACATGAATTAGATAGCTTGGCTGATGTGGAATT
 TGGGGGAATTAAGATTGGTCTTCTCCCTACTGTCACTGTGGCTGAGAAGGCCTTGGACTTATCAAAACAA
 CCCCCAGGAGTACCTGTGGTGTGGATCCTGTCTTGGTCTGCAAGGAAACGCATGATGTAGCTGTCACTG
 AGCTCTGCCAAGAGTTGATTGCTTTTCCCTTATGTCACTGTGATTACGCCTAATCTCCAGAAAGCAQAA
 TTATTATCCGGTCAGGAAATTAACCTTGGAAAGACATGAAAACCTGCAGCGCAGAAATTGCATGATTTAG
 GAGCCGACGAGTCATTATCAAGGGAGGCAATCGTCTTAGTCAGGACAAGGCTGTGGATGCTTTTATGA
 TGGACAGACCTTTACTATCCTAGAAAATCCAGTTATCCAAGGCCAAAATGCTGGTGCAGGTTGTACCTTT
 GCTCTAGCAATTGCCAGTCACTTGATTAAAGGTGATAAACTTTGCCAGCAGTAGAAAGCTCTAAGGCTT
 TCGTTTATCGTCTATTGCACAAGCAGATCAGTATGGAGTAAGACAATATGAAGCAAACAAAAACAACC
 TCGAGCAACCAACCAACCACTGA

2 CFE41 "homologue of SEQ. ID NO. 37"

ATGATTGAAACGGAGAAAAAAGAGGAGCGAGTCCTGCTGATTGGTGTGGAATTGCAGGGTATGOACAGT
 TTGACCTCTGCATGGAAGAATTGGCTAGTTTAGCGAAAACGGCAGGGCAGTCGTTGTAGATAGCTACA
 GACAAAAACGTGAAAAATATGATTCCAAGACCTTCGTGGCTCTGGTAAGTTGGAAGAGATTGCGCTTAT
 GGTGGATGCAGAAAGAAATCACTACTGTATCGTCAACAACCGTCTGACCCCAAGGCAGAAATGTCAATCTA
 GAGGAAGTCTCGGTGTTAAGGTCATTGACCGTATGCAGTTGATTGTTGGATATCTTTGCCATGCGGGCTCG
 AAGCCATGAAGGGAAGCTCCAAGTCCACCTAGCCCAACTCAAATACCTCTTGCCTCGCTTGGTTGGTCAQ
 GCGATTATGCTCAGCCGTCAGGCAGGGGGAATTGGTTCCCGTGGTCTGGTGAAAGCCAACTGGAGCTG
 AACCGTCGTAGCGTTCGCAATCAAAATCACGGATATCGAGCGCCAGCTTAAGGTGGTTGAGAAAAATCGT
 GCGACTGTCAAGAAAAACGTTTGGAGTCTAGCACTTTTAAAGATTGGTTTGGTTGTTACTAATGCTG
 GGAATCAACTATCATGAACATCTTGACCAGTAAGACCCAGTATGAAGCAGATGAGCTCTTGGCACTCT
 GGATGGGACAACCAAGAGTATTCATCTGGGAGGCAACCTCCAAGTAACCTTGAAGAAAGCAAGCATGTGACC
 TTCTGGTTCATGTTATCGATGCTAGCAATCCTTACCACGAGGAGCATGAAAAACGGTTCTCTCCATCATG
 AAAGACCTGGACATGGAAGATATTCCTCACTTGAAGCTTTATAATAAAGCGGATTTGGTGGAGGATTTCA
 CCGCTACCAACGOCATATACCTCATTTCTGCCAAGTGTGAGGACAGTCGTGAAACTTGCAAGCAT
 ATTGCTAGATAAGATTAAGGAAATTTTGAAGCATTTACCCTGCGAGTGCCTTTTCAAAGTCTTACAAG
 ATTATGATTAGAGAGTGTGCAATTCTGGAAGAACGTGATTATCAGGAAGACGGCGAAGTOATTACAG
 GCTACATTTCCGAGAAAAATAAATGGAGGTTAGAAGAATTTATGACCTCGAGCACCACCACCACCA
 CTGA

2 CFE42 "homologue of SEQ. ID NO. 38"

ATGGCAAAAAACATATCCTATGACCCTTGAGGAAAAGGAGAAAACCTGAAAAAGAATTAGAAGAATTG
 AAATTGTTTCGTGACCAGAAAGTGGTAGAACGCATTAAGATTGCCCGTTTCATACGGTGATCTTTCAGAAA
 ACAGTGAGTACGAAGCAGCTAAGGATGAACAAGCCTTTGTGCAAGGACAAATCTCTAGCTTAGAAACAA
 AAATCCGCTATGCTGAAATCGTCAATAGCGACGCAGTTGCCAGGACGAAGTAGCGATTGGTAAACAG
 TCACCATCCAAGAAATTGGTGAGGACGAAGAAGATTATATTATCGTAGGTTCACTGCTGGTGCGGATGC
 CTTGCAAGGTAAAGGTTTCAAATGAAAGCCCAATTGGGCAGGCCTTGATTGGCAAGAAAACAGGTGACAC
 AGCAACCATGAAACGCCTGTTGGTAGCTATGATGTAAAAATCTTGAAGGTTGAAAAACAGCCCTCGA
 GCACCAACCAACCAACCACTGA

2 CFE43 "homologue of SEQ. ID NO. 39"

ATGACCAAAATTAATTGTAGGCTTGGGAAATCCAGGGGATAAATATTTTGAACAAAAACACAATGTTGGTT
 TTAGTTGATTGATCAACTAGCGAAGAAAACAGAAATGTCACCTTTACACACGATAAGATATTTCAAGCTGA
 CCTAGCATCCTTTTCTTAAATGGAGAAAAAATTTATCTGTTAAACCAACGACCTTTATGAATGAAAGT
 GGAAAAAGCAGTTTATGCTTTAATACTTACTATGGTTTGGATATTGACGATTTACTTATTTACGATGA
 TCTTGACATGGAAGTTGGGAAAATTCGTTTAAAGAGCAAAAGGCTCAGCAGGTGGTCAATAATGTTCAAA
 GTCTATTATTTCAACATATAGGAACTCAGGTCTTTAACCGTGTAAAGATTGGAATTGGAAGACCTAAAAAT
 GGTATGTCACTTGTTCATCATGTTTGTAGTAAGTTTGACAGGGATGATTATATCGGTATTTTACAGTCTAT
 TGACAAAGTTGACGATTCTGTAAACTAGTATTTACAAGAGAAAAAATTTGAGAAAAACAATGCAGAGGTA
 TAACGGACTCGAGCAGCACCACCACCACCTGA

2 CFE44 "homologue of SEQ. ID NO. 40"

ATGATTTTAAATTACAGGGGCAAATGGCCAATTAGGAACGGAACCTTCGCTATTTATTGGATGAACGTAATG
 AAGAATACGTGGCAGTAGATGTGGCTGAGATGGACATTACCGATGCAGAAATGGTTGAGAAAGTTTTG
 AAGAGGTGAACCGACTTTAGTCTACCACTGTGCAGCCTACACCGCTGTTGATGCAGCAGAGGATGAAG
 GAAAAGAGTTGGACTTCGCCATCAATGTGACGGGGACAAAAAATGTCGCAAAAGCATCTGAAAAGCATG
 GTGCAACTCTAGTTTATATTTCTACGGACTATGTCTTTGACGGTAAGAAACCAAGTTGGACAAGAGTGGGA
 AGTTGATGACCGACCAGATCCACAGACAGAATATGGACGCCTAAGCGTATGGGGGAAGAGTTAGTTGA
 GAGCATGTGTCTAAATTCTATATTATCCGTACTGCCCTGGGTATTTGGAAATTATGGCAAAAACCTCGTTT
 TTACCATGCAAAATCTTGGCAAAAACCTCATAAGACTTTAACAGTTGTAAATGACCAGTACGGTCGTCGGAC
 TTGGACTCGTACCTTGGCTGAGTTCATGACCTACCTAGCTGAAAATCGTAAGGAATTTGGTTATTATCATT
 TGTCAAATGATGCGACAGAAGACACAACATGGTATGATTTTGCAGTTGAAATTTTGAAGATACAGATGT
 CGAAGTCAAGCCAGTAGATTCCAGTCAATTTCCAGCCAAAGCTAAACGTCGCTAAACTCAACGATGAGC
 CTGGCCAAAGCCAAAGCTACTGGATTTGTTATTCCAACCTTGGCAAGATGCATTGCAAGAATTTTACAAAC
 AAGAACTGAGACTCGAGCACCACCACCACCACCTGA

2 CFE45 "homologue of SEQ. ID NO. 41"

ATGAAACGTTCTCTCGACTCTAGAGTCGATTATAGTTTGCTCTTGCCAGTATTTTTCTACTGGTCATCGGT
 CTGGTGCTATCTATATAGCCGTAGTCTAGTATTATCCCAATAATATCTGCCCATTTTAGGGCAGCAGGT
 CGCCTGGATTGCTCTGGGGCTTGTGATTTGTTGTTGTCATGCTCTTTAATACAGAATTTCTTTGGAAAG
 TGACCCCTGTTCTATATATTTAGGCTTGGGACTTATGATCTTGCCGATTGTATTTTATAATCCAAGCTTAG
 TTGCATCAACCGGTGCCAAAACTGGGTATCAATAAATGGAAATTAACCTATTTCAACCGTCAGAATTTAT
 GAAGATATCCTATATCCTCATGTTGGCTCGTGTCAATTGTCCAATTTACAAAGAAACATAAGGAATGGAGA
 CGCACCGTTCCGCTGGACTTTTTGTTAATTTCTGGATGATTCTCTTACCATTCCAGTCTAGTTCTTTTA
 GCACTTCAAAAGTGAAGTTGGGGACGGCTTTGGTTTTGTAGCCATTTTCTCAGGAATCGTTTTATTATCAGG
 GGTTTTGTTGAAAATTATTTATCCAGTATTTGTGACTGCTGTAACAGGAGTTGCTGGTTTTCTAGCTATCT
 TTATTAGCAAGGACGGACGAGCTTTTCTCACCAGATTGGAATGCCGACCTACCAATCAATCGGATTTT
 GGCTTGCCTCAATCCCTTTGAGTTTGCCCAACAACGACTTACCAGCAGGCTCAAGGGCAGATTGCCATT
 GGGAGTGGTGGCTTATTTGTGAGGGATTTAATGCTTCGAATCTGCTTATCCAGTTCGAGAGTCAAGATAT
 GATTTTACGGTTATTCAGAAAGATTTTGGCTTTATTGGCTCTGTCTGGTTATTGCCCTCTATCTCATGTT
 GATTTACCGTATGTTGAAGATTACTCTTAAATCAAAATAACCAGTTCTACACTTATATTTCCACAGGTTTGA
 TTATGATGTTGCTCTTCCACATCTTTGAGAATATCGGTGCTGTGACTGGACTACTTCTTTGACGGGGATT
 CCTTGGCTTTTATTTCGCAAGGGGGATCAGCTATTATCAGTAATCTGATGGTGTGGTTTTGCTTTTATCG
 ATGAGTTACCAAGACTAATCTAGCTGAAGAAAAGAGCGGAAAAGTCCCATTTCAAACGGAAAAAGGTTGTA
 TTAAAACAAATTAACCTCGAGCACCACCACCACCACCTGA

2 CFE46 "homologue of SEQ. ID NO. 42"

ATGGGAAAAATCATCGGAATCACTGGGGGAATTGCCCTCAGGTAAGTCAACTGTGACAAATTTTCTAAGAC
 AGCAAGGCTTTCAAGCAGTGGATGCCGACGCAGTCGTCCACCAACTACAGAAACCTGGTGGTCTGCTGTT
 TGAGGGCTAGTACAGCACTTTGGGCAAGAAATCAATCTTGAAAACGGAGAACTCAATCGCCCTCTCCTA
 GCTAGTCTCATGTTTTCAAAATCCTGAAGAGCAAAAATGGTCTAATCAAATTAAGGGGAGATTATCCGTO
 AGCAACTGGCTACTTTGAGAGAACAGTTGGCTCAGACAGAAGAGATTTTCTTCATGGATATTCCCTACT
 TTTTGAGCAGGACTACAGCGATTGGTTTGTGAGACTTGGTTGGTCTATGTGGACCGAGATGCCCAAGTA
 GAACGCTTAATGAAAAGGGACCAAGTTGTCCAAAGATGAAGCTGAGTCTCGTCTGGCAGCCAGTGGCCTT
 TAGAAAAAAGAAAGATTGAGCCAGCCAGGTTCTTGATAATAATGGCAATCAGAACCAAGGTTCTTAATC
 AACTGCATATCCTTCTGAGGGAGGTAGGCAAGATGACAGAGATCTCGAGCACCACCACCACCACCT
 GA

2 CFE47 "homologue of SEQ. ID NO. 43"

ATGAGAAAAATTOTTATCAATGGTGGATTACCACTGCAAGGTGAAATCACTATTAGTGGTGCTAAAAATA
 GTGTCGTTGCCTTAATTCAGCTATTATCTTGGCTGATGATGTGGTGACTTTGGATTGCGTTCCAGATATTT
 CGGATGTAGCCAGTCTTGTGCAAAATCATGGAATTGATGGGAGCTACTGTTAAGCGTTATGACGATOTATT
 GGAGATTGACCCAAGAGGTTGTTCAAAATATTCCAATGCTTATGGTAAAAATTAACAGTCTTCGTGCATCT
 TACTATTTTATGGGAGCCTCTTAGGCCGTTTTGGTGAAGCGACAGTTGGTCTACCGGGAGGATGTGATCT
 TGGTCTCGTCCGATTGACTTACACCTTAAGGCGTTTGAAGCTATGGGTGCCACTGCTAGCTACGAGGGA
 GATAACATGAAGTTATCTGCTAAAGATACAGGACTTCATGGTGCAAGTATTTACATGGATACGGTTAGTG
 TGGGAGCAACGATTAATACGATGATTGCTGCGGTTAAAGCAAATGGTCTGACTATTATTGAAAATGCAGC

2 CFE 47 (Contd.)

CCGTGAACCTGAGATTATTGATGTAGCTACTCTCTTGAATAATATGGGTGCCCATATCCGTGGGGCAGGA
 ACTAATATCATCATTATTGATGGTGTGAAAGATTACATGGGACACGTCATCAAGTGATTCCAGACCGCA
 TTGAAGCTGGAACATATATATCTTTAGCTGCTGCAGTTGGTAAAGGAATTCGTATAAATAATGTTCTTTAC
 GAACAACCTGGAAGGGTTGTTGCTAAGTTGGAAGAAATGGGAGTGAGAATGACTGTATCTGAAGACAGC
 ATTTTGTCTGAGGAACAGTCTAATTTGAAAGCAATCAATATTAAGACAGCTCCTTACCCAGGCTTTGCAA
 CTGATTGCAACAACCGCTTACCCCTCTTTTACTAAGAGCGAATGGTTCGTGTAATGTCGATACGATT
 TACGAAAAACGTGTAAATCATGTTTTTGAAGTAGCAAAAGATGGATGCGGATATTTGACAACAAATGGTC
 ATATTGTACACGGGTGGACGTGATTACGTGGGGCCAGTGTTAAAGCGACCGACTTAAGAGCTGGGGC
 TCCACTAGTGATTGCTGGGCTTATGGCTGAAGGCAAACTGAAATTACCAATATCGAGTTTATCTTACGT
 GGTATTCTGATATTATCGAAAAATTACGTAATTTAGGACCGGATATTAGACTTGTGAGGATCTCGAGC
 ACCACCACCACCACCTGA

2 CFE48 "homologue of SEQ. ID NO. 44"

ATGTCAAGAATTGAATTTTCAACCATCTTGATGACCATGGATTGGACAAATTCAAAGAGCAGATTACTTT
 TTTGAATGATAAAGTAGCATCTTATCATATCGATATTATGGATGGCCATTTTGTTCCTCAATATTACCTTGT
 CTCTTGGTTCAATTCAAGAAAGTTCAAAAAATTAGTGACACACCTTTATCAGTTTCATCTGATGGTCACAGAC
 CCAACCTTTTGGGTAGATCAAGTTCTCGATTACAATGTGAGTATATTTGTATTCACTGCTGAAGTTCTGAA
 TGGTCTTGTCTTTTCGTTTGTGATGATAAAATTCATGATGCAGGTCTAAAGGCTGGTGTGCTTAACTCTGT
 AAACACCTGTTTCTACAATCTTTCCCTACATTGATTACTTGGACAAAGTAAGTATTATGACTGTAGATOCA
 GCTTTTGCAGGACAACGCTTTTGGAGTCTACCTTGTATAAAATCCAGAAGTCCATCAGCTTAGAGTTCA
 GAATGCTTATCACTACATCATGAGATGGATGGTTCCTTCGAGTCGTAAGACTTTCAAACAAATTGATGTG
 GCAGGACCAGATATTTATGTTATAGGTGCGAGTGGATTATTTGGTTTGGATGACGATATTGCCAAAGCCT
 GCGATATCTGTTCTAGAGATTACGAAGAAATGACCGGAAAAACAATGCCAATCAAAGTTCGAGCACCACC
 ACCACCACCACCTGA

2 CFE49 "homologue of SEQ. ID NO. 45"

ATCAGAAATATGGCTTTGACAGCAGGTATCGTTGGTTTGCCAAACGTTGGTAAATCAACACTATTTAATG
 CAATTACAAAAGCAGGAGCAGAGGCAGCAAACTACCCATTTGCGACTATTGATCCAAATGTTGGAATGG
 TGGAAGTTCCAGATGAACGCCTACAAAACTAACTGAAATGATAACTCCTAAAAAGACAGTTCCCAAA
 CATTTGAATTTACAGATATTGCAAGGATTGTAAAAGGAGCTTCAAAAAGGAGAAGGGCTAGGGAATAAAT
 TCTTGGCCAATATTTCTGTGAAGTAGATGCGATTGTTACAGTAGTTCGTGCTTTTGTATGATGAAAATGTAAAT
 CGCGAGCAAGGACGTGAAGACGCTTTGTAGATCCACTGCGATATTGATACAATTAATCTGGAATTAA
 TTCTTGTGAGTTAGAATCAGTGAACAAACGATATGCGCGTGTAGAAAAGATGGCACGTACGCAAAAAG
 ATAAAGAAATCAGTAGCAGAATTCATGTTCTTCAAAAAGATTAAACCAGTCTAGAAAGACGGGAAATCAG
 CTGTAACCATTTGAATTAACAGATGAGGAACAAAAGGTTGCAAAAGGTCCTTTTCTTTTGACGACTAAACC
 AGTTCTTTATGTAGCTAATGTGGACGAGGATGTGTTTTCAGAACCTGACTCTATCGACTATGTCAAACAA
 ATTCTGTAATTTGACGCGACAGAAAATGCTGAAGTAGTCTGTTATTTCTGCGCGTGTGAGGAAGAAATTT
 CTGAATGGATGATGAAGATAAAAAAGAGTTTCTTGAAGCCATTGGTTTGACAGAATCAGGTGTAGATAA
 GTTGACCGGTGACGCTTACCACTTGGCTTGGATTGGGAACTTACTTCACAGCTGGTGAAAAAGAAAGTTCCG
 GCTTGGACTTTCAAACGTGGTATGAAGGCTCCTCAAGCAGCTGGTATTATCCACTCAGACTTTGAAAAAG
 GCTTTATTCGTGCAAGTAACCATGTATATGAAGATCTAGTGAATATGGATCTGAAAAGGCCGTAAGAA
 AGCTGGACGCTTGGGTGAAGAAAGGAAAAGAAATATCGTTCAAGATGGCGATATCATGGAATTCGCGCTT
 AATGTCCTCGAGCACCACCACCACCACCTGA

2 CFE50 "homologue of SEQ. ID NO. 46"

ATCGAAATCGAAAAAAACCAATCGTATGAATGCGCTCTTTGAATTTTATGCGGGCTTTTGACAGATAAGC
 AAATGAATTATATCGAGCTCTACTACGCTGATGATTACAGCCTTGCTGAAATTGCCGAGGAGTTCCGGTGT
 CACTCGTCAGGCTGTCTATGACAATATCAAGCGAACAGAAAAGATTCTGGAAGATTATGAGATGAAATT
 GCACATGTAATCGGACTATATTGTCCGCACTCAGATTTTGTATCAGATTTTGGAGCGCTATCCCAAGGATA
 ACTTTCTGCAAGGAGCAGATAGAAATTTAACAAGCATTGATAATAGAGAACTCGAGCACCACCACCACC
 ACCACTGA

2 CFE51 "homologue of SEQ. ID NO. 47"

ATGACCTTAGAATGGGAAGAATTTCTAGATCCTTACATTCAAGCTGTTGGTGAAGTTAAAGATTAAACTTC
 GTGGTATTCGTAGCAATATCGTAAGCAAAATAAGCATTCTCCAATTGAGTTTGTGACCGGTGAGTCAA
 GCCAATTGAGAGCATCAAAGAAAAAATGGCTCGTCTGGCATTACTTATGCGACCTTGGAAACAGGATTG

2 CFE 51 (contd.)

Fig. 72 (contd.)
 CAGGATATTGCTGGCTTACGTGTGATGGTTCAGTTTGTAGATGACGTCAAGGAAGTAGTGGATATTTTGC
 ACAAGCGTCAGGATATGCGAATCATACAGGAGCGAGATTACATTACTCATAGAAAAGCATCAGGCTATC
 GTTCCTATCATGTGGTAGTAGAATATACGGTTGATACCATCAATGGAGCTAAGACTATTTTGGCAGAAAT
 TCAAAATCGTACTTTGGCCATGAATTTCTGGGCAACGATAGAACATTCTCTCAACTACAAGTACCAAGGG
 GATTTCAGATGAGATTAAGAAGCGACTGGAAATTACAGCTAGAATCGCCCATCAGTTGGATGAAGAA
 ATGGGTGAAATTCGTGATGATATCCAAGAAGCCCAGGCACATTTTGATCCTTTGAGTAGAAAATTAATG
 ACGGTGTAGGAAACAGTGACGATACAGATGAAGAATACAGGCTCGAGCACCACCACCACCACCACTGA

2 CFE52 "homologue of SEQ. ID NO. 48"

Fig. 73
 ATGGAACCTAATACACACAATGCTGAAATCTTGCTCAGTGCAGCTAATAAGTCCCCTATCCGCAGGATG
 AACTGCCAGAGATTGCCCTAGCAGGGCGTTCAAATGTTGGTAAATCCAGCTTTATCAACACTATGTTGAA
 CCGTAAGAATCTCGCCGTACATCAGGAAAACCTGGTAAACCCAGCTCCTGAACTTTTTTAACATTGAT
 GACAAATGCGCTTTGTGGATGTGCTGTTATGGCTATGCTCGTGTCTTAAAAAGGAACGTGAAAAAT
 GGGGCTGCATGATTGAGGAGTACTTAACGACTCGGGAAAATCTCCGTGCGGTTGTCACTAGTTGACCT
 TCGTCATGACCCGTGACGAGATGATGTGCAGATGTACGAATTTCTCAAGTATTATGAGATTCCAGTCATC
 ATTGTGCGCAACCAAGCGGACAAGATTCTCTGTGTAATGGAACAAGCATGAATCAGCAATCAAAAAAG
 AAATTAACTTTGACCCCAAGTGACGATTTTCATCTCTTTTCATCTGTGACGAAGGCAGGGATGGATGAGG
 CTGGGATGCAATCTTAGAAAAATTGGCGGCCGCACTCGAGCACCACCACCACCACCACCACTGA

2 CFE53 "homologue of SEQ. ID NO. 49"

Fig. 74
 ATGAAAACAAGAAAAATCCCTTTGCGCAAGTCTGTTGTGTCTAACGAAGTGATTGATAAGCGTGATTTC
 TCCGCAATTGTCAAGAACAAAGGAAGGACAAGTCTTTATTGATCCTACGGGCAAGGCCAATGGCCGCGGG
 CTTATATCAAACTAGACAATGCAGAAGCCCTAGAGGCGAAAAAGAAAGGTCTTTAACCCGAGCTTTA
 GCATGGAAGTGGAAGAAAGCTTTTATGACGAGTTGATCGCTTATGTGGATCACAAGTGAAAAGAAAGAG
 AGTTGGGACTTGAACCTCGAGCACCACCACCACCACCACCACTGA

2 CFE54 "homologue of SEQ. ID NO. 50"

Fig. 75
 ATGTTAAACCCCTCTATTGATACCTTGCTCGACAAGGTTCCCTTCAAAATATTCACCTCGTAATCTTGGAAGC
 AAAACCGTGCCCAAGAAATGGAAGCAGGTGCCCCAGCAACTCAAGGTTTCAAGTCTGAAAAATCAACTCTT
 CGCCTTTAGAAGAAATCGAATCAGGAAACGTTACAATTCACCCAGATCCAGAAGGAAAAACGTGAAGCA
 GTCCGTGCGCGTATCGAAGAAGAAAAACGCCGCAAGAAAGAAAGAAAGAAAAATCAAGAGCAAAT
 TGCTAAAGAAAAAGAAAGATGGTGAAAAAATTCTCGAGCACCACCACCACCACCACCACTGA

2 CFE55 "homologue of SEQ. ID NO. 51"

Fig. 76
 ATGTCAATTAACATCAAAACAACGTGCCCTTCTCAACAGCCAGGCACACACCCCTCAAACTATCATCCAAA
 TCGGGAATAATGGACTCAACGACCAAAATCAAAACCAGCGTCCGTCAAGCTCTTGATGCGCOTGAATTAA
 TCAAGGTACTCTCTTACAAAACACAGATGAAAACATCCACGAAGTAGCTGAAATTTTGAAGAAAGAAA
 TCGGTGTGGATACAGTCCAAAAAATAGGACGCATCTTGATTTTGTTTAAACAATCTAGCAAGAAAGAAAA
 TCGCAAGATTTCTAAGAAAGTCAAGAAATCCTCGAGCACCACCACCACCACCACCACTGA

2 CFE56 "homologue of SEQ. ID NO. 52"

Fig. 77
 ATGGCGATTGAAAATTATATACAGATTTTGCTGTGGAAGCAGTCTATGATCTGACAGTCCCAAGCCTGC
 AGCGCGAGGGAATCAAGGCTGTTTGTGTCGATTGGATAATACCCCTCATTGCTTGGAAACAACCCCTGATGG
 AAGGCCAGAGATGAAGCAATGGCTACATGACCTTCGGGACGCGGGTATTGGCATTATCGTAGTGTCAAAT
 AACACCAAAAAACCGCTTCAACGAGCAGTTGAGAAATTGGGATTGATTACGTTTACTGGGCCTTGAAGC
 COTTCACATTTGGTATTGACCGTGCTATGAAGGAATTCCACTATGACAAAAAGGAAGTGGTCATGGTTGG
 CGACCACTCATGACAGATATACGAGCAGCCACCGTGCAAGGATTCCGGTCAATTTTAGTCAAACCCCTTG
 GTCAAACATGACTCAATCAAAACGAGATTAACCGAACTCGTGAGCGTCTGTGTTATGAGAAAAATCACTG
 AAAAGTACGGACCGATTACATATAAAAAAGGAATTCTCGAGCACCACCACCACCACCACCACTGA

2 CFE57 "homologue of SEQ. ID NO. 53"

Fig. 78
 ATGTTTCGAAAAATTTTAATTGCCAATCGTGGTGAATTCGGGTTCTGATTATCCGTGCGGCACGTGAATT
 GGGGATTGCGACGGTAGCGGTTTATTCAACTGCTGATAAGGAAGCTCTTCATACGCTTTTGGCAGATGAA
 GCAGTTTGTATTGGTCTGGCAAGGCAACAGAGTCTTATCTCAATATTAATGCAGTTCTATCAGCTGCAOT
 CTTCAGTGAAGGAGAGCTATTACCCCTGOTTTTGATTCTCAGTGAATAATCCAAATTTGCGACCATGT

2CFE 57

GTGAACAAGTAGGTATCAAGTTTATCGGTCCATCTGGTCATGTTATGGATATGATGGGGGATAAGATCAA
 TGCGCCTGCTCAGATGATTAAAGCAGGTGTGCCTGTTATACAGGTTTACAGATGGAGAAGTGCATAACTCT
 GAAGAAAGCTTTGATTGTTGCTGAAAAAATTGGCTATCCTGTTATGCTCAAGGCTTCAGCAGGTGGAGGTG
 GTAAACGGATTTCOTAAGGTTGAAAAACCAGATGACCTCGTTTCTGCCTTTGAAACTGCCTCTAGTGAGGC
 CAAGGCCTAATTATGGCAATGGTGCCATGTACATAGAACGGGTTATCTATCCAGCTCGGCACATTGAGGTT
 CAATCTAGGTGATGAGCATGGACATGTGATTCACCTGGGTGAACGGGATTGTTCTCTTCAAAGGAAATA
 ACCAAAAGGTTTTTGAAAGAAAGTCCCTCGATTGCAATCGGAAAAACGCTGCGTCATGAAATAGGTGCTG
 CTGCTGTTGAGCGGCAGAGTTTGTGGCTATGAGAATGCAGGAACCATTTGAATTTCTTCTTGATGAAGC
 AAGTAAATAATTTCTATTTTCATGGAGATGAATACTCGTGTTCAGGTAGAACATCCAGTAACAGAGTTTGT
 TCAGGTGTTGATATCGTTAAGGAACAGATTTGCATTGCGGCAGGTGAGCCTTTGTCTGTTAAGCAAGAAQ
 ATATTGCTCTACGCGGTTCATGCCATCGAGTGTCGTATCAATGCAGAAAACCCAGCCTTTAACTTTGCTCCA
 AGTCCAGGTAAGATTACTAATCTCTATCTGCCAAGTGGTGGAGTTGGCTTGCCTGCGGTGGATTGAGCAGTTT
 ATCCAGGTTAACCATTCCGCTTATTATGATAGTATGATTGCCAAAATCATAGTACACGGCGAAAAATCO
 TTTGACGCTTGATGAAAATGCAACGTGCCCTCTATGAATTAGAGATTGAAGGAGTGACAGACCAATGCA
 GATTTCAGCTTGATCTCATTTCAGATCGCAATGTCATTGCTGGGATTATGATACTTCTCTTGATGGA
 AACCTTCTTACCTAAATATCAAGAAAAAGAACTCGAGCACCACCACCACCACCACTGA

Fig 78 (contd.)

2CFE58 "homologue of SEQ. ID NO. 54"

ATGATTACAAAGTTTTTATCAAGAAACAAAAGAACGTAGCCACGCCGTGAAACAACACGCACGCTTT
 ACCTAGACATCGATGCCAGCTCAGAACTTGAGGGCCGTATCACTGCTCGCCAACCTTGTCGAAGAAAAATCG
 CCAAGATACAATATCGAGTATATCGAACTCTTGCTGACAAATTCCTCGATTACGAAAAAGAACTGGC
 GCCTTCGAAATTACGGAGTTCTCGAGCACCACCACCACCACCACTGA

Fig 79

2CFE59 "homologue of SEQ. ID NO. 55"

ATGAAGATAGATATATTTAGCATTTGAGACATCTGTGATGAGACCAGTGTCGCCGTCTTGAAAAACG
 ACGATGAGCTCTTGTTCCAATGTCATTGCTAGTCAAATTGAGAGTCACAAACGTTTGGTGGCGTAGTGCC
 CGAAGTAGCCAGTCGTCAACATGTCGAGGTCAATTACAGCCTGTATCGAGGAGGCATTGGCAQAAGCAGG
 GATTACCGAAGAGGACGTGACAGCTGTTGCGGTTACCTACGGACCAAGCCTTGGTCGGAGCCTTGCTAGTT
 GGTGTTGTCAGCTGCCAAGGCCTTTGCTTGGGCTCACGGACTTCCACTGATTCTGTTAATCACATGGGTGG
 GCACCTCATGGCAGCTCAGAGTGTGGAGCCTTTGGAGTTTCCCTTGCTAGCCCTTTTAACTCAGTGGTGGG
 ACACAGAGTTGGTCTATGTTTCTGAGGCTGGCGATTACAAGATTGTTGGGGAGACACGAGACGATGCAGT
 TGGGGAGGCTTATGACAAGGTCCGTCGTGTCATGGGCTTGACCTATCCTGCAGGTGCTGAGATTGACGAG
 CTGCTCATCAGGGGACAGGATATTTATGATTCCCCCGTGCCATGATTAAAGGAAGATAATCTGGAGTTCT
 CTTCTCAGGTTTGAAATCTGCCCTTATCAATCTTCAATCAAAATGCCGAGCAAAAGGGGAAAGCCTGTC
 TACAGAAAGATTGTGTGCTTCTTCCAAGCAGCAGTTATGGACATTCTCATGGCAAAAACCAAGAGGCT
 TTGAGAAATATCCTGTTAAAAACCTAGTTGTGGCAGGTGGTGTGGCAGCCAATAAAGGTCTCAGAGAAC
 GCTAGCAACTGAAATCACAGATGTCAATGTTATCATTCCACCTCTGCGTCTGCGGAGACAATGCAGG
 TATGATTGCTTATGCCAGTGTGAGCGAGTGAACAAAGAAAACCTTTGCAAACTTGGACCTCAATGCCAAA
 CCAAGTCTTGCCCTTGATACCATGGAACTCGAGCACCACCACCACCACCACTGA

Fig 80

2CFE60 "homologue of SEQ. ID NO. 56"

ATCTGTGGAATTGTTGGTGTGTTGGAAACACAAATGCAACTGATATTTGATTCAAGGGCTTGAAAAGC
 TTGAATACCGTGGCTATGATTCTGCGGGAATTTTGTCTAGATGGTGCTGATAACCATTTGGTGAAGGCT
 GTTGGTCTGATCGCAGAAATTGCTGCCAAGACAGCTGGTGTGAGGGAACAACCTGGTATCGGACATACTC
 GTTGGGCAACTCATGGGAAACCAACGGAAGACAATGCTCACCCACACCGCTCTGAGACAGAACGTTTG
 TCTTGTTTCAAAATGGGOTGATTGAAAACTACCTTGAAATTAAGAAAGAAATACCTTGCTGGGCACCACTT
 CAAAGGGCAAAACAGATACGGAAATCGCGGTACATTTGATTGGAAAAATTTGCGGAAGAAAGACGGTCTCTC
 ACTTCTTGAAGCCTTTAAAAAAGCTCTTTCATATTATCCGTGGTTTCAATATGCCCTTTGCCCTTGATTGACTCTG
 AAAATCCAGATGTCATCTATGTAGCGAAAAACAAATCTCCACTTTTGATTGGTCTTGGGGAAAGGCTACAA
 TATGGTCTGCTCAGATGCTATGGCTATGATTGCTGAAACCAACCAATACATGGAATTCATGACCAAGAG
 TTGGTAATCGTCAAGGCTGATAGCGTGAAGTTCAAGACTATGATGGTAACAGTCTGTGAACGTGCTAGCT
 ATACTGCGGAACCTTGACTTGTCAGATATCGGTAAGGGAACCTTATCCTTACTACATGCTTAAGGAAATTGA
 TGAGCAACCAACTGTTATGCGTAAACTCATTCAAGCCTACACGGATGATGCTGGTCAAGTAGTGATTGAT
 CCTGCTATCATTAAGGCTGTTCAAGACGCAGACCGCATCTACATCCTTGACGCTGGAACATCTTACCATG
 CAGGATTGCTTCAAGAAAAATGTTGGAAGAAATTGACAGATACACCAGTTGAACTTGGCATCTCATCTGA
 GTGGGGTACGTTATGCCACTTCTCAGCAAGAAACCACTTTCATCTTTATCAGCCAATCTGGTGAACA

Fig 81

2 CFE 60 (cont'd)

GC GGATAGTCGTC AAGTTTGGTCAAGGCTAATGAAATGGGAATTCCAAGCTTAACAGTGACAAACGTTTC
CAGGTTCAACCCCTCTCACGTGAAGCCAACTATACCATGCTCCTTACCGCAGGTCTCGAAATTGCCGTGGC
ATCAACTAAAGCCTATACAGCGCAAATCGCAGCCCTTGCTTCTTGC AAAAGCAGTCCGAGAAGCAAAT
GGTAATGCTAAAGCGCAAGCCTTTGACCTGGTTCATGAATTGTCAATCGTAGCTCAGTCTATCGAATCAA
CTCTTTCAGAGAAAGAAACCAATTGAAGCCAAGGTTCTGTGAACCTCTTGAAACAACCTCGTAACGCCTTTTA
CATCGGACGTGGTCAAGATTACTACGTAGCCATGGAAGCAAGTCTCAAACTCAAAGAGATTTCTTATATC
CATGTGGAAGGTTTTCGGGCAGGAGAACTCAAGCAGGAACCAATTGCCTTGATTGAAGAAGGAACACCT
GTCTTGGCTCTCTTGTTCAGATCCAGTCCCTTGCCAACCACTCGTGGAATATCCAAGAGGTGGCAGCCC
GTGGTGCTAAGGTCTCTACTATCGCAGAAGAAAATGTTGCTAAAGATACCGACGATACTGTCCTTACGAC
TGTACACCTTACCTCTCACCAATTTCAATGGTCTGACCGACGCAATTGGTTGCTTACTTTGCAACCCTCC
ACCGTGGCTCGATGTGGATAAACCACGTAACCTTGCCAAGTCAGTAACGGTAGAAGTCTGAGCACCACC
ACCACCACCACTGA

2 CRE61 "homologue of SEQ. ID NO. 57"

ATGATACGTATCGAAAATCTCAGTGTCTCTACAAAGACACGTTGGCACTTAAGGATATTTCACTAGTGC
TCCATCGACCAACAATTACCGGCATCATTGGTCCAAACGGCGCTGGGAAATCAACACTATTAAAAGGTAT
GCTGGGAAATTATCCCATCAAGGTCAGGCATTTCTCGATGACAAGGAAGTTAAAAAATCCTTACACCGA
ATGCTTATGTGCAACAAAAAATCAATATCGACTACAACCTTCCCATCAAGGTCAAGGAATGCGTCTCGT
TAGGACTATTTCCCTCTATTCTCTCTTTGGAAGTTTAAAGGCTAAACATTGGAAGAAAGTGCAAGAGGC
GCTTGAAATCGTCCGCCTAGCTGACTACGCTGAACGTCAAATTAGTCAACTGTCTGGAGGTCAATTCCAG
CGGCTTTGATTGCCAGATGTTTGGTGCAGGAAGCCGACTATATCTCTTGGATGAACCCCTTTGCTGGGAT
TGACTGTCTCAGTGAGGAAATCATCATGAATACGCTGAGAGATTGAAAAAAGCTGGGAAGACGGTTCT
CATCGTTCCACCACGACCTCAGCAAGATTCCCCACTACTTCGATCAAGTCTTACTTGTCAATCGAGAAGTG
ATTGCTTTGOTCEAACAAAAAGAACTTTTACCGAAACCAATCTAAAAAGAAGCTTACGGTAATCAACTCT
TTTCAATGGAGGTGACCTACTCGAGCAACCACCACCACCACCACTGA

2 CFE62 "homologue of SEQ. ID NO. 58"

ATGCCGAAAGAAGTGAATTTAACAGGCCGAAGAAGTTGTGCGCTTAACCAAGAATATTTAACGGAAAGAG
GATGTTTCAATTTGTCCATAAGGCCTTGGTCTATGCTGTTGAATGCCACAGTGGTCAATATCGCAAAATCAGG
CGAGCCTTATATCATTCACCTATCCAAGTGGCAGGTATTTAGCTAAGCTAAAGCTGGATGCTGTAACA
GTAGCTTGTGGATTCTTGCAATGATGTGGTGAAGATACAGATGCGACTTTGGACGATTGGAAGAGAGT
TTGGTCTGATGTGCGGATGATTGTTGACGGAGTTACCAAGCTTGGCAAGGTCGAGTACAAATCGATCGA
GGAGCAATTAGCGGAAAAATCATCGCAAGATGCTCATGGCCATGTCTGAGGACATCCGCGTTATTTTGGTC
AAACTGTCTGACCGCTTGACAATATGCGGACCCTGAAACATCTTCGAAAAACAAGCAGGAGCGTATTT
CCAAAGAAACCATGGAATCTATGCCCGGCTTGCCCATCGTTTGGGGATTTCAGTGTCAATGGGAATT
AGAAGACTTGTCTTTCCGTTATCTCAATCCAACGGAGTTTACAAGATTACCCATATGATGAAGGAAAAAG
CGCAGGGAGCGTGAGGCCTTGGTGGATGAGGTAGTCACAAATTAGAGGAGTATACGACAGAACGTCAC
TTGAAAGGGAAAGATTTATGGTCTGCCAAGCATATTTACTCAATTTCCGCAAAATGCAGGACAAAGAGAA
AACCGTTGAGGAAATCTATGATCTGATTGCTATTCTGTTGATTTTAGATACCCAAAGTGATGTTTATGCC
ATGCTTGGTTACGTGCATGAATTTTGA AAACCGATGCCAGGTGCTTCAAAGACTATATCGCCAACCGCA
AGGCCAATGGTTATCAGTCTATCCATACGACTGTTTATGGACCAAAAGGCCGATTGAATTCAGATTCCG
AACCAAGGAAATGCACGAGGTGGCTOAGTACGGGTTGCGGCTCACTGGGCTTATAAGAAAGGTAATAA
GGGCAAGTTAACAGCAAGGAATCAGCTATTGGAATGAACTGGATCAAGGAGATGATGGAGCTCCAAGA
CCAGGCTGATGATGCTAAGGAATTTGTGGACTCTGTTAAGGAAAATCTTTGGCTGAGGAGATTTACGTT
TTTACCCAGATGGAGGTGTCCGTTCCCTTCCCAAAGATTACAGGACCGATTGATTTTGCTACGAAATCCA
TACCAAGGTCCGTTGAAAAAGCAACTGGTGCCAAGGTCAATGGCCGCATGTTTCCACTGACAACCAAGTT
AAAGACAGGGGATCAGGTTGAAATTTATCGCCAACCCGAACCTCTTTGGACCTAGCCGTGACTGGCTCAAT
ATGCTCAAGACTAGCAAGGCGCGCAATAAGATTGCGCAGTTCTTTAAAAACCAAGATAAGGAATTGTCT
GTCAACAGGGGTCGTGAGATGCTGATGGCTCAGTTCCAAGAAAAATGGCTATGTGGCAATAAATTTATGG
ACAAGCCCAAGTGAATCAAGTTCTGCAAAAGACCAAGTTACAAGACAGAAGACTCCCTCTTTGCGGCCAT
TGGTTTTGGGAAATCGGTGCGATTACCGTCTTTAACCGTCTGACTGAAAAAGGAGCGCCGTGAGGAAGAG
CGTGCCAAGGCCAAGGCTGAGGCAGAGGAGCTTGTCAAAGGTGGCGAGGTCAAGGTTGAAAAATAAAG
AACTCTCAAGCTCAAGCATGAGGGGGGAGTGGTTATTGAAGGTGCTTCTGGTCTCCTAGTGGGATTGGT
AAGTGTGTAAACCCCGTGCCTGGTGACGATATTGTTGGCTACATTACCAAGGGTCTGGTGTGGCTATTC
ACCGTGTGACTGTATGAACCTGCGTGCCCAAGAAAACTACGAGCAACGCTCTCTTGTATGTGGAATGGGA
AGACCAGTACTCTAGCTCAAATAAGGAGTATATGGCCCATATCGATATCTACGGTCTCAACCGTACAGGA

2 CFE62 (Contd.)

(Contd.)
Fig 83
CTGTTGAACGATGTACTGCAAGTTCTTTCAAATACAACCAAGAATATTTCAACGGTCAATGCCCAACCAA
CCAACGATATGAAGTTTGCTAATATCCATGTGTCTTCGGTATTGCCAACCTCTCTACACTGACCACGGTT
GTGATAAAATTAAGAGTGTGCCAGAAGTTTACTCTGTCAAACGGACCAACGGCCTCGAGCACCACCACC
ACCACCACTGA

2 CFE64 "homologue of SEQ. ID NO. 60"

Fig 84
ATGACAGAAGAAATCAAAAATCTGCAGGCACAGGATTATGATGCCAGTCAAATTTCAAGTTTTAGAGGGC
TTAGAGGCTGTTCGTATGCGTCCAGGGATGTACATGGATCAACCTCAAAAGAAGGTCTTACCATCTAG
TCTGGGAAAATGTTGATAACTCAATTGACGAGGCCTTGGCAGGATTTGCCAGCCATATTCAAGTTTTATT
GAGCCAGATGATTCGATTACTGTTGTGGATGATGGGCGTGGTATCCAGTCGATATTCAGGAAAAAACAG
GTCGTCTGCTGTTGAGACCGTCTTTACAGTCTTACGCTGGAGGAAAGTTCCGGCGGTGGTGATACAA
GGTTTCAGGTGCTCTTACGGGGTGGGGTCTGTCAGTTGTTAATGCCCTTTCCACTCAATTAGACGTTTCATG
TCCATAAAAACGGTAAGATTTCATTACCAAGAATACCGTCTGTGGTCATGTTGTGCGCAGATCTTGAAATAGT
TGGAGATACGGATAAAAACAGGAACAACCTGTTCACTTACACCCGGACCCAAAAATCTTCACTGAAACAAC
AATCTTGTGATTTGATAAATTAAATAAACGGATTCAAGAGTTGGCCTTTCTAAATCGCGGTCTTCAAATTT
CTATCACTGATAAGGCCAAAGGTTTGGAAACAAACCAAGCATTATCATTATGAAGGTGGGATTGCTAGTTA
CGTTGAATATATCAACGAGAACAAGGATGTAATCTTTGATACACCAATCTATACAGACGGTGAGATGGAT
GATATCACAGTTGAGGTAGCCATGCAATACACAACGGGTACCATGAAAATGTCATGAGTTTCGCCAATA
ATATTATACACATGAAGGTGGAACGCATGAACAAGGTTCCGTAACAGCCTTGACACGTGTTATCAACGA
TTATGTCGTGAAGAATAAGTTACTGAAAGACAATGAAGACAATCTAACAGGGGAAGATGTTCCGGAAGG
CTTAAGTGCAGTTATCTCAGTTAAACACCCAAATCCACAGTTTGAAGGACAAACGAAGACCAAAATTGGGA
AATAGCGAAGTGGTCAAGATTACCAATCGCCTCTCAGTGAAGCCTTCTCCGATTTCTCATGGAAAATC
CACAGATTGCCAAACGTATCGTAGAAAAAGGAATTTTGGCTGCCAAGGCTCGTGTGGTGGTCCAAAGCGTGC
GGGTGAAGTCACACGTAAAAAATCTGGTTTGGAAATTTCCAACCTTCCAGGGAAACTAGCAGACTGTTCT
TCTAATAACCCCTGCTGAAACAGAACTCTTCATCGTGAAGGAGACTCAGCTGGTGGATCAGCCAAATCTG
GTGCTAACCGTGAGTTTCAGGCTATCTTCCAATTCGCGGTAAAGATTTTGAACGTTGAAAAAGCAAGTAT
GGATAAGATTCTAGCTAACGAAGAAATTCGTAGTCTTTTACAGCCATGGGAACAGGATTTGGGCGCAGAA
TTTGATTTTTCGAAAGCCGTTACCAAAAACTCGTTTGTATGACCGATGCCGATGTGATGGAGCCACACA
TTGCTACCCCTTCTTTAACCTTGATTTATCGTTATATGAACCAATCTTAGAAGCTGGCTATGTTATATTG
CCCAACCAACCAATCTATGGTGTCAAGGTTGGAAGCGAGATTAAAGAATATATCCAAGCCGGGTGCAGATC
AAGAAATCAAACCTCAAAGAAGCTTTAGCCCGTTATAGTGAAGGTGCTACCAACCGACTATTACGCGTTA
TAAGGGGCTAGGTGAAATGGACGATCATCAGCTGTGGGAAACAACCATGGATCCCGAACATCGCTTGAT
CGCTAGAGTTTCTGTAGATGATGCTGCAGAAAGCAGATAAAATCTTTGATATGTTGATGGGGGATCGAGTA
GACCTTCTGCTGAGTTTATCGAAGAAAAATGCTGTCTATAGTACACTTGATGTCTCTGAGCACCACCACC
ACCACCACTGA

2 CFE65 "homologue of SEQ ID NO. 61"

Fig 85
ATGGGATTTACTGAAGAAACAGTACGTTTAAATTTGGACGATTCCAATAAAAAAGAAATTAGCGAAACTT
TGACAGATGTTTATGCTTCGTTGAACGATAAGGGTTACAACCCAATTAACCAATCGTAGGTTACGTATT
GAGTGGAGACCCTGCCTACGTTCTCGTTATAATAATGCACGAAATCAAATCCGTAAGTATGAGCGTGAT
GAAATCGTTGAGGAATTGGTTGCTACTATCTCAAAGGACAAAGGAGTGGATCTACTCGAGCACCACCACC
ACCACCACTGA

2 CFE66 "homologue of SEQ. ID NO. 62"

Fig 86
ATGGTCAACTATCCACATAAAGTTTCATCACAAAAAGACAAACATCTCTTTCTCAACCCAAAAATTTCTG
CAAAATCGAGGAATGTCTTTTGAAGAAGATGATCAATGCTACCAACGACTACTATTGTCTCAGGGCTTGGC
TGTTATACATAAAGAAACCAACTCCTATTCAAATCGTACAAGTGGACTATCCACAACGAAGTCGTGCCAAG
ATTGTTGAAGCCTATTTCGACAAGCTTCAACGACGAGTATCTGGCGTTTATAATGATATTACATCOA
CTTTGAAGTCAAGGAAACAAAAACAAAGCGTGGGATTCCGATGAAAAATTTTCATCCACATCAGATTACG
CATATGGAACAAGTCTTGGCCAAACAAAGGAATCTGCTTTGTCTTCTTCACTTTTCTCAGCAAGAAAC
CTACTTATTGCCGGCATTGATTTGATTGCTTCTATCATCAAGATAAGGGACAAAAATCAATGCCACTTO
AATATATTCGAAATATGGATATGAAATCAAGGCTGGTGCTTCCCTCAAATTCCTTATCTCAATGTTATC
AAAGAACATTTATTAGGTGGTAAAAACAAGACTCGAGCACCACCACCACCACCACCTGA

2 CFE67 "homologue of SEQ. ID NO. 63"

2 CFE 67 homologue of SEQ. ID NO. 63

ATGGCTCTATTTAGTAAAAAAGATAAGTATATTCCAATCAATCCCAATCGTTCGGTTAGGGAAAAACCTC
 AAGCTAAGCCAGAGGTTCCAGATGAATTATTTCCAGTGTCAGGCTGTAAGCATACCATCTATCAGAA
 GGATCTGGGAAGTGAACGTATCTGTCCGCACGTAGCTATACCTTTCTGATTCTGCCCCAAGAAGCGTTGG
 CTTCAGGATTGATATGGGAACCTTCAAAGAATTGTTTACAGGGATTGAAAGCAAGGATCCCTTGCATTT
 CCTGGTTACCAAAAAGAACTGGCATCTATGCGTGAAAAAACAGGTCTGCATGAAGCCGTGTGACAGG
 AACTGCTCTTATTAAAGGTCAGACTGTGGCTCTTGGGATTATGGATTCTAATTTTATCATGGCTTCTATGG
 GTACGGTTGTAGGTGAAAAAATCACTCGTTTGTGTTGAGTATGCGACTGTGAAAAAATTGCCAGTTGTCTT
 ATTCACAGCCTCTGTGGAGCCCGTATGCAGGAAGGAATCATGAGTCTCATGCAGATGGCTAAGATCTCT
 GCAGCGTTTAAACGCCATTCAAATGCTGGTCTCTTTTACCTGACCATTTTGACAGATCCAACGACTGGTG
 GTGTGACAGCTTCTTTCGCTATGGAAGGCGATATCATTCTGGCTGAACCACAGAGCTTGGTTGGTTTTGCT
 GGCGCTCGTGTGATTGAAAAATACGGTTCGTGAAAGCTTGCCTGAGGATTTCCAAAAGGCAGAAATTCCTAT
 TAGAACATGGCTTTGTGGATGCTATTGTCAAAAAGAGAGACTTACCAGATACGATTGCTAGCCTAGTCAG
 ATTGCATGGAGGGAGTCTAGACTCGAGCACCACCACCACCACCCTGA

2 CFE68 "homologue of SEQ. ID NO. 64"

ATGACAATTATGGGATTGGACGTCGGTTCAAAAACGGTAGGGGTGGCGATTAGCGATCCGCTTGGTTTTA
 CAGCTCAAGGGCTTGAAATCATCCAGATAAATGAAGAACAAGGCCAATTGGTTTTGACCGCGTTAAGG
 AATTGGTGTACTTACAAGGTGGAACGATTGTAGTGGGCTTGCTTAAAAACATGAACAATACAAGTGG
 ACGCGCGTAGAAGCTAGTCAAGCCTACGGAGCAAAGCTAGAAGAGTTTTTGGTTTACCAGTAGACTAT
 CAGGATGAACGCTTGACAACAGTGGCTGCTGAGCGCATGTTGATTGAACAAGCAGATATCAGTCGCAAT
 AAGCGCAAGAAAGTCATTGATAAGTTAGCAGCTCAGCTGATTTTACAAAATTATTTAGATAGAAAATTC
 TCGAGCACCAACCACCACCACCCTGA

2 CFE69 "homologue of SEQ. ID NO. 65"

ATGACAAAACCTTACTGTAAAGACGTTGACTTGAAAGGTAAGTAAAGTCCCTCCTTCGTGTTGACTTCAACG
 TAGCATTTGAAAGATGGCGTAATCACTAACGATAACCGTATCACAGCAGCTCTTCCAACATTAAGTACAT
 CATCGAACAAAGGTGGACGTGCAATCTTTCTCTCACCTTGGACGTGTGAAAGAAGAAATCTGATAAAGCT
 GGTAAATCACTTGCTCTGTAGCAGCTGACTTGGCAGCAAAAACCTTGGTCAAGATGTTGTTTTCCAGGTGT
 CACTCGTGGTGCTGAATTGGAAGCGGCAATCAACGCTCTTGAAGATGGACAAGTTCTCTTGGTTGAAAAC
 ACTCGTTACGAAGATGTTGACGGCAAGAAAGAAATCTAAAAACGATCCTGAACTTGGTAAATACTGGGCA
 TCCTTGGAGATGGTATCTTCGTAAACGATGCATTCCGTACAGCTCACCGTGCACACGCATCTAACCTTG
 GTATCTCAGCAACCGTTGAAAAAGCAGTTGCTGGTTTCTTCTTGA AAAACGAAATTGCCTACATCCAAGA
 AGCAGTTGAAACTCCAGAACGTCATTCTGTGGCTATCCTTGGTGGTTCAAAAAGTTTCAGACAAGATCGGT
 GTTATCGAAAACTTGCTTGA AAAAGCTGATAAAGTCTTATCGGTGGTGGGATGACTTACACATTCTACA
 AAGCACAAGGTATCGAAATCGGTAACCTCACTTGTAGAAGAAGACAAATTGGATGTTGCGAAAGCTCTTCT
 TGA AAAAGCAAATGGTAAATTGATCTTCCAGTTGACTCAAAAAGAAGCTAACGCATTGCTGGTTACACT
 GAAGTGCGTGACACTGAAGGTGAAGCAGTTTCTGAAGGCTTCTTGGTCTTGACATCGGTCCAAAATCTA
 TCGCCAAATTTGACGAAGCTTTGACTGGTGCCAAAACAGTTGTATGGAACGGACCTATGGGTGTATTGGA
 AAACCCAGATTTCGAAGCTGGTACAATCGGTGTGATGGACGCTATCGTGAAACAACAGGAGTTAAATC
 AATCATCGGTGGTGGTGACTCAGCTGCCGAGCGATTAACTTGGCCGTGCAGACAAGTTCTCATGGATT
 AGTACGGGTGGTGAGCATCAATGGAACCTTCTTGAAGGTAAGGTTCTTCCAGGACTTGCAGCCTTGACAG
 AAAA ACTCGAGCACCAACCACCACCACCCTGA

2 CFE70 "homologue of SEQ. ID NO. 66"

ATGTTAAATCAGAAAAACAATCAGTTATCAAATGTTAAATGAAGAATTGTCCTTCCTATTGGAAGGCG
 AAACCAATGTTTTGGCTAATCTTTCCAACGCCAGTGCTCTCATAAAAATCAGTTTTCTTAATACCGTATTT
 GCAGGCTTTTATTTGTTGATGGAAAGGAATTGGTTTTAGGCCCTTCCAAGGAGGTGTTTCTGTCATCCG
 TATTGCACTAGGCAAGGGTGTGTTGGTGAGGCAGCTCACCTTCAGGAAACTGTTATTGTTGGAGATGTG
 ACGA CTTATCTCAACTATATTTCTTGTGATAGTCTAGCTAAAAGTGAAATTGTGGTGCCGATGATGAAGA
 ATGGTCAGTTACTTGGAGTTCTGGATCTGGATTCTTCAGAGATTGAGGATTACGATGCTATGGATCGAGA
 TTATTGGAACAATTTGTCGCTATTTTGCTTGA AAAAGACAACATGGGACTTTACGATGTTTGAGGAAAAA
 TCTCTCGAGCACCAACCACCACCACCCTGA

2 CFE71 "homologue of SEQ. ID NO. 67"

ATGAGAATCGAACTATTGACTCCCTTTACCAAGGTAGAGTTGGAGCCAGAAATCAAGGAGAAAAAACCG
 AAACAATTTGGGATTTTAGGGGGGAATTTAACCCTGTTCACAATGCCCATCTCATTTGTTGCGGATCAAG

2 CFE 71 (Contd.)

Fig 91 (Contd.)
 TACGGCAACAGTTGGGACTGGATCAAGTTCTTCTCATGCCTGAATACCAACCTCCTCACGTTGATAAAAA
 GGAACCATCCCTGAACACCATCGTCTCAAGATGCTTGAGTTGGCAATTGAGGGGATTGACGGCCTAGTC
 ATTGAACCATTTAGTTGGAGCGCAAGGGTATTTCTACACCTACGATACCATGAAGATTTTGACAGAGA
 AGAATCCAGATACGGATTATTACTTTATCATCGGTGCCGACATGGTTGACTATCTGCCTAAGTGGTACCG
 AATTGATGAACCTGGTTGACATGGTTCAGTTTGTGGGGGTTTCAGCGTCCACGCTACAAGGTAGGGACTTCC
 TATCCAGTTATCTGGGTGGACGTACCGCTCATGGATATCTCGTCCAGCATGGTGGGGGACTTCTTGCCCA
 AGGTCCGAAACCCAACCTTCTCTACCTCAGCCAGTGCTAGACTACATCGAGAAGGAGGGGCTCTACCTC
 GAGCACCAACCACCACCACCTGA

2 CFE72 "homologue of SEQ. ID NO. 68"

Fig 92
 ATGAATATTGCAAAAATAGTCAAGAGAAGCGCGTGAACAGAGTCGCTTGACAACCTTGGACTTTGCCACA
 CGCATTTTGGATGAATTTATCCAATTACATGGTGACCGTTCTTTTCGTGATGATGGTGCAATTGTTGGTGG
 TATTGGTTGGCTTGGAGACCAAGCTGTAACAGTGGTTGGTATCCAAAAAGGCAAGAGTTTGCAAGACAA
 COTCAAACGGAATTTTGGCCAACCACATCCAGAAGGCTACCGAAAGGCACTGCGGTTGATGAAAACAGGC
 TGAGAAATTGGCCGCTCCAGTTGTGACCTTTATCAATACAGCAGGTGCTTATCCTGGTGTGCGGAGCGGAA
 QAACGTGGTCAAGGGGAAGCTATCGCTCGCAATCTCATGGAAATGAGTGACCTGAAAGTTCCTATTATCG
 CCATTATTATCGGTGAAGGTGGTTCAGCGGGGCTCTGGCTCTAGCTGTGCGGGACCGTGTCTGGATGCT
 CGAAAAATCTATCTATGCCATTCTCAGTCCAGAAGGCTTTGCTTCCATTTTATGGAAGGACGGTACTCGCG
 CCATGGAAGCAGCAGAACTGATGAAAATCACTTCGCATGAACTGTTAGAAATGGACGTGGTGGATAAGG
 TGATTTCTGAAGTAGGACTTTCTAGTAAAGAACTAATTAAGAGTGTCAAAAAAGAACTCCAAACGGAGCT
 GGCTAGACTTTCAAAAAACCGCTAGAAGAGTTGCTGGAAGAAGCTATCAACGATTTAGAAAATACCT
 CGAGCACCAACCACCACCACCTGA

2 CFE75 "homologue of SEQ. ID NO. 73"

Fig 93
 ATGTCAGATAAGATTGGCTTATTCACAGGCTCATTGTATCCGATGACAAATGGGCATCTGGATATCATTG
 AACGGGCGAGCAGACTTTTGTATAAGCTTTATGTGGGTATTTTTTTTAAATCCCAACAAACAGGATTCTT
 CCTATCGAAAAATCGTAAACGGGGGCTAGAAAAAGGCTTTGGGACATCTGGAAAAATGTTGAAGTCGTGGCT
 TCTCATGATGAATTGGTGGTTCGATGTTGCAAAAAAGATTGGGTGCTACTTGTCTAGTGGCGTGGTTGAGGA
 ATGCGTCCGATTGCAATATGAAGCCAOTTTTGATTACTACAATCATCAGCTGTCTTCTGATATAAGAGACT
 ATTATTTACATAGTCGACCTGAACATCTCTATATCAGTTTCATCAGGCGTTAGAGAGCTTTTGAAGTTTGG
 TCAGGATATTGCTGCTATGTTCCCGAGAGTATTTGGAGGAAAGCGGCGCACTCGAGCACCAACCACCAC
 CACCACCTGA

2 CFE76 "homologue of SEQ. ID NO. 72"

Fig 96
 ATGACGATTTTGTGTTGTTTATCAGTGCTTCTCTGTATATGGTTTCTCTTAGCATGAAACCTATCAA
 ACAGCTAAAAAGTGAAGGAGAAAAATTAGCTCAGCAGTATGCAAGATTAGAGCAGGCTGATCAGGTTGAT
 TTATCAATGGCTTGGAACTTTATTACAGCGTCTTGGTCTGTAATAACAGCAAGAAAGCGCTTGTCTGCTCT
 GATTGGTAAAGATGACCATAAGATTTACGTTTATCAGCTAAATCAGGGTATTTCAAGAATAAGCAGA
 AACGGTTCTAAGGAAAGGGAGCTGGCGAGATTGACAAGATAACCTTTGGTGGTTATCAAGACAAGCC
 AATCTGGGTAGTTAAGTCAGGATCTGATTTTATCTAGTATTTTGAACAGGAGCATTTGGTCAACAAG
 GAGGGCTACTCGAGCACCAACCACCACCACCTGA

2 CFE78 "homologue of SEQ. ID NO. 74"

Fig 97
 ATGTTTACAATCGATAAAGAAAAATTCAGTTTGTAAAACGTGACGATTTTGCCTCTGAAACTATTGATG
 CGCCAGCATATTCTTACTGGAAATCAGTGTTTAAACAATTTATGAAGAAAAATCAACTGTAGTCATGTT
 GGAATCTTGGTAGCCATCATTTTGATAAGTTTCATCTACCCAATGTTTTTAAAGTTTGATTTCAATGATG
 TCAGCAAGGTAAACGACTTTAGTGTTCGTTATATCAAGCCAAATGCGGAGCATTGGTTCCGTACTGACAG
 TAACGGTAAATCGCTCTTTGACGGTGTCTGGTTCGGAACCTCGTAACCTCCATCCTCATTCTGTGATTGCCA
 CAGTGATTAACCTGGTTATCGGTGTTTTTGTGCGGTGTTTGGGGTATTTCAAAATCAGTTOACCGTGTG
 ATGATGGAAGTTTACAACGTCACTCAAAACATCCCACTCTTTGATTGTTATTGTCTTGACTTACTCAAT
 CGGAGCTGGATTCTGGAATCTGATTTTTGCCATGAGCGTAACAACATGGATTGGTATTGCCTTCATGATCC
 GTGTGCAATCTTGGCTATCGTGACTTGGAAATACAACCTTGGCGTCAAGTACTTTGGGAACACCAACCTT
 GAAGATTGTTGCCAAAAATATCATGCCTCAATGGTATCTGTTATTGTGACAACCATGACTCAAAATGCTTC
 CAAGCTTTATCTCATACGAAGCCTTCTGTCTTCTTCCGGTCTTGGATTACCGATTACAGTGCCAAGTTG
 GGTCTGTTGATTTGGGATTATTCACAAAAACGTAACAACCAATGCTTACTGTTCTGGATTCCATTGACAAC

2 CFE 78 (Contd)

CC TGTCTTGGTATCCTTGTCCCTTTTCGTAGTTGGTCAAAACTTAGCGGATGCTAGTGATCCACGTACAC
ATAGACTCGAGCACCACCACCACCACCCTGA

2 CFE 79 "homologue of SEQ. ID NO. 75"

ATGTATAACCTATTATTAACCATTTTATTAGTATTATCTGTTGTGATTGTGATTGCAATTTTCATGCAACCA
ACCAAAAACCAATCCAGCAATGTATTTGATGCCAGTTTCAGGTGATTTGTTTGAACGCAGTAAAGCTCGCG
CTTTTGAAGCTGTAATGCAGCGTTTGACAGGGATTTAGTCTTTTCTGGCTAGCCATTGCCTTAGCATTG
ACCGTATTATCAAGTAGACTCGAGCACCACCACCACCACCCTGA

2 CFE 80 "homologue of SEQ. ID NO. 76"

ATGTTTCTAGAGAAATAAATTATTTTTTGGACCACAGAAATTTTACTCTTAACCATCATCTTTTACCTATGG
AGACAGATGGGATCTTTGATTAAACCCCTTTTGTAGCGTGCTTAATACAATTATGATTCCATTTTATTAGG
GGGCTTCTTTATTATTGACAAACCCCTATTGTTACTTTCTTAAATAAAGTCTGTAAACTCAATCGTTTGCT
TGGTATTTAATTACCTTGTGTACTTTGGTCTGGGGAATGGTCATAGGTGTTGTCTATCTCTTACCTATTTT
GATTAAATCAGTTATCTAGTTTGATTATATCTAGTCAAACCTATTTATAGTCGAGTACAAGACTTAATCATAG
ACTTATCTAATATCTCTGCGCTCCAGAAATTTGGATGTAGAAGCTACAATTCAGCAGTTAAACTTATCTCTAT
GTTGATTTCTTCAAAATATCTTAAATAGCGTATCAAAATAGTGTGGGAGCGCTCTTGTCTAGCTCTTATCAG
TACTGTTTGAATTTGATTATGACTCCAGTTTCTTTGGTTTATTTCTTATTAGATGGACATAAAATCTTGCC
ATGCTTCAAAAGAACGATTCTAAAGAGGGATCGCTTGCATATTGCAGGCTTATTAAAGATAAATTTAAATGCGA
CGATTGCTCGGTATATTAGTGGAGTTTCCGATTGACGCAATCATTATAGGTGTTTGGGCTTATTGGCTAT
AGTATTATTGGTTTAAATAATGCTTTAGTTTGTCCATTTTCTGGTGTAGCCAATTTAATTCCTTATGTG
GGGCAAGTATTGGTTTGATTCTATGATCATCGCAATATATTCACTGATCCCCATAGACTGCTGATTGC
AGTATTTATATGCTTGTGTTTTCAGCAGGTAGATGGCAATATCTTATCTCTCGAATTGTAGGAAGTGTTA
TGAAGGTTTATGCAATCAGATTTTAGTTTAACTTTTGTGTGCAAGCAATATCTATGGTGTAGTTGGAATG
ATTGTCCAGTGCCAAACCAATTTCTATCTTGAAGAATAATTTCTAAGTTCTTATCCCCTTTGTATGAAAATCA
TAAATAATGAAGAAGAGAGAAAGAGAATTAGCTAAGCTCGAGCACCACCACCACCACCCTGA

2 CFE 81 "homologue of SEQ. ID NO. 77"

ATGTATCAAGCACTTTATCGAAAATATAGAAGTCAAAACTTCTCCAGTTAGTTGGTCAAGAAGTTGTGG
CTAAGACTCTTAAACAAGCGGTGGAGCAAGAGAAAATAAGTCACGCTTATCTTTTCTGGTCTCTCGTGG
AAGGGGAAAAACCAAGTGTGCTAAATCTTTGCCAAGGCTATGAACGTGTCCTCAATCAAGTGGGTGGCGA
ACCTTGAATAACTGCTATATTTGTCAAGCAGTGACGGACGGTAGTTTGAAGATGTCATTGAAATGGAAT
GCAGCTTCTAATAATGGGGTAGATGAAATTCGCGAAATTCGTGATAAATCTACCTATGCGCCTAGCCTTG
CTGTTATAAGGTTTATATCATAGATGAGGTTTACATGCTGTCTACAGGGGCTTTAATGCCCTCTTAAAG
ACCTGGAAGAACCAACACAGAATGTAGTCTTTATTTGGCCACTACTGAATTGCAACAAGATTCTCTGCTA
CTATTCTTCCCGTGTGCAACGTTTGTAGTTTAAATCAATTAAGACACAGGATATTAAGGAACATATTCAC
TATATCTTAGAAAAAGAAAAATATCAGTTCTGAACCAAGGCTGTGGAAATCATTTGCCAGACGGGCGGAA
GGTGGAAATGGCGGACGCTTGTCTATTTTGGATCAAGCCCTGAGTTTGACACAGGGAAATGAGGTGACQA
CTGCTATCTCTGAAGAAATTAAGTGGCACCATTAGCCTACCAGCCTTGGATGATTATGTGGCGGCTTGTCT
CAACAGGATGTTCCCAAAGCTTTGTCTTGTGTAATCTTCTTTTGAATGGTAAGAGCATGACTCGTTT
TGTGACCGATCTTTTGCATATTTAAGAGACTTGTAAATGTTTCAACAGGGGGAGAAAAATACTCATCAT
AGTTTCACTCTTTGTAGAAAATTTGGCACTTCTCTCAAAAAAATCTGTTTGAATGATTTCGCTTAGCAACAGT
GACTTTAGCAGATATTAAGTCTAGTTTGCAGCCCAAGATTATGCTGAAATGATGACCGTCCGTTTGGCG
GAAATCAAGTCCGAACCAAGCTCTATCAGGAGCGGTTGAAAATGAAATGCTACGCTGAGACAGGAAGTT
GCGCGTCTCAAAACAAGAGCTTTCTAATGTAGGTGCGGTTCTTAAACAAGTTGCAACCAAGTCTAGTCGAC
CAGCTACGGGCAAAACAGTCTATCGTGTGATCGCAATAAAGTGCAATCTATCTTACAAGAGGCCGTCQA
AAATCCTGATTTAGCAGCTCAAAATTTAATTCGTTTGCAGAATGCCTGGGGAGAGGTAATTGAAAGTCTA
GGTGGGCGGCAAGCTCTGCCTCGAGCACCACCACCACCACCCTGA

2 CFE 82 "homologue of SEQ. ID NO. 78"

ATGTTTCTGATTACCAATAAGTTAGCGGTATCGAACTTGATTAAAAACCGCAAACTGTACTATCCTTTTGC
GCTGGCTGTTCTCTTGGCAGTCACTGTACCTATCTCTTTTACTCTCTAACCTTCAATCTAAGATTGCGGA
AATCGGTGGAGGAACAACCATTCAGGCTACACTTGGATTGTTGTTGTCGTCACCCCTTGGCTCAGCC
ATTATCGTCTCTATGCCAATAGTTTTGTATGAAGAACCGTTCCAAGGAAGTGAATTTATGGCATGTT
GGCCTTGAGAAAGCGTCTATCTTATCAGTATGACCTTTAAGGAGTTAGTGGTATTTGGGATTCTAAGTGTG
GAGCGGCTATCGTATTGGAGCCTTGTGTTGACAAGTTAATTTTTCGCTTCTGCTCAAACTAATGAAATTG

2 CFE 82 (cont'd)

AAGGTTGAGCTGGTTGCTACCTTCCAGACGAAAGTTGTCATTACAGTGCTTGTGCTTCGGTTTGATTTT
 CCTAGGCCTCATGTTCCCTGAATGCCCTTCGAATCGCCCGTATGAATGCCCTCCAGCTCTCTCGTGAGAAAC
 CTAGTGGAGAGAAAAAGGTGCGTTCCTTCCCTCTCCAAACCATTCTTGGTTCCATAAGTTTAGGAATTGG
 CTATTACTTGGCCCTTACGGTAAGATCCTCTTACAGCCTTAACAACCTTCTCATAGCTGTTTACTGG
 TATCTTGGGACTTATCTCTTGTAAATGCAGGGATTACCGTTTTCTCCAAATCTTAAAGAAAAATAAGA
 AATACTATTAGCAACCAATAACCTCATATCTGTTTCTAACTTGATTTTCCGTATGAAGAAAAATOCAGTI
 GGACTAGCCACCATCGCTATCTTGTCAACAATGGTTTTGGTAACCATGTCAGCAGCGACAAGCATTTTCA
 ATTCCTGAGAAAGCTTTAAAAAAGTTCTAAATCCTCATGATTTTGGGGTTTCAGGGCAAAATGTTGAAAA
 AGAAGACTTGGACAAACTCTTGAGCCAGTTTGCAAGTGACAAAGGTTATAAGATTAAAGAAAAAGAAGT
 ATTCTGTACACTTACTTTGCTGTTGCGAATCAAGAAGGAACCAAGTTAACTATTTTTGAAAAAGGACAA
 AACCGTGTCCAAACCAAAAAACAGTTTTCATGGTATTGACCAAAAAAGATTATGAAAAATGACTGGTCAAA
 AACTGTCTCTATCAGGAAATGAGGTGCGACTCTTTGCAAGAATGAGGGAGTTAAAGAACAGAAAGCTC
 TAACTCTAAATGATCATCAATTTTCTGTAAAGAAGAATTTACTAAAGATTTTTGTCAACCATGTTCCA
 AATCAGTTAATATTTTGACTGCTGATTACAATTACCTTGTGTACCTGATTTACAAGCCTTTTTGGATCAA
 TTCCCATTCGGCTATCTATAATCAGTTTACGGTGGTATGAATGTAAATGCCAGTGAAGCAGAACCAAC
 TCAAGGTCGCTGAGGAGTATGAAAAATACTTACAAAAGTTTAAATGCTCAATTAACACTGAAGGTAAC
 TGTGTATGGTAGCACTCTAGCAGATGCTAGTGCTCAGATGAGTGCCCTCTTTGGTGGTGTCTTCTTTATCG
 GTATTTCTTATCCATTATCTTTATGGTCGGAACCGTTCTGGTCTACTACAAACAAATTTCTGAAGGA
 TATGAAGACCGTGAGCGCTTTATTATCTTGCGAGAAAGTCGGTTTAGATCAAAAGCAAAATCAAGCAAAACCA
 TCAACAACAGGTTTTAACTGTATTCTTCTCTTCTTGTCTTTGCTTCTTCTACATCTAGCCTTTGCTACT
 ATATGCTTAGTCTGATTTTAAAGTGATTGGTGTACTGGATACGACTATGATGTTGATTGTGACCTTGTCT
 ATCTGCGCTATCTTCTCATCGCCTATGTGCTGATTTTCATGATTACTTCAAGAAGTTATCGCAAGATTGT
 GCAAAATGCTCGAGCACCACCACCACCCTGA

2 CFE83 "homologue of SEQ. ID NO. 79"

ATCAAAACAGATCAACTAAAGGCTTGGCAACCAGCTCAGTTTGACCGTTTTGTCCGTATCTTAGAACAAG
 ACCAGGTCAATCACGCCTATCTTTTCAGGTTTCTTTGGAAGCTTGGAAATGGCGCAATTTTAGCTAAG
 AGCCTTTTGTACGGATAAAGTTGGCGTCTTACCATGTGAGAAATGCCGAAGTTGCAAGCTGATTGAAC
 AGGAAGAGTTTCCAGATGTACCTTGATTAGCCAGTCAATCAGGTCATCAAGACAGAACGCATTCCGG
 AATTGGTGGGACAGTTTTCTCAAGCAGGATTGAAGCCAGCAACAGGTTCTTATCATCGAGCAAGCGG
 ATAAATGCATCCCAACGCAGCCAATTCTCTGCTCAAGGTCATCGAAGAACCCAGAGTGAAGTTTATAT
 TTCTTCTGACTAGCGATGAGGAAAAAGATGTTACCGACAATCCGAAGTCGGACTCAGATCTCCACTTT
 AAAAGCAAGAAGAAAAACTTATCTTACTCTTAGAACAATGGGACTTGTAAAGAAAAAGCGACTCTT
 TTAGCTAAGTTTAGTCAATCGCGAGCTGAAGCAGAAAAAGTTGGCACATCAGGCAAGTTTTGGACCTTGG
 TCGATGAAGTGAACGCCTGCTGACTTGGTTAGTAGCTAAGAAAAAGAAAGTTATCTACAGGTTGCCA
 AATTAGGCAACTTGGCAGATGATAAGGAAGAACAGGATCAGGTTTTACGGATTCTTGAAGTTCTCTGTGG
 GCAAGGACTCTTGCAGGTAAGAGTAAGAGTATTCTACAAGATTACTAGAAAGCTAGAAAAATGTGGCA
 AGCTAATGTCAGCTTCAAAATGCCATGGAATATCTGGTCTTGAAAGAAATACTCGAGCACCACCACCAC
 CACCCTGA

2 CFE84 "homologue of SEQ. ID NO. 80"

ATGAATTCATTTAAAAATTTCTTAAAGAGTGGGGATTATTCCTCCTGATTCTGTCACTACTAGCTTTGAG
 CCGTATCTTTTTTGGAGCAATGTTCCGCTAGAAGGACATTCATGATCCGACCTAGCGGATGGTGAA
 ATCTCTTTGTTGTTAAGCACCTCCCTATTGACCGTTTTGATATCGTGGTGGCCCATGAGGAAGATGGCAA
 TAAGGAATATCGTCAAGCGCGTGATTGGAATGCCTGGCGACACCATTCTGTTACGAAAAATGATAAACTCTAC
 ATCAATGACAAAGAAACGGACGAGCCTTATCTAGCAGACTATATCAAACGCTTCAAGGATGACAAACTC
 CAAAGCACTTACTCAGGCAAGGGCTTTGAAGGAAATAAAGGAACTTTCTTTAGAAGTATCGCTCAAAAA
 GCCCAAGCCTTACAGTTGATGTCAACTACAACACCAACTTTAGCTTTACTGTTCCAGAAGGAGAATACC
 TTCCTCGGAGATGACCGCTTGGTTTCGAGCGACAGCCGCCACGTAGGTACCTTCAAAGCAAAAGATAT
 CACAGGCAAGCTAAATTCGCTTCTGGCCAATCACCGTATCGGAACATTTCTCGAGCACCACCACCAC
 CACCCTGA

2 CFE85 "homologue of SEQ. ID NO. 81"

ATGGTAGTATTTACAGGTTCAACTGTTGAAGAAGCAATCCAGAAAGGATTGAAGAATTAGATATTTCAA
 GAATGAAGGCTCATATCAAAGTCAATTTCTAGGGAGAAAAAAGGCTTTCTTGGTCTATTTGGTAAAAAAC

2 CFE 85 (contd.)

AGCCCAAGTGGATATTGAAGCGATTAGTGAAACGACTGTTGTCAAAGCAAATCAACAGGTAGTAAAGG
CGTTCCGAAAAAATCAATGATTTGAACGAGCCTGTGAAGACGGTTAGTGAAGAAACCGTTGACCTTGGT
CATGTGGTTGATGCTATTAATAAATAAGAGGAAGAAGGTCAAAGGTATTTCTGATGAAGTCAAGGCTGAA
ATCTTAAACATGAAAGACATGCCAGCACTATCTTAGAAGAACTGGTCACATTGAGATTTTAAATGAAC
TTCAAATCGAGGAAGCGATGAGGGAAGAAGCAGGCGCTGATGACCTTGAAACTGAGCAAGACCAAGCTG
AAAGTCAAGAACTAGAAGACTTGGGCTTGAAAGTTGAAACGAACTTTGATATTGAACAAGTAGCTACGG
AAGTAAITGGCTTATGTTCAAACGATTATTGATGACATGGATGTTGAGGCTACACTTTCAAATGATTATAA
CCGTCTAGCATCAATCTACAAATTGACACCAACGAACCAAGGTCTGATTATCGGCTACCATGGTAAAGTC
TTGAAGGCTTGCAACTGTTGGCTCAAATTATCTTTACAACCGCTATTCCAGAACCTTCTACGTTACAAT
CAATGTCAATGATTATGTGCAACACCGTGCAGAAAGTCTTGACAGACCTATGCGCAAAAATTGGCGACTCGT
GTTTGGCAAGAAGGGCGCAGTCATAAACAGATCCAATGTCAAATAGCGAACGCAAGATTATCCATCGT
ATTATTACAGTATGGATGGCGTGACTAGTTACTCTGAAGGTGATGAGCCAAATCGCTATGTTGTTGTAG
ATACAGAACTGGAACACCACCACCACCACCCTGA

2 CFE 86 "homologue of SEQ. ID NO. 82"

ATGTCAAATTTGCCATTATTTAGCAGCGGGTAAAGGGGACTCGCATGAAATCTGATTGCCCCAAAGTTTT
GCACAAAGGTTGCGGGTATTTCTATGTTGGAACATGTTTCCGTAGTGTGGGAGCTATCCAACCTGAAAAG
ACAGTACAGTTGTAGGACACAAGGCAGAAATGGTTGAGGAGGTCTTGGCTGAACAGACAGAATTTGTG
ACTCAATCTGAACAGTTGGGAAGTGGTCTGCAGTTATGATGACAGAGCCTATCTTAGAAGGTTTGTCA
GACACACCTTGGTCAATTGCGAGGATACCTCTTTAATCACTGGTGAAAGCTTGAAAACTTGATTGATTT
CCATATCAATGATAAAAAATGTGGCCACTATCTTGACTGCTGAAACGGATAATCCTTTTGGCTATGGACGA
ATTGTTGTAATGACAATGCTGAGGTTCTTCGTATTGTTGAGCAGAAAGGATGCTACAGATTTTGAAGG
AAATCAAGGAATCAACACTGGAACATACGTCCTTTGACAACGAGCGTTGTTTGGAGGCTTGAAAAATAT
CAATACCAATAACGCTCAAGGCGAATACTATATTACAGACGTCATTGGTATTTCCGTGAAACTGGTGAA
AAAGTTGGCGTTTATACTTTGAAAGATTTTGTGAAAGTCTTGGGGTAAATGACCGTGTGGCGCTTGCC
CAGCTGAGTCAGTTATGCGTCGTCGCATCAATCATAAACACATGGTCAACGGTGTGTTGATCTCAAT
AGAAGCACTTATATCGATATTGATGTTGAGATTGCTCCGGAAGTTCAAATCGAAGCCAATGTTATCTTG
AAAGGGCAAACGAAAATTGGTGCTGAGACTGTTTGGACAAACGGTACTTATGTAGTGGACAGCACTATC
GGAGCAGGAGCGGTCATTACCAATTCTATGATTGAGGAAAGTAGTGTGTCAGACGGTGTGACAGTCGGT
CCTTATGCTCACAATCGTCCAAATTCAGTCTGGGTGCCAAAGTTCATATTGGTAACTTTGTTGAGGTGAA
AGGATCTCAATCCGTGAGAAATACCAAGGCTGGTCAATTGACTTATATCGGAAACTGTGAAGTGGGAAGC
AAGGTTAATTTCGGTGTGGAACATTAACAGTCAACTATGACGGCAAAACAAATACAAAGACAGTCATTG
GACACAAATGCTTTTGGTTGTTTCAAATTCAACCAATTATTGCACCAAGTAGAAGCTTGGTGACAATTCCTCCT
GCTGCTGTTCAACTATTACTAAAGACGTGCCAGCAGATGCTATTGCTATTGGTGGCGGTCCTCAGATCA
ATAAGACGAATATGCAACACGCTCTCTCATCATCTCTAAGAACCAGCTCGAGCACCACCACCACCACCA
CTGA

2 CFE 87 "homologue of SEQ. ID NO. 83"

ATGTCCAAGATCTAGTATTTGGTCAACAAAATCCAGACTCAGATGCCATCGGGTCATCTGTAGCTTTTGC
CTACCTTGCAAAAGAGCTTACGGTTTGGATACGGAAGCTGTTGCCCTTGGAATCCAAATGAAGAAACA
GCCTTTGTCTTGAACATTTTGGTGTGGAAGCACCAAGCTGTTATCACTTCTGCCAAAGCAGAGGGGGCAG
AGCAAGTTATCTTGAAGTACCAACAATGAATCCAAACAATCTGTATCAGATATCGCTGAAGTAGAAGTTTA
CGGTGTTGTAGACCACCACCGTGTGGCTAACTTTGAAACTGCAAGCCCACTTTACATGCGTTTGGAGCCA
GTGGGATCAGCGTCTTCAATCGTTTACCGTATGTTCAAAGAACATGGTGTAGCTGTGCCTAAAGAGATTG
CAGGTTTGTATGCTTTCAGGTTTGTATTCAGATACCGTCTTTTGAATCACCACCAACACACCCCAACAGAT
AAAATCATTGCTCCTGAATTGGCTGAATTGGCTGTAAACTTGGGAAGAATATGGTTTGGCAATGTTGA
AAGCTGCTACCAACTTGGCTAGCAAATCTGCTGAAGAATTGATTGACATCGATGCTAAGACTTTTGAAC
CAACGGAAATAATGTCCGTGTTGCCCAAGTGAACACAGTTGACATCGCTGAAGTTTGGAAACGCCAAGCA
GAAATTGAAGCTGCAATGCAAGCTGCCAACGAATCAAACGGCTACTCTGACTTGTCTTGTGATTACAG
ATACTGTCAACTCAAACCTCAGAAATATTGGCTCTTGGTGCCAATATGGACAAGGTGCAAGCGGCTTCAA
TTTCAAACCTTGAAACAAATCATGCCTTCCTTGTGCTGGTGGCGTTTACGTAAGAAACAAGTGGTACCTCAAT
TAATGAAAGCTTTAATACGCTCGAGCACCACCACCACCACCCTGA

2 CFE 88 "homologue of SEQ. ID NO. 84"

ATGATTTCAAAGAGATTAGAATTGGTAGCTTCTTTGTGTCAAGGGGGCTATTTTACTAGATGTGGGAA
GTGACCATGCTTATCTGCCATCTGAGTTGGTTGAGAGAGGCCAAATCAAAGCGCTATTGCAAGGTGAGGT

2CFE 88 (contd)

GGTGGAAAGTCCCTATCAGTCTGCGGTTAAAAATGTTGAGGCTCACGGCCTAAAGGAGAAAAATCCAAGT
CCGTTTAGCCAATGGCTTGGCAGCTTTTGAAGAGACTGACCAAGTGTCTGTCTATTACCATTGCTGGCATG
GGTGGTGGTTTGATTGCTAGGATTTTAGAAGAAGGTTTGGGGAAGTTAGCTAATGTAGAGCGTTTGATCC
TCCAGCCCAATAATCGTGAAGACGACTTGCCTATCTGGCTACAGGATCATGGATTCCAGATTGTAGCAGA
AAGAATCTTAGAAGAAGCTGGAAAGTTTTATGAGATTTTGGTGGTGOAAGCAGGACAAATGAAGCTATC
AGCCAGTGATGTTTGGCTTTGGTCCCTTCTGTCCAAAGAAGTCAGTCCAGTATTTGTCCAAAAATGGCAA
AAAGAAGCTGAGAAGCTAGAGTTCGCCCTCGGACAAATCCCAGAAAAAATCTGGAAGAAGCTCAAGTT
CTAGTAGATAAGATTCAAGCTATCAAGGAGGTGCTCCATGTTAGCAAGCTCGAGCACCACCACCACCACC
ACTGA

2 CFE89 "homologue of SEQ. ID NO. 85"

ATGAATTTAAACGATATTAAGACTTGATGACTCAATTTGACCAGTCAAGTTTGAGAGAATTTTCTTATA
AAATGGGACGGATGAGTTGCAGTTTAGCAAGAATGAAGCAAGACCTGTGCCTGAAGTTGCAACTCAAG
TCGCTCCAGCACCCGTTCTAGCAACACCGAGTCCAGTAGCTCCTACATCTGCTCCAGCAGAGACTGTAGC
AGAAGAAGTTTCAGCTCCAGCTGAAGCAAGTGTGGCTACTGAGGGAAATCTTGTAGAGAGTCCACTTGT
GGAGTGGTTTACTTGGCTGCTGGACCAGATAAACCTGCCTTCGTTACAGTTGGTGATAGTGTCAAAAAAG
GTCAAAACATTGGTAATTATCGAAGCCATGAAAGTCATGAATGAAATCCCAGCTCCTAAGGATGGTGTGGT
AACGGAATTCTCGTCTCTAACGAAGAAATGGTTGAGTTTGGTAAAGGATTGGTACGTATCAAACTCGAG
AACCAACCACCACCACCTGA

2 CFE90 "homologue of SEQ. ID NO. 86"

ATCAAACTAAATCGAGTAGTGGTAACAGGTTATGGAGTAACATCTCCAATCGGAAATACACCAGAAGAA
TTTGGATAGTTTAGCAACTGGGAAATCGGCATTGGTGGCATTACAAAATTTGATCATAGTGAAGTTTGG
ATGTGCATAAATCGGCGAGAAATCCAAGATTTTCCGTTTCGATAAATACTTTGTAAAAAAGATACCAACCG
TTTGTATACTATTCTTTATATGCTTGTATGCAGCCCAAGAGGCTGTAAACCATGCCAATCTTGTATGTAG
AGGCTCTTAATAGGGATCGTTTTGGTGTATCGTTGCATCTGGTATTGGTGGAAATCAAGGAAATTTGAAGA
TCAGGTACTTCCGCTTCATGAAAAAGGACCCAAACGTGTCAAACCAATGACTCTTCCAAAAGCTTTACCA
AATATGGCTTCTGGGAATGTAGCCATGCGTTTGGTGGCAACGGTGTGTGTAATCTATCAATACTGCTGTG
CTGTTCACTAAATGATGCGATTGGGGATGCTTCCGCTCCATTAAAGTTTGGTTTCCAAAGATGTGATGTTGG
TGGGAGGAACAGAAAGCTTCTATCAACCTTTTGGCATCGCTGGTTTCCAAGCCTTAACAGCTCTCTCTACT
ACAGAGGATCGAACTCGTGTCTCGATCCCATTGTGATAAGGATCGCAATGGGTTTGTATGGGTGAAGGTT
CAGGGATGTTGGTTGTAGAAAGTCTTGAACACGCTGAAAAACGTGGAGCTACTATCTGCTGAAGTGGT
TGGTTACGGAAATACCTTGTGATGCTTACCACATGACTTCTCCACATCCAGAAGGTGAGGGAGCTATCAAG
GCCATCAAACATAGCCTTGGAAAGAAOCTGAGATTTCTCCAGAGCAAGTAGCCTATGTTAATGCTCACGGAA
CGTCAACTCCTGCCAATGAAAAAGGAGAAAGTGGTGGTATCTAGCTGTTCTTGGTAAGGAAGTACCTGT
ATCATCAACCAAGCTTTTACAGGACATTTGCTGGGGGCTGCGGGTGCAGTAGAAGCTATCGTACCACATC
GAAGCTATGCGTCATAACTTTGTACCAATGACAGCTGGGACAAGTGAAGTATCAGATTATATCGAAGCTA
ATGTCGTTTATGGACAAGGTTTGGAGAAAGAAATCCATACGCTATTCAAATACTTTTGGTTTGGAGGC
CAAAATGCAGTTCTTGCCTTCAAACGTTGGGAGAAATAGACTCGAGCACCACCACCACCACCACCTGA

2 CFE91 "homologue of SEQ. ID NO. 87"

ATGAACATCTATGATCAACTACAAGCTGTAGAAGACCGTTATGAAGAAGTAGGAGAATTGCTGAGTGAC
CCTGATGTGGTTTCAGACACCAAGCGTTTTATGGAGCTTTCAAAAAGAAGAAGCTTCCAATCGTGACACCG
TAATAGCCTACCGTGAGTATAAACAAAGTCTTCAAATATCGTTCGATGCCGAAGAGATGATTAAGGAATC
AGCCGGAGATGCGGACTTGGAAAGAAATGGCCAAGCAAGAAGTCAAAGATGCCAAGGCTGAAAAAGAAAG
AATATGAAGAAAACTGAAAAATTTTGTCTTCCAAAGGATCCAAACGATGACAAGAATATCATCTCTGA
AATCCGTGGAGCAGCTGGTGGAGACGAAGCGGCACCTTTTCGCTGGAGATTGCTAACTATGTACCAAAAG
TATGCGCAAGCCCAAGGTTGGCGCTTTGAAGTCAATGGAAGCCTCTATGAATGGTGTGCGGTGGTTTTAAAG
AAGTGGTTGCTATGGTTTCAAGTCACTGTATACCTTAAGCTTAAGTATGAATCAGGTGCCACCGGTGTG
CAAGCTGTTCTTGTGACGAAGGCCAAGCGGTGTTCTATCTCGACAGCGACAGTCTTGTATATGCGGAG
AAGTTGAAGAGGTTGAATACGACATTGATCCAAAAGACCTTCGTGTGACATCTATCACGCCTCTGGTGC
TGGTGGACAGAACGTCAATAAGGTTGGCACTGCCGTTTCGTATCGTTCACTTGCCAACCAATATCAAGGTT
GAGATGCAGGAAGAAGTACCCAGCAGAAGAACCGCGAGAAGGCTATGAAGATTATCCGTGCACGCCTC
GCTGACCACCTTGTCTCAGATTGCTCAGGATGAACAAGACGCTGAGCGTAAGTGCACAATCGGTACTGGTG
ACCGTTCAAGACGGATCCGAACCTTAACTTCCACAAAACCGTGTACAGACCACCGTATCGGCTTGAC

(contd.)

Fig 108

2CFE91 (contd.)

CCTCCAAAACTAGATACGATTTTGTCTGGTAAATTGGACGAAGTTGTGGATGCCTTGGTGCTTTATGACC
 AAACACAAAACTAGAAGAATTAAACAAACTCGAGCACCACCACCACCACCTGA

2CFE92, "homologue of SEQ. ID NO. 88"

ATGGCTACACTCTTAAACCTGAAGAAGTCGGCGTTTTTGCCATCGGTGGTCTAGGAGAAATCGGGAAAA
 AACTTACGGAATTGAATACCAAGACGAGATTATCATCGTCGATGCTGGGATTAAATTCAGAGAGATGA
 CTGGCTGGTATCGACTATGTCTTCTGACTACTCTTACATCGTAGACAATATCGACCGCGTCAAGGCTG
 TTTAATCACACACGGACACGAGGACCACATTGGTGGGATTCCGTTCTACTCAAGCAAGCAAATGTCCC
 TATTTATGCTGGACCGCTTGCCTTGGCTTTGATCCGTGGGAAACTCGAAGAACACGGCCTCTTGCACAC
 QCCAACTTTACGAAATCAACCACAACACCGAGTTGACCTTTAAAAATCTCAAGGCAACTTTCTTTAGAA
 CGACTCACTCTATTCCAGAGCCTTTGGGGATTGTCTTCTACTCTCAAGGGAAAAATCGTCTGTACGGGT
 GACTTTAAGTTTCGACTTTACTCCAGTTGGAGAACCTGCGGACTTGCATCGTATGGCTGCGCTTGGTGAAG
 AAGCGTGTCTGTCTCTGTCTGACTCGACAAATGCGGAAGTACCAACCTTTACCAACTCTGAAAAAGT
 CGTGGTTCAGTCCATTATGAAGATTATCCAAGGTATTGAAGGACGTATCATCTTTGCATCCTTTGCCCTCAA
 ATATCTTCCGTCTCCAGCAGGCAACAGAAGCTGCTGTTAAGACTGGACGCAAGATTGCGGTCTTTGGTCC
 TCTATGGAAGGCAATTGTCAACGGAATCGATCTTGGCTACATCAAAGCTCCTAAGGGAACCTTTATC
 GAOCCAAATGAAATCAAAGATTATCCTGCAGGAGAAGTTCTTATCCTCTGTACAGGTAGTCAGGGTGAGC
 CTATGGCAGCCTCTCTCTGTATCGCCAACGGAACCCACCGTCAAGTACAATTACAACCAGGTGATACCGT
 TATCTTCTCTTCTAGTCCCATCCCTGGAAACACTACTAGCGTCAACAAGCTGATTAAACATCATTTCTGAAG
 CTGGTGTGGAAGTTATCCACGGTAAAGTGAACAATATCCATACATCTGGACACGGTGGCCAGCAAGAGC
 AAAAACTCATGCTCCGCTTGATTAAGCCAAAACTTCTCATGCTGTCCACGGTGAATACCGCATGCAAAA
 AGTCCACGCTGGACTAGCAGTGGATACTGGTGTGTGAAGGACAATATCTTTATCATGAGCAATGGCGAT
 GTGCTTCCCTTACTGCTGACTCAGCTCGTATCGCAGGTCAATTCAACGCCCAAGATATCTATGTGCGATGG
 AAATCGTATCGGTGAAATTTGGCGCAGCTGTCTCAAAGATCGTCCGATCTATCTGAAGACGGTGTGCTT
 CTAGCACTCGCAACTGTTGACTTCAAATCGCAGATGATTCTGTCTGGCCAGATATCCTCAGCCGAGGCT
 TTGTCTACATGAGAGAGTCTGGAGACTTGATTGCGCCAAAGCCAGCGTATCCTCTTCAATGCCATTCTGATC
 GCACTGAAAAATAAGGATGCTAGCGTGAATCTGTCAA
 TCTATGAAAAATACCGAACGTGAACCGATCATCATCCCG/
 CCACCACCACCACCTGA

2CFE94

ATGGCTACGGCAACAAAAAGAAAAAATCAACAGTTA/
 AAGGCCAAGACGATTGAAAAATATCTAGGCAGAACTACAAGGTTTTAGCCAGTGTGGGCATATCCGT
 GATTGGAAGAAATCCAGTATGTCCGTGATATTGAAAAATAATTATGAACCGCAATATATTAATATCCGAG
 GAAAAAGCCCTCTTATCAATGACTTGAAAAAAGAAGCTAAAAAAGCTAATAAAGTTTTCTCGCGAGTG
 ACCCGGACCGTGAAGGAGAAGCGATTTCTTGGCATTTTGGCCCATATTCTCAACTTGGATGAAAAATGATGC
 CAACCGTGTGGTCTTCAATGAAATCACCAGGATGCAATCAAAAAATGCTTTTAAAGAACCTCGTAAGATC
 GATATGGACTTGGTTCGATGCCCAACAAGCTCGTGGATCTTGGATCGCTTGGTAGGGTATTCGATTTCGC
 CTATTTTGTGGAGAAGGTCAAGAAGGGCTTGTGAGCAGGTGCGGTTTCACTTCCCTTAAATCAT
 CATTGACCGTGAAAAATGAAATCAATGCCTTCCAGCCAGAAGAATACTGGACAGTTGATGCTGTCTTTAAA
 AAGGGAACCAACAATTTTATGCTTCTCTATGGAGTAGATGGTAAAAAGATGAAACTGACCAGCAAT
 AAGGAAGTCAAGGAAGTCTTGTCTCGTCTGACGAGTAAAGACTTTTCAAGTAGATCAAGTGGATAAGAAA
 GAGCGTAAGCGCAATGCTCCTTTACCTTATACCACTCATCTATGCAGATGGATGCTGCCAATAAAATCA
 ATTTCCTGACTCGAAAAACCATGATGTTTGGCCCAACAGCTCTATGAAGGAATTAATATCGGTTCTGGTGT
 TCAAGGTTTGATTACCTATATGCGTACCGATTGACTCGTATCAGTCTGTAGCGCAAAATGAGCGGCA
 AGCTTCAATTACGATCGTTTTGGTAGCAAGTATTCTAAGCACGGTAGCAAGGTCAAAAACGCATCAGGTG
 CTCAGGATGCCCATGAGGCTATTCTGTCGCTCAAGTGTCTTTAATACACCAGAAAGCATCGCTAAGTATCT
 GGACAAGGATCAGCTCAAGCTATATACCTTATCTGGAATCGTTTTGTGGCTAGCCAGATGACAGCGGCC
 GTTTTTGATACCATGGCTOTTAATTTGTCTCAAAAAGGGGTTCATTTGCTGCCAATGGTAGTCAGGTAA
 GTTTGATGTTATCTTGCCATTTATAATGATTCTGACAAGAATAAGATGTTACCGGACATGGTTGTTGGAG
 ATGTGGTCAAAACAGGTCAATAGCAAAACAGAGCAACATTTACCCCAACCGCTGCCGTTATTCTGAAGC
 AACACTGATTAACAACCTTAGAGGAAATGGGGTTGGACGTCCATCAACCTACCGGCCAACCATTTGAAAC
 CATTGAGAAAGTTATTATGTTCCGCTGGCAGCCAAACGCTTTTGAACCGACAGATTGGGAGAAATTGTC
 AATAAGGTCATGTTGAATATTTCCAGATATCGTAAACGTGACCTTACAGCTGAAATGGAAGGTAAAC
 TGGATGATGTCGAAGTGGAAAAAGAGCAGTGGCGACGGGTCAATTGATGCCTTTTACAAACCATTTCTTAA

2 CFE 94 (contd)

AGAAGTGGCAAGGCTGAAGAAGAAATGGAAAAATCCAGATTAAGGATGAACCAGCTGGATTGACTG
TGAAGTGTGTGGTAGTCCAATGGTCATTAACTTGGTCGTTTGTAAATTCTACGCTTGTAGCAATTTCC
CAGATTGCCATCATACCCAAGCAATCGTGAAAGAGATTGGTGTGAGTGTCCAAGCTGTCATCAGGGACA
AATTATTGAGCGAAAAACCAAGCGTAATCGCCTATTCTATGGTTGCAATCGCTATCCAGAAATGTGAATTT
ACCTCTTGGGACAAGCCTGTTGGTCGTGACTGTCCAAAATGTGGCAACTTCCACATGGAGAAAAAAGTCC
GTGGTGTGGCAAGCAGGTTGTTGTAGCAAAGGCGACTACGAGGAAGAAAAAGATGGCTCTTTGTCAACT
GCTCGAGCACCACCACCACCACCTGA

2 CFE95 "homologue of SEQ. ID NO. 91"

ATGTTTATTTCCATCAGTGCTGGAATTGTGACATTTTACTAACTTTAGTAGGAATTCCGGCCTTTATCCA
ATTTTATAGAAAGCGCAAATTACAGGCCAGCAGATGCATGAGGATGTCAAACAGCATCAGGCAAAAAGC
TGGGACTCCTACAATGGGAGGTTTGGTTTTCTTGATTACTTCGTGTTTGGTTGCTTTCTTTTCGCCCTATT
AGTAGCCAATTCAGCAATAATGTGGGAATGATTTTGTTCATCTTGGTCTTGTATGGCTTGGTCGGATTTT
AGATGACTTTCTCAAGGTCTTTCGTAATAATCAATGAGGGGCTTAATCCTAAGCAAAAATTAGCTCTTCAG
CTTCTAGGTGGAGTTATCTTCTATCTTTCTATGAGCGCGGTGGCGATATCCTGTCTGCTTTGGTTATCCA
GTTCATTTGGGATTTTCTATATTTTCTTCTGCTCTTTTCTGGCTAGTCGGTTTTTCAAACGCGAGTAAACTTG
ACAGACGGGTGTGACGGTTTAGCTAGTATTTCCGTTGTGATTAGTTTGTGTTGCCATATGGAATTATGCCTA
TGTGCAAGGTCAGATGGATATTCTTCTAGTATCTTGGCATGATTGGTGGTTTGTCTCGGTTTCTTCATCTT
TAACCATAAAGCTGCCAAGGTCTTATGGGTGATGTGGGAAGTTTGGCCCTAGGTGGGATGCTGGCAGCT
ATCTCTATGGCTCTCCACCAGGAATGGACTCTCTTGATTATCGGAATTGTGTATGTTTTGAAACAACCTTC
TGTATGATGCAAGTCAGTTATTTCAAACCTGACAGGTGTAAACGATTTTCCGTATGACGCGTGTACATC
ACCATTTGAGCTTGGGGGATTGTCTGGTAAAGGAAATCCTTGGAGCGAGTGAAGGTTGACTTCTTCTT
TTGGGAGTTGGTCTTCTAGCAAGTCTCCTGACCCTAGCAATTTTATATTTGATGCTCGAGCACCACCACC
ACCACCCTGA

2 CFE96 "homologue of SEQ. ID NO. 92"

ATGGCAGCGGAATTTTCACTTGAAAAAACTCGTAATATCGGTATCATGGCTCACGTCGATGCCGGTAAAA
CAACAATACTAGCGTATTCTTTACTACACTGGTAAATCCACAAAAATCGGTGAAACTCACGAAGGTGC
GTACAAATGGACTGGATGGAGCAAGAGCAAGAACGTGGTATCACGATCAGATCTGCTGCGACAACAGC
TCAATGGAACAACCAACCGCGTAAACATCATCGACACACCAGGACACGTGGACTTCACAATCGAAGTACA
ACGTTCTCTTCGTGTATTGGATGGTGGGTTACCGTTCTTGACTCACAATCAGGTGTTGAGCCTCAAACCTG
AAACAGTTTGGCGTCAAGCAACTGAGTACGGAGTTCCACGTATCGTATTTGCCAACAATAATGGACAAAAAT
CGGTGGTGAATTCCTTTACTCTGTAAGCACACTTCACGATCGTCTTCAAGCAAAATGCACACCCAATCCAAT
TCCCAATCGGTTCTGAAGATGACTTCCGTGGTATCATTTGACTTGAATGAAAGCTGAAATCTATAC
TAACGAATCTGGTACGGATATCCTTGAAGAAGACATCCGAGCTGAATACCTTGACCAAGCTCAAGAAATAC
CGTGAAATAATTGATTGAAGCAGTTGCTGAAACTGACGAAGAATTGATGATGAAATACCTCGAAGGTGAA
GAAATCACTAACGAAGAATTGAAAGCTGGTATCCGTAAAGCGACTATCAACGTTGAATCTTCCAGTAT
TGTGTGTTTACGCTTCAAAAACAAAGGTGTTCAATTGATGCTTGATGCGGTTATCGACTACCTTCCAAGT
CCACTTGACATCCCAAGCAATCAAAGGTATTAACCCAGATACAGACGCTGAAGAAATTCTGTCAGCATCTG
ACGAAGAGCCATTTGCAGCTCTTGCCTTCAAGATCATGACTGACCCATTCTAGGTGCTTTGACATTCTTC
CGTGTTTACTCAGGTGTTCTTCAATCAGGTTTACATACGATTTGAATACTTCTAAAGGTAACGTTGACGAT
CGACGTTATCCTTCAAATGACAGCTAACAGCCGTCAAGAAATCGACACTGTTTACTCAGGTGATATCGCT
GCTGGCGTTGGTTTGAAGATACTACAACCTGGTGACTCATTGACAGATGAAAAAGCTAAAAATCATCCTTG
AGTCAATCAACGTTCCAGAACAGTTATCCAATTGATGGTTGAGCCAAAAATCTAAAGCTGACCAAGACAA
GATGGGTATCGCCCTTCAAAAATTTGGCTGAAGAAGATCCAACATTCCGCGTTGAAACAAACGTTGAAAGT
GCTGAAACAGTTATCTCAGGTATGGGTGAACCTTACCTTGACGTCCTTGTGATCGTATGCGTCGTGAGTT
CAAAGTTGAAGCGAACGTAGGTGCTCCTCAAGTATCTTACCGTGAAACATTCCGCGCTTCTACTCAAGCA
CGCGGATTTCTTAAACGTCAGTCTGGTGGTAAAGGTTCAATTCCGGTGTATGATGGATTGAATTTACTCCA
ACGAAGAAGGTAAAGGATTGGAATTCGAAAACGCAATCGTCGGTGGTGTGGTTCCGTGAAATTTATCCC
AGCGTTGAAAAGGTTTGGTAGAATCTATGGCTAACGGTGTCTTGCAGGTTACCCAATGGTTGACGTT
AAAGCTAAGCTTTATGATGGTTTATATCAGGATGTGCACTCATCTGAAACTGCCTTCAAGATTCCGGCTTC
ACTTCCCTTAAAGAAGCTGCTAAATCAGCACACCAGCTATCCTTGAACCAATGATGCTTGTAAACAATC
ACTGTTCAGAAAGAAAACCTTGGTGATGTTATGGGTACGTAACCTGCTCGTGGACGTTGATGATGGA
TGGAAGACACGGTAACAGCCAAATCGTTCTGTGCTTACCTTCCACTTGCTGAAATGTTCCGTTACGCAAC
AGTTCTGCTTCTGCATCTCAAGGACGTGGTACATTGATGATGGTATTTGACCCTACGAAGATGTACCTA

2CFE 96 (contd.)

AGTCAGTACAAGAGAAATTATTAAGAAAAATAAAGGTGAAGACCTCGAGCACCACCACCACCACCACTG

2CFE97 "homologue of SEQ. ID NO. 93"

ATGCCAAATTACAATATTCATTTCACCGCTGATATCACAGAAGCAGAAATTGCTGAAGTAGCGGATA
CCCTGCGTTCTGGTTGGATCACAAACAGGTCCTAAAACAAAAGAACTGGAGCGCCGCTTGCTCTTTACAC
ACAGAACCTAAGACTGTTTGTCTCAACTCTGCGACAGCCGCTCTGGAGTTGATTTACGCGTTTGGAAO
TGGGACCTGGTGATGAAGTCATCGTTCCAGCCATGACCTATACGGCTTCATGTAAGTGTATTACGCACGT
GGGAGCAACCCCTGTCTATGGTGGATATCCAAGCAGATACGTTTGAGATGGACTATGACCTGCTTGAGCAA
GCTATCACTGAGAAAATAAGGTGATTATCCAGTAGAGCTCCGAGGGATTGTTTGGGATTATGACCGTT
TGTTCCAAGTGTGGGAGAAAAAAGCTGACTTCTTTACCGCTTCAAGCAAGTGGCAAAAGGCCCTTTAACCG
TATTGTCTATTGTCTCTGATAGTGGCCACGCTTTGGGATCTACTTATAAAGGACAACTTCTGGTTCTATCG
CTGATTACTTCTCTCTCATTTCCATGCTGTAAAGAACTTACAAACGGCAGAAAGTGGAAAGTCCGACTTGG
AAAGCCAAATCCAGTGATTGATGACGAAGAGATGTACAAGGAATTCCAAATCTTTCCCTTCACGGGCAAA
CTAAGGATGCTCTTGCCAAGATGCAACTGGGGTCATGGGAATACGATATCGTTACACCAGCCTATAAGTG
CAACATGACCGATATCATGGCTTCACTTGGTTTGGTACAATTGGACCGCTATCCAAGTTTGTGCAACGCC
GTAAAGGACATTGTGGACCGCTATGATAGTGGTTTGCAGGTTCTCGCATCCATCTTTGGCACACAAGAC
TGAAACTGTCAATCTTCACGECACCTCTACATCACCCGTGTAGAAGGAGTAAGCCTAGAAGAACGCAAC
CTCATCTCCAAGAATTGGCTAAAGCAGGAATTGCAAGTAAATGTTCACTACAAACCGCTTCTCTCTTGA
CAGCCTATAAGAATCTTGGATTGATATGACGAATACTCTAAGGCCTATGCGCTTCTTTGAGAATGAAATT
ACCTCCTCTTCTACTATAAATTAAGCGATGAAGAAGTAAGCTATATCATTTGAGACTTTCAAACAGTTT
CTGAAAAAGTCTAATTTATCAAAAAAATCTCGAGCACCACCACCACCACCACTG

2CFE99 "homologue of SEQ. ID NO. 95"

ATGTTTTATACTTATTTGCGTGGATTAGTTGTATTGCTCTTATGGTCCATCAATGGCAATGCTCACTATCAT
AATACTGATAAAATTCCTAATCAAGATGAAAATTATATTTTAGTTGCGCCTCACCGTACCTGGTGGGATC
CTGTTTATATGGCCTTTGCGACCAAGCCAAAAACAGTTCATCTTTATGGCAAAAAAAGAACTCTTTACCAA
CCGATCTTTGGTTGGTGGATTGCTATGTGTGGCGCCTTTCCCATCGACCGTGAAAATCCAGCGCCTCAG
CCATCAAATATCCTATCAACGTTCTCAAAAAAAGTGACCGCTCTCTCATCATGTTTCCAAGTGGTAGCCGC
CACTCAAACGATGTCAAGGGGGGGCGCAGCACTGATTGGCAAAATGGCCAAGGTCCGTATCATGCCGGTT
ACCTACACCGGTCCCATGACTTTGAAGGGCTTGATTAGCCGTGAACGTGTGATATGAACCTTTGGAAATC
CAATCGATATCTCAGATATCAAGAAAAATGAAATGATGAAGGCATTGAAACAGTCGCCAATCGTATTCAAA
CAGAATTCCAACGCTCTGGACGAAGAAACGAAACAATGGCACAATGATAAAAAACCAAAATECACTCTGGT
GTTTTATCCGCTATCCCTGCCCTCATCTTGCTATTATCCTCGCTATCCTAACCATCATCTTTAGCTTTATCG
CAAGCTTCATCTGGAACCCAGATAAGAAAAAGAGAAGAACTTGCACTCGAGCACCACCACCACCACCACT
GA

2CFE101 "homologue of SEQ. ID NO. 97"

ATGACCAACGAATTTTACATTTTGAAAAAATCAGCCGCCAGACTTGGCAATCTTTACATCGAAAGACAA
CACCTCCTTTGACAGAAGAAGAAATGGAATCTATCAAGAGTTTAAATGACCAAATCAGTCTCCAAGACGT
TACAGATATCTATCTCCCTTGGCTCATCTGATTTCAGATTACAAGCGAACTAAGGAAGATTAGCCTTTT
CAAAAGGAATTTCTCTCCAACGTGAAAGTAAATCTCAACCTTTTATTATTGGGGTTTCTGGGAGTGTGGC
GTTGGAAAAATCCACAACCAAGTCGCCCTACTTCAAAATCCTACTGTCCCGTACGTTTACAGATGCTACGGTTG
AGTTGGTTACAACCTGATGGTTTCTCTATCCCAATCAAACCTTGATTGAGCAGGGGATTTTAAATCGTAAA
GGATTCTCTGAAAGCTATGATATGGAAGCTCTTCTCAACTTCTTGGACCGCATCAAAAATGGACAAGATG
TAGATATTCTGTCTATTCTCATGAAGTTTACGACATCGTACCCGAAGAGAAACAAAGTGTCAAAGCTGC
TGATTTTGTAAATGTTGAGGGAATCAATGTCTTTCAAAATCCACAAAACGATCGTETCTATATCACTGACT
TCTTTGACTTTTCCATCTATGTAGATGCTGGAGTGGATGATATTGAAAGTTGGTATCTGGACCGTTTCTTG
AAAATGCTGAGTCTAGCCCAAAACGACCTGATAGCTACTATTATCGTTTTACTCAGATGCCGATTGGGG
AAGTGGAAAGCCTTTGCCCATCAGGTCTGGACCAATCAATCTCACAAATCTACAAAATTATATTGAACC
AAACAGAAATCGTGAGAAGTGATTCTTCATAAAAGCAAGAACCATGAAATCGATGAAATTTACTTAAA
AAAGCTCGAGCACCACCACCACCACCACTGA

2CFE102 "homologue of SEQ. ID NO. 98"

ATGGAAAATTTCAATTATTAACAGATGTTGGTCAGAAACGAACAAATAACCAAGACTATGTCAACCACTATG
TCAATAGAGCTGGACGTACCATGATTATTTTAGCTGATGGGATGGGAGGTATCGCGCAGGGAATATCGC

2 CFE 102 (contd)

Fig 116 (contd)
 TAGTGAATGGCGGTCACAGACCTGGGTGTAGCTTGGGTGATACCCAGATCGATACAGTCAATGAAGTG
 CGTGAATGGTTCGCCCATACCTAGAAATTGAAAATCAAAAGATTACCCAGCTTGGTCAGGATGAAGCTT
 ACAGAGCATGGGAACCTTTTGAAGTCCTTGCTATTATTGATAATCAGGCTATCTATGCTCATATTGGT
 GATTCCGCTATCGGCTTGATTTCGTGGAGAAGAATACCATCAGTTGACGAGCGATEATTCCTTGGTTAATG
 AATTGCTCAAGGCTGGTCAATTGACACCAGAAGAGGCGAGAAGCTCATCCGCAAAAAAATATTATCACCC
 AGTCTATTGGGCAAAAAGATGAAATTCAGCCTGATTTTGGGACAGTTATCCTTGAGTCAGGTGACTATCT
 CTTCCTCAATAGTGACGGCTTGACCAACATGATTTTCAGGCGAGTGAGATTTCGTGATATTGTAACCAGTGAT
 ATTCTTTAGCAGATAAAACGGAGACACTTGTTCGTTTGTCTAACAATGCAGGAGGTTTAGACAACATTA
 CGGTTGCCCTTGTTCCTATGAACGAGGAGGATGAAGAACTCGAGCACCACCACCACCACCCTGA

2 CFE103 "homologue of SEQ. ID NO. 99"

Fig 117
 ATGACGATACAGATGAAGAATACAGGTAAACGAATTGATCTGATAGCCAATAGAAAACCGCAGAGTCAA
 AGGGTTTTGTATGAATTGCGAGATCGTTTGAAGAGAAATCAGTTTATACTCAATGATACCAATCCGGATA
 TTGTCAATTCCTATTGGCGGGGATGGTATGCTCTTGTCCGCCCTTCATAAGTACGAAAAATCAGCTTGACAAG
 GTCCGCTTATCGGCTTCTACTGGACATTTGGGCTTCTATACAGATTATCGTGATTTTGAGTTGGACAA
 GCTAGTGACTAATTTGCAACTAGATACCTGGGCEAAGGGTTTCTTACCCTGTTCTGAATGTGAAGGTCTTTC
 TTGAAAATGGTGAAGTTAAGATTTTCAGAGCACTCAACGAAGCCAGCATCCGCAGGTCTGATCGAACCAT
 GGTGGCAGATATTGTAATAAATGGTGTTCCTTTGAACGTTTTCGTGGAGACGGGCTAACAGTTTTCOCA
 CGGACTGGTAGTACTGCCTATAACAAGTCTCTTGGCGGTGCTGTTTTACACCCTACCATTOAAGCTTTGCA
 ATTAACGGAGATTGCCAGCCTTAATAATCGTGTCTATCGAACATTGGGCTCTTCCATTATTGTGCCTAAGA
 AGGATAAGATTGAACCTATTCCAACAAGAAACGATTATCATACTATTTCGGTTGACAATAGCGTTTATTCT
 TTCCGTATATTGAGCGTATTGAGTATCAAAATCGACCATCATAAGATTCACTTTGTCCGCACTCCTAGCCA
 TACCAGTTTCTGGAACCGTGTTAAGGATGCCTTTATCGGTGAGGTGGATGAACCTCGAGCACCACCACCAC
 CACCCTGA

2 CFE104 "homologue of SEQ. ID NO. 100"

Fig 118
 ATGTCAAAAAGAAATTAATTTTCATCAGATGCCCGTTCAGCCATGGTTCGTGGTGTGATATCCTTGCAG
 ACCTGTAAAGTAACCTTGGGACCAAAGGTCCGAATGTCTTCTTGAAGAGTCATTCGGTTCACCCCTT
 GATTACCAATGACGGTGTGACCATTGCCAAAGAAATCGAATTGGAAGACCATTTTGAAAATATGGGTGCT
 AAGTTAGTATCAGAAGTAGCTTCTAAAACCAATGATATCGCAGGTGACGGGACTACGACTGCAACAGTCT
 TGACCCAAAGCTATCGTCCGTGAAGGAATCAAAAACGTCACAGCAGGTGCAAAATCCAATCGGTATTGCTCG
 TGGGATTGAAAACAGCAGTTGCCCGCAGCAGTCAAGGCTTTGAAAACAAACGCCATCCCTGTTGCCAATAA
 AGAAGCTATCGCTCAAGTTGCAGCCGTATCTTCTCGTTCTGAAAAAGTTGGTGAGTACATCTCTGAAGCA
 ATGAAAAGAGTTGGCAAGACGGTGTATCACCATCGAAGAGTACCGTGGTATGGAACAGAGCTTGAA
 GTGGTAGAAGAAATGCAGTTTGACCGTGGTTACCTTTACAGTACATCGTGATGACGAAAAAATGG
 TGGCTGACCTTGAAGATCCGTACATTTTGATTACAGACAAGAAAAATTTCCAATATCCAAGAAATCTTGGC
 ACTTTTGAAGCATTCTCCAAAGCAATCGTCCACTCTTGATTATTGCGGATGATGTGGATGGCGAGGCT
 CTTCCAACTCTTGTGTTTGAACAAGATTCCGTGGAACCTTCAACGTAATAGCACTCAAGGCACCTGGTTTGG
 TGACCGTTCGCAAGCCATGCTTGAAGATATCGCCATCTTAACAGGCGGAACAGTTATCACAGAAGACCTT
 GGTCTTGAAGTGAAGATGCGACAATTGAAGCTCTTGGTCAAGCAGCGAGAGTGACCGTGGACAAAGAT
 AGCAGCGTTATTGTAGAAGGTGCAGGAAATCCTGAAGCGATTCTCACCGTGTGCGGTTATCAAGTCTC
 AAATGCAAACTACAACCTCTGAATTTGACCGTGAAAAATTGCAAGAACGCTTGGCCAAATGTGAGGTGG
 TGTAGCGTTATTAAAGTTGGAGCCGCAACTGAAACTGAGTTGAAAGAAATGAAACTCCGCATTGAAGA
 TGCCCTCAACGCTACTCGTGACGCTGTTGAAGAAGGTATTGTTGCAGGTGGTGGAAACAGCTCTTGCCAAT
 GTGATTCCAGCTGTTGCTACCTTGAATTGACAGGAGATGAAGCAACAGGACGTAATATTGTTCTCCGTG
 CTTTGGAGAACCCTGCTCAAAATTGCTCACAATGCAGGATTTGAAGGATCTATCGTTATCGATCGTTTG
 AAAAATGCTGAGCTTGGTATAGGATTTAACGCAGCAACTGGCGAGTGGGTTAACATGATTAATCAAGGT
 ATCATTGATCCAGTTAAAGTGAGTCTGAGCCCTACAAAATGCAGCATCTGTAGCCAGCTTGATTTTGA
 CAACAGAAAGCAATCGTAGCCAATAAACCAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAGGAG
 TGGGGGGGATGATGCTCGAGCACCACCACCACCACCCTGA

2 CFE105 "homologue of SEQ. ID NO. 101"

Fig 119
 ATGATTAAAGATTGAAACCGTATTAGATATTTTAAAGAAAGATGGCCTTTTTCGCGAAATTATTGACCAA
 GTCAATACCACTACAACCTACAGCAAAGTTATTTTGTAGCATCAGCTACGACAGCCGAAAAGTAACAGA
 AGACACTCTTTTGTGAAAAGGCGCTGCCTTTAAAAAAGAATACCTTCTTCTGCTATAACACAAGGTT
 TAGCTTGTATGTAGCTGAAAAGGACTACGAAGTCGATATCCCTGTCACTATTGTGAACGATATAAAGAA

2 CFE 105 homologue of SEQ ID NO: 101 (Contd)

AGCATGAGTTTGATTGCCATGGAGTTCTATGGTAATCCACAAGAGAACTCAAACCTCCTTGCCCTTTACT
 GGTACTAAGGGTAAGACAACAGCAACCTATTTCCGCTATAACATCTTATCTCAAGGGCATAGACCTGCTA
 TGTGTGACCATGAACACAACCTCTTGATGGCGAGACTTTCTTTAAGTCAGCGTTGACAACCCCTGAGAG
 TA TGAACCTCTTTGACATGATGAATCAGGCTGTGCAAAATGACCGTACCCACCTCATCATGGAAGTCTCC
 AGTCAAGCCTATCTAGTCCATCGAGTCTATGGACTGACCTTTGATGTAGGAGTCTTTCTTAACATCACTCC
 TGAACATATCGGCCCCGATTGAACACCCTAGCTTTGAAGACTATTTCTACCACAAGCGTCTCTTGATGGAA
 AATAGCCGAGCAGTCATCATTAACAGTGACATGGACCACTTCTCAGTCTTGAAAGAACAGGTTGAAGATC
 AAGACCATGATTTCTATGGTAGCCAATTTGATAACCAATCGAGAATTCCAAAGCCTTTAGCTTTTCAGCT
 ACCGGTAAACTCGCTGGAGATTATGATATCCAACCTCATTGGCAACTTCAACCAAGAAAATGCAGTTGCTG
 CTGGACTTGCTTGTCTCCGTCTCGGAGCAAGTCTTGAGGACATCAAAAAAGGCATCGCTGCAACCCGCT
 TCCTGGTCTGATGGAAGTCTCACTCAGAAAAATGGAGCCAAGGTCTTCATCGACTATGCCCACAATGGG
 GATAGTCTGAAAAAACTCATCAATGTGGTTOAAACTCATCAAAACCGGAAAGATTGCTCTGGTTCTGGGAT
 CAACAGGAAAACAAGGGAGAAAGTCTGCTGTAAGGACTTTGGCCTCCTCCTCAATCAACACCCTGAGATT
 AAGTCTTCTGACTGCTGATGACCCTAACTATGAAGACCCAATGGCCATTGCAGATGAAATTAGTAGCTA
 CATCAATCATCTGTTGAAAAGATTGGCGATCGCCAAGAAGCCATCAAGGCGGCAATGGCTATCACAAA
 TCACGAATTAGATGCAGTTATTATTGGCGGTAAGGGAGCCGATTGTTACCAAATCATCCAGGGCAAGAAA
 GAATCTACCCAGGAGATACAGCCGTCGCAGAAAATTATTTACTCGAGCACCACCACCACCACCTGA

2 CFE 106 "homologue of SEQ. ID NO. 102"

ATGATCCAAATCGGCAAGATTTTTGCCGGACGCTATCGGATTGTCAAACAGATTGGTTCGAGGAGGCATGG
 CGGATGCTACCTAGCCAAAGACTTAATCTTAGATGGGGAAGAAAGTGGCAGTGAAGGTTCTGAGGACCA
 ACTACCAAGACCGGACCCGATAGCTGTAGCTCGTTTCAGCGTGAAGCGAGAGCTATGGCAGATCTAGACCA
 TCCTGATATCGTTCCGATAACAGATATTGGTGAGGAAGACGGTCAACAGTATCTTCAACAGTATGTTG
 GCTGGACTAGACCTCAAACGCTATATCAAGGAACATTATCCTCTTTCTAATGAAGAAGCAGTCCGTATCA
 TGGGACAAATTTCTCTTGGCTATGCGCTTGGCCCATACTCGAGGAATTGTTACAGGGGACTTGAAACCTCA
 AAATATCCTTTTGACACCAGATGGGACTGCCAAGGTCAACAGACTTTGGGATTGCTGTAGCCTTTGCAGAG
 ACAAGTCTGACCCGACATACTCGATGTTGGGCTCAGTTCTACTTGTTCACCAGAGCAGGCGCGTGGTT
 CGAAGGGCAGCTGTCAGAGTGATATCTATGCCATGGGGATTATTTCTATGAGATGTTGACAGGCCATAT
 CCCTTATGACGGGGATAGCGCGGTGACCATTGCCCTCCAGCATTTCCAGAACCCTGCCGCTCGTATTATG
 CAGAAAAATTCATCTGTACCTCAGGCTTTAGAAAAATGTTATTATCAAGGCAACTGCTAAAAAGKTOACCAA
 TGGCTATCGCTCGGTTTCAGAGATGTATGTAGACTTGTCTAGTAGCTTGTCTACAATCGTAGAAATGAAA
 GTAAGTTAATCTTTGATGAAACGAGCAAGGCAGATACCAAGACCTTGCCGAAGGTTTCTCAGAGTACCTT
 GACATCTATTCTTAAGGTTCAAGCGCAGACAGAACACAAATCAATCAAAAAACCAAGCCAGGCTGTGAC
 AAGGAAACTTACCAACCACAAGCACCGAAGAAAACATAGATTAAAGATGCGTTACCTGATTTTGTGGCC
 AGCCTTGTATTGGTGGCAGCTTCTCTTATTTGGATACTATCCAGAACTCCTGCAACCATTGCCATTCCAGA
 TGTGGCAGGTGACAGAGTTGACAGAGGCCAAGGCAACGCTCAAAAAAGCCAATTTGAGATTGTTGAGGA
 GAAGACAGAGGCTAGTGAAAAGGTGGAAGAAGGGCGGATTATCCGTACAGATCCTGGCGCTGGAAGTGG
 TCGAAAAAGGAAGCAAAAAATTAATCTGGTTGTCTCATCAGGCAAAACAATCCTTCCAAATTAGTAATTAT
 GTCGGCCGGAAATCTTCTGATGTTATCGCGGAATTAAGAGAGAAAAAAGTTCCAGATAATTGATTAAAA
 TTGAGGAAGAAGAGTCCGAATGAAGTGAAGCTGGAACGGTCTGAAAGCAAAGTCTACCAGAAGGTACG
 ACCTATGACTTGAGCAAGGCAACTCAAATTGTTTGAACAGTAGCTAAAAAAGCTACGACGATTCAATTAG
 GGAACATATATTGGACGGAACCTTACAGAAAGTAATCTCAGAAGTCAAGCAGAAGAAGGTTCTGAGAAAT
 TGATTAGATAGAGGAAGAAGAGTCCAGCGAAAGCGAACCAGGAACGATTATGAAACAAAGTCCAGGT
 GCGGGAACGACTTATGATGTGAGTAAACCTACTCAAATTGCTTGCAGTAGCTAAAAAAGTTACAAGTG
 TTGCCATGCCGAGTTACATTGGTTCCAGCTTGGAGTTTACTAAGAACAATTTGATTCAAATTGTTGGGATT
 AAGGAAGCTAATATAGAAGTTGTAGAAGTGACGACAGCGCCTGCAGGTAGTGTAGAAGGCATGGTTGTT
 GAACAAAGTCCTAGAGCAGGTGAAAAGGTAGACCTAAATAAGACTAGAGTCAAGATTTCAATCTACAAA
 CCTAAAAACAATTACGCTACTCCTGCGGCCGCACTCGAGCACCACCACCACCACCTGA

2 CFE 107 "homologue of SEQ. ID NO. 103"

ATGAAAGATTTTGATACTATTTGTCATCGGTGGGGACCTGCTGGTATGATGGCTACGATTTCCAGTAGCTT
 TTATGGACAGAAAAACCTCCTCATCGAAAAAATCGGAAACTTGGAAGAAATTAGCTGGGACTGGTGG
 GGGACGTTGCAATGTGACCAACAATGGTAGCTTAGACAACCTGCTAGCTGGAATTCCTGGAACCGACG
 CTTCTTTACAGTGTCTTCTCCAGTTCCGATAATCATGACATCATCAACTTTTTTACAGAAAAATGGTGTAA
 ACTTAAGGTCCGAAGACCAGGACGCGTCTTTCCAGCCAGTGACAAGTCTGGGACTATTATCGAAGCTTTG
 GAAAAGAAAACTCACTGAAGTGGTCAAGTTGCTACTCAAATAGAAATCGTTTCTGTTAAAAAAGTA

2CFE 107 (Contd.)

Fig 121 (Contd.)
 GATGACCAAGTTTGTCTTAAGTCAACGGATCAAACCTTCACTTGTAAGAACTCATTGTCAACACAGGTG
 GTAAGTCTTATCCTTCGACTGGTTTCGACTGGCTTTGGTCAAGAGATTGCTCGCCATTTTAAGCATACCATC
 ACCGATCTTGAGGCTGCTGAAAGTCTTTATTAACAGATTTTCCACATAAAGCCTTACAAGGGATTCTCT
 GGACGATGTGACCTAAGTTATGGTAAGCATGTCTCACTCATGATTACTCTTTACCCACTTTGGTTTGT
 CAGGTCTGCTGCCCTACGCATGTCTAGCTTTGTCAAAGGTGGGGAGGTTCTCTCACTCGATGTTTTGCCT
 CACTTTCTGAGAAGGACTTGGTTACATTTCTAGAAGAAAATCGGGAAAAATCCTTGAAAAACGCTTTAA
 AACCTTGTACCAGAACGCTTGGCCGAATTTTTTGTACAAGGATATCTGAAAAAGTCAAACAGCTGAC
 TGAAGGAACGAGAACAACCTTGTCCAGTCCATTAAAGAACTTAAATTCCTGTAACCTGAAAAATGTC
 CTTGCAAAAGTCTTTGTTACCAAGGGTGGAGTCAGTCTCAAGGAAATCAATCCTAAACCCCTTGAAAGT
 AAGGTGGTACCTGGCCTCCACTTTGCAGGCGAAGTTATGGATATCAATGCCACACGGGTGGCTTTAACA
 TCACTTGTGCCCTCTGTACCGGCTGGGTGGCGGAAGTCTGCATTATGATCTCGAGCACCACCACCA
 CCACTGA

2.CFE108 "homologue of SEQ. ID NO. 104"

Fig 122
 ATGCTGAAATGGGAAGACTTGCCTGTGGAAATGAAATCAAGCGAGGTTGAGTCTTACTACCAGCTTGTCT
 CTAAGGAAGGGTTTCGCTGATTTTCAAGCGTTGCTTGGACTGGGTTTTGGCCTTGGTCTTACTGGTTCTA
 ACTTCTCCATCTTTCTCATCTTGAGCATTGGATCAAGTTGGATAGCAAGGGGCCAGTGATTTACAAGCA
 AGAGCGTGTGACCCAGTACAACCGTCCGTTCAAGATTTGGAAGTTCCGTACCATGGTGACGGATGCGGAT
 AAAAAAGGAAGTCTGGTGACTTCTGCTAACGATAGCCGTATTACCAAGGTTGGAAATTTTATCCOACGTG
 TCGGTTTGGACGAACCTGCCTCAATTGGTCAATGTCTTAAAGGTGAGATGTCTTTGTGGGTACACGACCT
 GAAGTGCACGTTATACAGAGCAGTATAGCCCTGAAATGATGGCAACCTTGGCTCTTGCAAGCAGGAATTA
 CCTCTCCAGCCAGCATCAACTACAAGGATGAGGACACCATCATCAGTCAAATGACGGAGAAAGGTCTGT
 CAOTTGATCAGGCCTATGTGGAGCATGTTCTTCTGAAAAGATGCGCTATAACCTCGCCTATCTCCGAGA
 GTTAGTTTCTTTGGGGACATCAAAATCATGTTTCAACCGTGTGTTGAGGTACTAAAACTCGAGCACCACC
 ACCACCACTGA

2.CFE109 "homologue of SEQ. ID NO. 105"

Fig 123
 ATGACTAGTCCACTATTAGAATCTAGACGCCAACCTCGTAAATGCGCTTTTCAAGCTCTCATGAGCCTTGA
 GTTCGGTACGGATGTGCAAACTGCTTGTGCTTTCGCTTACTCATGATCGTGAAAGATACGGATGTACAA
 CTTCACGCTTTTGTATAGACCTCGTTTCTGGTGTTCAGCTAAAAAGGAAGAACTAGATAAGCAAAATCA
 CTGAGCATTTAAAGCAGGTTGGACCATTTGAACGCTTAAACGCTCGTGGAGAGAAACCTCCTTCGCTTGGG
 AGTCTTGAATCACTTCAATTGACACTCCTCAGCTGGTTGCTGTTAATGAAGCTATCGAGCTTGCAAAGG
 ACTTCTCCGATCAAAAATCTGCCCGTTTATCAATGGACTGCTCAGCCAGTTTGTAAAGAGAAGAACT
 CGAGCAACCACCACCACCACCACTGA

2.CFE111 "homologue of SEQ. ID NO. 107"

Fig 124
 ATGACAAAACGTGTAACGATTATTGATGTAAGAACTATGTTGGTCAAGGAAGTGACGATTGGCGCTTGGG
 TTGCCAAACAAATCAGGAAAAGGGAATAATCGCTTCTTACAATTGCGTGATGGAACAGCCTTCTTTCAAGG
 TGTGACTTTTAAACCAAACTTGTGCAAAAATTTGGTGAAGAAAGTGGGACTTGAGAAGTTTGATGTTATC
 AAACGCTTGAGCCAAGAAACGTCTGTTTATGTGACAGGTATTGTCAAAGAGGACGAACGTTCTAAATTTG
 GCTATGAGTTTGACATCACAGACATCGAAGTGATCGGTGAATCTCAAGACTACCCAATCACACCAAAAG
 AACACGGAACAGACTTTTGTATGGATAACCGTCACTTGTGGCTACGCTCTCGTAAGCAAGTAGCTGTGTT
 GCAAAATCGTAACGCTATTATCTATGTAACCTATGAGTTCTTTGACAAGAATGGTTTTATGAAGTTTGACA
 GCCAATCTTTTCAAGAAATGCGGCAGAAGATTCTACAGAACTCTTTGAAACTGACTACTTCGGAACGCC
 AGCCTACTTTGAGCCAATCAGGTCAGCTTTACCTAGAAGCAGGGGCTATGGCTCTTGGTCTGTCTTGA
 TTGTTCCAGTTTTCCGTGCTGAAAAATCAAAAACACGCCGTCCTTGAAGTCTGATGATGATGATGATG
 TGAGTACTCATCTTGACACATGATGAGTCTGCTTGAAGAAAGCTTATGTGAAAGCTCTTCTACAA
 GGTGTTCTTGACCGCGCGCTCAAGCCTTGGAAACCTTGGAACTGATACAGAACTCTTGAACGCTACA
 TTGCAAGCCATTCAAACGTATCACTTACGATCAAGCCATTGACCTCTTGAAGAGCATGAAAATGATGA
 AGATGCTGACTACGAGCATCTTGAGCATGGTGATGACTTTGGGTCAACACAGAACTTGAATTTCAAAC
 CACTTTGGTGTGCCAACATTTGTCTATGAACATAACAGCAGCCATCAAGGCCTTCTACATGAAACCAAGTTC
 TGGAAATCCAGAGCGCGTCTTTGTGCAAGTCTGCTTGTCCAGAAGGCTATGGAGAAATATCGGTGGG
 TCTATGGTGAAGGAAGATTACGATGCCCTTGTGCTAAGATGGATGAACTTGGCATGGATCGTACAGAAT
 ATGAATTTACCTTACCTTCTGTAATAACGGTACAGTCCACACGGAGGATTTGGTATCGGTATCGAAG
 TATGGTAACCTTCGAGCAGGAACAAAACATATCCGTGAAGCTATTTCAATCCCACGATGTTCCACCGT
 ATCAAAACACTGGAGCACCACCACCACCACTGA

2 CFE112 "homologue of SEQ. ID NO. 108"

ATGCTCTCAAAAATTAGTAGAAATCAAAGATTTAGAAAATTCCTTCGGTGAAGGAAGTAAGAAAGTTTGTGG
CGGTTAAAAATGCTAACTTCTTTATCAACAAGGGAGAACTTTCTCGCTTGTAGGTGAGTCCGGTAGTGG
GAAAAAAGTAATGTAAGAAATCGCGTGAACAAGCTGCGGAATTGATTCTGCGAATCCAGATGATTTTCC
AAACCGCTGCGCAAGTTTGAATGAACGTGCGACTGTTGATTATATTATTTCTGAAGGTCTTTACAATCAC
CGTTTATTTAAGGATGAAGAAGAACGTAAGAGAAAAGTTCAAAGTATTATCCGTGAAGTAGGTCTTCTTG
CTGAGCACTTGACTCGTTACCCCTCATGAATTCAGGCGGTCAACGTCAACGTATCGGTATTGCCCGTGCC
TTGCTCATGCAACCAGACTTTGTTATTGTCAGATGAGCCAAATTCAGCCTTGGACGTTTCTGTACGTGCCCA
AGTCTTGAACCTTGCTCAAAAAATTCAAAAAGAGCTCGGCTTGACCTATCTCTTCATCGCCATGACTTGT
CGGTGTTCTCGCTTTATTTTCAGATCGTATCGCAGTTATTTACAAGGGTGTATTGTAGAGGTTGCAGAAACA
GAAGAATTGTTTAAACAATCCAATTCACCCATATACTCAAGCCTTGCTTTTCAGCGGTACCAATCCAGATCC
AACTTCTGGAAGCTAAGAAGGTCTTGAAGGTTTACGACCCAAAGTCAACACGACTATGAGACTGATAAGCC
ATCTATGCTAGAAATCCGTCCAGGTCACTATGTTTGGGCGAACCAAGCTGAATTAGCACGTTATCAAAAA
GGACTAAACCTCGAGCACCACCACCACCACCCTGA

2 CFE113 "homologue of SEQ. ID NO. 109"

ATGAAGATAAGTTGGAATGGATTTCATAAAAAATCATACCAAGAGCGCCTCGAGCTGCTAAAAAGCTCAG
GCGCTCTTAGTCTCTGAGAGACAAGCTAGTCTGGAGAAGGATGAACAGATGAGTGTGACTGTGGCAGAC
CAGCTGAGTGAGAATGTGGTGGGAACTTTTTCTCTGCTTATTCGCTGGTTCGGAAGTACTTGTCAACGG
TCAGGAATACACCGTTCCCTATGTGACAGAAGAACCCTCTGTGGTTGCGGCGGCCAGCTATGCCAGCAAA
ATCATCAAGCGTGCAAGGTGGTTTTACTGCACAAGTCCATCAGCGCCAGATGATTGGGCAGGTAGCCCTTT
ATCAAGTTGCTTAATCCTAAACTAGCGCAAGAGAAGATTGCCAGCAAGAAAGCGGAGCTCTTGGAGCTTG
CCAATCAAGCCTATCCTTCTATCGTTAAACGTGGGGGTGGGGCGCGTGATCTGCATGTGAGCAGATAAA
AGGCGAACCAAGACTTTCTCGTTGTTTATATTCATGTGATACCCAGGAAGCCATGGGTGCCAATATGCTC
AAGACCATGCTGGAAGCCTTGAAACCAAGTCTTAGAAGAAGTCAAGTCAAGGGACAGAGTCTCATGGGAATC
CTGTCCAACACTACGCGACTGATTCTCTGGTGACTGCAAGCTGTGCGATCGCCTTTCGCTACTTGAGCCGCCA
AAAGGATCAAGGACGAGAGATTGCGGAGAAAATTCGCTTGGCTAGTCAAGTTGCGCAGCTGATCCTTA
CCGAGCTGCTACTCATAATAAAGGAATTTTTAATGGTATTGATGCGATTTTGGATTGCCACTGGTAATGACT
GGGCTGTCATCGAAGCTGGGGGCCATGCCTTTGCCAGTCAAGATGGACGCTATCAAGGTCTTAGCTGCTG
GAGGCTGACCTTGAAAGAGAAGAATTGGTGGTGAGATGACCCCTGCCATGCCTGTAGCGACTAAGGG
TGGCTCTATCGGCTCAACCCACGTGTAGCTCTCAGTCATGATCTACTAGGAAATCCTTCTGCCAGAGAAT
TAGCCCAAGATTATCGTGTCCATCGGTCTTGCTCAAAATTTGACAGCCCTCAAAGCCTTGGTAAGTACGGGC
ATCCAGGAAGGCCACATGAAACTACAGGCCAAATCCCTAGCTCTCCTAGCTGGGGCTAGTGAATCTGAAG
TTGCTCCCTAGTAGAGCGCCTCATCTCAGATAAAACCTTTAACCTAGAGACAGCCAGCGCTATCTCGA
AAATTTAAGATCAGCGGCCGCACTCGAGCACCACCACCACCACCCTGA

2 CFE114 "homologue of SEQ. ID NO. 110"

ATGCCAATTACATCATTAGAAATAAAGGACAAGACTTTTGGAATCGATTTCAGAGGTTTTGATCCAGAAO
AACTCGATGAATTTTATGATATTGTGGTTTCGTGATTACGAAGATCTTGTGCGTGCGAATCATGATAAAAA
TTTGGCTATTAAGAGTTTAGAAGAGCGTTTGTCTTACTTTGATGAAATAAAAGATTTCATTGAGCCAGTCTG
TATIGATTGCTGAGGATACAGCTGAGAGAGTGAACAGGCGGCATGAACGTTCAAACAATATCATTC
ATCAAGCAGAGCAAGATGCGCAACGCTTGTGGAAGAAGCTAAATATAAGGCCAAACGAGATTCTTCGTC
AAGCAACTGATAATGCTAAGAAAGTCGCTGTTGAAACAGAAGATTGAAGAACAAGAGCCGTGTCTTCC
ACCAACCTCTCAAATCTACAATTGAGAGTCAGTTGGCTATTGTTGAATCTTCAGATTGGGAAGATATTCTC
CGTCCAACAGCTACTTATCTTCAAACCAAGTGATGAAGCCTTTAAAGAAGTGGTTAGCGAAGTACTTGGAG
AACCATTCCAGCTCCAATTGAAGAAGAACCAATTGATATGACACGTCAAGTCTCTCAAGCAGAAATGGA
AGAATTACAAGCTCGTATTGAGGTAGCCGATAAAGAATTGTCTGAATTTGAAGCTCAGATTAAACAGGA
AGTGGAAACCACTCCTGTAGTGAGTCTCAAGTTGAAGAAGAGCCTCTGCTCATCCAGTTGGCCCAA
TGTATGAAGAACCAGAAGCTCGAGCACCACCACCACCACCCTGA

2 CFE115 "homologue of SEQ. ID NO. 111"

ATGCTCAATGGACAACATAATTTATTTAATGGTTGCAATTGCAGTCATTTTAGTTCTGGCTTATGTAGTGGC
AATCTTTCTACGTAAGCGAAACGAGGGGAGATTAGAGGCGCTAGAAGAAAGAAAAGAAAGTATACA
ATCTTCCAGTAAATGATGAAGTAGAAGCTGTAAAAAATATGCACTTGATTGGACAAAGTCAAGTGGCTTT

2CFE 115 (contd)

CCGTGAATGGAATCAAAAATGGGTCGATTTATCTCTCAACTCTTTTGCCGATATTGAAAATAATCTCTTTG
 AAGCAGAAAGGCTATAACCATTCATTTCGTTTCTCAAGGCCAGTCATCAAATTGACCAAATTGAGAGTCA
 AATTAGTTTGAATTGAAGAAGATATTGCGGCAATTTCGCAATGCTTTGGCAGACTTAGAGAAGCAAGAATCT
 AAAAAATAGTGGTCGTGTTCTTCATGCTTTGGATTATTTGAGGAACCTTCAGCATAGAGTTGCTGAAAATTC
 AGAACAGTATGGTCAAGCCTTGGATGAAATTGAAAAACAATTAGAAAATATCCAATCTGAATTTTCACAA
 TTGTAAACCTTGAATTCATCGGGTGACCTGTGGAAAGCCGCGAGTGATTTTGGATAATACAGAAAATCACA
 TTTGGGCTTAAGTCATATTGTGGATCGTGTTCAGCCTTGGTTACGACGCTTCTACAGAATTGCCAGAT
 CAATTACAGGATTGGAAGCCGGTTATCGTAAACTAATTGATGCTAATTATCATTTTGTTGAAACGGATAT
 TGAAGGCGGTTTCCACTTGCTTTATGAAGCATTCAAGAAAAACCAAGAGAATATTGTCAGTTGGAATTG
 GATAATGCCGAATATGAGAATGGACAGGCACAAGAGGAAATCAATGCCTTGTATGATATTTTACTCOAG
 AAATTGCTGCTCAGAAAGTAGTGGAATACTACTTGAACCTTCCAACTTACCTTCAACATATGAAAAGA
 GAATAAATCTTTATTGGGAGAAAGATATTGCACAGTATTGAACAAGACCTATTTACTTCTGAGACAGCTGCA
 AGCATGTTCTGCTGATTTCAGACAGAAATTAGAGAGTTTGAAGGCAGCTATTGTTGAGGTAACCTCAAATC
 AAGAAAGAACCAACCCAAAGCTTATTCAGTTCTTGAAGAAAATCTTGAGGATTTACAACTCAACTAAAAG
 ATATTGAAGATGAGCAAAATTCAGTTAGTGAGCGCCTGACACAAATTGAGAAAGATGATATTAATGCAC
 GTCAAAAGGCCAATGTTTATGTCAATCGTCTCCATACTATCAAGCGATACATGGAAAAACGCAATCTGCC
 AGGTATCCACAAACTTTCTTGAAGTTATTCTTTACGGCAAGCAATAATACCGAGGATTTAATGGTTGAGT
 TAGAACAATAAATGATTAACTTGAATCTGTTACCCGAGTTCTTGAAATTGCAACGAATGATATGGAAGC
 TTTAGAACGGAACTTATAATATTGTACAATATGCAACTTTGACAGAGCAACTCTTGCAATATTCTAAC
 CGCTATCGCTGATTGATGAACGCATTCAAGAAGCATTAAACGAAGCTTTAGATATTTTGA AAAAGAAT
 TTGATTATCAGCCTTCATTTGACAAGATTCTCAAGCATGGGAAGTGGCAGAGCCTGGTGTAACCAATCG
 CTTTGTACCTCATATGAGAAAACACGTGAAACGATTCTGTTTGCGGCCGCACTCGAGCACCACCAC
 CACCCTGA ||

2 CFE116 "homologue of SEQ. ID NO. 112"

ATGCTTATATCTTATAAATGGTTAAAGAATTGGTGGACATTGATGTGCCATCACAAGAGTTGGCTGAAA
 AAATGTCAACTACAGGAATCGAGGTAGAGGGTGTGCAATCACCAGCTGCTGGTCTCTCAAAAATTGTGCT
 CGGTGAGGTCTTGCTTGGCAAGATGTGCCAGAGACTCACCTCCATGTTTGTGAGGTTAACGTTGGCGAA
 GAAGAGCGTCAGATCGTTTGTGGTGCCCCAAATGTGCGTGCTGGGATCAAGGTCATGGTGCTCTTCCAG
 GAGCTCTATGCTGATAACTACAAAATCAAAAAGGAAAAATCCGTGGTTTGGAGTCACTTGGAAATGA
 TCTGTTCACTTGGTGAATTGGGAATTTCTGACTCAGTTGTGCTTAAGGAATTCGCAGATGGCATCCAAATC
 TTGCCCTGAAGATGCGGTGCCAGGTGAGGAAGTCTTTTCTTACCTAGACTTGGATGATGAAATCATCGAAC
 TTTCCATCACACCAAACCGTGCGAGATGCCCTTCTATGTGTGGAGTGGCTCACGAAGTGGCAGCCATCTA
 TGACAAGGCAGTCAACTTTAAAGAATTTACTCTAACAGAACTAATGAAGCTGCGGCAGATGCCCTTCT
 GTGAGCATTTGAGACAGACAAGGCGCTTACTATGCAGCTCGTATCTTGGACAATGTGACCATCGCACCAA
 GTCCACAATGGTTGCAAAACCTTCTCATGAACGAAGGAATCCGTCCCATCAATAACGTAGTGGACGTGAC
 CAACTAGATCCTGCTCTATTTTGGTCAACCAATGCATGCCCTTTGACTTGGATAACTTTGAAGGGACTGACA
 TCGGTGTGCGTGAAGCGCGTGCTGGTGAAAAATTTGGTGAACCTTGGACGGTGGAAGAACGCTGACTTGGACGT
 GAATGACCTAGTACACTGTGCGAGACAAGCCAGTACGCTTGGCAGGTGCTATGGGTGGTGAACAACA
 GAAATCTCTGA AAAATCTAGTCTGTGTTGTCCTTGAAGCTGCTGTTTCAATGGCAAATCTATCCGTAAGAC
 AAGTGGTGGCTGAACCTTCGTTCTGAGTCACTTCTCGCTTTGAAAAAGGAATTAATGTGGCAACAGTT
 AATGAAGCCCTTGATGCGGCAGCTAGCCTGATTGCGGAACTTGCAAGGTGCGACGGTGGTAAGGGCATC
 GTTTCAGCGGGTGAGCTTGATACTTCAGATGTAGAAGTTTCTTCAACCTTGCTGATGTTAACCGTGTCTCT
 CGCAACTGAGCTGTCTTATGCTGATGTAGAAGACGTCTTCCGTGCTTGGCTTTGGTCTTTCTGAAATG
 CAGACAGCTTTACAGTCAGAGTCCCACGTGCTGTTGGGATATCAAAATCGAAGCTGACCTCTTTGAAGA
 AATTGCTCGTATCTATGGTTATGACCGCTTGCCAACCTAGTCTACCAAAAGACGATGGTACAGCAGGTGAA
 TTGACAGCCACACAAAACCTCCGCCGTCAAGTTCTGACTATTGCTGAAGGAGCAGGTTTGACAGAAATCA
 TCACCTATCTCTAACAACTCCTGAAAAAGCAGTTGAGTTTACGGCTCAACCAAGTAACCTTACGGAAC
 CATGTGCCAATGACTGTGGATCGTTCACTCCTCCGTCAAAAATGATTTGAGGTATCTTGTATACCGTTG
 CCTACAAAGTGCTCGTAAAGAAATAAAACTTGGCCCTTACGAGATTTGGAAGAGCTTTGAACAACAGG
 TAATCCAAGGAAGAAGCTTCCAAATGAAATCAACAGTTTTCCTTTGCTTGGCTTGACAGGCTTGGTTGCTGAA
 AAAGATTTCACAAACAGCAGCAGTTCAGTTGATTCTTCTATGCTAAGGGAATCCTTGAAGCCCTATTTAC
 TCGTTTGGGACTCCAAGTAACCTATACAGCAACATCTGAAATCGCTAGCCTTCATCCAGGTGCTACAGCC
 GTGATTTCAGTGGTGACCAAGTTCTTGGTTTCTTGGCCAAGTGCACTCCAGTCACTGCCAAGGCTTACGA
 TATCCAGAAAAGTATGTGGCTGAGCTTAACCTTTCAGCTATCGAAGCTGCGCTTCAGCCAGCGACTCCA
 TTTGTAGAAATCAACAAATTCGCCGCGAGTCAGCCGTGACGTTGCCCTTCTCTCAAGGCAGAAAGTACTC

2 CFE 116 (contd)


Fig 129
(contd)

ATCAACAAGTTGTAGATGCTATCCAAGCTGCCGGCGTGAAACGTTTGACAGATATCAAACCTCTTTGACGT
CTTCTCAGGTGAGAAATTGGGACTTGGTATGAAGTCAATGGCTTATAGCTTGACCTTCCAAAATCCAGAA
GATAGCTTAACGGACGAAGAAGTCGCACGCTATATGGAAAAATCCAAGCATCGCTCGAAGAAAAAGTC
AATGCAGAAGTGCGTCTCGAGCACCACCACCACCACCTGA


2 CFE117 "homologue of SEQ. ID NO. 113"

Fig 130


ATGTTAGAAAACGATATTAAAAAAGTCCTCGTTTCACACGATGAAATTACAGAAGCAGCTAAAAAACTA
GGTGCTCAATTAATAAGACTATGCAGGAAAAAATCCAATCTTAGTTGGGATTTTAAAAGGATCTATTC
CTTTATGGCTGAATTGGTCAAACATATTGATACACATATTGAAATGGACTTCATGATGGTTTCTAGCTAC
CATGGTGGAAACAGCAAGTAGTGGTGTATCAATATTAAACAAGATGTGACTCAAGATATCAAAGGAAGA
CATGTTCTATTGTAGAAGATATCATTGATACAGGTCAAACCTTTGAAGAATTTGCGAGATATGTTTAAAG
AAAGACAAGCAGCTTCTGTAAAATTGCAACCTTGTGGATAAACAGAGGACGTGTTGTAGAAATTG
AGGCACACTATACCTGCTTTACTATCCCAAATGAGTTTGTAGTAGGTTATGGTTTACTACAAAGAAAA
TTATCGTAATCTTCTTATATTGGAGTATTGAAAGAGGAAGTGATTCAAATCTCGAGCACCACCACCAC
CACCACCTGA




C




B



A



E



D

FIGURE 131

SEQUENCE LISTING

- <110> Dougherty, Thomas J.
Pucci, Michael J.
5 Dougherty, Brian A.
Davison, Daniel B.
Bruccoli, Robert E.
Thanassi, Jane A.
- 10 <120> NOVEL BACTERIAL GENES AND PROTEINS THAT ARE ESSENTIAL
FOR CELL VIABILITY AND THEIR USES
- <130> 30436.44USU1
- 15 <140> Not yet known
<141> 2000-12-30
<160> 226
- 20 <170> PatentIn Ver. 2.0
- <210> 1
<211> 708
<212> DNA
25 <213> Streptococcus pneumoniae
- <400> 1
atgattttatg caggaattct tgccggtgga actggcacac gcatgggaat cagtaacttg 60
ccaaaacaat ttttagagct aggtgatcga cctattttga ttcatacaat tgaaaaattt 120
30 gtcttggaac caagtattga aaaaattgta gttgggggtc atggagactg ggttttacat 180
gcagaagatc ttgtagataa atatcttcct cttcataagg aacgtattat cattacaaag 240
gggtggtgctg accgcaatac aagtattgag aacatcattg aagccattga tgcattatcg 300
ccgcttactc cagaggatat cgttgttacc cagcattctg ttcgtccatt tattacgctt 360
cgcatgattc aagacagtat caaacttgct caaaatcatg acgcagtgga tacagtagta 420
35 gaagcagtgg atactatcgt tgaaagtacc aatggtcaat tcattacagg tattccaaat 480
cgtgctcacc tctatcaggg acaaacacct caaacattcc gttgcaagga cttcatggac 540
ctttatggat ctctttctga tgaagagaag gaaatcttga cagatgcatg taaaatcttt 600
gtgatcaaag gaaaagatgt agccttggcc aaaggcgaat actcaaactc gaagattaca 660
accgtaacag atttgaagat tgcaaaaagt atgattgaga aagactag 708
- 40 <210> 2
<211> 558
<212> DNA
<213> Streptococcus pneumoniae
- 45 <400> 2
atggctaacg taattattga aaaagctaaa gagagaatga ccaggtctca ccaatcactt 60
gctcgtgaat ttggtggtat ccgtgctggt cgtgccaatg caagcttgct tgaccgtgta 120
catgtagaat actatggagt cgaaactcct cttacccaaa tcgcttcaat tacgattcca 180
50 gaagcgcgtg ttttgttggt aacaccattt gacaagtctt cattgaaaga catcgaacgt 240
gccttgaacg cttctgatct tggatcacca ccggctaatt acggttctgt gattcgcttg 300
gttatccag ctcttacaga agaaactcgt cgtgaccttg ctaaagaagt gaagaaggtc 360
ggcgaaaatg ctaaagtggc tgtccgcaat atccgtcgcg atgctatgga cgaagctaag 420
aaacaagaaa aagcacaaga aatcactgaa gacgaattga agactcttga aaaagatatt 480
55 caaaaagtaa cagacgatgc tgttaaacac atcgacgaca tgactgctaa caaagagaaa 540
gaacttttgg aagtctaa 558

<210> 3
 <211> 1353
 <212> DNA
 <213> Streptococcus pneumoniae

5

<400> 3
 atgggtaaat attttgggac tgatggagtc cgtgggagaag ctaacctaga actaacacca 60
 gaattagcct ttaaactagg acgttttgga ggctatgttc ttagtcaaca tgaacaggaa 120
 gcgccgaaag tctttgtagg acgtgacaca cgtatttcag gggaaatgct ggaatcggcc 180
 10 ttggtggcag gtctcctttc agtagggatt caggtatata aacttgggtg ccttgcaaca 240
 ccagcagtag cttacttggg tgaactgaa ggaagcaagt ccggtgtcat gatttctgct 300
 agccacaacc cagcccttga taacggaatc aagttccttg gcggtgatgg cttcaacta 360
 gatgatgaaa aagaagcaga aattgaagcc ttgctagatg ctgaggaaga cactcttctt 420
 cgtccaagtg cagaaggcct aggaattttg gtagattatc cagaaggcct gcgtaagtat 480
 15 gaaggatacc gtgtgtcaac tggaaactct cttgatggaa tgaaggttgc cttggataca 540
 gctaattggag cagcttctac cagtgcctgt caaatctttg cagaccttgg tgcccaattg 600
 acggttatcg gggaaacacc agacggtctt aacatcaacc ttaatgttgg ttcaacacat 660
 ccagaagccc ttcaagaagt ggtcaaagaa agtgggtcag ctattggttt ggcctttgat 720
 ggagacagtg accgcttgat tgctgttgat gagaatggtg acatcgctga tggtgacaag 780
 20 attatgtaca tcatcggaat atacctttct gaaaaaggac aattggctca aaatacaatt 840
 gtgacaactg ttatgtctaa ccttgggttc cacaaggcct tgaatcgaga aggtattaac 900
 aaggcagtta ctgcagttgg tgaccgctac gttgttgaag aaatgagaaa atcaggctac 960
 aaccttgggt gtgaacagtc tggtcacgtt atcttgatgg attacaatac cacagggtgat 1020
 ggtcaattat cagcagttca attgactaaa atcatgaagg aaactggtaa gagcttatca 1080
 25 gagttggcgg cagaagtaac gatttatcca caaaaattag ttaatatccg agtggaaaac 1140
 gtcataagag aaaaggccat ggaagtgcc gctatcaagg ccatcatcga gaagatggaa 1200
 gaagaaatgg cggggaacgg ccgtatcctt gttcgtccaa gtggaacaga gcccctcttg 1260
 cgtgttatgg cagaagcgcc tacaacagaa gaagtggact actatgttga taccatcaca 1320
 gatgtagtgc gtgctgaaat tgggattgac taa 1353

30

<210> 4
 <211> 705
 <212> DNA
 <213> Streptococcus pneumoniae

35

<400> 4
 atgaaaaaaa tactaattgt agatgatgag aaaccaatct cggatattat caagtttaat 60
 atgaccaagg aaggttatga agttgtaact gcttttaatg gtcgtgaagc gctagagcaa 120
 ttggaagcag agcaaccaga tattattatt ctggatttga tgcttcaga aattgatggt 180
 40 ttagaagttg ctaagaccat tcgtaagaca agcagtggtc ccattcttat gctttcagcc 240
 aaagatagtg aatttgataa gggtatcggg ttggaacttg gggcagatga ctatgtaacg 300
 aaacccttct ccaatcgtga gttgcaggcg cgtgttaaag ctcttctgcg tcgttctcaa 360
 cctatgccag tagatggtca ggaagcagat agtaaaccct aacctatcca aattggggat 420
 ttagaaattg ttccagacgc ctacgtggct aaaaaatat gccaagaact agacttaacc 480
 45 catcgtgaat ttgagctttt gtatcattta gcatcgcata caggtcaagt catcacgcgc 540
 gaacacttgc ttgagactgt ctggggttat gactattttg gtgatgtccg cacagttgat 600
 gtgactgtac gacgtctgcg tgagaagatt gaagatacgc ccagccgacc agagtatatc 660
 ttgacgcgcc gtggtgtagg gtattacatg agaaataatg cttga 705

50

<210> 5
 <211> 1107
 <212> DNA
 <213> Streptococcus pneumoniae

55

<400> 5
 atggaagaaa ttctctgtat tggttgtgga gcaaccattc agacgacaga taaagctggg 60
 cttggtttta cccccagtc ggcacttgaa aaaggttttg agactggcga agtctattgc 120

caacgctgtt tccgtctcog ccactacaat gaaatcacag atgtccagtt gacgaacgat 180
 gatttcctca agctcttgca cgagggtgga gacagtgatg ctttagtggt caatgtcatt 240
 gatattcttg attttaattg atctgtcatc ccagggtttac cacgtttcgt ctcgggcaat 300
 gatgtcctct tggtaggaaa taaaaaagat atccttccta agtcagttaa gtctggtaag 360
 5 attagccagt ggctcatgaa acgtgcccatt gaagaaggte ttcgtccagt cgatgtgggc 420
 ctaacttcag cacaaaaata acatgccatt aaggaagtca ttgacaagat tgaacactac 480
 cgtaagggcc gcgatgtcta tgtgggtcgg gtgaccaacg ttggaaaatc aactctaata 540
 aatgtctatta tccaagaaat cacgggtgat cagaatgtca tctactcttc acgcttccca 600
 gggacaacct tggacaaaat agagattccg cttgacgacg gatcttatat ttacgatacg 660
 10 ccgggaatta tccaccgcca ccagatggct cactacttga cggccaaa aa cctcaagtat 720
 gtcagtccta aaaaggaaat caagcctaag acctatcagc ttaatcctga gcaaacccta 780
 ttttttaggtg gtttgggacg ctttgacttt atagcaggag aaaagcaagg atttactgct 840
 ttctttgata atgaactcaa actccatcgt agcaagcttg aaggagctag tgctttctac 900
 gataagcacc tgggaactct tctgacacca ccaaatagca aggaaaaaga agttttccca 960
 15 aggtcagtc agcatgtctt taccattaaa gataagacag acctagtcac cttaggccta 1020
 ggatggattc gtgtaacagg cacagcaaaa gtcgccgtct gggcaccaga aggcgtcgcc 1080
 gtcgtcacac gaaaagcaat tatttaa 1107

<210> 6

20 <211> 1461

<212> DNA

<213> Streptococcus pneumoniae

<400> 6

25 atgtatccag atgatagttt gacattgcac acggacttgt accagatcaa catgatgcag 60
 gtttactttg accaagggat tcacaataag aaggcggctt ttgagggtga tttccgcca 120
 cagcctttta agaacggcta tgcgggtttt gcagggttgg aaagaattgt gaactatctt 180
 gaagacttgc gtttttcaga tagtgatata gcctatttgg agtcgcttgg ttatcatggg 240
 gcgttcttgg attaccttcg caatttcaag ttggagttga ccgttcgttc tgcacaagaa 300
 30 ggggatttgg tttttgctaa tgaaccgatt gtgcagggtg aaggacctct agcccaatgt 360
 cagttggctg aaacggctct tttgaacatc gtcactacc agaccttggg ggcgacgaag 420
 gcagctcgta ttcgttcggg tatcgaagat gaacccttga tggagtttgg gacacgtcgg 480
 gctcaagaaa cggatgcggc catctgggga acacgcgcag cggtgattgg tggcgcaat 540
 ggaaccagca acgtgcgtgc gggtaagctc tttgacattc ctgttttggg aaccoatgcc 600
 35 catgccttgg tacaggttta tggcaatgac tatgaggctt tcaaggctta cgctgcgacc 660
 cacaaaaatt gtgtctttct tgtggatacc tatgataccc ttcgcatcgg tgtaccagct 720
 gccattcagg tggcgcgtga gctgggtgat cagattaact ttatgggtgt gcggattgac 780
 tctggggata ttgcctacat ttctaagaaa gtccgtcagc aactggacga ggctggattt 840
 acagaggcta agatttatgc ttctaattgat ttggacgaaa atactatcct caatctcaag 900
 40 atgcaaaagg ccaagattga tgtctggggg gtgggtacca agctgattac agcctatgac 960
 cagccggctc ttggggcggg ttacaagatt gttgcaatcg aagatgaaac tggtcagatg 1020
 cgcaatacga ttaagctgtc taataatgcg gaaaaagtgt cgacgccagg taagaagcag 1080
 gtgtggcgca ttaccagtcg tgaaaaaggt aagtcagaag gtgattacat cacttatgat 1140
 ggtgtgggata ttagcgacat gacagaaatc aagatgttcc atccgaccta tacatacatc 1200
 45 aagaagacgg ttcgtaatat tgatgccgtt cctctcttgg tggatatctt caaagaagga 1260
 atattagttt acaacttgc tagtttgact gacattcagg attatgcccg taaagaattt 1320
 gacaagttgt gggatgagta taagcgtgtg ctcaatccgc agcactatcc agtggatttg 1380
 gcgcgtgatg tatggcaaga taagatggac ttgattgata agatgcgcaa ggaagccctt 1440
 50 ggtgaaggag aagaagaatg a 1461

<210> 7

<211> 852

<212> DNA

<213> Streptococcus pneumoniae

55

<400> 7

atggctacta ttcaatggtt tctgtgtcac atgtctaaag ctcgtcgaca ggtgcaggag 60

aattttaaatt ttgttgattt tgtgacgatt ttagtagatg cacgcttgcc tctatctagt 120
caaaatccta tgttgacca gattgttgg gataaaccaa aactcttgat tttaaacaag 180
gccgacttgg ctgatccagc aatgaccaag gaatggcgct agtattttga atcacaagga 240
5 atccagacgc tagctatcaa ctccaaagag caagtgaactg taaaagttgt aacagatgcg 300
gccaagaagc tcatggctga taagattgct cgccagaaag aacgtgggat tcagattgaa 360
accttgcgta ctatgattat cgggattcca aacgctggta aatcaactct gatgaaccgt 420
ttggctggta aaaagattgc tgttgttgg aacaagccag gggtcacaaa aggtcaacaa 480
tggcttaaaa ccaataaaga cctggaaatc ttggatacac cggggattct ctggcctaag 540
10 tttgaggatg aaactgttgc acttaagttg gcattgactg gagctatcaa ggatcagttg 600
cttcctatgg atgaggttac ctttttgggt atcaattatt tcaaagaaca ttatccagaa 660
aagctggctg aacgcttcaa acaaatgaaa attgaagaag aaccgtctgt gattattatg 720
gatatgaccc gcgcctcggg tttccgtgat gactatgacc gtttttacag tctcttcgtg 780
aaggaagttc gtgatggcaa actcggtaac tataccttag atacattgga agacctcgat 840
15 ggcaacgatt aa 852
<210> 8
<211> 471
<212> DNA
20 <213> Streptococcus pneumoniae
<400> 8
atgattaaca atgttgtact tgtagggcgt atgacacgtg acgctgagtt gcgttatacc 60
ccatcaaattg tagcagttgc gacttttact cttgcagtaa accgtacatt taagagtcaa 120
25 aatgggtgaac gtgaggctga ttttatcaat gtcgttatgt ggcgccaaca ggctgaaaat 180
cttgctaact gggctaaaaa aggtcactt atcgggggtga caggctcgtat ccagactcgt 240
agttacgata accagcaagg acaacgtgtc tacgtgacag aggtcgtggc tgagaatttc 300
caaattgttg aaagccgtag tgtgcgtgag ggccacacag gtggagctta ctctgcacca 360
actgcaaact attcagcacc tacaatttca gtaccagact tttcacgtaa tgaaaatcca 420
30 tttggagcaa caaaccatt ggatatttca gatgatgatt taccattcta a 471
<210> 9
<211> 975
<212> DNA
35 <213> Streptococcus pneumoniae
<400> 9
atgaaaacgc gtattacaga attattgaag attgattatc ctattttcca aggagggatg 60
gcctggggtg ctgatggtga tttggcaggg gctgtttcca aggtcggagg attaggaatt 120
40 atcgggtggg gaaatgccc gaaagaagtt gtcaaggcca atattgataa aatcaaatca 180
ttgactgata aacccttttg ggtcaacatc atgctcttat ctccctttgt ggaagatata 240
gtggatctcg ttattgaaga aggtgttaaa gttgtcacia caggagcagg aaatccaagc 300
aagtatatgg aacgtttcca tgaagctggg ataactcgtta ttctgtttgt tcttagtgct 360
gcttttagcta aacgcattga aaaaatcggg gcagacgctg ttattgcaga agaatggaa 420
45 gctggggggc atacggttaa attaaccaacc atgaccttgg tgcgacagg agccacagct 480
atatctattc ctgttattgc tgcaggagga attgcggatg gtgaagggtg tgcggctggc 540
tttatgctag gtgcagaggc tgtacagggt gggacacggt ttgtagttgc aaaagagtcg 600
aatgcccata caaactacaa ggagaaaatt ttaaaagcaa gggatattga cactacgatt 660
tcagctcagc acttttggtca tgcgtttcgt gctattaaaa atcagttgac tagagatttt 720
50 gaactggctg aaaaagatgc ctttaagcag gaagatcctg atttagaaat ctttgaacaa 780
atgggagcag gtgccctagc caaagcagtt gttcacggtg atgtggaggg tggctctgtc 840
atggcaggct aaatcgacag gcttgtttct aaagaagaaa cagctgaaga aatcctaaaa 900
gatttgtatt acggagccgc taagaaaatt caagaagaag cctctcgtctg gacaggagtt 960
gtaagaaatg actaa 975
55 <210> 10
<211> 423
<212> DNA

<213> Streptococcus pneumoniae

<400> 10

5 atgatcgata ttcaagggaat caaagaagcc cttccccacc gttatcctat gcttctagt 60
 gaccgtgtct tggaggtgag cgaggatacc attgttgcta tcaaaaatgt gaccatcaac 120
 gagcctttct ttaacggcca ctttcctcaa taccaggtta tgccaggtgt tctgattatg 180
 gaagccttgg cgcaaactgc cgggtgtgtg gagttatcaa aacctgaaaa taaaggaaaa 240
 ctggctcttt acgctggtat ggataaggtt aagttcaaga agcaagttgt accaggcgac 300
 caattggtta tgacagcgac ttttgtaaaa cgctcgtggc ccatagctgt ggttgaagca 360
 10 aaggctgaag tggatggcaa gcttgcagcc agtggtaacc ttacttttgc aattgggaac 420
 taa 423

<210> 11

<211> 1023

15 <212> DNA

<213> Streptococcus pneumoniae

<400> 11

20 atgattaatc aaatttatca actaactaaa cctaagttta tcaatgtcaa atatcaggaa 60
 gaggtctattg accaagagaa tcatatcctt atccgtccca actacatggc tgtctgtcat 120
 gcggatcagc gttactacca gggaaaacgt gatcccaaga ttttgaataa aaagcttcca 180
 atggcaatga ttcacgagtc atgtggaatc gtcatttctg acccgagcgg aacctacgag 240
 gttggtcaaa aagttgtcat gattcccaat cagtcctcta tgcagagtga tgaagaattc 300
 25 tatgaaaact acatgacagg gacccatttc ttgtctagtg gatttgatgg ctttatgaga 360
 gagtttgttt ctctccctaa agatcgtgtg gtggcttatg atgctattga agatacgggt 420
 gcagccatta cagagtttgt cagtgtgggc atgcacgcta tgaatcgtct attgactctt 480
 gctcatagca agcgggagcg gatccccgtt attggagatg gaagtttagc ttttgtgggt 540
 gccaatatta tcaactatac tttgccagaa gcagagattg tggttattgg tgcgcattgg 600
 30 gaaaagttgg aactcttctc atttgccaaa gaatgctata ttacggataa tattcctgaa 660
 gagttggcct ttgaccatgc ttttgaatgt tgtggtggtg atgggtactgg accagctatt 720
 aatgacttga ttcgctacat tgcctctcag ggaacaattc tcatgatggg agttagcgaa 780
 tataaagtca atctcaatac tcgcgatgcc tttagaaaagg gcttgctctt ggttgggtca 840
 tctcgttctg gtcgcattga ttttgaaaat gctatccaaa tgatgaaagt caagaaattt 900
 gccaatcgtc ttaaaaatat cctttatcta gaagaacctg taagagaaat taaagatatt 960
 35 caccgtgtct ttgcaaccga tttaaacaca gcctttaaaa cagtgtttaa gtgggaagta 1020
 taa 1023

<210> 12

<211> 1344

40 <212> DNA

<213> Streptococcus pneumoniae

<400> 12

45 atgaacttaa aaactacttt gggccttctt gctggacgtt cttcccactt cgttttaagc 60
 cgtcttggac gtggaagtag gctcccaggg aaagtcgccc ttcaatttga taaagatatt 120
 ttacaaaacc tagctaagaa ctacgagatt gtcgttgtca ctggaacaaa tggaaaaacc 180
 ctgacaactg ccctcactgt cggcatttta aaagaggtct atgggtcaagt tctaaccaat 240
 ccaagcggtg ccaacatgat tacagggatt gcaacaacct tcctaacagc caaatcttct 300
 50 aaaactggga aaaatattgc cgtcctcgaa attgacgaag ccagtctatc tcgtatctgt 360
 gactatatcc agcctagtct ttttgtcatt actaatatct tccgtgacca gatggaccgt 420
 ttccgtgaaa tctatactac ctataacatg atattggatg ccattcggaa agttccaact 480
 gctactgttc tccttaacgg agacagttca cttttctaca agccaactat tccaaccct 540
 atagagtatt ttggttttga cttggaaaaa ggaccagccc aactggctca ctacaatacc 600
 gaagggattc tctgtcctga ctgccaaggc atcctcaaat atgagcataa tacctatgca 660
 55 aacttgggtg cctatatctg tgagggttgt ggatgtaaac gtctgatct cgactatcgt 720
 ttgacaaaac tgggtgagtt gaccaacaat cgctctcgct ttgtcataga cggccaagaa 780
 tacggtatcc aaatcggcgg gctctataat atctataacg ccctagctgc tgtggccatc 840

gcccgtttcc tcggcgacaga ttcccaactc atcaaacagg gatttgacaa gagcogtgct 900
 gtctttggac gccaaagaaac ctttcatatc ggtgacaagg aatgtaccct tgtcttgatt 960
 aaaaatccag tcggtgcaac ccaagctatc gaaatgatca aactagcacc ttatccattt 1020
 5 agcctatctg tcctccttaa tgccaactat gcagatggaa ttgacactag ctggatctgg 1080
 gatgcagact ttgagcaaat cactgacatg gacattcctg aaatcaacgc tggcgggtgtt 1140
 cgtcattctg aaatcgctcg tcgcctccga gtgactggct atccagctga gaaaatcact 1200
 gaaacgagta atctggagca agttctcaag accattgaga atcaagactg caagcatgcc 1260
 tatattctgg caacttatac tgccatgctg gaatttcgtg aactgctggc tagtcgtcag 1320
 attgttagaa aggagatgaa ctaa 1344

10

<210> 13

<211> 783

<212> DNA

<213> Streptococcus pneumoniae

15

<400> 13

atggtttata cttcactttc ctcaaaagat ggcaattacc cctatcagct caacattggc 60
 cacctctacg gaaatctcat gaatacctac ggggacaatg gaaacatcct catgctcaag 120
 20 tatgtggctg aaaaactggg agcccatgtg accgttgaca tcgtttctct ccatgatgac 180
 tttgatgaaa atcactacga catcgctttt ttcggtgggtg gtcaagactt tgaacaaagt 240
 atcattgcag acgacctacc tgctaaaaaa gagagcattg acaactacat ccaaaacgac 300
 ggtgtagttc tggctatctg cgggtggtttc caactattgg gtcaatatta tgttgaagct 360
 tcaggaaaac gtatcgaagg gctaggggtc atgggacact acacgctcaa ccagaccaat 420
 aaccgtttta tcggtgacat caagattcac aatgaagatt tcgatgaaac ctactatgga 480
 25 tttgaaaatc accaaggctg taacctctct tctgatgacc aaaaaccgct gggacaggtt 540
 gtctatggaa atggaaacaa cgaagaaaag gtcggtgaag gggttcatta taagaatgtc 600
 tttggttctt acttccacgg gcctatctct tctcgtaatg ccaatctggc ttatcgctta 660
 gttactactg ccctcaagaa gaaatatggt caggacatcc aactccctgc ctatgaggac 720
 attctcagcc aagaaatcgc tgaagagtag agtgacgtca aaagcaaggc tgacttttct 780
 30 taa 783

<210> 14

<211> 276

<212> DNA

35 <213> Streptococcus pneumoniae

<400> 14

atggcaaaca aacaagattt gatcgctaaa gtagcagaag ctacagaatt aactaagaaa 60
 gactcagcag cagcagttga agctgtatct gcagcagtag ctgactatct tgcagctggg 120
 40 gaaaaagttc agttgatcgg ttttagtaac tttgaagttc gtgagcgcgc agaacgtaaa 180
 ggctcgcaacc cacaactgg taaagaaatg acaattgcag cttctaaagt accagcatte 240
 aaagctggta aagctcttaa agacgtgtt aaataa 276

<210> 15

45 <211> 840

<212> DNA

<213> Streptococcus pneumoniae

<400> 15

50 atgggaattg ctctagaaaa tgtgaatttt acatatcaag aagggtactcc cttagcttca 60
 gcagctttgt cggatgtttc tttgacgatt gaagatggct cttatacagc ttttaattggg 120
 cacacaggta gtggtaaatc aactatttta caactcttaa atggtttatt ggtgccaaagt 180
 caagggagtg tgagggtttt tgatacctta atcacctcga cttctaaaaa taaagatatt 240
 cgtcaaatta gaaaacaggt tggcttggtg tttcagtttg ctgaaaatca gatttttgaa 300
 55 gaaacggttt tgaaggacgt tgcttttggg ccgcaaaatt ttggagtttc tgaagaagat 360
 gctgtgaaga ctgcgctga gaaactggct ctgggttgaa ttgatgaatc actttttgat 420
 cgtagtccgt ttgagctgtc agggggacaa atgagacgtg ttgccattgc aggcatactt 480

gccatggagc cagctatatt agtcttagat gagccaacag ctggtctaga tcctctaggg 540
 agaaaagagt tgatgaccct gttcaaaaaa ctccaccagt cagggatgac catcgtcttg 600
 gtaacgcatt tgatggatga tgttgctgaa tatgcgaatc aagtctatgt aatggaaaaag 660
 ggacgttttag taaagggggg caaaccaagt gatgtctttc aagacgttgt ttttatggaa 720
 5 gaagttcagt tgggagtacc taaaattacg gccttttcta aacgattggc tgatagaggc 780
 gtgtcattta aacgattacc ggttaagata gaggagtcca aggagtcgct aaatggatag 840

 <210> 16
 <211> 930
 10 <212> DNA
 <213> Streptococcus pneumoniae

 <400> 16
 15 atggatattc aatttttagg aacgggggct ggtcagccct ctaaagcccg caacgtttca 60
 agtctcgccc tgaaactttt ggatgagatt aacgaagttt ggctctttga ctgtggagaa 120
 ggtacgcaaa atcgcatctt ggaaaccaca attcgaccac gtaaggtcag caaaatcttt 180
 attaccatc tgcatggaga ccacattttt ggtttgccag gtttcctttc tagccgtgcc 240
 tttcaggcca atgaagagca gacagatttg gaaatctacg gacctcaagg aatcaagtca 300
 tttgtcttaa ccagccttcg tgtgtcaggt tctcgtctgc cctaccgcat tcatttccat 360
 20 gagtttgacc aagattctct aggtaaaatt ctigaaatcg ataaattcac tgtgtatgca 420
 gaggagctgg accacactat tttctgtgtt ggctatcgtg tcatgcaaaa ggatctagaa 480
 gggacgtgg atgctgaaaa actcaaggct gctggtgttc cgttcggccc gcttttttgt 540
 aaaatcaaaa atggccagga tcttgttttg gaagacggaa ctgaaatcaa ggcagcagac 600
 tatatctcag cgccacgtcc aggttaagatt atcactattt taggagacac tcgaaaaacg 660
 25 gatgccagtg tgcgtctggc tgtcaatgca gatgtcctag ttcatgagtc cacttatggc 720
 aagggtgatg aaaaaattgc tcgtaaccat ggtcactcaa ctaatatgca agctgcacaa 780
 gtagcggtag aagcaggtgc caaacgcctc ctactcaacc atatcagtgc ccgtttcctc 840
 tcaaaagata ttagcaaact caagaaagac gctgccacaa tttttgaaaa tgtccatgtg 900
 gtcaaagact tggaagaagt ggaaatctag 930

 <210> 17
 <211> 1662
 <212> DNA
 35 <213> Streptococcus pneumoniae

 <400> 17
 atgagtaata tcagtttaac aacacttggt ggtgtgcgtg agaatggaaa aaatatgtac 60
 attgctgaaa ttggagagtc cattttttgtt ttgaatgtag ggtaaaaata tcctgaaaat 120
 40 gaacaattag gggtcgatgt ggtgattcca aacatggatt acctttttga aaatagcgac 180
 cgtattgctg gggttttctt gacccacggg catgcggatg cgattggtgc tctaccttat 240
 ctcttggcag aggtcaaagt tcctgtattt gggctcgtag tgaccattga gttggcaaaag 300
 ctctttgtca aaggaaatga tgccgttaag aaatttaatg atttccatgt cattgatgag 360
 aatacggaga ttgatttttg tgggacagtg gtttccttct tccctacgac ttactcgtt 420
 ccagagagtc tgggaattgt cttgaagaca tcggaaggaa gcatcgttta tacagggtgac 480
 45 ttcaaatattg accaaacggc tagtgaatct tatgcaactg attttgctcg tttggcagag 540
 attggtcgtg acggcgtcct ggctctcctc agtgattcgg ccaatgcaga cagcaatatt 600
 cagggtggcta gtgaaagtga agttagggat gaaattaccc aaactattgc tgactgggaa 660
 ggtcgtatca tcgttgacgc tgtttccagt aatctttctc gtattcagca gatttttgac 720
 gctgcggata aaacaggtcg acgtatcgtc ttgacaggat ttgatattga aaatatcgtc 780
 50 cgacacagcga ttcgtcttaa gaagttgtct ttagccaacg aaattctctt gattaagcct 840
 aaagatatgt ctgcctttga agaccatgag ttgattattc ttgagacagg tcgtatgggt 900
 gaacctatca atggacttcg taagatgtcg attggctgcc atcgttatgt agaaatcaag 960
 gatggggacc tggctatata tgctacggct ccgtctattg cttaagaagc ctttgttgcg 1020
 cgtgtagaaa atagtattta tcaggcaggt ggggttgtca aattgattac ccaaagttta 1080
 55 catgtatcag ggcaacggaaa tgtgcgtgat ttgcagctga tgatcaatct tttgcaacct 1140
 aagtacctct tccctgtcca aggggagtat cgtgagttgg atgctcacgc taaggctgcc 1200
 atggcagttg ggatgttgcc agaacgcata ttcattccta aaaaggggac gaccatggct 1260

tacgagaatg gagactttgt tccagctgga tcggtttcag caggagatat ctttaattgat 1320
 gggaatgcca ttggtgatgt tggaaatggt gttcttcgtg accgtaaggt cttgtcagag 1380
 gatggaattt tcatcgtggc tattacagtc aaccgctcgtg agaagaaaat tgtggctaga 1440
 5 gctcgtgttc acacgcgtgg atttgtttat ctcaagaaga gtcgcatat tctccgtgaa 1500
 agttcagaat tgattaacca aacggtagaa gattatcttc aaggagatga ctttgactgg 1560
 gcagatotta aagggaaggt tcgagataat ttgaccaagt atctctttga ccaaaccaag 1620
 cgtcgtccag ctattttacc agtagtcatg gaagcaaat aa 1662

 <210> 18
 10 <211> 951
 <212> DNA
 <213> Streptococcus pneumoniae

 <400> 18
 15 atgacaaaag aatttcacat tgtaacggtc ttactccacg aaacgattga tatgcttgac 60
 gtaaaacctg acggtatcta cgttgatgcg actttgggtg gagcaggcca tagcgagtat 120
 ttattaagta aattaagtga aaaaggccat ctctatgcct ttgaccagga tcagaatgcc 180
 attgacaatg cgcaaaaacg cttggcacct tacattgaga agggagtggg gacctttatc 240
 aaggataact tccgtcattt acaggcacgt ttgcgcgaag ctggtgttca ggaaattgat 300
 20 ggaatttggt atgacttggg agtgtctagt cctcaattgg accagcgtga gcgtgggttt 360
 tcttataaaa aggatgcgcc actggacatg cggatgaatc aggatgctag tctgacagcc 420
 tatgaagtgg ttaatcatta tgactatcat gatttggttc gtattttctt caaatacggg 480
 gaggataaat tctctaaaca gattgcgcgt aagattgagc aagcgcgtga agtgaagccg 540
 attgagacaa cgactgagtt agcagagatt atcaagttgg tcaaacctgc caaggaactc 600
 25 aagaagaagg gtcacccctgc taagcagatt ttccaggcta ttcgaattga agtcaatgat 660
 gaactggggg cggcagatga gtccatccag caggctatgg atatgttggc tctggatggg 720
 agaatttcag tgattacctt tcatttcctta gaagaccgt tgaccaagca attgttcaag 780
 gaagcttcaa cagttgaagt tccaaaaggc ttgcctttca tcccagatga tctcaagccc 840
 aagatggaat tgggtgcccg taagccaatc ttgccaaagt cggaagagtt agaagccaat 900
 30 aaccgctcgc actcagccaa gttgcgcgtg gtcagaaaaa ttcacaagta a 951

 <210> 19
 <211> 999
 <212> DNA
 35 <213> Streptococcus pneumoniae

 <400> 19
 atgagtagaa ttttagataa tgagataatg ggggatgagg agttagtaga acgcacgctc 60
 cgtccctcagt atttacgtga atatatcgga caggataagg tcaaggacca gctacaaatc 120
 40 tttattgaag ctgccaaaat gcgggatgaa gcgctggatc atgtgctctt atttgggcct 180
 ccaggctctcg ggaaaacgac catggccttt gttattgcca acgaactggg agtcaatctt 240
 aagcagacgt cgggtccagt cattgaaaaa gccggagatc tggtagctat tttgaatgag 300
 ttagagcctg gggatgtact ttttattgat gagatccatc gtttgccaat gtcagtggaa 360
 gaggtgcttt atagtgtctat ggaggacttc tacatcgata ttatgattgg ggctgggtgag 420
 45 ggtagtctga gtgttcattt ggagttacca ctttttacct tgattgggtgc gacgactcgg 480
 gctggtatgc tctccaatcc gctacgggca cgttttggga ttacaggcca tatggagtat 540
 tatgcccatg ctgacttgac agaaattgtc gagcggacgg cagatatttt tgagatggaa 600
 atcactcatg aggcagcatc tgagttggcc ctacgtagtc gtgggacccc tcgtattgcc 660
 aatcgtctcc tcaagcgcgt gcgcgatttt gccagataa tggggaatgg ggtaattgat 720
 50 gatattatta ccgataaggc tttgactatg ctggatgttg accatgaagg tttggactat 780
 gtggatcaaa aaatccttcg taccatgatt gagatgtaca gtggaggacc tgttggtcta 840
 ggaactcttt ctgtgaatat cgccgaagag cgtgagacag ttgaagacat gtatgagcct 900
 tacttgattc aaaaagggtt tatcatgogg acacggctctg gacgggtggc gactgctaag 960
 55 gcatatgagc acttaggtta tgaatacagt gaaaaataa 999

 <210> 20
 <211> 1311

<212> DNA

<213> Streptococcus pneumoniae

<400> 20

```

5  atgagtatgt ttttagatag agctaagatt aagggtcaagg ctggtaaatgg tggcgatggg 60
   atgggttgcc ttcgtcgtga aaaatatgtc cctaattggag gcccttgggg tgggtgatggg 120
   ggctcgtggg gcaatgtggg ctctcgttga gacgaaggac tacgtacctt gatggatttc 180
   cgctacaatc gccatttcaa ggctgattct ggtgaaaaag ggatgaccaa agggatgcat 240
   ggctcgtggg ctgaggacct tagagttcga gtatcacaag gtacgactgt tcgtgatgcg 300
10 gagactggca aggttttaac agatttgatt aaacatgggc aagaatttat cgttgcccac 360
   ggtggtcgtg gtggacgtgg aaatattcgt tttgcgacac caaaaaatcc tgcaccggaa 420
   atctctgaaa atggagaacc aggtcaggaa cgtgagttac aattggaact aaaaatcttg 480
   gcagatgtcg gtttagtagg attcccatct gtagggaagt caacactttt aagtgttatt 540
   acctcagcta agcctaataa tgggtgcctac cactttacca ctattgtacc aaatttaggt 600
15 atggttcgca cccaatcagg tgaatccttt gcagtagccg acttgccagg ttgtattgaa 660
   ggggctagtc aagggtgttg tttgggaact cagttcctcc gtcacatcga gcgtacacgt 720
   gttatccttc acatcattga tatgtcagct agcgaaggcc gtgatccata tgaggattac 780
   ctagctatca ataaagagct ggagtcctac aatcttcgcc tcatggagcg tccacagatt 840
   attgtagcta ataagatgga catgcctgag agtcaggaaa atcttgaaga atttaagaaa 900
20 aaattggctg aaaattatga tgaatttgaa gagttaccag ctatcttccc aatttctgga 960
   ttgaccaagc aagggtctggc aacactttta gatgctacag ctgaattggt agacaagaca 1020
   ccagaatttt tgctctacga cgagtcctgat atggaagaag aagcttacta tggatttgac 1080
   gaagaagaaa aagcctttga aattagtcgt gatgacgatg cgacatgggt actttctggg 1140
   gaaaaactca tgaaactctt taatatgacc aactttgatc gtgatgaatc tgtcatgaaa 1200
25 tttgcccgtc agcttcgtgg tatggggggt gatgaagccc ttcgtgcgcg tggagctaaa 1260
   gatggggatt tgggtccgat tggtaaatat gagtttgaat ttgtagacta g 1311

```

<210> 21

<211> 519

30 <212> DNA

<213> Streptococcus pneumoniae

<400> 21

```

35 atgaactact ttaatgttgg gaaaatcgtt aatacgagg gattacaggg tgagatgcga 60
   gtcttgtctg tgacggattt tgcagaagaa cggtttaaaa aaggagctga gctggctttg 120
   tttgatgaaa aagatcagtt tgtccaaaca gtgaccatcg ctagccaccg taaacagaag 180
   aactttgaca ttattaaatt caaagatatg taccatatca atactatcga aaagtacaag 240
   ggatacagtc tcaaggctcg tgaggaagat ttgaatgacc tagacgatgg tgaattttac 300
   tatcacgaga ttatcggttt ggaagtctat gagggtgata gcttggttgg aaccatcaag 360
40 gaaatcctgc aaccagggtc taatgatgtc tgggtggtca aacgaaaagg caaacgtgat 420
   ttgcttttac cttatatccc accagtggtt ctcaatgttg atattccaaa taaacgggtc 480
   gatgtggaaa tcttagaagg gtttagacgat gaagattga 519

```

<210> 22

45 <211> 720

<212> DNA

<213> Streptococcus pneumoniae

<400> 22

```

50 atgaagattg atattttaac cctctttcca gagatgtttt ctccactgga gcactcaatc 60
   gttggaaagg ctcgagaaaa agggctcttg gatattccagt atcataattt tcgagaaaaat 120
   gctgaaaagg cccgtcatgt agatgatgag ccctacggag gcggtcaggg catgttgctc 180
   agagcacaac ctattttcga ttcctttgat gctattgaaa agaaaaatcc gcgcgttatt 240
   ctctctgacg ctgctggaaa gcagtttgat caggcttatg ctgaagattt ggtcgaagag 300
55 gaagagctaa tctttatctg tgggcactat gagggttatg atgagcgcat taagaccttg 360
   gtaacagatg agatttcctt aggcgactat gtcctcactg gtggagaatt ggcagctatg 420
   accatgattg atgctacagt tcgcctgatt ccagaagtga ttggcaagga gtctagccac 480

```

caagatgata gtttttcttc aggtctttta gaatatcatc agtacacacg tccctatgat 540
 tatcgaggca tggctcgtgcc agatgtattg atgagtggcc atcatgaaaa gattcgtcag 600
 tggcgattgt acgagagttt aaagaaaacc tacgagcgca gaccggattt acttgaacat 660
 tatcaactga cagtagaaga agaaaaaatg ctggcagaaa tcaaagaaaa caaagaataa 720

<210> 23

<211> 561

<212> DNA

<213> Streptococcus pneumoniae

<400> 23

atgattgaag caagtaaatt aaaagctggt atgacctttg aaacagctga cggcaaattg 60
 attcgcgttt tggaaagctag tcaccacaaa ccaggtaaag gaaacacgat catgcgtatg 120
 aaattgcgtg atgtccgtac tggttctaca tttgacacaa gctaccgtcc agaggaaaaa 180
 tttgaacaag ctattatcga gactgtccca gctcaatact tgtacaaaat ggatgacaca 240
 gdatacttca tgaatacaga aacttacgac cagtacgaaa tccctgtagt caatggtgaa 300
 aacgaattgc tttacatcct tgaaaactct gatgtgaaaa tccaattcta cggaaactgaa 360
 gtgatcgggtg tcaccgttcc tactactgtt gagttgacag ttgctgaaac tcaaccatct 420
 atcaaagggtg ctactgttac aggttctggt aaaccagcaa cgatggaaac tggacttgtc 480
 gtaaacgttc cagacttcat cgaagcagga caaaaactcg ttatcaacac tgcagaagga 540
 acttacgttt ctctgtgcta a 561

<210> 24

<211> 1572

<212> DNA

<213> Streptococcus pneumoniae

<400> 24

atggcatttg aaagttaaac agaacgtttg cagaacgtct ttaaaaatct acgtaaaaaa 60
 ggaaaaaatct ctgaatctga tgtccaagag gcaaccaaag aaattcgctt ggccttgctc 120
 gaggccgacg ttgccttgcc tgttgtaaag gactttatca agaaagttcg tgagcgtgca 180
 gtccgggcatg aggtcattga tacacttaat cctgcgcaac agattattaa aatcgttgat 240
 gaggaactga cagccgtttt aggttctgat acggcagaaa ttatcaagtc acctaaagatt 300
 ccaaccatca tcatgatggt tggtttataa ggggctggta aaacaacctt tgotggtaaa 360
 ttggccaaca aactcaagaa agaagaaaat accttgggac aacagattga tgtgcctgtc 420
 tatcgtccag ctgccattga ccagcttaag accttgggac gtcaagggtt ggagcaagcc 540
 tttgcacttg gaacagaagt accagctgtt gagattgtac gtcagggtt ggagcaagcc 540
 caaactaatc ataacgacta tgtcttgatt gatactgcgg gtcgtttgca gattgatgag 600
 ctccctcatga atgagcttcg tgatgtgaaa acattggctc aaccaaatga aatcttgott 660
 gtccgttgatg ctatgattgg tcaggaagca gccaatgttg cgcgtgagtt taatgctcag 720
 ttggaagtga ctggggcat ccttaccaag attgatggcg atactcgtgg tgggtgctgct 780
 ctgtctgttc gtcacattac tggaaaacca atcaagttca ctggtacagg tgaaaagatt 840
 acggacattg aaaccttcca cccagaccgc atgtctagcc gtatccttgg tatgggggat 900
 atgctcactt tgattgagaa agcttctcag gaatacagat aacaaaaagc ccttgaaatg 960
 gctgagaaga tgcgcgaaaa cacctttgat tttaatgatt tcatcgatca attagatcag 1020
 gtgcaaaata tggggccgat ggaagacttg ctcaagatga ttccaggat ggcaacaat 1080
 ccagcccttc aaaacatgaa ggtggatgaa cgccagattg ctcgtaaacg tgccattgtg 1140
 tcttcgatga cacctgaaga gcgtgaaaac ccagatttgt taaatccaag ccgtcgccgt 1200
 cgtattgctg ctggttctgg aaatacattc gtcgaagtca ataaattcat caaggacttt 1260
 aaccaggcta aacagctcat gcagggtgtt atgtctgggg atatgaataa aatgatgaag 1320
 caaatgggga ttaatccaaa taaccttcct aaaaatatgc caaatatggg aggaatggat 1380
 atgtctgccc ttgaaggaat gatgggacaa ggccgtatgc ctgacttatc agctctcgga 1440
 ggagcaggaa tgccagatat gagccagatg tttgggtggc gtttgaaagg taaaattggt 1500
 gaatttgcta tgaaacagtc catgaaacgt atggctaaca aaatgaagaa agcgaagaag 1560
 aaacgcaagt aa 1572

<210> 25

<211> 846

<212> DNA

<213> Streptococcus pneumoniae

5 <400> 25

atgtatctta ttgaaatctt aaaatctatc ttcttcggga ttgttgaagg aattacggaa 60
 tggttgccga tttccagtag aggtcatttg atttttagcag aggagtttat ccaataccaa 120
 aatcaaaatg aagcctttat gtccatgttt aatgtcgtga ttcagcttgg tgctatttta 180
 gcagttatgg tgattttatt taacaagctc aatcctttta aaccgactaa ggacaaacag 240
 10 gaagtgcgta agacttggag actatgggtg aaggtcctga ttgctacttt acctttactt 300
 ggtgtcttta aatttgatga ttggtttgat acccacttcc ataacatggg ttcagttgct 360
 ctcatgttga ttatctacgg ggttgccttc atctatttgg aaaagcgcaa taaagcgcggt 420
 gctatcgagc caagtgtaac agagttggac aagcttcctt atacgaccgc tttctatatc 480
 ggactcttcc aagttccttgc tcttttaccg gggactagcc gttcaggtgc aacgattgtc 540
 15 ggtggtttgt taaatggaac cagtgcgttc gttgtgacag aatttacctt ctatcttggg 600
 attcccgtta tgtttggagc tagtgcctta aagattttca aatttgtgaa agccggagaa 660
 ctcttgagct ttgggcaatt gtttttgcct ttggtcgcga tgggagtagc ttttgcggtc 720
 agcatggtgg ctattcgctt ctgaccagc tatgtgaaaa aacacgactt cacccttttt 780
 ggtaaatacc gtatcgtgct tggtagtggt ttgctacttt acagttttgt cggtttattt 840
 20 gtataa 846

<210> 26

<211> 1290

<212> DNA

25 <213> Streptococcus pneumoniae

<400> 26

atgggattat ttgaccgtct attcggaaaa aaagaagaac ctaaaatcga agaagttgta 60
 aaagaagctc tggaaaatct tgatttgtct gaagatattg agcctgcctt cacagaagct 120
 30 gaggaagttt ctcaagaaga agcagagggt gaaagttctg aagaatctgt gttccaagaa 180
 gaggatagtc aagacacagt cgaagaaaaat ctggatttag agccagttgt agaggtttct 240
 caagaagaag tagaagaatt tccaaactca caagaagtca cagaggaaga gaagcttgag 300
 cacgaaggaa ctgtagaaga aaataatttt gaagtgcctg aaccagaagc tctctaaaca 360
 gaagaaactg ttcaggaaaa atatgaccgc agtcttaaga aaactcgcac aggtttcggg 420
 35 gcccgccttg atgccttctt tgctaacttc cgctctgttg acgaagaatt tttcgaggaa 480
 ctggaagaac tgttgattat gagtgatgtt ggtgtccaag tcgcttctaa cttaacggag 540
 gaactacgtt acgaagccaa gcttgaaaat gccagaagac ctgatgcact tcgtcgtgtc 600
 atcattgaga aattgggtga gctttatgaa aaggatggta gctacgatga aagcatccac 660
 ttccaagata acttgacagt tatgctcttt gttggtgtga atggtgttgg gaaaacaact 720
 40 tctatcggaa aactagccca ccgctacaaa cgagctggta agaaggtcat gctggttgca 780
 gcagatacct tccgtgcggg tgcagtagct cagctagctg aatggggccg acgagtagat 840
 gttccagtag taactggacc tgaaaaagct gatccagcca gcgtggtctt tgatggtatg 900
 gaacgtgccg tggctgaagg tatcgatatt ctcatgattg atactgctgg tcgtctgcaa 960
 aataaggata accttatggc tgagttggaa aagattggtc gtattatcaa acgtgttgtg 1020
 45 ccagaagcac cacatgaaac cttcttggca cttgatgcat caacagggtca aaatgcccta 1080
 gtacaggcca aagaattttc gaaaatcaca cctttaacgg gaattgtttt gactaagatt 1140
 gatggaactg ctcgaggagg tgtggttcta gccattcgtg aagaactcaa tattcctgta 1200
 aaattgattg gttttggtga aaaaatcgat gatattggag agtttaactc agaaaacttc 1260
 50 atgaaaggtc tcttgggaagg tttaatctaa 1290

<210> 27

<211> 498

<212> DNA

<213> Streptococcus pneumoniae

55

<400> 27

atgtatattg aaatggtaga tgaaactggg caagtttcaa aagaaatggt gcaacaaacc 60

caagaaattt tgggaatttgc agccaaaaaa ttaggaaaag aagacaagga gatggcagtc 120
 acttttgtga ccaatgagcg tagtcatgaa cttaatctgg agtaccgtga caccgaccgt 180
 ccgacagatg tcatcagcct tgagtataaa ccagaattgg aaattgcctt tgacgaagag 240
 5 gatttgcttg aaaatccaga attggcagag atgatgtctg agtttgatgc ctatattggg 300
 gaattgttca tctctatcga taaggctcat gagcaggccg aagaatatgg tcacagcttt 360
 gagcgtgaga tgggcttctt ggcagtacac ggctttttac atattaacgg ctatgatcac 420
 tatactccgg aagaagaagc ggagatgttc ggtttacaag aagaaatttt gacagcctat 480
 ggactcaaa gacaataa 498

10 <210> 28
 <211> 768
 <212> DNA
 <213> Streptococcus pneumoniae

15 <400> 28
 atgagtattc gagtaattat tgccggtttt aagggaaga tgggccaggc tgcttgtcag 60
 atggtattga ctgatccaga cttggacttg gtggcagttt tggatccttt tgagtctgag 120
 tcagaatggc agggatttcc tgttttcaag gataaggctg atttagctgg ttttgaagcg 180
 20 gatgtctggg tagattttac tactccagct gttgcctacg aaaatacacg ttttgccttt 240
 gaaaatggct ttgctccagt agttggaacg actggtttca cgagtgaaga aattgcagag 300
 ctaaaagaat tttctcgtgc ccaagacttg ggtggcctga ttgccctaa ctttgccttg 360
 ggtgctgtct tactcatgca atttgcgacg caggctgcca aatatttccc aaatgtggag 420
 attattgagc tccatcatga caagaaaaag gatgctccga gtggaacagc cattaaaaaca 480
 gctgagttga tggcagaggt tcgagagtca attcagcaag gtgcagcaga tgaggaagag 540
 25 ctgattgctg gtgctcgtgg tgctgacttt gatggtatgc gcatccactc agttcgtttg 600
 ccaggcttgg tagtcatca ggaagtcac tttggcaatc agggagaagg gttgacctc 660
 cgtcatgact cctatgatcg catctccttc atgacaggag tcaatttggg aattaaagaa 720
 gttgtcaagc gtcatgagct tgtctatgga ttagaacact tattatga 768

30 <210> 29
 <211> 276
 <212> DNA
 <213> Streptococcus pneumoniae

35 <400> 29
 atggcaaaca aacaagattt gatcgctaaa gtagcagaag ctacagaatt aactaagaaa 60
 gactcagcag cagcagttga agctgtattt gcagcagtag ctgactatct tgcagctggg 120
 gaaaaagttc agttgatcgg ttttagtaac tttgaagttc gtgagcgcgc agaacgtaaa 180
 ggctcgcaacc cacaaactgg taaagaaatg acaattgcag cttctaaagt accagcattc 240
 40 aaagctggta aagctcttaa agacgctgtt aaataa 276

<210> 30
 <211> 921
 <212> DNA
 <213> Streptococcus pneumoniae

45 <400> 30
 atgactaaaa cagccttttt atttgctggg caaggtgccc agtatctagg gatgggacgg 60
 gatttctatg atcagtatcc gattgttaaa gaaacgattg atcgagcgag tcaggtgctc 120
 50 ggttatgatt tgcgttatct catcgatacg gaagaggaca aactcaatca gaccgctat 180
 acgcaaccag ccattctagc gacttcgggt gctatctacc gtttattgca agaaaagggc 240
 tatcagcctg atatggtcgc tggtttgtct cttggagaat actctgcctt ggtggcaagc 300
 ggcgcccttg attttgaaga tgcggttgcc ttggtagcta agcgtggagc ctatatggaa 360
 gaagcggctc ctgctgactc tggcaagatg gtagcagttc tcaatacgcc agtagaggtc 420
 55 attgaagaag cctgtcaaaa agcttctgaa cttggagttg ttactccagc caactataac 480
 acacctgcac aaatcgatc tgctggagaa gtggttgtag ttgatcgagc ggttgaactt 540
 ttgcaagaag caggtgccaa acgcttgatt cctcttaagg tgtcaggtcc ctttcacacc 600

gctctccttg agccagctag ccagaaacta gctgaaactc tagctcaggt aagtttttca 660
 gattttactt gtcccctagt cggcaataca gaagctgctg tgatgcaaaa agaggacatt 720
 gctcagctct tgacgcgtca ggtcaaggaa cccgttcgtt tctatgaaag tattgggggtc 780
 atgcaagaag caggcataag caactttatc gagattggac cggggaaagt cttgtcaggt 840
 5 tttgttaaaa aaattgatca aactgctcac ttagctcatg tggaagatca agcgagtta 900
 gtagcacttt tagaaaaata g 921

<210> 31

<211> 732

10 <212> DNA

<213> Streptococcus pneumoniae

<400> 31

atgaaactag aacataaaaa tatctttatt acaggttcga gtcgtggaat tgggtcttgcc 60
 15 atcgccaca agtttgctca agcaggagcc aacattgtct taaacagtcg tggggcaatc 120
 tcagaagaat tgctcgctga gttttcaaac tatggtatca aggtggttcc catttcagga 180
 gatgtatcag attttgcaga cgctaagcgt atgattgatc aagctattgc agaactgggt 240
 tcagtagatg ttttgggtcaa caatgcaggg attacccaag atactcttat gctcaagatg 300
 20 acagaagcag attttgaaaa agtgctcaag gtcaatctga ctgggtgcctt taatatgaca 360
 caatcagctc tgaaaccgat gatgaaagcc agagaagggtg ctatcattaa tatgtctagt 420
 gttgttggtt tgatggggaa tattggtcaa gctaactatg ctgcttctaa ggctggcttg 480
 attggcttta ccaagtctgt ggcacgcgag gtcgctagtc ggaatatacg agtcaatgtg 540
 attgctccag gaatgattga gtctgatatg accgctatct tatcagataa gattaaggaa 600
 gctacactag ctcagattcc gatgaaagaa tttgggcagg cagagcaggt tgcagatttg 660
 25 acagtatttt tagcaggcca agattatcta actggtcaag tggttgccat tgatggtggc 720
 ttaagtatgt ag 732

<210> 32

<211> 831

30 <212> DNA

<213> Streptococcus pneumoniae

<400> 32

atgggagtgaa aaaagaaact aaagttgact agtttgctag gactgtctct gttaatcatg 60
 35 acagcctgtg cgactaatgg ggtaactagc gatattacag ccgaatcggc tgatttttgg 120
 agtaaattgg tttacttctt tgcggaaatc attcgctttt tatcgtttga tattagtatc 180
 ggagtgggga ttattctctt tacgggtcttg attcgtagc tcctcttgcc agtctttcag 240
 gtgcaaatgg tggcttctag gaaaatgcag gaagctcagc cacgcattaa ggcgcttoga 300
 40 gaacaatatc caggctcgaga tatggaaagc agaaccaaac tagagcagga aatgcgtaaa 360
 gtattttaaag aaatgggtgt cagacagtca gactctcttt ggccgatttt gattcagatg 420
 ccggttattt tggccctgtt ccaagcccta tcaagagttg acttttttaa gacagggtcat 480
 ttcttatgga ttaaccttgg agtgtgtgac acaacccttg ttcttccgat tttagcagca 540
 gtattcacct ttttaagtac ttggttgctc aacaaagctt tgtctgagcg aaatggcgct 600
 acgactgcga tgatgtatgg gattccagtc ttgattttta tctttgcagt ttatgcgcca 660
 45 ggtggagtcg ccctatactg gacagtgtct aatgcttata aagtcttgca aacctatttc 720
 ttgaataatc cattcaagat tatcgagag cgcgaggccg tagtacaggc aaaaaagat 780
 ttggaaaata gaaaaagaaa agccaagaaa aaggctcaga aaacgaaata a 831

<210> 33

50 <211> 1230

<212> DNA

<213> Streptococcus pneumoniae

<400> 33

atgaagatta gtaagaggca cttattaaat tattccatct tgattcccta cttactttta 60
 55 tctatttttg gcttgattgt ggtctattcg accaccagt ctattttta tgaagaaggc 120
 aagagcgctc tgcagttggt tcgaaaccaa ggaatctttt ggattgtag tttgatactg 180

	attgccttaa	tttataaatt	gagactagat	tttttgagaa	atgagcgact	aatcatttta	240
	gttatattaa	tagaaatgct	tttattgttc	ttggctcggt	ttattggtat	ttcagtaaac	300
	ggggcatacg	gttggaatttc	ggttgcagga	gtaactatcc	agccagctga	gtacttaaaa	360
5	atcattatta	tttggtattt	agctcaccga	ttctccaaac	agcaagaaga	aatagctact	420
	tatgattttc	aagttttgac	tcaaaaatcaa	tggcttcccc	gtgcttttaa	tgattggcga	480
	ttcgttctcc	tagttctgat	tggaaagtgt	ggaattttcc	ctgatttagg	aaatgcgact	540
	attttagtct	tggtttcctt	gattatgtat	acagtttagt	gaatcgctta	tcgctgggtt	600
	tcaaccattc	tggcgctcgt	atctgccact	tctgtctttg	tcttgaccac	tatcagccta	660
10	atcgggtgtt	agaccttttc	aaaaattcca	gtatttggtc	atgtagccaa	gcgctttagt	720
	gcctttttta	atccttttgc	cgatcggtgt	gatgcaggtc	accagtttagc	taattcttat	780
	tttgccatgg	tcaatggtgg	ttggtttggt	ctaggtcttg	gaaactcgat	tgaaaaacga	840
	gggtatttgc	cagaagctca	tacagacttt	gtcttttcta	tcgtgattga	agaatttggc	900
	tttggttggtg	ccagtcttat	tttagctctc	ttgtttttca	tgattttgcg	gattatcttg	960
15	gtcggtatcc	gagcggagaa	tcctttcaat	gccatgggtg	cactcgggtg	cggagggatg	1020
	atgttggttc	aggtatttgt	caatatcgga	gggatttcgg	gcttgattcc	atctacagga	1080
	gtgactttcc	ctttcttata	ccagggtgga	aatagtcctc	tagtcttata	agtggcagta	1140
	gcctttgtct	taaatattga	tgccagtgaa	aaacgcgcta	agttgtaccg	agaattggaa	1200
	aatcaaccaa	tgaaccttct	gttgaagtag				1230
20	<210> 34						
	<211> 1260						
	<212> DNA						
	<213> Streptococcus pneumoniae						
25	<400> 34						
	atgctcggaa	ttttaacctt	tattctgggt	tttgggatta	ttgtagtgg	gcacgagttc	60
	gggcacttct	actttgcaa	gaaatcaggg	attttagtac	gtgaatttgc	catcggtatg	120
	ggacctaaaa	cttttgctca	cattggcaag	gatggaacgg	cctataccat	tcgaatcttg	180
30	cctctgggtg	gctatgtccg	catggccgg	tgggtgtgat	atacaactga	aatcaagaca	240
	ggaacgcctg	ttagtttgac	acttgctgat	gatggtaagg	ttaaacgcat	caatctctca	300
	ggtaaaaaat	tggatcaaac	agccctccct	atgcaggtga	cccagtttga	ttttgaagac	360
	aagctcttta	tcaaaggatt	ggttctggaa	gaagaaaaaa	catttgcagt	ggatcacgat	420
	gcaacgggtg	tggaagcaga	tggtagtgag	gttcggattg	cacctttaga	tggtcaatat	480
35	caaaatgcga	ctatctgggg	caaactgatt	accaattttg	caggtcctat	gaacaatttt	540
	atcttaggtg	tcgttgtttt	ttgggtttta	atctttatgc	aggggtggtg	cagagatggt	600
	gataccaate	agttccatat	catgccccaa	ggtgccttgg	ccaaggtagg	agtaccagaa	660
	acggcacaaa	ttaccaagat	cggctcacat	gaggttagca	actgggaaag	cttgatccaa	720
	gctgtggaaa	cagaaaccaa	agataagacg	gcacgcactt	tggatgtgac	tatttctgaa	780
40	aaggggagtg	acaaacaagt	cactgttaca	ccgaagata	gtcaaggctg	ttaccttcta	840
	ggtgttcaac	cgggggttaa	gtcagatttt	ctatccatgt	ttgtagggtg	ttttacaact	900
	gctgctgact	cagctctccg	aattctctca	gctctgaaaa	atctgatttt	ccaaccgat	960
	ttgaacaagt	tgggtggacc	tggtgctatc	tttaaggcaa	gtagtgatgc	tgctaaaaat	1020
	ggaattgaga	atatcttgta	cttcttgcca	atgatttoca	tcaatattgg	gatttttaat	1080
45	cttattccga	ttccagcctt	ggatgggtgg	aagatttgtc	tcaatatact	agaagccatc	1140
	cgccgcaaac	cattgaaaca	agaaattgaa	acctatgtca	ccttggccgg	agtggctatc	1200
	atggttgtct	tgatgattgc	tgtgacttgg	aatgacatta	tgcgactctt	tttagataa	1260
	<210> 35						
	<211> 594						
50	<212> DNA						
	<213> Streptococcus pneumoniae						
	<400> 35						
55	atgtacgcat	attttaaagg	aatcattacc	aaaattactg	ccaaatacat	tggttcttgaa	60
	accaatggta	ttggttatat	cctgcatgtg	gccaatcctt	atgcctatto	aggtcaggtt	120
	aatcaggagg	ctcagattta	tgtgcatcag	gttgtgcgtg	aggacgcca	tttgctttat	180
	ggatttcgct	cagaggatga	gaaaaagctc	tttcttagtc	taatttcggg	ctctgggatt	240

ggctcctgtat cagctcttgc tattatcgct gctgatgaca atgctggcct ggttcaagcc 300
 attgaaacca agaacatcac ctacttgacc aagttcccta aaattggcaa gaaaacagcc 360
 cagcagatgg tgctggactt ggaaggcaag gtagtagttg caggagatga ccttcctgcc 420
 aaggtcgcag tgcaagcaag tgctgaaaac caagaattgg aagaagctat ggaagccatg 480
 5 ttggctctgg gctacaaggc aacagagctc aagaaaatca agaaattctt tgaaggaacg 540
 acagatacag ctgagaacta tatcaagtcg gcccttaaaa tgttggtcaa atag 594

<210> 36

<211> 774

10 <212> DNA

<213> Streptococcus pneumoniae

<400> 36

15 atgaagaata atcgtatttt agcactttct ggaaatgata ttttttagtgg tgggtggactg 60
 tcagctgatt tggctaccta taccttgaac ggcttgcatt ggttttagtc agtgacttgt 120
 ttgacagcct tgacagaaaa aggatttgaa gtctttccaa ctgatgatac catttttcaa 180
 catgaattag atagcttgcg tgatgtggaa ttgggggaa ttaagattgg tcttctccct 240
 actgtcagtg tggctgagaa ggccttggac tttatcaaac aacgccagg agtacctgtg 300
 20 gtgttggatc ctgtcttggg ctgcaaggaa acgcatgatg tagctgtcag tgagctctgc 360
 caagagttga ttgcttctt cccttatgtc agtgtgatta cgcctaatac cccagaagca 420
 gaattattat ccggtcagga aattaaaacc ttggaagaca tgaaaactgc agcgcagaaa 480
 ttgcatgatt taggagcgcc agcagtcatt atcaaggag gcaatcgtct tagtcaggac 540
 aaggctgtgg atgtctttta tgatggacag acctttacta tctagaaaa tccagttatc 600
 25 caaggccaaa atgctggtgc aggttgtacc tttgcctcta gcattgccag tcacctggtt 660
 aaagtgata aatttttgcc agcagtagaa agctctaagg ctttcgttta tcgtgctatt 720
 gcacaagcag atcagtatgg agtaagacaa tatgaagcaa acaaaaacaa ctaa 774

<210> 37

<211> 1239

30 <212> DNA

<213> Streptococcus pneumoniae

<400> 37

35 atgattgaaa cggagaaaaa agaggagcga gtcctgctga ttggtgtgga attgcagggg 60
 atggacagtt ttgacctctc catggaagaa ttggctagtt tagcgaaaac ggcaggggca 120
 gtcgtttag atagctacag acaaaaacgt gaaaaatat attccaagac cttcgtcggc 180
 tctggttagt tggaagagat tgcgcttatg gtgatgcag aagaaatcac tactgtcatc 240
 gtcaacaatc gtctgacccc aaggcagaat gtcaatctag aggaagttct cgggtgtaag 300
 40 gtcattgacc gtatgcagtt gattttggat atctttgcca tgcgggctcg aagccatgaa 360
 gggaagctcc aagtccacct agcccaattc aaatacctct tgccctcgctt ggttggctcag 420
 gggattatgc tcagccgtca ggcaggggga attggttccc gtggtcctgg tgaaagccaa 480
 ctggagctga accgtcgtag cgttcgcaat caaatcacgg atatcgagcg ccagcttaag 540
 gtggttgaga aaaatcgtgc gactgtcaga gaaaaacgtt tggagtctag cacttttaag 600
 attggtttga ttggttatac taatgctggg aaatcaacta tcatgaacat cttgaccagt 660
 45 aagacccagt atgaagcaga tgagctcttt gcgactctgg atgcgacaac caagagtatt 720
 catctgggag gcaatctcca agtaactttg acagataccg ttggctttat ccaagatttg 780
 ccgacagagt tgggtgccag tttcaagtca accttgaag aaagcaagca tgtggacctt 840
 ctggttcatg ttatcgatgc tagcaatcct taccacgagg agcatgaaaa aacggttctc 900
 tccatcatga aagacctgga catggaagat attcctcact tgacgtttta taataaagcg 960
 50 gatttggtgg aggatttcac gcctacccaa acgcatata ccctcatttc tgccaagtct 1020
 gaggacagtc gtgaaaactt gcaagcatta ttgctagata agattaagga aatttttgaa 1080
 gcaatttacc tgcgagtgcc tttttcaaag tctacaaga ttcattgatt agagagtgtt 1140
 gagaaaaata aatggagggtt agaagaattt tatgactga 1200
 55 1239

<210> 38

<211> 483

<212> DNA

<213> Streptococcus pneumoniae

<400> 38

5 atggcagaaa aaacatatcc tatgaccctt gaggaagg aaaaacttga aaaagaatta 60
 gaagaattga aattgggtcg tcgaccagaa gtggtagaac gcattgaagat tgcccgttca 120
 tacgggtgacc ttccagaaaa cagtgaatag gaagcagcta aggatgaaca agcctttgtc 180
 gaaggacaaa tctctagctt agaaacaaaa atccgctatg ctgaaatcgt caatagcgac 240
 gcagttgccc aggacgaagt agcgattggt aaaacagtca ccattcaaga aattggtgag 300
 10 gacgaagaag aagtttatat tatcgtaggt tcagctggtg cggatgcctt tgaggtaag 360
 gtttcaaatg aaagcccaat tgggcaggcc ttgattggca agaaaacagg tgatacagca 420
 accattgaaa cgcctgttgg tagctatgat gtaaaaatct tgaaggttga aaaaacagcc 480
 taa 483

15 <210> 39

<211> 570

<212> DNA

<213> Streptococcus pneumoniae

20 <400> 39

atgaccaa at tacttgtagg cttgggaaat ccaggggata aatattttga aacaaaacac 60
 aatgttggtt ttatgttgat tgatcaacta gcgaagaaac agaattgtcac ttttacacac 120
 gataagatat ttcaagctga cctagcatcc tttttcctaa atggagaaaa aatttatctg 180
 gttaaacc aa cgacctttat gaatgaaagt ggaaaagcag ttcattgcttt attacttac 240
 25 tatggtttgg atattgacga tttacttato atttacgat atcttgacat ggaagttggg 300
 aaaattcggt taagagcaaa aggctcagca ggtggtcata atggtatcaa gtctattatt 360
 caacatatag gaactcaggt ctttaaccgt gttaagattg gaattggaag acctaaaaat 420
 ggtatgtcag ttgttcacat tgttttgagt aagtttgaca gggatgagta tatcgggtatt 480
 ttacagtctg ttgacaaagt tgacgattct gtaaaactact atttacaaga gaaaaatttt 540
 30 gagaaaacaa tgcagaggta taacggataa 570

<210> 40

<211> 852

<212> DNA

35 <213> Streptococcus pneumoniae

<400> 40

atgattttta ttacaggggc aaatggccaa ttaggaacgg aacttcgcta tttattggat 60
 gaacgtaatg aagaatacgt ggcagtagat gtggctaaga tggacattac caatgaagaa 120
 40 atggttgaga aagtttttga agaggtgaaa ccgactttag tctaccattg tgcagcctac 180
 accgctgttg atgcagcaga ggatgaagga aaagagttgg acttcgccat caatgtgacg 240
 gggacaaaaa atgtcgcaaa agcatctgaa aagcatgggt caactctagt ttatatctct 300
 acggactatg tctttgacgg taagaaacca gttggacaag agtgggaagt tgatgaccga 360
 ccagatccac agacagaata tggacgcact aagcgtatgg gggaagagtt agttgagaag 420
 45 catgtgtcta atttctatat tatccgtact gcctgggtat ttggaaatta tggcaaaaac 480
 ttcgttttta ccatgcaaaa tcttgcgaaa actcataaga ctttaacagt tgtaaatgat 540
 cagtacggtc gtccgacttg gactcgtacc ttggctgagt tcatgacctt cctagctgaa 600
 aatcgtaagg aatttggtta ttatcatttg tcaaatgat cgacagaaga cacaacatgg 660
 tatgattttg cagttgaaat tttgaaagat acagatgtcg aagtcaagcc agtagattcc 720
 50 agtcaatttc cagccaaagc taaacgtccg ctaaaactcaa cgatgagcct ggccaaagcc 780
 aaagctactg gatttggtat tccaacttgg caagatgcat tgcaagaatt ttacaaacaa 840
 gaagtga gat aa 852

<210> 41

55 <211> 1224

<212> DNA

<213> Streptococcus pneumoniae

<400> 41
 atgaaacggt ctctcgactc aagagtcgat tacagtttgc tcttgccagt attttttcta 60
 ctgggtcatcg gtgtggtggc tatctatata gccgttagtc atgattaccc caataatatt 120
 5 ctgcccattt tagggcagca ggtcgccctgg attgccttgg ggcttggat tggttttgtg 180
 gtcattgctct ttaatacaga atttcttgg aaggtagccc cctttctata tatttttagc 240
 ttgggactta tgatcttgcc gattgtattt tataatccaa gcttagttgc atcaacgggt 300
 gccaaaaact gggatcaat aaatggaatt accctattcc aaccgtcaga atttatgaag 360
 10 atatcctata tctcatgtt ggctcgtgtc attgtccaat ttacaaagaa acataaggaa 420
 tggagacgca cggttccgct ggactttttg ttaattttct ggatgattct ctttaccatt 480
 ccagtcctag ttcttttagc acttcaaagt gacttgggga cggetttggt tttttagacc 540
 attttctcag gaatcgtttt attatcaggg gtttcttgg aaattattat cccagtat 600
 gtgactgctg taacaggagt tgctggtttc ttagctatct ttattagcaa ggacggacga 660
 gcttttcttc accagattgg aatgccgacc taccaaatca atcggatttt ggcttggtc 720
 15 aatccctttg agtttgccc aacaacgact taccagcagg ctcaagggca gattgccatt 780
 gggagtggtg gcttatttgg tcagggattt aatgcttcga atctgcttat ccagttcga 840
 ggtcagata tgatttttac gggtattgca gaagattttg gctttatttg ctctgtcctg 900
 gttattgccc tctatctcat gttgatttac cgtatgttga agattactct taaatcaa 960
 aaccagttct acacttatat ttccacaggt ttgattatga tgttgctctt ccacatctt 1020
 20 gagaatatcg gtgctgtgac tggactactt cctttgacgg ggattccctt gcctttcatt 1080
 tcgcaagggg gatcagctat tatcagtaat ctgattgggt ttggtttgct tttatcgatg 1140
 agttaccaga ctaatctagc tgaagaaaag agcggaag ttccattcaa acggaaaaag 1200
 gttgtattaa aacaaattaa ataa 1224

25 <210> 42
 <211> 609
 <212> DNA
 <213> Streptococcus pneumoniae

30 <400> 42
 atgggaaaaa tcatcggaat cactggggga attgcctcag gtaagtcaac tgtgacaaat 60
 tttctaaaac accaagggtt ttcaagcagt ggattgccga cgcagtggtc caccaactac 120
 agaaaacctg gtggtcgtct gtttgaggct ttagtacagc actttgggca agaaatcatt 180
 35 cttgaaaacg gagaactcaa tcgcccctct atagctagtc tcatcttttc aaatcctgaa 240
 gagcaaaaat ggtctaata aattcaagg ggacttatcc gtgaggaaact ggctactttg 300
 agagaacagt tggctcagac agaagagatt ttcttcatgg atattcccct actttttgaa 360
 caggactaca gcgattggtt tgctgagact tgggttggtc atgtggaccg agatgcccaa 420
 gtagaacgct taatgaaaag ggaccagttg tccaaagatg aagctgagtc tcgtatggca 480
 gccagtggtc ctttagaaaa aaagaaagat ttggccagcc aggttcttga taataatggc 540
 40 aatcagaacc agcttcttaa tcaagtgc atccttcttg agggaggtag gcaagatgac 600
 agagattaa 609

<210> 43
 <211> 1260
 45 <212> DNA
 <213> Streptococcus pneumoniae

<400> 43
 atgagaaaaa ttgttatcaa tgggtggatta ccactgcaag gtgaaattac tattagtgg 60
 50 gctaaaaata gtgtgtggc cttaattcca gctattatat tggctgatga tgtgggtgact 120
 ttggattgtg ttccagatat ttccgatgta gccagtcttg tcgaaatcat ggaattgatg 180
 ggagctactg ttaagcgta tgacgatgtc ttggagattg atccaagagg tgttcaaaat 240
 attccaatgc cttatggtaa aattaacagt cttcgtgcat cttactattt ttatgggagc 300
 ctcttaggac gttttggtga agcgacagtt ggtctaccgg gaggatgtga tcttggctct 360
 55 ctcccgattg acttacacct taaggcgttt gaagctattg gtgccactgc tagctacgag 420
 ggagataaca tgaagttatc tgctaaagat acaggacttc atggtgcaag tatttacatg 480
 gatacggtta gtgtgggagc aacgattaat acgatgattg ctgcagttaa agcaaatggt 540

5 cgtactatta ttgaaaatgc agcccgtaga cctgagatta ttgatgtagc tactctcttg 600
 aataatatgg gtgcccatat ccgtggggca ggaactaata tcatcattat tgatggtggt 660
 gaaagattac atgggacacg tcatcaggtg attccagacc gcattgaagc tggaacatat 720
 atatcttttag ctgctgcagt ttgtaaagga attcgtataa ataatgttct ttacgaacac 780
 ctggaaggggt ttattgctaa gttggaagaa atgggagtga gaatgactgt atctgaagac 840
 agcatttttg tgcaggaaca gtctaatttg aaagcaatca atattaagac agctccttac 900
 ccaggctttg caactgattt gcaacaaccg cttacccttc ttttactaag agcgaatggt 960
 cgtggtacaa ttgtcgatac gatttacgaa aaacgtgtaa atcatgtttt tgaactagca 1020
 aagatggatg cggatatattc gacaacaaat ggcatatatt tgtacacggg tggacgtgat 1080
 10 ttacgtgggg ccagtgttaa agcgaccgac ttaagagctg gggctgcact agtcattgct 1140
 gggcttatgg ctgaaggtaa aactgaaatt accaatattg agtttatctt acgtggttat 1200
 tctgatatta tcgaaaaatt acgtaattta ggagcggata ttagacttgt tgaggattaa 1260

<210> 44

15 <211> 696

<212> DNA

<213> Streptococcus pneumoniae

<400> 44

20 atgtcaagaa ttgaattttc accatctttg atgaccatgg atttggaaca attcaaagag 60
 cagattaactt ttttgaatga taaagtagca tcttatcata tcgatattat ggatggccat 120
 tttgttccca atattacctt gtctccttgg ttcatccaag aagttcaaaa aattagttag 180
 acacctttat cagttcatct gatggtcaca gacccaacct tttgggtaga tcaagttctc 240
 gatttacaat gtgagtatat ttgtattcat gctgaagttc tgaatggtct tgcttttcgt 300
 25 ttgattgata aaattcatga tgcaggtcta aaggctggtg ttgtccttaa tcctgaaaca 360
 cctgtttcta caatctttcc ctacattgat ttaactgaca aagtaactat tatgactgta 420
 gatccagggt ttgcaggaca acgctttttc gagtctacct tgtataaaat ccaagaactc 480
 cgtcagctta gagttcagaa tggttattac tacatcattg agatggatgg ttctttagat 540
 cgtaagactt tcaaacaat tgatgtggca ggaccagata tttatgttat aggtcgtagt 600
 30 ggattatttg gtttggtatga cgatattgcc aaagcctggg atatctgttc tagagattac 660
 gaagaaatga ccggaaaaac aatgccaatc aaataa 696

<210> 45

<211> 1125

35 <212> DNA

<213> Streptococcus pneumoniae

<400> 45

40 atgagaaata tggctttgac agcaggtatc gttggtttgc caaacgttgg taaatcaaca 60
 ctatttaatg caattacaaa agcaggagca gaggcagcaa actaccatt tgcgactatt 120
 gatccaaatg ttggaatggt ggaagatcca gatgaacgcc tacaaaaact aactgaaatg 180
 ataactccta aaaagacagt tcccacaaca tttgaattta cggatattgc agggattgta 240
 aaaggagctt caaaaggaga agggctaggg aataaattct tggccaatat tcgtgaagta 300
 gatgcgattg ttcacgtagt tcgtgctttt gatgatgaaa atgtgatgcg cgagcaagga 360
 45 cgtgaagacg cctttgtaga tccacttgca gatattgata caattaatct ggaattaatt 420
 cttgctgact tagaatcagt gaacaaacga tatgcgcgtg tagaaaagat ggcacgtacg 480
 caaaaagata aagaatcagt agcagaattc aatgttcttc aaaagattaa accagtccta 540
 gaagacggga aatcagctcg taccattgaa tttacagatg aggaacaata ggttgtcaaa 600
 ggtcctttcc ttttgacgac taaaccagtt ctttatgtag ctaatgtgga cgaggatgtg 660
 50 gtttcagaac ctgactctat cgactatgtc aaacaaattc gtgaatttgc agcgacagaa 720
 aatgctgaag tagtcgttat ttctgcgcgt gctgaggaag aaatttctga attggatgat 780
 gaagataaaa aagagtttct tgaagccatt ggtttgacag aatcaggtgt agataagttg 840
 acgcgtgcag cttaccactt gcttggattg ggaacttact tcacagctgg tgaaaaagaa 900
 gttcgcgctt ggactttcaa acgtgggtatg aaggctcctc aagcagctgg tattatccac 960
 55 tcagactttg aaaaaggctt tattcgtgca gtaacatgt catatgaaga tctagtgaaa 1020
 tacggatctg aaaaggcgtg aaaagaagct ggacgcttgc gtgaagaagg aaaagaatat 1080
 atcgttcaag atggcgatat catggaattc cgctttaatg tctaa 1125

<210> 46

<211> 333

<212> DNA

5 <213> Streptococcus pneumoniae

<400> 46

10 atggaatcg aaaaaaccaa tcgtatgaat gcgctctttg aattttatgc ggcgcttttg 60
 acagataagc aaatgaatta tatagagcct tactacgctg atgattacag tcttgctgag 120
 atagctgagg agtttggtgt tagtcgtcag gctgtctatg acaatatcaa gcgaacagaa 180
 aagattctgg aagattatga gatgaaattg cacatgtact cggactacat tgtccgtagt 240
 cagatttttg accaaatcct ggagcgctat cccaaggatg attttctgca ggagcagata 300
 gaaattttta caagcattga taatagagaa taa 333

15 <210> 47

<211> 672

<212> DNA

<213> Streptococcus pneumoniae

20 <400> 47

25 atgaccttag aatgggaaga atttctagat ccttacattc aagctgttgg tgagttaaag 60
 attaaacttc gtggtattcg taagcaatat cgtaagcaaa ataagcattc tccaattgag 120
 tttgtgaccg gtcgagtcaa gccaatggag agcatcaaag aaaaaatggc tcgtcgtggc 180
 attacttatg cgaccttga acacgatttg caggatattg ctggcttacg tgtgatggtt 240
 30 cagttttag atgacgtcaa ggaagtagtg gatattttgc acaagcgtca ggatagcga 300
 atcatcagag agcgagatta cattactcat agaaaagcat caggctatcg ttctatcat 360
 gtggttagtag aatatacggg tgataaccatc aatggagcta agactatttt gccagaaatt 420
 caaattcgta ctttgcccat gaatttctgg gcaacgatag aacattctct caactacaag 480
 taccaagggg atttcccaga tgagattaag aagcgactgg aaattacagc tagaatcgcc 540
 35 catcagttgg atgaagaaat ggggtgaaatt cgtgatgata tccaagaagc ccaggcactt 600
 tttgatcctt tgagtagaaa attaaatgac ggtgtaggaa acagtgacga tacagatgaa 660
 gaatacaggt aa 672

<210> 48

35 <211> 588

<212> DNA

<213> Streptococcus pneumoniae

<400> 48

40 atggaactta atacacacaa tgctgaaatc ttgctcagtg cagctaataa gtcccactat 60
 ccgcaggatg aactgccaga gattgcccta gcagggcgtt caaatgttgg taaatccagc 120
 tttatcaaca ctatgttgaa ccgtaagaat ctgcgtcgta catcaggaaa acctggtaaa 180
 acccagctcc tgaacttttt taacattgat gacaagatgc gctttgtgga tgtgcctggg 240
 45 tatggctatg ctcggttttc taaaaaggaa cgtgaaaagt gggggtgcat gattgaggag 300
 tacttaacga ctccgggaaaa tctccgtgcg gttgtcagtc tagttgacct tcgtcatgac 360
 ccgtcagcag atgatgtgca gatgtacgaa tttctcaagt attatgagat tccagtcac 420
 attgtggcga ccaaggcgga caagattcct cgtggtaaat ggaacaagca tgaatcagca 480
 atcaaaaaga aattaaactt tgaccaagt gacgatttca tcctcttttc atctgtcagc 540
 50 aaggcagggg tggatgaggc ttgggatgca atcttagaaa aattgtga 588

<210> 49

<211> 294

<212> DNA

<213> Streptococcus pneumoniae

55

<400> 49

atgaaaacaa gaaaaatccc tttgcgcaag tctgttgtgt ctaacgaagt gattgataag 60

cgtgatttgc tccgcattgt taagaacaag gaaggacaag tctttattga tcctacgggc 120
 aaggccaatg gccgcggcgc ttatatcaaa ctagacaatg cagaagccct agaggcgaaa 180
 aagaagaagg tctttaaccg cagcttttagc atggaagtgg aagaagcctt ttatgacgag 240
 ttgatcgctt atgtggatca caaagtgaag agaagagagt tgggacttga ataa 294

<210> 50

<211> 312

<212> DNA

<213> Streptococcus pneumoniae

<400> 50

atgttataaac cctctattga taccttgctc gacaagggtc cttcaaaata ttcactcgta 60
 atcttggaag caaacgtgc ccacgaattg gaagcagggtg cccagcaac tcaagggttc 120
 aagcttgaaa aatcaactct tcgcgcttta gaagaaatcg aatcaggaaa cgttacaatt 180
 caccagatc cagaaggaaa acgtgaagca gtgcgtcgcc gtatcgaaga agaaaaacgc 240
 cgcaagaag aagaagaaaa gaaatcaaa gagcaaattg ctaaagaaaa agaagatggt 300
 gaaaaaattt aa 312

<210> 51

<211> 312

<212> DNA

<213> Streptococcus pneumoniae

<400> 51

atgtcattaa catcaaaaca acgtgccttc ctcaacagcg aggcacacac cctcaaacct 60
 atcatcaaaa tcgggaaaaa tggactcaac gaccaaatac aaaccagcgt ccgtcaagct 120
 cttgatgcgc gtgaattaat caaggttact ctcttataaa acacagatga aaacatccac 180
 gaagtagctg aaattttgga agaagaaatc ggtgtggata cagtccaaaa aataggacgc 240
 atcttgattt tgttttaaca atctagcaag aaagaaaatc gcaagatttc taagaaagtc 300
 aaagaaatct aa 312

<210> 52

<211> 528

<212> DNA

<213> Streptococcus pneumoniae

<400> 52

atggcgattg aaaattatat accagatttt gctgtggaag cagtctatga totgacagtc 60
 ccaagcctgc aggcgcaggg aatcaaggct gttttggctg atttgataa taccctcatt 120
 gcttggaaca accctgatgg aacgccagag atgaagcaat ggctacatga ccttcgggac 180
 gcgggtattg gcattatcgt agtgtcaaat aacacaaaaa aacgcgttca acgagcagtt 240
 gagaaatttg ggattgatta cgtttactgg gccttgaagc ccttcacatt tggattgac 300
 cgtgctatga aggaattcca ctatgacaaa aaggaagtgg tcatggttgg tgaccagctc 360
 atgacagata tacgagcagc ccaccgtgca gggattcggg caatttttagt caaaccttg 420
 gtccaacatg actcaatcaa aacgcagatt aaccgaactc gtgagcgtcg tgttatgaga 480
 aaaatcactg aaaagtacgg accgattaca tataaaaaag gaatttaa 528

<210> 53

<211> 1368

<212> DNA

<213> Streptococcus pneumoniae

<400> 53

atgtttcgaa aaatttttaaat tgccaatcgt ggtgaaattg cggttcgtat tatccgtgcg 60
 gcacgtgaat tggggattgc gacggtagcg gtttattcaa ctgctgataa ggaagctctt 120
 catacgtgtg tggcagatga agcagtttctg attggtcctg gcaaggcaac agagtcttat 180
 ctcaatatta atgcagttct atcagctgca gtcttgactg aggcagaagc tattcaccct 240

ggttttggat ttctcagtga aaattccaaa tttgcgacca tgtgtgaaga aataggatc 300
 aagtttatcg gtccatctgg tcatgttatg gatatgatgg gggataaaat caatgcgcgt 360
 gctcagatga ttaaagcagg tgtgcctggt ataccaggtt cagatggaga agtgcataac 420
 tctgaagaag ctttgattgt tgctgaaaaa attggctatc ctgttatgct caaggcttca 480
 5 gcaggtggag gtggtaaagg gattcgttaag gttgaaaaac cagatgacct cgtttctgcc 540
 tttgaaactg cctctagtga ggccaaggcc aattatggca atggtgccat gtacatagaa 600
 cgggttatct atccagctcg gcacattgag gttcaaatcc taggtgatga gcatggacat 660
 gtgattcact tgggtgaacg ggattgttct cttcaaagga ataaccaaaa ggttttggaa 720
 gaaagtcctt cgattgcaat cggaaaaaac ctgcgtcatg aaatagggtgc tgctgctgtt 780
 10 cgagcggcag agtttgttgg ctatgagaat gcaggaacca ttgaatttct tcttgatgaa 840
 gcaagtagca atttctatct catggagatg aatactcgtg ttcaggtaga acatccagta 900
 acagagtttg tttcagggtg tgatatcgtt aaggaacaga tttgcattgc ggcaggtcag 960
 cctttgtctg ttaagcaaga agatattgtc ctacgcggtc atgccatcga gtgtcgtatc 1020
 atgcagaaa acccagcctt taactttgct ccaagtcag gtaagattac taatctctat 1080
 15 ctgccaaagt gtggagtgg cttgcgcgtg gattcagcag tttatccagg ttataccatt 1140
 ccgccttatt atgatagtat gattgccaaa atcatagtac acggcgaaaa tcgttttgac 1200
 gccttgatga aaatgcaacg tgccctctat gaattagaaa ttgaaggagt gcagaccaat 1260
 gcagatttcc agcttgacct catttcagat cgcaatgtca ttgctgggga ttatgatact 1320
 20 tgcttcttga tggaaacctt cttacctaaa tatcaagaaa aagaataa 1368
 <210> 54
 <211> 234
 <212> DNA
 <213> Streptococcus pneumoniae
 25
 <400> 54
 atgattttaca aagtttttta tcaagaaaca aaagaacgta gccacgcgg tgaacaaca 60
 cgcgcgcttt acctagacat egataccagc tcagaacttg agggccgtat cactgctcgc 120
 caacttgtcg aagaaaatcg cccagagtac aatatcgaat atatcgaact cttgtctgac 180
 30 aaattgctcg attacgaaaa agaaactggc gccttcgaaa ttacggagtt ctaa 234
 <210> 55
 <211> 1011
 <212> DNA
 35 <213> Streptococcus pneumoniae
 <400> 55
 atgaaggata gatataatctt agcattttgag acatcctgtg atgagaccag tgtcgcgcgtc 60
 40 ttgaaaaacg acgatgagct cttgtccaat gtcattgcta gtcaaattga gagtcacaaa 120
 cgtttttggtg gcgtagtgcc cgaagtagcc agtcgtcacc atgtcgaggt cattacagcc 180
 tgtatcgagg aggcattggc agaagcaggg attaccgaag aggacgtgac agctgtttgcg 240
 gttacctacg gaccaggctt ggtcggagcc ttgctagtgt gtttgtcagc tgccaaggcc 300
 tttgcttggg ctcacggact tccactgatt cctgttaatc acatggctgg gcacctcatg 360
 45 gcagctcaga gtgtggagcc tttggagtgt cccttctag ccctcttggg cagcggcgga 420
 cacacagagt tgggtctatgt ttctgaggct ggcgattaca agattgttgg ggagacacga 480
 gatgacgcgg ttggcgaggc ctatgataag gtcggccgtg tcatgggctt gacctatcct 540
 gcaggctcgt agattgacga gctggctcat caggggcagg atattttatga tttccccctg 600
 gccatgatta aggaagataa tctggagtgt tcattctctg gtttgaagtc agcctttatc 660
 aatcttcato acaatgccga gcaaaaggga gaaagcctgt ctacagaaga tttgtgtgct 720
 50 tccttccaag cagcagttat ggacattctc atggcaaaaa ccaagaaggc tttggaggaa 780
 tctcctgtta aaacctatt tgtggcagggt ggtgtggcag ccaataaagg tctcagagaa 840
 cgcttagcag ccgaaatcac agatgtcaag gttatcatcc cccctctgcg actctgcgga 900
 gacaatgcag gtatgattgc ctatgccagc gtcagcgagt ggaacaaaga aaacttcgca 960
 55 ggctgggacc tcaatgccaa accaagtctt gcctttgata ccatggaata a 1011
 <210> 56
 <211> 1809

<212> DNA

213> Streptococcus pneumoniae

<400> 56

5	atgtgtggaa	ttgttgggtg	tgttggaaac	acaaatgcaa	ctgatatttt	gattcaagg	60
	cttgaaaagc	ttgaataccg	tggctatgat	tctgcgggaa	tttttgtcct	agatgggtgct	120
	gataaccatt	tggtgaaggc	ggttgggtcg	attgcagaat	tgtctgcaa	gacagctggt	180
	gttgaggga	caactggtat	cggacatact	cgttgggcta	ctcacggaaa	accaactgag	240
	gacaatgctc	acccacaccg	ctctgagaca	gaacgttttg	tcttgggtgca	taatggggtg	300
10	attgagaact	atcttgaaat	caaggaagaa	taccttgacg	gtcaccactt	caaggggcag	360
	acagatactg	aaatagccgt	tcatttgatt	ggaaaatttg	cggagaaga	agggctctca	420
	gttcttgaag	cctttaaana	agctcttcac	attatccgtg	gttcataatg	ccttgccttg	480
	attgactctg	aaaatccaga	tgtcatctat	gtagcgaaaa	acaaatctcc	acttttgatt	540
	ggctctgggg	aaggctacaa	tatgggtctg	tcagatgcta	tggctatgat	tcgtgaaacc	600
15	aaccaataca	tggaaattca	tgaccaagag	ttggtaatcg	tcaaggctga	tagcgtggaa	660
	gttcaagact	atgatggtaa	cagtcgtgaa	cgtgctagct	atactgcgga	acttgacttg	720
	tcagatatcg	gtaagggaac	ttatccttac	tacatgctta	aggaaattga	tgagcaacca	780
	actgttatgc	gtaaaactcat	tcaagcctac	acggatgatg	ctggccaagt	agtgggtgct	840
	cctgctatca	ttaaggctgt	tcaagacgca	gaccgcatct	acatccttgc	agctggaaca	900
20	tcttaccatg	caggatttgc	ttctaagaaa	atgttggaa	aattgacaga	tacaccagt	960
	gaacttggaa	tctcatctga	gtggggctac	ggtatgccac	ttctcagcaa	gaaaccactc	1020
	ttcatcttta	tcagccaatc	tggtgaaaca	gcgtagatgc	gtcaagtttt	ggtcaaggct	1080
	aatgaaatgg	gaattccaag	cttaacagtg	acaaatgttc	caggttcaac	cctctcacgt	1140
25	gaagccaact	ataccatgct	ccttcacgca	ggacctgaaa	ttgccgtggc	atcaactaaa	1200
	gcctatacag	cgcaaatcgc	agcccttgcc	ttccttgcaa	aagcagtcgg	agaagcaaat	1260
	ggtaatgcta	aagcgcaagc	ccttgacctg	gttcatgaat	tgtcaatcgt	agctcagctc	1320
	attgaatcaa	ctctttcaga	gaaagaaacc	attgaagcca	aggttcgtga	acttcttgaa	1380
	acaactcgta	acgcctttta	catcggaagt	ggccaagatt	actacgtagc	catggaagca	1440
	agtctcaaac	tcaaagagat	ttcttatatc	cagtgtgaag	gttttgccgc	aggagaactc	1500
30	aagcacggaa	ccattgcctt	gattgaagaa	ggaacgcctg	ttttggctct	cctgtcagat	1560
	ccagttcttg	ccaaccatac	tcgtggaaat	atccaagagg	tcgcagcccg	tggtgccaaa	1620
	gtcctcacta	tcgcagaaga	gaatgtagcc	aaagataccg	acgatatcgt	ccttacgacc	1680
	gtacatccat	acctctcacc	aatttcaatg	gtcgtacca	cgcaattagt	cgcttacttt	1740
35	gcaaccctcc	accgtggcct	cgatgtggac	aaaccacgta	accttgccaa	gtcagtaacg	1800
	gtagaataa						1809

<210> 57

<211> 723

<212> DNA

40 <213> Streptococcus pneumoniae

<400> 57

	atgatacgta	tcgaaaatct	cagtgtctcc	tacaaagaaa	cgttggcact	taaggatatt	60
	tcactagtgc	tccatggacc	aacaattacc	ggcatcattg	gtccaaacgg	cgctgggaaa	120
45	tcaacactat	taaaaggat	gctgggaatt	atcccacatc	aaggtcaggc	atttctcgat	180
	gacaaggaag	ttaaaaaatc	cttacaccga	attgcctatg	tcgaacaaaa	aatcaatatc	240
	gactacaact	ttcccatcaa	ggtcaaggaa	tgcgtctcgt	taggactatt	tcctcttatt	300
	cctctctttc	gaagttttaa	ggctaaacat	tggagaagaa	tgcaagaggc	ccttgaaatc	360
	gtcggcctag	ctgactacgc	tgaacgtcaa	attagtcaac	tgtctggagg	tcaattccag	420
50	cgggtcttga	ttgceagatg	tttgggtgag	gaagccgact	atatcctctt	ggatgaaccc	480
	tttgcctgga	ttgactctgt	cagtggaggaa	atcatcatga	atacgttgag	agatttgaaa	540
	aaagctggga	agacggttct	catcggtcac	cacgacctca	gcaagattcc	ccactacttc	600
	gatcaagtct	tacttgtcaa	tcgagaagtg	attgcctttg	gtccaaacaa	agaaactttt	660
	accgaaacca	atctaaaaaga	agcttacggg	aatcaactct	ttttcaatgg	aggtgacctc	720
55	tga						723

<210> 58

<211> 2223

<212> DNA

<213> Streptococcus pneumoniae

5 <400> 58
 atgccgaaag aagtgaattt aacaggcgaa gaagttgtcg ctttaacca aagaatattta 60
 acggaagagg atgttcattt tgtccataag gccttgggtc atgctgttga atgccacagt 120
 ggtcaatatc gcaaatcagg cgagccttat atcattcacc ctatccaagt ggcaggtatt 180
 ttagctaagc taaagctgga tgctgtaaca gtagcttgtg gattcttgca tgatgtggtg 240
 10 gaagatacag atgcgacctt ggacgatttg gaaagagagt ttggtcctga tgtgcgggtg 300
 attgttgacg gagttacca gcttggcaag gtcgagtaca aatcgatcga ggagcaatta 360
 gcggaaaatc atcgcaagat gctcatgggc atgtctgagg acatccggtt tattttgggtc 420
 aaactgtctg accgcttgca caatatgcgg accctgaaac atcttcgaaa agacaagcag 480
 gagcgtattt ccaaagaaac catggaaatc tatgcccac ttgcccacgt tttggggatt 540
 15 tccagtgtca aatgggaatt agaagacttg tctttccgtt atctcaatcc aacggagttt 600
 tacaagatta cccatatgat gaaggaaaag cgcagggagc gtgaggcctt ggtgagtgag 660
 gtagtcacaa aattagagga gtatacgaca gaacgtcact tgaaagggaa gatttatggt 720
 cgtcccaagc atattttact aattttccgc aaaatgcagg acaaagagaa acggtttgag 780
 gaaatctatg atctgattgc tattcgttgt attttagata ccaaagtga tgtttatgcc 840
 20 atgcttggtt acgtgcatga attttgaaa ccgatgccag gtcgcttcaa agactatatt 900
 gccaaaccgca aggcgaatgg ttatcagttc atccatacga ctgtttatgg accaaaaggg 960
 ccgattgaat tccagattcg aaccaaggaa atgcacgagg tggctgagta cgggggttgcg 1020
 gctcactggg cttataagaa aggtataaag gggcaagtta acagcaagga atcagctatt 1080
 ggaatgaact ggatcaagga gatgatggag ctccaagacc aggtgatga tgctaaggaa 1140
 25 tttgtggact ctgttaagga aaactatctg gctgaggaga tttacgtttt taccocagat 1200
 ggagctgtcc gtcccttcc caaagattca ggaccgattg attttgcta cgaaatccat 1260
 accaaggtcg gtgaaaaagc aactggtgcc aaggtcaatg gccgcatggt tccactgaca 1320
 accaagttaa agacagggga tcaggttgaa attatcgcca acccgaactc ctttggacct 1380
 agccgtgact ggctcaatat ggtcaagact agcaaggcgc gcaataagat tcgccagttc 1440
 30 tttaaaaacc aagataagga attgtctgtc aacaagggtc gtgagatgct gatggctcag 1500
 ttccaagaaa atggctatgt ggcaataaaa tttatggaca agcgccacat ggatcaagtt 1560
 ctgcaaaaaga ccagttacaa gacagaagac tccctctttg cggccatttg ttttggggaa 1620
 atcgggtgcga ttaccgtctt taaccgtctg actgaaaagg aacgccgtga ggaagagcgt 1680
 gccaaaggcca aggtgaggc agaggagctt gtcaaagggt gcgagggtcaa ggttgaaaaat 1740
 35 aaagaaaactc tcaagggtcaa gcatgagggg ggagtggtta ttgaagggtc tttctggtctc 1800
 ctagtgcgga ttgctaagtg ttgtaacccc gtgcctggtg acgatattgt tggctacatt 1860
 accaagggtc gtggtgtggc tttaccctgt gtggactgta tgaacctgcg tgcccaagaa 1920
 aactacgagc aacgtctcct tgatgtggaa tgggaagacc agtactctag ctcaataaag 1980
 gagtatctgg cccatatcga tatctacggt ctcaaccgta caggactgtt gaacgatgta 2040
 40 ctgcaagttc tttcaatac aaccaagaat atttcaacgg tcaatgccc accaaccaag 2100
 gatatgaagt ttgctaatat ccattgtgtc ttccgtattg ccaacctctc tacactgacc 2160
 acggttgtcg ataaaattaa gattgtgcca gaagtttact ctgtcaaacg gaccaacggc 2220
 tag 2223

45 <210> 59

<211> 1479

<212> DNA

<213> Streptococcus pneumoniae

50 <400> 59
 atgtctaatt gggacactaa atttttgaaa aaaggtttta cctttgatga tgtattgctt 60
 attccagctg aaagtcatgt gttgcctaac gatgcagatt taacaactaa attggcagat 120
 aatttgactt taaatatccc aattattacc gctgccatgg acacagttac agagagtcaa 180
 atggccattg ctattgctcg tgcaggcggg ctccggagtta tccataaaaa catgtcaatt 240
 55 gctcaacaag cagacgaggt tcgtaaggta aaacgttctg aaaatggagt tattattgat 300
 ccgttcttct tgacgcctga acatacaatt gctgaagcag atgagcttat gggtcgttac 360
 cgcacatcgt gtgttccagt tgttgaaaca cttgaaaatc gtaaatttgt tggtattttg 420

5 acaaaccgag atcttcggtt tatttcagat tataatcaac caatttcaaa ccatatgact 480
 agtgaaaatc ttgttactgc tectgtgggt acggatcttg caacggctga gagtattctt 540
 caagagcatc gtattgaaaa acttccgttg gtcgatgaag aaggcagctt ttctggtttg 600
 atcactatca aagatatgtg aaaagttatt gagtttccaa atgeggctaa agatgagttt 660
 ggtcgtcttc tagttgcagg tgcagtaggt gttacttcag atacatttga acgtgcagag 720
 gctctttttg aggcaggagc ggatgcgatt gttattgata ctgcacatgg tcattctgca 780
 ggtgtctttg gtaaaattgc cgagattcgt gctcatttcc cagatcggac tttgattgct 840
 ggaaatattg ctactgctga aggtgcacgt gccctttatg aagcgggtgt agacgttggt 900
 aaggttggtg ttggaccagg ttctatctgt actactcgtg tgattgctgg tgttggtgtt 960
 10 ccgcaagtaa cagctatcta cgatgctgca gctgttgcgc gcgaatatgg taaaacgatt 1020
 attgctgacg gtgggatcaa gtattctgga gatattgtaa aagcacttgc tgcaggtgga 1080
 aatgctgtta tgcttgatc tatgtttgct ggaactgat aagctccagg cgaaactgaa 1140
 atcttccaag gacgtaaatt caagacttac cgtgggatgg gatcaattgc tgctatgaag 1200
 aaaggttcaa ggcaccgtta tttccaaggt tctgtcaatg aagcaaaca gcttggtcca 1260
 15 gaaggaattg aaggtcgtgt tgcttataaa ggagcggcag ctgatattgt tttccaaatg 1320
 attggtggtg ttcgctctgg tatgggttac tgtggtgcag ctaaccttaa agaactacac 1380
 gataatgctc aatttattga aatgtctggt gctggttga aagaaagcca tcctcatgat 1440
 gtgcaaatta ctaatgaggc accaaattat tctatgtaa 1479

20 <210> 60
 <211> 1947
 <212> DNA
 <213> Streptococcus pneumoniae

25 <400> 60
 atgacagaag aaatcaaaaa tctgcaggca caggattatg atgccagtc aattcaagtt 60
 ttagagggct tagaggctgt tcgtatgcgt ccagggatgt acattggatc aacctcaaaa 120
 gaaggtcttc accatctagt ctgggaaatt gtagtaact caattgacga ggccttggca 180
 30 ggatttgcca gccatattca agtttttatt gagccagatg attcgattac tgttgaggat 240
 gatgggcgtg gtatcccagt cgatattcag gaaaaaacag gccgtcctgc tgttgagacc 300
 gtctttacag tccttcacgc tggaggaaag ttcggcggtg gtggatacaa ggtttcaggt 360
 ggtcttcacg ggggtggggtc gtcagtagtt aatgcccttt cactcaatt agacgttcat 420
 gttcacaaaa atggtaagat tcattaccaa gaataccgtc gtggtcatgt tgcgcagat 480
 35 cttgaaatag ttggagatac ggataaaaca ggaacaactg ttcacttcac accggacca 540
 aaaatcttca ctgaaacaac aatctttgat tttgataaat taaataaacg gattcaagag 600
 ttggcctttc taaatcgcg tcttcaaatt tcaattacag ataagcgcca aggtttggaa 660
 caaaccaagc attatcatta tgaaggtggg attgctagt acgttgaata tatcaacgag 720
 aacaaggatg taatctttga tacaccaatc tatacagacg gtgagatgga tgatatcaca 780
 40 gttgaggtag ccatgcagta cacaactggg taccatgaaa atgtcatgag tttcgccaat 840
 aatattcata cacatgaagg tggacgcgat gaacaagggt tccgtacagc cttgacacgt 900
 gttatcaatg attatgctcg taaaaataag ttactgaaag acaatgaaga caacctaca 960
 ggggaagatg ttcgcgaaag cttaactgca gttatctcag ttaaaccacc aaatccacag 1020
 tttgaaggac aaaccaagac caaattggga aatagcgaag tggtaagat tacciaatcgc 1080
 45 ctcttcagtg aagccttctc cgatttctct atggaaaatc cacagattgc caaacgtatc 1140
 gtggaaaaag ggatttttagc tgccaaggct cgtgtggctg ccaagcgtgc gcgtgaagtc 1200
 acacgtaaaa aatctgggtt ggaaatttcc aaccttcag ggaaactagc agactgttct 1260
 tctaataacc ctgctgaaac agaactcttc atcgctgaag gagactcagc tgggtgatca 1320
 gccaaatctg gtcgtaaccg tgagtttcag gctatccttc caattcgcg taagattttg 1380
 50 aacgttgaaa aagcaagtat ggataagatt ctagctaacg aagaaattcg tagtcttttc 1440
 acagccatgg gaacaggatt tggcgcagaa tttgatgttt cgaaagcccg ttaccaaaaa 1500
 ctcgttttga tgaccgatgc cgatgtcgat ggagcccaca ttcgtacct tcttttaacc 1560
 ttgatttata gttatatgaa accaatccta gaagctgggt atgtttatat tgcccaacca 1620
 ccaatctatg gtgtcaaggt tggaaagcag attaaagaat atatccagcc ggggtgcagat 1680
 caagaaatca aactccaaga agctttagoc cgttatagt aaggtcgtac caaaccgact 1740
 55 attcagcgtt ataaggggct aggtgaaatg gacgatcatc agctgtggga aacaaccatg 1800
 gatcccgaac atcgcttgat ggctagagtt tctgtagatg atgctgcaga agcagataaa 1860
 atctttgata tgttgatggg ggatcgagta gagcctcgtc gtgagtttat cgaagaaaat 1920

gctgtctata gtacacttga tgtctaa

1947

<210> 61

<211> 267

<212> DNA

<213> Streptococcus pneumoniae

<400> 61

atgggattta ctgaagaaac agtacgtttt aaattggacg attccaataa aaaagaaatt 60
 agcgaaactt tgacagatgt ttatgcttcg ttgaacgata agggttacaa cccaattaac 120
 caaatcgtag gttacgtatt gagtggagac cctgcctacg ttccctcgta taataatgca 180
 cgaaatcaaa tccgtaagta tgagcgtgat gaaatcgttg aggaattggt tcgctactac 240
 ctcaaaggac aaggagtcga tctataa 267

<210> 62

<211> 597

<212> DNA

<213> Streptococcus pneumoniae

<400> 62

atggtcaact atccacataa agtttcatca caaaaaagac aaacatctct ttctcaaccc 60
 aaaaatttcg caaatcgagg aatgtctttt gaaaagatga tcaatgctac caacgactac 120
 tatttgtctc agggcttggc tgttatacat aagaaaccaa ctctatttca aatcgtaaca 180
 gtggactatc cacaacgaag tcgtgccaaag attgttgaag cctattttcg acaagcttca 240
 acgacggact attctggcgt ttataatgga tattacatcg actttgaagt caaggaaaca 300
 aaacaaaaac gtgcgattcc gatgaaaaat ttcatccac atcagattca gcatatggaa 360
 caagtccttg cccaacaagg aatctgcttt gtccttcttc acttttcttc tcagcaagaa 420
 acctacttat tgccggcatt cgatttgatt cgcttctatc atcaagataa gggacaaaaa 480
 tcaatgccac ttgaatatat tcgagaatat ggatatgaaa tcaaggctgg tgccttcctc 540
 caaattcctt atctcaatgt tatcaaagaa catttattag gtggtaaaac aagatga 597

<210> 63

<211> 867

<212> DNA

<213> Streptococcus pneumoniae

<400> 63

atggctctat ttagtaaaaa agataagtat attcgaatca atcccaatcg ttccggttagg 60
 gaaaaacctc aagctaagcc agaggttcca gatgaattat tttcccagtg tccaggctgt 120
 aagcatacca tctatcagaa ggatctggga agtgaacgta tctgtccgca ctgtagctat 180
 acctttcgta tttctgccca agaacgcttg gctttgacga ttgatatggg aaccttcaaa 240
 gaattgttta cagggattga aagcaaggat cccttgccatt tccctgggta ccaaaagaaa 300
 ctggcatcta tgcgtgaaaa aacaggctctg catgaagccg ttgtgacagg aactgctctt 360
 attaaaggtc agactgtggc tcttgggatt atggattcta actttatcat ggcttctatg 420
 ggtagcggtt taggtgaaaa aatcactcgt ttgtttgagt atgcgactgt cgaaaaattg 480
 ccagttgtcc tattcacagc ctctggtgga gcccgatgc aggaaggaat catgagtctc 540
 atgcagatgg ctaagatctc tgcggcgggt aaacgccatt caaatgctgg tctcttttac 600
 ctgaccattt tgacagatcc aacgactggg ggtgtgacag cttctttcgc tatggaaggc 660
 gatatcattc tggctgaacc acagagcttg gttggttttg ctggacgctg tgtgattgaa 720
 aatacggttc gtgaaagctt gcctgaggat ttccaaaagg cagaattcct attagaacat 780
 ggctttgtgg atgctattgt caaagaaga gacttaccag atacgattgc tagcctagtc 840
 agattgcatg gagggagtcc tagatga 867

<210> 64

<211> 420

<212> DNA

<213> Streptococcus pneumoniae

<400> 64

atgagaatta tgggattgga cgtcggttca aaaacggtag ggggtggcgat tagcgatccg 60
 cttggtttta cagctcaagg gcttgaaatc atccagataa atgaagaaca aggccaattt 120
 5 ggttctgacc gcgttaagga attggttgat acttacaagg tggaacgatt tgtagtgggc 180
 ttgcctaaaa acatgaacaa tacaagtggg cgcgcgctag aagctagtca agcatacggg 240
 gcaaagctag aagagttttt tggtttacca gtagactatc aggatgaacg cttgacaaca 300
 gtggctgctg agcgcatgtt gattgaacaa gcagatatca gtcgcaataa ggcgaagaaa 360
 10 gtcattgata agtttagcgc tcagctgatt ttacaaaatt atttagatag aaaattttta 420

<210> 65

<211> 1197

<212> DNA

<213> Streptococcus pneumoniae

<400> 65

atggcaaaac ttactgttaa agacgttgac ttgaaaggta aaaaagtcct cgttcgtggt 60
 gacttcaabg taccattgaa agatggcgta atcactaacg ataaccgtat cacagcagct 120
 cttccaacta ttaagtacat catcgaacaa ggtggacgtg caattctttt ctctcacctt 180
 20 ggacgtgtga aagaagaagc tgataaagct ggtaaatcac ttgctcctgt agcagcagac 240
 ttggcagcaa aacttgggtca agatgttggt ttcccagggtg tcaactcgtg tgctgaattg 300
 gaagcggcaa tcaacgctct tgaagatgga caagttctct tgggtgaaaa cactcggtac 360
 gaagatgttg acggcaagaa agaattctaaa aacgatcctg aacttggtaa atactgggca 420
 tcacttggag atggtatctt cgtaaacgat gcattcggta cagctcaccg tgcacacgca 480
 25 tctaacgttg gtatctcagc aaacgttgaa aaagcagttg ctggtttcct tcttgaaaac 540
 gaaattgcct acatccaaga agcagttgaa actccagaaac gtccattcgt ggctatcctt 600
 ggtgggtcaa aagtttcaga caagatcggg gttatcgaaa acttgcttga aaaagctgat 660
 aaagtcctta tcggtgggtg gatgacttac acattctaca aagcacaagg tatcgaaatc 720
 ggtaactcac ttgtagaaga agacaaattg gatgttgoga aagctcttct tgaaaaagca 780
 30 aatggtaaat tgatcttgcc agttgactca aaagaagcta acgcatttgc tggttacact 840
 gaagtgcgtg aactgaagg tgaagcagtt tctgaaggct tccttgggtc tgacatcggg 900
 ccaaaatcta tcgccaatt tgacgaagct ttgactgggtg ccaaaacagt tgtatggaac 960
 ggacctatgg gtgtatttga aaaccagat ttccaagctg gtacaatcgg tgtgatggac 1020
 gctatcgtga aacaaccagg agttaaatca atcatcgggtg gtgggtgactc agctgccgca 1080
 35 gcgattaacc ttggccgtgc agacaagttc tcatggatta gtacgggtgg tggagcatca 1140
 atggaacttc ttgaaggtaa ggttcttcca caacttgcag ccttgacaga aaaataa 1197

<210> 66

<211> 498

<212> DNA

<213> Streptococcus pneumoniae

<400> 66

atgttaaaat cagaaaaaca atcacgttat caaatgttaa atgaagaatt gtccttccta 60
 45 ttggaaggcg aaaccaatgt tttggctaata cttccaacg ccagtgtctc cataaaatca 120
 cgttttccta ataccgtatt tgcaggcttt tatttgttcg atggaaagga attggtttta 180
 ggccccttcc aaggaggtgt ttccgtgcac cgtattgcac taggcaaggg tgtttgtggt 240
 gaggcagctc actttcagga aactgttatt gttggagatg tgacgacctc tctcaactat 300
 atttcttgtg atagtctagc taaaagtga attgtggtgc cgatgatgaa gaatggtcag 360
 50 ttacttggag ttctggatct ggattcttca gagattgagg attacgatgc tatggatcga 420
 gattatttgg aacaatttgt cgctattttg cttgaaaaga cagcatggga ctttacgatg 480
 tttgaggaaa aatcttaa 498

<210> 67

<211> 630

<212> DNA

<213> Streptococcus pneumoniae

<400> 67

atgacaatcg aactattgac tccctttacc aaggtagagt tggagccaga aatcaaggag 60
 5 aaaaaacgca aacaagttgg gatttttaggg ggggaatttta accctgttcg caatgcccat 120
 ctcatgttg cggatcaagt acggcaacag ttgggactgg atcaagttct gctcatgcct 180
 gaataccaac ctccctcacgt tgataaaaag gaaaccatcc ctgaacacca tcgtctcaag 240
 atgcttgagt tggcaattga gggcaattgac ggcctagtca ttgaaacat tgagttggag 300
 cgcaagggtg tttcctacac ctacgacacc atgaagattt tgacagagaa gaatccagat 360
 acggattatt actttatcat cggtgccgac atggttgact atctgcctaa gtggtaccga 420
 10 attgatgaac tggttgacat ggttcagttt gtgggggttc agcgtccacg ctacaaggta 480
 gggacttcct atccagttat ctgggtggac gtaccgctca tggatatctc gtccagcatg 540
 gtgcgtgcct tccctgccc aagtcggaaa cccaactttc tccctaccta gccagtgcct 600
 gactacatcg agaaggaggg gctctactga 630

<210> 68

<211> 768

<212> DNA

<213> Streptococcus pneumoniae

<400> 68

atgaatattg caaaaatagt cagagaagcg cgtgagcaga gtcgcttgac aaccttggac 60
 tttgcgacag gcatttttga tgaatttatc caattacatg gtgaccgttc ttttcgtgat 120
 gatggtgcag ttgttggtgg tattggttgg cttggagacc aagctgtaac agtggttggt 180
 25 atccaaaaag gcaagagttt gcaagacaac ctcaaacgga attttggcca accacatcca 240
 gaaggctacc gaaaggcact gcggttgatg aaacaggctg agaaatttgg ccgtccagtt 300
 gtgaccttta tcaatacagc aggtgcttat cctggtgtcg gagcggaaga acgtggtcaa 360
 ggggaagcta ttgctcgcaa tctcatggaa atgagtgaac tgaaagttcc tattatcgcc 420
 attattatcg gtgaagggtg ttcaggcggt gctctggctc tagctgtcgc ggaccgtgct 480
 tggatgctgg aaaattctat ctatgccatt ctcagtccag aaggctttgc ttccatttta 540
 30 tggaaggacg gtactcggc catggaagca gcagaactga tgaaaatcac ttcgcatgaa 600
 ctggttagaaa tggacgtggt ggataagggt atttctgaag taggactttc tagtaaagaa 660
 ctgattaaga gtgtcaaaaa agaactccaa acggagctgg ctgactttc acaaaaaccg 720
 ctagaagagt tgctggaaga acgctatcaa cgatttagaa aataactaa 768

<210> 69

<211> 510

<212> DNA

<213> Streptococcus pneumoniae

<400> 69

atgattataa aagtagaaat ggcagatgtt gaggtgttgg ctaaaattgc caaacaacc 60
 tttcgtgaaa cttttgcgta tgataatacg gaagagcagt tacaggaata ctttgaagag 120
 gcttatagtc tgaaaacttt gtcaactgag ttgggaaatc ctgactctga aacctatttc 180
 45 attatgcatg aggaggagat agctggtttt ctcaaagtca actggggaag tgctcaaaact 240
 gagagagaat tagaggacgc ttttgaaatt caacgcctct atgtgctaca aaaattccaa 300
 ggatttggac taggtaagca actgtttgaa ttcgcacttg aacttgctac aaaaaatagt 360
 ttttcttggg cttggctagg tgtttgggag cataatacaa aagctcaagc cttttataat 420
 cgatatggtt ttgaaaaatt tagccaacat cattttatgg ttggtcaaaa agtagatacg 480
 50 gattgggttac tgagaaagaa attaaggtaa 510

<210> 70

<211> 1590

<212> DNA

<213> Streptococcus pneumoniae

<400> 70

atgttacggg ggactgcttt gctaaccgct agtaacttta tcagtcgcct actcggggct 60

5 gtttacatta tccotttgga catctggatg ggggcttatg cagctaagge aaatggctctc 120
 tttaccatgg gttacactat ctatgcttgg ttcttggttg tttcaacagc ggggattcca 180
 gttgcggtgg ccaagcaagt tgccaagtat aataccatgc gagaagaaga gcatagcttt 240
 gccctgattc ggagcttctt aggcctttatg acaggactag gcctgggttt tgcttttagtc 300
 ttgtatgtct ttgtctcctt gctagcagac ttgtctggcg tgggcaaaga cttgatccca 360
 atcatgcaaa gcttggttgg gggagtcttg attttcccg tctatgagtgt tatccgagga 420
 tttttccaag ggatgaataa cctcaaacce tatgccatga gccaaatttg tgagcaggtc 480
 attcgtgtta tctggatgct cctagcaacc tttatcatta tgaagctcgg ttcaggagat 540
 10 tatctagcag ccgttaacca atcaaccctt gctgcctttg tcggtatggt agccagtttt 600
 gcagtcttga tttatttctt tgcccaagaa agttcactca aaagagtctt tgaaacagga 660
 gataagatta acagtaagcg tctcttggtt gataccatta aggaagccat tcctttttatc 720
 ctgacagggt ctgccatcca gatcttccag attttggatc agctgacott tatcaatagt 780
 atgagctggg ttaccaacta cagcaatgag gacttggttg tcatgttttc ttattttctca 840
 gccaatccta ataaaatcac gatgattttg atttctgtag gggtttcgat tgggagtgtt 900
 15 gggttgccac ttttgacgga aaactatgtc aagggggact tgaaagcgge ttctcgtctc 960
 gttcaggaca gtctcaccct actctttatg ttcttgctac cagcaacggg tggagtgggt 1020
 atggtaggag aacctcttta tacggctctc tatggtaagc cagatagttt ggctctgggc 1080
 ttatttgtct ttgcagtttt gcagctctat attttaggct tgtacatggt cttgtctcca 1140
 atgcttcagg ccattgtccg caaccgcaag gccgttctct attttatcta tggttctatt 1200
 20 gccaaagctag tcttgcaact acctaccat gccctcttcc acagttatgg tcttttgatt 1260
 tcaacaacca ttgctctcat cattcctaac gtcttgatgt atcgggatat ttgtaaagta 1320
 actggtgtca agcgcaagg gattttgaag cgaaccattt taatcagttt gctgacccta 1380
 gtcagtgttc tgttaatagg aaccatccag tggctgttag gatttttctt ccaaccaagt 1440
 ggacgtttgt ggagcttctt ttatgtagct cttgtcgggt ccattggggg tggactttat 1500
 25 atggttatga gtctgcgtac ctatttatta gataaggtaa taggaaaagc ccaagcagat 1560
 cgctgcgag caaaatttaa gctttcgtaa 1590

<210> 71

<211> 468

30 <212> DNA

<213> Streptococcus pneumoniae

<400> 71

35 atgtcagata agattggctt attcacagge tcatttgatc cgatgacaaa tgggcatctg 60
 gatactcattg aacgggagcg cagactcttt gataagctct atgtcggat tttttttaat 120
 cccacaaaac aaggatttct tctatcgaa aatcgtaaac gggggctaga aaaggctttg 180
 ggacatctgg aaaaatttga agtcgtggct tctcatgatg aattgggtgt cgatgttgca 240
 aaaagattgg gtgctacttg tctagtgcgt gggttgagga atgcgtcgga ttgcaatat 300
 40 gaagccagtt ttgattacta caatcatcag ctgtcttctg atatagagac tattttattta 360
 catagtgcac ctgaacatct ctatatcagt tcatcaggcg ttagagagct tttgaagttt 420
 ggtcaggata ttgcctgcta tgttcccgag agtatttgga ggaaataa 468

<210> 72

<211> 432

45 <212> DNA

<213> Streptococcus pneumoniae

<400> 72

50 atgacgattt tgtttgtggt tatcagtget tcttttctgt atatggtttc tcttagcatg 60
 aaaccctatc aaacagctaa aagtgaagga gaaaaattag ctcagcagta tgcaggatta 120
 gagcaggcgc atcaggttga tttatacaat ggcttggaat cttattacag cgttcttggt 180
 cgtaataaac agcaagaagc acttgctgtt ctgattggaa aagatgatca taagattttac 240
 gtttatcagc taaatcaggg tgtttcacia gaaaaagcag aaacgggtttc taaggaaaag 300
 ggagctggcg aaattgacaa gattatcttt ggctcgttatc aagataagcc aatctgggaa 360
 55 gtcaagtcag gatctgattt ttatctagta gattttgaaa caggagcatt ggtcaacaag 420
 gagggcctat ga 432

<210> 73
 <211> 732
 <212> DNA
 <213> Streptococcus pneumoniae

5
 <400> 73
 atgattgata ttcattcgca cattgtcttt gatgtagatg atggtcccaa gtcaagagag 60
 gaaagtaagg ctctcttgac agaagcctac aggcaggggg tgcgaaccat tgtctctacc 120
 10 tctcaccgtc gcaagggcat gtttgaaact ccagaagaga agatagcaga aaactttctt 180
 caggttcggg aaatagctaa ggaagtcgag agtgacttgg tcattgetta tggggctgaa 240
 atttactaca cgccagatgt tttggataag ctggaaaaca atcggattcc gacctcaat 300
 aatagtcgtt atgccttgat agagtttagt atgaacactc cttatcgcgga tattcatagt 360
 gccttgaata aaatattgat gttgggaatt actcccgta ttgccacat agagcgctat 420
 gatgttcttg aaaataatga aaaacgcgtt cgagagctga tcgatatggg ctgttacacg 480
 15 caaataaata gttcacatgt cctcaaattc aaactttttg gagaacctta taaattcatg 540
 aaaaaaagag cgcagtattt cttggagcgt gatttgggtc atatcattgc aagtgatatg 600
 cataatgtgg acggcagacc ccccatatg gcagaagcat atgacctgt tccccaaaa 660
 tacggagaag cgaaggctca ggaacttttt atagacaatc ctcgaaaaat tgtaatggat 720
 caactaattt ag 732

20
 <210> 74
 <211> 927
 <212> DNA
 <213> Streptococcus pneumoniae

25
 <400> 74
 atgtctacaa tcgataaaga aaaatttcag tttgtaaaac gtgacgattt tgcctctgaa 60
 actattgatg cgccagcata ttcttactgg aaatcagtgt ttaaacaatt tatgaagaaa 120
 aaatcaactg tagtcatgtt gggaatcttg gtagccatca ttttgataag tttcatctac 180
 30 ccaatgtttt ctaagtittga tttcaatgat gtcagcaagg taaacgactt tagtgttcgt 240
 tatatcaagc caaatgcgga gcattgggtc ggtactgaca gtaacggtaa atcgctcttt 300
 gacgggtgtc ggttcggagc tcgtaactcc atcctcattt ctgtgattgc gacagtgatt 360
 aacttgggtta tcggtgtttt tgtcgggtgtt atttggggta tttcaaaatc agttgaccgt 420
 gtcattgatg aagtttaciaa cgtcatctca aacatcccac ctcttttgat tgttattgtc 480
 35 ttgacttact caatcggagc tggattctgg aactctgatt ttgccatgag cgttaacaaca 540
 tggattggta ttgccttcac gatccgtgtg caaatcttgc gctatcgtga cttggaatac 600
 aacttggcgt cacgtacttt gggaacacca accttgaaga ttgttgccaa aaatatcatg 660
 cctcaattgg tatctgttat tgtgacaacc atgactcaaa tgcttccaag ctttatctca 720
 tacgaagcct tcttgtcttt cttcgggtctt ggattaccga ttacagtgcc aagtttgggt 780
 40 cgtttgattt cggattatc acaaaacgta acaaccaatg cttacttgtt ctggattcca 840
 ttgacaaccc ttgtcttggt atccttgtcc cttttcgtag ttggtcaaaa cttagcggat 900
 gctagtgtac cacgtacaca tagatag 927

45
 <210> 75
 <211> 234
 <212> DNA
 <213> Streptococcus pneumoniae

50
 <400> 75
 atgtataacc tattattaac cattttatta gtattatctg ttgtgattgt gattgcaatt 60
 ttcattgcaac caacaaaaa ccaatccagc aatgtatttg atgccagttc aggtgatttg 120
 tttgaacgca gtaaagctcg cgtttttgaa gctgtaatgc agcgtttgac agggatttta 180
 gtctttttct ggctagccat tgccttagca ttgacgggat tatcaagtag ataa 234

55
 <210> 76
 <211> 1110
 <212> DNA

<213> Streptococcus pneumoniae

<400> 76

5 atgtttcgtgta gaaataaatt attttttttgg accacagaaa ttttactctt aaccatcattc 60
 ttttacctat ggagacagat gggatctttg attaaccctt ttgttagcgt gcttaataca 120
 attatgattc catttttatt agggggcctt ctttattatt tgacaaacco tattgttact 180
 ttcttaaata aagtcctgtaa actcaatcgt ttgcttggtg ttttaattac cttgtgtact 240
 ttggctctggg gaatgggtcat aggtgttggtc tatctcttac ctattttgat taatcagtta 300
 10 tctagtttga ttatatctag tcaaaactatt tatagtcgag tacaagactt aatcatagac 360
 ttatctaatt atcctgcgct ccagaatttg gatgtagaag ctacaattca gcagttaaac 420
 ttatcctatg ttgatattct tcaaaatata ctaaatagcg tatcaaatag tgtggggagc 480
 gtcttgtcag ctcttatcag tactgttttg attttgatta tgactccagt ttttttgggt 540
 tatttcttat tagatggaca taaattcttg cccatgcttg aaagaacgat tctaaagagg 600
 gatcgtttgc atattgcagg cttattaaag aatttaaag cgacgattgc tgcctatatt 660
 15 agtggagttt cgattgacgc aatcattata gggtgtttgg cttatattgg ctatagtatt 720
 attggtttta aatatgcttt agtttttggc attttttctg gtgtagccaa ttttaattcct 780
 tatgtggggc caagtattgg tttgattcct atgatcatcg caaatatatt cactgtaccc 840
 catagactcg tgattgcagt gatttatatg ctgttgggtc agcaggtaga tggcaaatatc 900
 20 ttatatcctc gaattgtagg aagtgttatg aaggttcctc caatcacgat ttttatttta 960
 cttttgttgt caagcaatat ctatggtgta gttggaatga ttgtcgcagt gccaacctat 1020
 tctatcttga aagaaatttc taagttctta tcccgtttgt atgaaaatca taaaataatg 1080
 aaagaacgag aaagagaatt agctaagtaa 1110

<210> 77

25 <211> 1356

<212> DNA

<213> Streptococcus pneumoniae

<400> 77

30 atgtatcaag cacttttatcg aaaatataga agtcaaaaact tctcccagtt agttgggtcaa 60
 gaagttgtgg ctaagactct taaacaagcg gtggagcaag agaaaataag tcacgcttat 120
 cttttttctg gtccctcgtg aacgggaaaa accagtgttg ctaaaatctt tgccaaggct 180
 atgaactgtc ccaatcaagt ggggtggcgaa ccttgcaata actgctatat ttgtcaagca 240
 35 gtgacggacg gtagttttaga agatgtcatt gaaatggatg cagcttctaa taatggggta 300
 gatgaaattc gcgaaattcg tgataaatct acctatgcgc cttagccttg tcgttataag 360
 gtttatatca tagatgaggt tcacatgctg tctacagggg cttttaatgc cctcctaaag 420
 acgctggaag aaccaacaca gaatgtagtc tttatttttg ccactactga attgcacaag 480
 attcctgcta ctattctatc ccgtgtgcaa cgttttgagt ttaaatcaat taagacacag 540
 40 gatattaagg aacatattca ctatatctta gaaaaagaaa atatcagttc tgaaccagag 600
 gctgtggaag tcattgccag acgggcggaa ggtggaatgc gggacgcctt gtctattttg 660
 gatcaagccc tgagtttgac acagggaat gagctgacga ctgctatctc tgaagaaatt 720
 actggcacca ttagcctatc agccttggtg gattatgtgg cggccttgct tcaacaggat 780
 gttcccaaag ctttgtcttg cttgaatctt ctttttgaca atggtaagag catgactcgt 840
 45 tttgtgaccg atcttttgca ctatttaaga gacttgtaa ttgttcaaac agggggagaa 900
 aatactcatc atagttcagt cttttagtaa aatttggcac ttcctcaaaa aaatctgttt 960
 gaaatgattc gcttagcaac agtgaattta gcagatatta agtctagttt gcagcccaag 1020
 atttatgctg aaatgatgac cgtccgtttg gcggaaatca agcccgaacc agctctatca 1080
 ggagcgggtt aaaaatgaaat tgctacgctg agacaggaag ttgcccgtct caaacaagag 1140
 50 ctttctaatt caggtgcggt tectaaacaa gttgcaccag ctctagtcg accagctacg 1200
 ggcaaaacag tctatcgtgt cgatcgcaat aaagtgcaat ctatcttaca agaggccgtc 1260
 gaaaatcctg atttaacacg tcaaaatcta attcgtttgc agaatgcatg gggagaggtta 1320
 attgaaagtc taggtgggac ggacaagctc tgctag 1356

<210> 78

55 <211> 1989

<212> DNA

<213> Streptococcus pneumoniae

<400> 78

5 atgttttcgat taaccaataa gtttagcggtg tcgaacttga ttaaaaaccg caaactctac 60
 tatccttttg cgctggctgt tctcttgga gtcactctca cctatctctt ttactctcta 120
 accttcaatc ctaagattgc ggaaatccgt ggaggaacaa ccattcaggc tacacttgga 180
 tttgggtatgt ttgtcgtcac ccttgcgta gccattatcg ttctctatgc caatagtttt 240
 gtcattgaaga aacgttccaa ggaactagga atttatggca tgttgggctt ggagaagcgt 300
 catcttatca gtatgacctt taaggagtta gtgggtattg ggattctaac tgttggagcg 360
 10 ggtatcggta ttggagcctt gtttgacaag ttaattttcg ctttcttctt caaactaatg 420
 aaattgaagg ttgagctggg tgctaccttc cagacgaaag ttgtcattac agtgcttggt 480
 gtcttcgggt tgattttcct aggcctcatg ttctgaatg cccttcgaat cgcctctctt 540
 aatgccctcc agctctctcg tgagaaagct agtgagagaa aaaaaggctc cttccttctt 600
 ctccaaacca ttcttggttc cataagttta ggaattggct attatcttgc ctttacggta 660
 aaagatcctc ttacagcctt aacaacottc ttcatagctg ttttactggg tatctttggg 720
 15 acttatctct tgtttaatgc agggattacc gttttcctcc aaatcttaaa gaaaaataag 780
 aaatactatt accaaccaaa taacctcata tctgtttcta acttgatttt ccgtatgaag 840
 aaaaatgcag ttggactagc aactatcgct attttgtcaa caatggtttt ggtaacctatg 900
 tcagcagcga caagcatttt caattccgca gaatccttta aaaaagttct aaatcctcat 960
 20 gattttgggg tttcaggaca aaatggtgaa aaagaagatt tggacaaact cttgagccag 1020
 ttgcaagtgc acaatggtta taagattaaa gaaaaagaag tgtttcggtt cacttacttt 1080
 ggtgttgoga accaagaagg aaataagtta accttttttg aaaaaggaca aaatcgtgtc 1140
 caaccacaaa cagttttcat ggtatttgac caaaaagatt atgaaaatat gactgggtcaa 1200
 aaactgtctc tatcaggaaa tgaggtcggt ctctttgcca aaaatgacgg actgaaagga 1260
 25 cagaaaaactc taattctgaa tgatcatcaa ttttctgtaa aagaagaatt taataaagat 1320
 tttattgtca accatgtccc aaatcagttt aatattttga ctgctgatta caattacctt 1380
 gttgtacctg atttacaagc ctttttgaac caattcccag attcgatat ctataatcag 1440
 ttttacggtg gtatgaatgt aaatgtcagt gaagaagaac aactcaaggt cgctgaggag 1500
 tatgaaaact acctcaatca atttaatgct caattagaca cagaaggtag ctatgtttat 1560
 30 ggtagcaatc tagcagatgc tagttctcag atgagtgcct tctttgggtg tgtcttcttt 1620
 atcgggtattt tcttatccat tatctttatg gtccgaactg ttctgggtcat ctactacaaa 1680
 caaattttctg aaggctacga agaccgtgaa cgctttatta tcttgagaa agtcgggtttg 1740
 gacccaaaagc aaatcaagca aaccatccac aaacagggtt taactgtttt cttccttctt 1800
 ttgctctttg cttcataaca tctcgctttt gcctaccata tgcttagcct gattttaaaa 1860
 35 gtgattgggtg tactggatag gactatgatg ttgattgtga ccttgtctat ctgcgctatc 1920
 ttcctcatcg cctatgtgct gattttcatg attacttcaa gaagttatcg caagattgtg 1980
 caaatgtaa 1989

<210> 79

<211> 891

40 <212> DNA

<213> Streptococcus pneumoniae

<400> 79

45 atgaaacaag atcaactaaa ggcttggcaa ccagctcagt ttgaccgttt tgtccgtatc 60
 ttagaacaag accagctcaa tcacgcctat ctcttttcag gtttcttttg aagcttggaa 120
 atggcgcaat ttttagctaa gagcctcttt tgtacggata aagttggcgt cttaccatgt 180
 gagaaatgcc gaagttgcaa gctgattgaa caggaagagt ttccagatgt caccttgatt 240
 aagccagtca atcaggtcat caagacagaa cgcattcggg aattgggtgg acagttttct 300
 50 caagcaggga ttgaaagcca gcaacaggtc tttattatcg agcaagcggg taaaatgcat 360
 cccaacgcag ccaattctct gctcaagggtc atcgaagaac ccagagtga agtttatatt 420
 ttcttcttga ctagcgatga ggaaaagatg ttaccgacaa tccgaagtcg gactcagatc 480
 ttccacttta aaaagcaaga agaaaaactt atcttactct tagaacaat gggacttggt 540
 aagaaaaaag cgactctttt agctaagttt agtcaatcgc gagctgaagc agaaaagttg 600
 gctaatacagg caagtttttg gaccttggtc gatgaaagtg aacgcctgct gacttgggtt 660
 55 gtagctaaga aaaaagaaag ttatctacag gttgccaaat tagccaactt ggcagatgat 720
 aaggaaaaac aggatcaggt ttacaggatt cttgaagttc tctgtgggca ggacctcttg 780
 caggtaagag taagagtgtat tctacaagat ttactagaag ctagaaaaat gtggcaagct 840

aatgtcagct ttcaaaatgc catggaatat ctggtcttga aagaaatata a 891

<210> 80

<211> 615

5' <212> DNA

<213> Streptococcus pneumoniae

<400> 80

10 atgaattcat ttaaaaattt cttaaaagag tggggactgt tcctcctaatt tctgtcatta 60
ctagcttttaa gtcgtatctt tttttggagc aatgttcgcg tagaaggaca ttccatggat 120
ccgaccctag cggatggcga aatttctctt gttgtaaaac accttcctat tgaccgtttt 180
gatatcggtg tggcccatga ggaagatggc aataaggaca tcgtcaagcg cgtgattgga 240
atgcctggcg acaccattcg ttacgaaat gataaactct acatcaatga caaagaaacg 300
gacgagcctt atctagcaga ctatatcaaa cgcttcaagg atgacaaact ccaaagcact 360
15 tactcaggca agggctttga aggaaataaa ggaactttct ttagaagtat cgctcaaaaa 420
gcccaagcct tcacagttga tgtcaactac aacaccaact ttagctttac tgttccagaa 480
ggagaatacc ttctcctcgg agatgaccgc ttggtttcga gcgacagccg ccacgtaggt 540
accttcaaag caaaagatat cacaggggaa gctaaattcc gcttctggcc aatcacccgt 600
20 atcggaacat tttaa 615

<210> 81

<211> 987

<212> DNA

<213> Streptococcus pneumoniae

<400> 81

30 atggtagtat ttacaggttc aactgttgaa gaagcaatcc agaaaggatt gaaagaatta 60
gatattccaa gaatgaaggc tcatatcaaa gtcatttcta gggagaaaaa aggcctttctt 120
ggtctatttg gtaaaaaaac agcccaagtg gatattgaag cgattagtga aacgactggt 180
gtcaaagcaa atcaacaggt agtaaaaggc gttccgaaaa aaatcaatga tttgaacgag 240
cctgtgaaga cggtagtgat agaaaccgtt gaccttggtc atgtggttaa tgctattaaa 300
aaaatagagg aagaaggtca aggtatttct gatgaagtca aggctgaaat cttaaaacat 360
gaaagacatg ccagcactat cttagaagaa actggtcaca ttgagatttt aaatgaactt 420
caaactcgagg aagcgatgag ggaagaagca ggcgctgatg accttgaaac tgagcaagat 480
35 caaactgaaa atcaagactt gaaagagatg ggcttgaagg tcgagcaaaag ttatgatatt 540
gccaggtg ctacggatgt gactgcctat gttcaagcga ttgtggatga catggatgtt 600
gaagctacac tttcaaatga ttataaccgt cgtagcatca atctacaaat tgacaccaac 660
gaaccaggtc gtattatcgg ctaccatggt aaagtcttga aggccttgca actggttggt 720
caaaattatc tttacaaccg ctattccaaa accttctaog ttacaatcaa tgtcaatgat 780
40 tatgtcgaac accgtgcaga agtcttgcag acctatgccc aaaaattggc gaatcgtgtt 840
ttggaagaag gtcgcagtca taaaacagat ccaatgtcaa atagcgaacg caagattatc 900
catcgtatta tttcacgtat ggatggcgtg actagttact ctgaaggatga tgagccaaat 960
cgctatgttg ttgtagatac agaataa 987

45 <210> 82

<211> 1383

<212> DNA

<213> Streptococcus pneumoniae

50 <400> 82

atgtcaaatt ttgccattat tttagcagcg ggtaaaaggga ctgcgatgaa atctgatttg 60
ccaaaagttt tgcacaagggt tgcgggtatt tctatgttgg aacatgtttt ccgtagtgtg 120
ggagctatcc aacctgaaaa gacagtaaca gttgtaggac acaaggcaga attggttgag 180
gaggtcttgg ctggacagac agaatttgtg actcaatctg aacagttggg aactggtcat 240
55 gcagttatga tgacagaacc tatcttagaa ggtgtgtcag gacacacctt ggtcattgca 300
ggagatactc ctttaatcac tgggtgaaagc ttgaaaaact tgattgattt ccatatcaat 360
cataaaaatg tggccactat cttgactgct gaaacggata atccttttgg ctatggacga 420

attgttcgta atgacaatgc tgaggttctt cggtcattgt tgagcagaag gatgctacag 480
 attttgaaaa gcaaatcaag gaaatcaaca ctggtaacat acgtctttga caacgagcgt 540
 ttgtttgagg ctttgaaaaa tatcaatacc aataacgctc aaggcgaata ctatattaca 600
 5' gacgtcattg gtattttccg tgaaactggg gaaaaagttg gcgcttatac tttgaaagat 660
 tttgatgaaa gtcttggggg aaatgaccgt gtggcgcttg cgacagctga gtcagttatg 720
 cgctcgtcga tcaatcataa acacatgggc aacggtgtta gctttgtcaa tccagaagca 780
 acttatatcg atattgatgt tgagattgct ccggaagttc aaatcgaagc caatgttatc 840
 ttgaaagggc aaacgaaaat tgggtgctgag actgttttga caaacgggtac ttatgtagtg 900
 gacagcacta tcggagcagg agcggtcatt accaattcta tgattgagga aagtagtggt 960
 10' gcagacggtg tgacagtcgg tccttatgct cacattcgct caaattcaag tctgggtgcc 1020
 caagttcata ttggttaactt gtgtgaggtg aaaggatctt caatcgggtga gaataccaag 1080
 gctggtcatt tgacttatat cggaaactgt gaagtgggaa gcaacgttaa tttcgggtgct 1140
 ggaactatta cagtcaacta tgacggcaaa aacaaatata agacagtcatt tggagtcaat 1200
 gtctttgttg gttcaaatc aaccattatt gcaccagtag aacttggtga caattccctc 1260
 15' gttggtgctg gttcaactat tactaaagac gtgccagcag atgctattgc tattggtcgc 1320
 ggtcgtcaga tcaataaaga cgaatatgca acacgtcttc ctcacatcc taagaaccag 1380
 tag 1383

<210> 83

20 <211> 936

<212> DNA

<213> Streptococcus pneumoniae

<400> 83

25' atgtccaaga ttctagtatt tggtcaccaa aatccagact cagatgccat cggatcatct 60
 gtagcttttg cctaccttgc aaaagaagct tacggtttgg atacggaagc tgttgccctt 120
 ggaactccaa atgaagaaac agcctttgtc ttgaactatt ttggtgtgga agcaccaagt 180
 gttatcaact ctgccaaagc agagggggca gagcaagtta tcttgactga ccacaatgaa 240
 30' ttccaacaat ctgtatcaga tatcgctgaa gtagaagttt acggtgttgt agaccaccac 300
 cgtgtggcta actttgaaac tgcaagccca ctttacatgc gtttgagacc agttggatca 360
 gcgtcttcaa tcgtttaccg tatgttcaaa gaacatggtg tagctgttcc taaagagatt 420
 gcaggtttga tgctttcagg tttgatttca gatacccttc ttttgaaatc accaacaaca 480
 caccacaacag ataaaatcat tgctcctgaa ttggtggaat tggctggtgt aaacttgga 540
 gaatatggtt tggcaatggt gaaagctggt accaacttgg ctagcaaate tgcgtgaaga 600
 35' ttgattgaca tcgatgctaa gacttttgaa ctcaacggaa ataattgtccg tgttgcccaa 660
 gtgaacacag ttgacatcgc tgaagtttgg gaacgccaag cagaaattga agctgcaatg 720
 caagctgcca acgaatcaaa cggctactct gactttgtct tgatgattac agatatcgtc 780
 aactcaaat cagaaatatt ggctcttggg gccaatatgg acaaggtcga agcggcttcc 840
 aatttcaaac ttgaaaacaa tcatgccttc cttgctggtg ccgtttcacg taagaacaa 900
 40' gtggtacctc aattaactga aagctttaat acgtaa 936

<210> 84

<211> 678

<212> DNA

45 <213> Streptococcus pneumoniae

<400> 84

atgatttcaa agagattaga attggtagct tcctttgtgt cacagggggc tattttacta 60
 gatgtgggaa gtgaccatgc ttatctgcct atcgagtttg ttgagagagg ccaaatcaaa 120
 50' agcgctattg caggtgaggt ggtggaaggt ccctatcagt ctgcggttaa aaatgttgag 180
 gctcaegggc taaaggagaa aatccaagtc cgttttagcca atggcttggc agcttttgaa 240
 gagactgacc aagtgtctgt cattaccatt gctggcatgg gtggtcgttt gattgctagg 300
 attttagaag aaggtttggg gaagttagct aatgtagagc gtttgatcct ccagcccaat 360
 aatcgtgaag acgacttgcg tatctggcta caggatcatg gattccagat ttagcagaa 420
 55' agcatcttag aagaagctgg aaagttttat gagattttgg tgggtggaagc aggacaaatg 480
 aagctatcag ccagtgatgt tcgctttggg cccttcttgc ccaaagaagt cagtccagta 540
 tttgtccaaa aatggcaaaa agaagctgag aagctagagt tcgccctcgg acaaatccca 600

gaaaaaaatc tggaagaacg tcaagttcta gtagataaga ttcaagctat caaggaggtg 660
ctccatgtta gcaagtga 678

5 <210> 85
<211> 486
<212> DNA
<213> Streptococcus pneumoniae

10 <400> 85
atgaatttaa acgatattaa agacttgatg actcaatttg accagtcaag tttgagagaa 60
ttttcttata aaaatgggac ggatgagttg cagtttagca agaatgaagc gagacctgtg 120
cctgaagttg caactcaagt cgctccagca cccgttctag caacacgag tccagtagct 180
cctacatctg ctccagcaga gactgtagca gaagaagttc cagctccagc tgaagcaagt 240
gtggctagtg agggaaatct tgtagagagt ccacttggtg gagtggttta cttggctgct 300
15 ggaccagata aaactgcctt cgttacagtt ggtgatagtg tcaaaaaagg tcaaacattg 360
gtaattatcg aagccatgaa agtcatgaat gaaatcccag ctctaagga tgggtgtggtta 420
acggaaattc tcgtctctaa cgaagaaatg gttgagtttg gtaaaggatt ggtacgtatc 480
aatga 486

20 <210> 86
<211> 1236
<212> DNA
<213> Streptococcus pneumoniae

25 <400> 86
atgaaactaa atcgagtagt ggtaacaggt tatggagtaa catctccaat cggaaataca 60
ccagaagaat tttggaatag tttagcaact gggaaaatcg gcattggtgg cattacaaaa 120
tttgatcata gtgactttga tgtgcataat gcggcagaaa tccaagattt tccgttcgat 180
30 aaatactttg taaaaaaaga taccaaccgt tttgataact attctttata tgccttgat 240
gcagcccaag aggctgtaaa tcatgccaat cttgatgtag aggctcttaa tagggatcgt 300
tttggtgtta tcgttgcatc tgggtattggt ggaatcaagg aaattgaaga tcaggtaactt 360
cgccttcatg aaaaaggacc caaacgtgtc aaaccaatga ctcttccaaa agctttacca 420
aatatggctt ctgggaatgt agccatgcgt tttggtgcaa acggtgtttg taaatctatc 480
35 aatactgoot gctcttcatc aaatgatgcg attggggatg ccttccgctc cattaagttt 540
ggtttccaag atgtgatgtt ggtgggagga acagaagctt ctatcacacc ttttgccatc 600
gctgggttcc aagccttaac agctctctct actacagagg atccaactcg tgcttcgate 660
ccatttgata aggatcgcaa tgggtttggt atgggtgaag gttcagggat gttggttcta 720
gaaagtcttg aacacgctga aaaacgtgga gctactatcc tggctgaagt ggttggttac 780
ggaaataactt gtgatgccta ccacatgact tctccacatc cagaaggatca gggagctatc 840
40 aaggccatec aactagcctt ggaagaagct gagattttct cagagcaagt agcctatgtc 900
aatgctcacg gaacgtcaac tcctgccaat gaaaaaggag aaagtgggtc tatcgtagct 960
gttcttggtg aggaagtacc tgtatcatca accaagtctt ttacaggaca tttgctgggg 1020
gctgcgggtg cagtagaagc tatcgtcacc atcgaagcta tgcgtcataa ctttgtacca 1080
atgacagctg ggacaagtga agtatcagat tatatcgaag ctaatgtcgt ttatggacaa 1140
45 ggcttgga aagaaattcc atacgctatt tcaataactt ttggttttgg aggccacaat 1200
gcagttcttg ctttcaaacg ttgggagaat agataa 1236

50 <210> 87
<211> 1080
<212> DNA
<213> Streptococcus pneumoniae

55 <400> 87
atgaacatct atgatcaact acaagttgta gaagaccgtt atgaagaatt aggagaattg 60
ctgagtgacc ctgatgtcgt ttcagacacc aagcgtttta tggagctttc aaaagaagaa 120
gcttccaatc gtgacaccgt aatagcctac cgtgagtata aacaagtcct tcaaaatata 180
gtcgaatgcc aagagatgat taaggaatca ggcggagatg cggacttgga agaattggcc 240

aagcaagaac tcaaagatgc caaggctgaa aaagaagaat atgaagaaaa actgaaaatt 300
 ttgtccttc caaaggatcc aaacgatgac aagaatatca tccttgaaat ccgtggagca 360
 gctggtagg acgaagcggc acttttcgct ggagatttgc taactatgta ccaaaagtat 420
 gcggaagccc aaggttggcg ctttgaagtc atggaagcct ctatgaatgg tgtcgggtgt 480
 5 tttaaagaag tggttgctat ggtttcaggt cagtctgtat actctaagct taagtatgaa 540
 tcaggtgccc accgtgtgca acgtgttcc gtgacagaaa gccaaaggccg tgttcatact 600
 tcgacagcga cagttcttgt tatgccagaa gttgaagagg ttgaatacga cattgatcca 660
 aaagaccttc gtgtcgacat ctatcacgcc tctgggtgctg gtggacagaa cgtcaataag 720
 gttgcgactg cgttctcgat cgttccacttg ccaaccaata tcaaggttga gatgcaggaa 780
 10 gaacgtaccc agcagaagaa cgcgcgagaag gctatgaaga ttatccgtgc acgcgtcgct 840
 gaccactttg ctcagattgc tcaggatgaa caagacgctg agcgttaagt gacaatcggg 900
 actggtgacc gttcagaacg gatccgaact tataacttcc cacaaaaccg tgtcacagac 960
 caccgtatcg gcttgaccct ccaaaaacta gatacgattt tgtctggtaa attggacgaa 1020
 gttgtggatg ccttgggtgct ttatgaccaa acacaaaaac tagaagaatt aaacaaataa 1080
 15

<210> 88

<211> 1680

<212> DNA

<213> Streptococcus pneumoniae

20

<400> 88

atggcctaca ctcttaaacc tgaagaagtt ggtgtttttg ccatcggtgg tctaggagaa 60
 atcgggaaaa acacttacgg aattgaatac caagacgaga ttatcatcgt cgatgctggg 120
 attaaattcc cagaagatga cttgcttggg atcgactatg tcattcctga ctactcttac 180
 25 atcgtagaca atatcgaccg cgtcaaggct gttttaatca cacacggaca cgaggaccac 240
 attggtggga ttccgttccct actcaagcaa gcaaatgtcc ctatttatgc tggaccgctt 300
 gccttggttt tgatccgtgg gaaactcgaa gaacacggcc tcttgcgcaa cgccaaactt 360
 taagaaatca accacaacac cgagttgacc tttaaaaatc tcaaggcaac tttctttaga 420
 acgactcact ctattccaga gcctttgggg attgtcattc atactcctca agggaaaatc 480
 30 gtctgtacgg gtgactttta gttcgacttt actocagttg gagaacctgc ggacttgcac 540
 cgtatggctg cgcttggtga agaaggcgtg ctctgtctcc tgtctgactc gacaaatgcg 600
 gaagtaccaa cctttaccaa ctctgaaaaa gtcgttgggc agtccattat gaagattatc 660
 caaggtattg aaggacgtat catctttgca tcctttgcct caaatatctt ccgtctccag 720
 caggcaacag aagctgctgt taagactgga cgcaagattg cggctctttg tcgttctatg 780
 35 gaaaaggcca ttgtcaacgg aatcgatctt ggctacatca aagctcctaa gggaaccttt 840
 atcgagccaa atgaaatcaa agattatcct gcaggagaag ttcttatcct ctgtacaggt 900
 agtcagggtg agcctatggc agccctctct cgtatcgcca acggaaccca ccgtcaagta 960
 caattacaac caggtgatac cgttatcttc tcttctagtc ccatccctgg aaacactact 1020
 agcgtcaaca agctgattaa catcatttct gaagctgggt tcgaagttat ccacggtaaa 1080
 40 gtgaacaata tccatacatc tggacacggg ggtcagcaag agcaaaaact catgctctgc 1140
 ttgattaagc caaaataact catgcctgtc cacggtgaat accgcatgca aaaagtccac 1200
 gctggactag cagtggatac tgggtgttag aaggacaata tctttatcat gagcaatggc 1260
 gatgtgcttg cccttactgc tgactcagct cgtatcgag gtcatttcaa cgcccaagat 1320
 atctatgtcg atggaaatcg tatcggtgaa attggcgag ctgtcctcaa agatcgctgc 1380
 45 gatctatctg aagacggtgt cgttctggca gtcgcaactg ttgacttcaa atcgcatatg 1440
 attctgtctg gccagatat cctcagccga ggctttgtct acatgagaga gtctggagac 1500
 ttgattcgcc aaagccagcg tatcctcttc aatgccattc gtatcgact gaaaaataag 1560
 gatgctagcg tgcaatctgt caatggtgcc attgtcaacg ctattcgccc cttcctctat 1620
 gaaaataacc aacgtgaacc gatcatcatc ccgatgatcc tcacaccaga tgaagaataa 1680
 50

<210> 89

<211> 1362

<212> DNA

<213> Streptococcus pneumoniae

55

<400> 89

atggcagaag tagaagagtt acgagtacaa cctcaagata tcttagctga gcaatccggt 60

```

5  ttaggggcta tctttattga tgagagtaaa cttgtttttg tgcgagaata cattgagtct 120
   cgggactttt ttaagtatgc ccatcgtttg attttccaag ccatgggcga tttatccgat 180
   cgtggtgatg ccatagatgc aacaacgggt cgtactatcc ttgataatca aggtgattta 240
   cagaatattg gtggcttgtc ttacttggtt gagattgtta attctgtgcc aacttctgct 300
   aatgcggagt attatgctaa gattgttgca gaaaaagcaa tgctacgtcg ttttaattgpc 360
   aagttgacag agtctgtcaa ccaagcttac gaagcgtcac aaccagctga tgaaattatt 420
   gctcaggcag aaaaagggtt gattgatgtc agtgaaaatg caaatcgaag cgggtttaag 480
   aacattcgag atgtgttgaa tctcaacttt ggaaatctgg aagctcgctc gcaacaaacg 540
   accgatatta caggtattgc gacaggttat cgtgatttgg atcatatgac aacaggactt 600
10 catgaggagg agttgattat cttagcagct cgtccagcag ttggtaagac agcatttgcc 660
   ttgaatatcg ctcagaacat tgggactaag ttggacaaaa cggttgctat tttttcactc 720
   gaaatgggtg cggaaagctt ggtagatcgt atgttagctg cagaaggctt ggtggagtca 780
   cattctatcc gtacagggca attgacagat gaggagtggc aaaaatatac tattgctcag 840
   ggtaatctag ctaacgccag tatctatata gatgatacgc caggtattcg gattacagag 900
15 attcgttctc gttctcgtaa attggctcaa gaaactggaa atcttggttt gattgtgata 960
   gactatttgc aacttatcac gggaactggt cgagaaaaatc gtcaacaaga agtttctgaa 1020
   atttctcgtc agttgaaaat actagccaag gaattgaagg ttccagtaat cgctctgagt 1080
   cagctttctc gtggtgtaga acaacgtcag gacaagagac cggctctgtc tgatattcgt 1140
   gaatctgggt ctattgagca ggacgtgat atcgtagctt ttctctatcg cgatgactac 1200
20 tatgaacgtg gtggtgaaga agaggagggt atcccaata ataagggtgga agttattatc 1260
   gaaaaaaccc gtagtgagac tcgtggaaca gtggaattga ttgtccaaaa agaatacaat 1320
   aaattcttca agtattcaag tatctcaaag agggaggcat aa 1362

```

<210> 90

25 <211> 693

<212> DNA

<213> Streptococcus pneumoniae

<400> 90

```

30 atggcgatata aatatttagt gattgtagaa tcacctgcaa aagccaagac aattgagaaa 60
   tatcttggac gaaactataa agtaatggcc agtggtggcc atataagaga tttaccgaaa 120
   agtaaaatgg gtatcgattt tgaaaacaat tatgaacccc attatatctc tatacgcgga 180
   aaaggcgatg tcatcaaaaag cctgaaagcc gcagcaaaaa aagctcaaaa agtttacttg 240
   gcaagtgacc cggatagaga aggagaagcg attgcttggc atttagcgta cctacttggg 300
35 ttggatctga aagaaaaaaa tcgggtgggtc ttcaatgaaa tcacaaaaga cgcagtcaaa 360
   gcagctttta aggaaccaag aacgatcgat gtagatttag tagatgcaca gcaagctcgt 420
   cgtaccttag acagaatcgt tggttattcg atcagtccta ttctctggcg taaggtaag 480
   aaagggttaa gtgcaggacg tgtccaatct gtcgctttaa aaattattat tgaccgtgaa 540
   aaagagatcc gagaatttgt tccagaagaa tattggagca tcgacggtaa ttttaaaaaa 600
40 gctcgcaaga aattcaaagc aaatttctgg ggaatcgacg gtaagaaaaa gaaattacca 660
   gatgcacaaa gtgtaaaaag aagtcactgc tag 693

```

<210> 91

45 <211> 981

<212> DNA

<213> Streptococcus pneumoniae

<400> 91

```

50 atgttttattt ccatcagtcg tggaattgtg acattttttac taacttttagt aggaattccg 60
   gccttttatcc aatttttatag aaaggcgcaa attacaggcc agcagatgca tgaggatgtc 120
   aaacagcatc aggcaaaagc tgggactcct acaatgggag gtttggtttt cttgattact 180
   tctgttttgg ttgctttctt tttcgcccta tttagtagcc aattcagtaa taatgtggga 240
   atgattttgt tcatcttggc cttgtatggc ttggtcggat ttttagatga ctttctcaag 300
   gtcttttcgta aaatcaatga ggggcttaat cctaagcaaa aattagctct tcagcttcta 360
55 ggtggagtta tcttctatct tttctatgag cgcggtggcg atatgctttc tgtctttggg 420
   tatcaagtgc atctagggat tttctatatt gttttcgctc ttttctggct agtcggtttt 480
   tcaaacgcag taaacttgac agacgggtgt gacggtttag ctagtatttc cgttgtgatt 540

```

agtttgtctg cctatggagt tattgcctat gtgcaaggtc agatggatat tcttctagt 600
 attctggcca tgattggtg tttgctcagt ttcttcatct ttaaccataa gcctgctaag 660
 atctttatgg gtgatgtggg aagtttggt ttaggtggaa tgctggcagc tatctctatg 720
 gctctccacc aagaatggac tctcttgatt atcggaattg tgtatgtttt tgaaacaact 780
 5 tctgttatga tgcaagtcag ttatttcaaa ctgacagggtg gtaaactgtat tttccgtatg 840
 acgcctgtac atcaccattt tgagcttggtg ggattgtctg gtaaaggaaa tccttgagc 900
 gagtgggaagg ttgacttctt cttttgggga gttgggcttc tagcaagtct cctgacccta 960
 gcaattttat atttgatgta a 981

10 <210> 92
 <211> 2082
 <212> DNA
 <213> *Streptococcus pneumoniae*

15 <400> 92
 atggcacgcg aatttttcaact tgaaaaaact cgtaatatcg gtatcatggc tcacgtcgat 60
 gccggtaaaa caacaactac tgagcgtatt ctttactaca ctggtaaaat ccacaaaatc 120
 ggtgaaactc acgaagggtgc gtcacaaatg gactggatgg agcaagagca agaactgtgt 180
 20 atcacgatca catctgctgc gacgacagct caatggaaca accaccgctg aaacatcatc 240
 gacacaccag gacacgtgga cttcacaatc gaagtacaac gttctcttcg tgtattggat 300
 ggtgcggtta ccgttcttga ctcacaatca ggtgttgagc ctcaaactga aacagtttgg 360
 cgtcaagcaa ctgagtacgg agttccacgt atcgattttg ccaacaaaat ggacaaaatc 420
 ggtgctgaet tcctttactc tgtaagcaca cttcacgacg gtcttcaagc aaatgcacac 480
 ccaatccaat tgccaatcgg ttctgaagat gacttccgtg gtatcattga cttgatcaag 540
 25 atgaaagctg aaatctatac taacgacctt ggtacggata tccttgaaga agacatccca 600
 gctgaatacc ttgaccaagc tcaagaatac cgtgaaaaat tgattgaagc agttgtgaa 660
 actgacgaag aattgatgat gaaataacct gaaggtgaag aaatcactaa cgaagaattg 720
 aaagctggta tccgtaaagc gactatcaac gttgaattct tcccagttat gtgtggttca 780
 gccttcaaaa acaaagggtg tcaattgatg cttgatgcgg ttatcgacta ccttccaagc 840
 30 ccacttgaca tcccagcaat caaagggtatt aaccagata cagacgctga agaaattcgt 900
 ccagcatctg acgaagagcc atttgcagct cttgccttca agatcatgac tgacccattc 960
 gtaggtcggt tgacattctt ccgtgtttac tcaggtgttc ttcaatcagg ttcatacgta 1020
 ttgaatactt ctaaaggtaa acgtgaacgt atcggacgta tccttcaaat gcacgctaac 1080
 agcogtcaag aaatcgacac tgtttactca ggtgatatcg ctgctgccgt tgggttgaaa 1140
 35 gatactacaa ctggtgactc attgacagat gttgagccaa aatctaaagc tgaccaagac 1260
 aacgttccag aaccagttat ccaattgatg gttgagccaa aatctaaagc tgaccaagac 1260
 aagatgggta tcgcccttca aaaattggct gaagaagatc caacattccg cgttgaaaca 1320
 aacgttgaaa ctgggtgaaac agttatctca ggtatgggtg aacttcacct tgacgtcctt 1380
 gttgatcgta tgcgtcgtga gttcaaagtt gaagcgaacg taggtgctcc tcaagtatct 1440
 40 taccgtgaaa cattccgcgc ttctactcaa gcacgtggat tcttcaaacg tcagtctggt 1500
 ggtaaaggte aattcgggtg tgatggatt gaatttactc caaacgaaga aggtaaagga 1560
 ttcgaattcg aaaacgcaat cgtcgggtgt gtggttcctc gtgaatttat cccagcgggt 1620
 gaaaaaggtt tggtagaatc tatggctaac ggtgttcttg caggttacc aatggttgac 1680
 gttaaagcta agctttatga tggttcatat cacgatgtcg actcatctga aactgccttc 1740
 45 aagattgcgg cttcactttc ccttaaagaa gctgctaaat cagcacaacc agctatcctt 1800
 gaaccaatga tgcttgtaac aatcactgtt ccagaagaaa accttggtga tgttatgggt 1860
 cacgtaactg ctgcgtcgtg acgtgtagat ggtatggaag cacacggtaa cagccaaatc 1920
 gttcgtgctt acgttccact tgctgaaatg ttcgggttac caacagttct tcgttctgca 1980
 tctcaaggac gtggtacatt catgatggta tttgaccact acgaagatgt acctaagtca 2040
 50 gtacaagaag aaattattaa gaaaaataaa ggtgaagact aa 2082

<210> 93
 <211> 1227
 <212> DNA
 55 <213> *Streptococcus pneumoniae*

<400> 93

```

atgccaaatt acaatattcc attttcaccg cctgatatca cagaagcaga aattgctgaa 60
gtagcggata ccctgcgttc tggttggatc acaacaggtc ctaaaacaaa agaactggag 120
cgccgcttgt ctctttacac acagacacct aagactgttt gtctcaactc tgcgacagcc 180
5 gctctggagt tgattttacg cgttttggaa gtgggacctg gtgatgaagt catcgttcca 240
gccatgacct atacggcttc atgtagtgtc attacgcacg tgggagcaac ccctgtcatg 300
gtggatatcc aagcagatac gtttgagatg gactatgacc tgcttgagca agctatcact 360
gagaaaacta aggtgattat ccagtagag ctgcagggga ttgtttgcga ttatgaccgt 420
ttgttccaag tcgtggagaa aaaaogtgac ttctttaccg cttcaagcaa gtggcaaaaag 480
gcctttaacc gtattgtcat tgtctctgat agtgcccacg ctttgggatc tacttataaa 540
10 ggacaacctt ctggttctat cgctgatttt acttccttct cattccatgc cgtaagaac 600
tttacaacgg cagaaggttg aagtgcgact tggaaagcca atccagtgat tgatgacgaa 660
gagatgtaca aggaattcca aatcctttcc cttcacgggc aaactaagga tgctcttgcc 720
aagatgcaac tgggggtcatg ggaatacga atcggttacac cagcctataa gtgcaacatg 780
accgatatca tggcttcaact tggtttggt caattggacc gctatccaag tttgttgcaa 840
15 cgccgtaagg acattgtgga ccgctatgat agtggttttg caggttctcg catccatcct 900
ttggcacaca agactgaaac tgcgaatct tcacgccacc tctacatcac ccgtgtagaa 960
ggagcaagcc tagaagaacg cagcctcatc atccaagaat tggctaaagc aggaattgca 1020
agtaatgttc actacaaacc gcttctcttc ttgacagcct ataagaatct tggatttgat 1080
atgacgaact atcctaaggc ctatgccttc tttgagaatg aaattaccct ccctcttcat 1140
20 actaaattaa gcgatgaaga agtagactat atcattgaga ctttcaaac agtttctgaa 1200
aaagtgctaa ctttatcaaa aaaatga 1227

```

<210> 94

<211> 978

25 <212> DNA

<213> Streptococcus pneumoniae

<400> 94

```

atgacagaac ctgatttttg gaacgataat attgcggccc aaaaaacgtc gcaagaattg 60
30 aatgtattta aaaacactta caataccttc cataagatgg aagagttgca ggatgaagtc 120
gaaattttat tggatttttt ggctgaagac gagtcagtgc atgatgaact ggtagcgcag 180
ttagccgaac ttgataagat aatgaccagc tacgagatga ctttactctt gtcagaacct 240
tatgaccaca acaatgccat cttggaaatc catccagggt ctggtggtac tgaggcgcag 300
35 gactggggtg atatgttgct tcgtatgtat actcgttatg gtaatgctaa aggctttaaa 360
gtggaagtgt tggattacca agcaggtgat gaggctggta ttaagtcggt aactttatca 420
tttgaagggc ctaatgccta tggctctctc aagtcagaaa tgggtgttca ccgcttagtg 480
cgaatctcac catttgactc tgccaaacgt cgccatacct ctttcacatc tgtagaagtg 540
atgccagaat tggatgatac tattgaagtg gaaatccgtg aagatgatat caagatggat 600
40 accttccgtt caggtggtgc cgggtggaaa aacgtcaata aagtttcaac aggtgtacgt 660
ttaaccaca ttccaactgg aattgttgct caatcaacag tggatcgta cagtatgga 720
aatagagatc gtgccatgaa gatgttgca gctaagctct atcaaagga gcaagagaag 780
aaggctgcgg aggtagattc tctcaaagg gagaaaaagg agattacttg gggaagccaa 840
atccgttctt atgtcttcac gccttatact atggtaaaag atcaccgaac tagctttgag 900
45 gttgctcagg tagataaggt tatggatggg gacctagatg gttttatcga tgcttatctc 960
aagtggcgaa ttagctaa 978

```

<210> 95

<211> 750

<212> DNA

50 <213> Streptococcus pneumoniae

<400> 95

```

atgttttata cttatttgcg tggattagtt gtattgctct tatggtocat caatggcaat 60
55 gctcactatc ataatactga taaaattcct aatcaagatg aaaattatat tttagttgag 120
cctcaccgta cctggtggga tcctgtttat atggcctttg cgaccaagcc aaaacagttc 180
atctttatgg caaaaaaaga actctttacc aaccgtatct ttggttggtg gattcgatg 240
tgtggcgccct ttcccatcga ccgtgaaaat ccagcgcct cagccatcaa atatcctatc 300

```


	aacgttctca	aaaaaagtga	ccgctctctc	atcatgtttc	caagtggtag	ccgccactca	360
	aacgatgtca	aggggggggc	agcactgatt	gccaaaatgg	ccaaggtccg	tatcatgccg	420
	gttacctaca	ccgggtcccat	gactttgaag	ggcttgatta	gccgtgaacg	tgctgatatg	480
5	aactttggaa	atccaatcga	tatctcagat	atcaagaaaa	tgaatgatga	aggcattgaa	540
	acagtcgcca	atcgtattca	aacagaattc	caacgtctgg	acgaagaaac	gaaacaatgg	600
	cacaatgata	aaaaaccaaa	tccactctgg	tggtttatcc	gcacccctgc	cctcatcctt	660
	gctattatcc	tcgctatect	aaccatcatc	tttagcctta	tcgcaagctt	catctggaac	720
	ccagataaga	aaagagaaga	acttgcatag				750
10	<210> 96						
	<211> 3102						
	<212> DNA						
	<213> Streptococcus pneumoniae						
15	<400> 96						
	ttgatcgcac	aactagatac	aaaaacagtc	tatagtttta	tggaaagcgt	catttcgatac	60
	gaaaagtatg	tgagagcagc	taaagaatac	ggctacactc	atttggctat	gatggatatt	120
	gacaatcttt	atggcgcttt	cgactttcta	gagattacaa	aaaaatacgg	cattcatcct	180
20	ttgctagggc	ttgaaatgac	agtgtttgta	gatgatcagg	gagtaaattt	gcgcttttta	240
	gctctatcta	gtgtgggcta	tcagcagttg	atgaagcttt	cgacagccaa	gatgcagggg	300
	gagaaaactt	ggtcagtcct	gtcccagtac	ctggaggata	tcgcggtcat	tgtgcottat	360
	tttgatagag	ttgagtcggt	agaactaggc	tgtgattact	atataggggt	ttatccagaa	420
	acactagcaa	gcgaatttca	tcatoctatc	ttacctcttt	atcgggtcaa	cgcttttgaa	480
	agcagggata	gagaagttct	tcaagtttta	acagcgatta	aagaaaatct	accgctcaga	540
25	gaagttccct	tgcgttcgag	acaagatgtc	tttatatcag	caagttcttt	agagaaacta	600
	ttccaagagc	gttttccgca	agctttggac	aatttagaaa	agcttatttc	aggcatttct	660
	tacgacttgg	atactagtct	gaaactgcct	cgttttaatc	cagctagacc	agcagtagag	720
	gagttgagag	agcgtgctga	actggggctt	gttcagaagg	ggttgactag	taaagaatat	780
	caagatagac	tagaccaaga	attgtctggt	attcatgata	tgggctttga	tgattatttc	840
30	ttggttggtt	gggatttggt	gcgttttgga	cgatcgaatg	gctattatat	gggaatggga	900
	aggggttctg	cagtaggcag	tttggtttct	tatgccttag	acatcacggg	gattgaccca	960
	gtagagaaaa	atctgatttt	tgaacgcttt	cttaatcgtg	aacgctatac	catgcctgat	1020
	attgatattg	atatcccaga	tatttatcgt	ccagatttta	tcagatatgt	tggttaataaa	1080
	tatggtagta	aacatgcggc	acaaatcgtt	actttttcaa	ccttttgagc	caagcaagct	1140
35	cttcgagatg	tcttgaaacg	ctttgggtgtg	ccagagtatg	aattatctgc	aattactaag	1200
	aaaatcagtt	ttcgtgacaa	tcttaagctg	gcctatgagg	gcaatctcca	gtttcgtcag	1260
	caaatacaata	gtaagttaga	ataccaaaaa	gcctttgaga	ttgcttgcaa	gatagagggc	1320
	tatccaaggc	aaacctctgt	ccatgcggct	gggtgttgta	ttagtaccca	agatttaacc	1380
	aactacattc	ctctaaagta	tggtgatgaa	attccactga	ctcagtatga	tgctcatgga	1440
40	gttgaggcta	gcggactttt	gaagatggac	tttctgggac	tacgaaattt	gacctttgtc	1500
	cagaagatgc	aagagttgct	tgctgaaata	gaaggatttc	accttaaaat	tgaagaaata	1560
	gatttggaag	acaaagaaac	gttagattta	tttgccctctg	gaaatacaaa	aggtatcttt	1620
	caatttgagc	aacctggtgc	tattcgcctg	ctcaaacgtg	ttcaaccagt	ctgttttgaa	1680
	gatgtcgtag	caactacttc	tctaaatcga	ccgggtgcta	gtgactatat	caataatttt	1740
45	gtggcaagaa	agcatgggca	ggaagaagtg	actgttctg	atccagtact	ggaggatatt	1800
	ttggctccaa	cctacggcat	aatgctctat	caggagcagg	ttatgcagg	tgcccagcga	1860
	tttgccggat	ttagtcttgg	gaaagccgat	attttgcgtc	gggctatggg	gaaaaaggat	1920
	gcctctgcca	tgcatgagat	gagggtcttc	tttatccaag	gttcattaga	agctggtcat	1980
	actgtggaaa	aagcagagca	ggtctttgat	gttatggaga	agtttgcagg	ctatggtttt	2040
50	aacaggtcac	acgcctatgc	ctactcagca	ttggccttcc	agttggctta	ttttaaaaca	2100
	cattatccag	ccatatttta	tcagatcatg	ttgaattctg	ccaacagtga	ttacttaata	2160
	gatgcacttg	aagcaggttt	tgaagtggcg	cctctgtcca	tcaacacgat	tcctatcac	2220
	gataaaattg	ccaacaaggc	catctatcta	ggtttgaaat	ccattaaagg	agtcagtaat	2280
	gatttagctc	tctggattat	tgaacataga	ccttattcta	atattgaaga	ttttatagct	2340
55	aaattacctg	agaattatct	gaaacttcct	ctgctagaac	ctttggtaaa	agttggtcct	2400
	ttcgattcat	ttgaaaaaaa	tcgtcaaaaa	gtatttaata	acttagctaa	tctatttgaa	2460
	tttgtgaaag	agttgggaag	tttgtttgga	gatgctattt	atagttggca	ggaatcggaa	2520

```

gattggacgg aacaagaaaa attttatatg gaacaagagc ttttagggat aggtgtcagc 2580
aaacatccac tacaagctat tgcaagtaag gctatttacc cgattacccc aatcggaat 2640
ttgtcagaaa atagctatgc tattatTTTTg gttgaagttc agaaaataaa agtgattcgt 2700
5 accaaaaagg gtgaaaatat ggcttcttta caggcagatg atagtaagaa aaaattggat 2760
gtcactctct tttcagactt atatcgtcag gttggacagg aaataaaaga gggagccttc 2820
tactatgtaa aaggaaaaat acaatcacgt gatggccgtc tgcaaatgat tgcacaagaa 2880
ataagagaag cagttgctga acgcttttgg atacagggtg aaaatcatga atcggatcaa 2940
gaaattttcac gtatttttaga acaattttaa ggcccaatcc cagtcatcat ccggtatgaa 3000
gaggaacaga aaaccatcgt ttctcccat cattttgtag ctaaattcaa tgaattagag 3060
10 gagaaattga atgaaatcgt tatgaaaacg atttatcgct aa 3102

```

<210> 97

<211> 921

<212> DNA

15 <213> Streptococcus pneumoniae

<400> 97

```

atgaccaacg aattttttaca ttttgaaaaa atcagccgcc agacttggca atctttacat 60
cgaaagacaa cacctccttt gacagaagaa gaattggaat ctatcaagag ttttaatgac 120
20 caaatcagtc tccaagacgt tacagatata tatctccctt tggctcatct gattcagatt 180
tacaagcgaa ctaaggaaga tttagccttt tcaaaaggaa ttttctcca acgtgaaagt 240
aaatctcaac cttttattat tgggggttct gggagtgttg ccgttggaaa atccacaacc 300
agtgccttac ttcaaactct actgtcccgt acgtttacag atgctaoggt tgagttggtt 360
25 acaactgatg gttttctcta tcccaatcaa accttgattg agcaggggat ttaaatcgt 420
aaaggatttc ctgaaagcta tgatatggaa gctcttctca acttcttggg ccgcatcaaa 480
aatggacaag atgtagatat tcctgtctat tctcatgaag tttacgacat cgtacccaaa 540
aagaaacaaa gtgtcaaagc tgctgatttt gtaatcgttg agggaaattaa tgtctttcaa 600
aatccacaaa acgatcgtct ctatatcact gacttctttg acttttccat ctatgtagat 660
30 gctggagtgg atgatattga aagttggtat ctggaccgtt tcttgaaaat gctgagtcta 720
gcccaaaacg accctgatag ctactattat cgttttactc agatgccgat tggggaagtg 780
gagtcctttg cccatcaggt ctggaccagt atcaatctca caaatctgca aaattatatt 840
gaaccaacca gaaatcgtgc agaagtgatt cttcataaaa gcaagaacca tgaaatcgat 900
gaaatttact taaaaaagta a 921

```

35 <210> 98

<211> 741

<212> DNA

<213> Streptococcus pneumoniae

40 <400> 98

```

atggaaaattt cattattaac agatgttggt cagaaacgaa caaataacca agactatgtc 60
aaccactatg tcaatagagc tggacgtacc atgattattt tagctgatgg gatgggaggt 120
catcgtgcag ggaatatcgc tagtgaaatg gcggtcacag acctgggtgt agcttgggtt 180
gatacccaga tcgatacagt caatgaagtg cgtgaatggt tcgcccatta cctagaaatt 240
45 gaaaatcaaaa agattcacca gcttggtcag gatgaagctt acagaggcat gggaaactact 300
ttggaagtcc ttgctattat tgataatcag gctatctatg ctcatattgg tgattcgcgt 360
atcggcttga ttctgtggaga agaataccat cagttgacga gcgatcattc cttgggttaat 420
gaattgctca aggctggtca attgacacca gaagaggcag aagctcatcc gcaaaaaaat 480
attatcacc agtctattgg gcaaaaagat gaaattcagc ctgatttttg gacagttatc 540
50 cttgagtcag gtgactatct cttgctcaat agtgacggct tgaccaacat gatttcaggc 600
agtgagattc gtgatattgt aaccagtgat attccttttag cagataaaac ggagacactt 660
gttcgttttg ctaacaatgc aggaggttta gacaacatta cggttgccct tgtttctatg 720
aacgaggagg atgaagaatg a 741

```

55 <210> 99

<211> 831

<212> DNA

<213> Streptococcus pneumoniae

<400> 99

5 gtgacgatac agatgaagaa tacaggtaaa cgaattgatc tgatagccaa tagaaaaccg 60
 cagagtcaaa gggctcttga tgaattgcga gatcggttga agagaaatca gtttatactc 120
 aatgatacca atccggatat tgtcatttcc attgcgggg atggatgct cttgtcgcc 180
 tttcataagt acgaaaatca gcttgacaag gtccgcttta tcggtcttca tactggacat 240
 ttgggcttct atacagatta tcgtgatttt gagttggaca agctagtgc taatttgcag 300
 ctagatactg gggcaagggt ttcttaccct gttctgaatg tgaaggctct tcttgaaaat 360
 10 ggtgaagtta agattttcag agcactcaac gaagccagca tccgcaggtc tgatcgaaacc 420
 atggtggcag atattgtaat aaatgggtgt ccctttgaac gttttcgtgg agacgggcta 480
 acagtttcca caccgactgg tagtactgcc tataacaagt ctcttgccg tgctgtttta 540
 caacctacca ttgaagcttt gcaattaacg gaaattgcc gccttaataa tcgtgtctat 600
 cgaacactgg gctcttccat tattgtgcct aagaaggata agattgaact tattccaaca 660
 15 agaaacgatt atcatactat ttcggttgac aatagcggtt attctttccg taatattgag 720
 cgtattgagt atcaaatcga ccatcataag attcactttg tcgcgactcc tagccatacc 780
 agtttctgga accgtgttaa ggatgccttt atcgggtgagg tggatgaatg a 831

<210> 100

20 <211> 1623

<212> DNA

<213> Streptococcus pneumoniae

<400> 100

25 atgtcaaaag aaattaaatt ttcacagat gcccggttcag ccatgggttcg tgggtgcgat 60
 attcttgcag acactgttaa agtaaccttg ggacccaaaag gtcgcaatgt cgttcttgaa 120
 aagtcattcg gttcaccttt gattaccaat gacgggtgtga ccattgccaa agaaatcgaa 180
 ttggaagacc attttgaaaa tatgggtgct aagttagtag cagaagtagc ttctaaaacc 240
 aatgatatcg caggtgacgg aactacgact gcaacagctc tgaccaagc tatcgctcgt 300
 30 gaaggaaatca aaaacgtcac agcaggtgca aatccaatcg gtattcgtcg tgggattgaa 360
 acagcagttg ccgcagcagt tgaagctttg aaaaacaacg ccattccctgt tgccaataaa 420
 gaagctatcg ctcaagttgc agcagtatct tctcgttctg aaaaagttgg tgagtacatc 480
 tctgaagcaa tggaaaaagt tggcaaagac ggtgtcatca ccatacgaaga gtcacgtggt 540
 atggaacag agcttgaagt cgtagaagga atgcagtttg accgtgggta cctttcacag 600
 35 tacatgggtg cagatagcga aaaaatgggt gctgaccttg aaaaatccgta cttttgatt 660
 acagacaaga aaatttccaa catccaagaa atcttgccac ttttggaag cattctccaa 720
 agcaatcgtc cactcttgat tattgcggat gatgtggatg gtgaggctct tccaactctt 780
 gttttgaaca agattcgtgg aaccttcaac gtagtagcag tcaaggcacc tgggttttgg 840
 gaccgtcgca aagccatgct tgaagatatc gccatcttaa caggcggaac agttatcaca 900
 40 gaagaccttg gtcttgagtt gaaagatgcg acaattgaag ctcttggtca agcagcgaga 960
 gtgaccgtgg acaagatatg cacggttatt gtagaagggt caggaaatcc tgaagcgatt 1020
 tctcaccgtg ttgcggttat caagctcaa atcgaaacta caacttctga atttgaccgt 1080
 gaaaaattgc aagaacgctt ggccaaattg tcaggtggtg tagcggttat taaggtcgga 1140
 gccgcaactg aaactgagtt gaaagaaatg aaactccgca ttgaagatgc cctcaacgct 1200
 45 actcgtgcag ctggtgaaga aggtattggt gcaggtggtg gaacagctct tgccaatgtg 1260
 attccagctg ttgctacctt ggaattgaca ggagatgaag caacaggacg taatattggt 1320
 ctccgtgctt tggagaacc cgttcgtcaa attgctcaca atgcaggatt tgaaggatct 1380
 atcgttatcg atcgtttgaa aaatgctgag cttggtatag gattcaacgc agcaactggc 1440
 50 gagtgggtta acatgattga tcaaggatc attgatccag ttaaagttag tcgttcagcc 1500
 ctacaaaatg cagcatctgt agccagcttg attttgacaa cagaagcagt cgtagccaat 1560
 aaaccagaac cagtagcccc agctccagca atggatccaa gtatgatggg cgggatgatg 1620
 taa 1623

<210> 101

55 <211> 1446

<212> DNA

<213> Streptococcus pneumoniae

<400> 101

5 atgattaaga ttgaaaccgt attagatatt ttaaagaaag atggcctttt tcgcgaaatt 60
 attgaccaag gtcattacca ctacaactac agcaaagtta tttttgatag catcagctac 120
 gacagccgaa aagtaacaga agacactctt ttttttgcaa aaggcgctgc ctttaaaaaa 180
 gaataccttc tttctgctat aacacaaggt ttagcttggg atgtagctga aaaggactac 240
 gaagtcgata tccctgtcat catttgtgaac gatataaaga aagccatgag tttgattgcc 300
 atggagttct atggtaatcc acaagagaaa ctcaaactcc ttgcctttac tggactaag 360
 10 ggtaagacaa cagcaacctt tttgcctat aacatcttat ctcaaggga tagacctgct 420
 atgttgtcga ccatgaacac aactcttgat ggcgagactt tctttaagtc agcggtgaca 480
 accoctgaga gtattgacct ctttgacatg atgaatcagg ctgtgctaaa tgacctgacc 540
 cacctcatca tgggaagtctc cagtcaagcc tatctagtcc atcgagtcta tggactgacc 600
 tttgatgtag gagtctttct taacatcact cctgaccata tcggcccgat tgaacacctt 660
 agotttgaag actattttcta ccacaagcgt ctcttgatgg aaaatagccg agcagtcac 720
 15 attaacagtg acatggacca cttctcagtc ttgaaagaac aggttgaaga tcaagacat 780
 gatttctatg gtagccaatt tgataacca atcgagaatt ccaaagcctt tagcttttca 840
 gctacgggta aactcgctgg agattatgat atccaactca ttggcaactt caaccaagaa 900
 aatgcagttg ctgctggact tgcttgtctc cgtctcggag caagtcttga ggacatcaaa 960
 20 aaaggcatcg ctgcaaccgg cgttcctggg cgtatggaag tcctcactca gaaaaatgga 1020
 gccaaaggtct tcatcgacta tgcccacaat ggggatagtc tgaaaaaact catcaatgtg 1080
 gttgaaactc atcaaaccgg aaagattgct ctggttctgg gatcaacagg aaacaaggga 1140
 gaaagtcgtc gtaaggactt tggcctcctc ctcaatcaac accctgagat tcaagtcttt 1200
 ctgactgctg atgaccctaa ctatgaagac ccaatggcca ttgcagatga aattagtagc 1260
 25 tacatcaatc atcctgttga aaagattgcg gatcgccaag aagccatcaa ggccggcaatg 1320
 gctatcacia atcacgaatt agatgcagtt attattgcgg gtaagggagc cgattgttac 1380
 caaatcatcc agggcaagaa agaactctac ccaggagata cagccgtcgc agaaaattat 1440
 ttataa 1446

<210> 102

30 <211> 1980

<212> DNA

<213> *Streptococcus pneumoniae*

<400> 102

35 atgatccaaa tcggcaagat ttttgccgga cgctatcgga ttgtcaaaca gattgggtcga 60
 ggaggtatgg cggatgtcta cctagccaaa gacttaatct tagatgggga agaagtggca 120
 gtgaagggtt tgaggacca ctaccagacg gaccgatag ctgtagctcg ttttcagcgt 180
 gaagcgagag ctatggcaga tctagaccat cctcatatcg ttcggataac agatattggc 240
 40 gaggaagacg gtcaacagta cctagctatg gagtatgtgg ctggactgga cctcaaaccg 300
 tatatcaagg aacattatcc tctttctaata gaagaagcag tccgtatcat gggacaaatt 360
 ctcttggtta tgcgcttggc ccatactcga ggaattgttc acagggactt gaaacctcaa 420
 aatatcctct tgacaccaga tgggactgcc aaggtcacag actttgggat tgctgtagcc 480
 tttgcagaga caagtctgac ccagactaac tcgatgttgg gctcagttca ttacttgtca 540
 ccagagcagg cgcgtggttc gaaggcgact gtgcagagt atctctatgc catggggatt 600
 45 attttctatg agatgctgac aggccatata ccttatgacg gggatagcgc ggtgaccatt 660
 gccctccagc atttccagaa acccctgccg tccgttattg cagaaaatcc atctgtacct 720
 caggcttttag aaaatgttat tatcaaggca actgctaaaa agttgaccaa tcgctaccgc 780
 tcggtttcag agatgtatgt ggacttgtct agtagcttgt cctacaatcg tagaaatgaa 840
 50 agtaagttaa tctttgatga aacgagcaag gcagatacca agaccttgcc gaaggtttct 900
 cagagtacct tgacatctat tcctaagggt caagcgcaaa cagaacacaa atcaatcaaa 960
 aaccaagcc aggtgtgtgac agaggaaact tacciaaccac aagcaccgaa aaaacataga 1020
 ttttaagatgc gttacctgat tttgttggcc agccttgtat tgggtggcagc ttctcttatt 1080
 tgatactat ccagaactcc tgcaaacatt gccattccag atgtggcagg tcagacagtt 1140
 55 gcagagcca aggcaacgct caaaaagcc aattttgaga ttggtgagga gaagacagag 1200
 gctagtgaag aggtggaaga agggcggtt atccgtacag tccctggcgc tggaaactgtt 1260
 cgaaaagaag gaacgaaaat caatttgggt gtctcatcag gcaagcaatc tttccaaatt 1320
 agtaattatg tcggtcggaa atcctctgat gtcattgcgg aattaaaaga gaaaaaagtt 1380

ccagataatt tgattaaaaat tgaggaagaa gagtcgaatg agagtgaggc tggaaacgggc 1440
 ctgaagcaaa gtctaccaga aggtacgacc tatgacttga gcaaggcaac tcaaattggt 1500
 ttgacagtag ctaaaaaagc tacgacgatt caattagga actatattgg acggaactct 1560
 5 acagaagtaa tctcagaact caagcagaag aaggttcctg agaatttgat taagatagag 1620
 gaagaagagt ccagcgaaag cgaaccagga acgattatga aacaaagtcc aggtgdcgga 1680
 acgacttatg atgtgagtaa acctactcaa attgtcttga cagtagctaa aaaagttaca 1740
 agtgttgcca tgccgagtta catttggttct agcttggagt ttactaagaa caatttgatt 1800
 caaattgttg ggattaagga agctaataa gaagttgtag aagtgcgcac agcgccctgca 1860
 10 ggtagtgacg aaggcatggt tgttgaacaa agtcctagag caggtgaaaa ggtagacctc 1920
 aataagacta gagtcaagat ttcaatctac aaacctaaaa caacttcagc tactccttaa 1980

<210> 103

<211> 1176

<212> DNA

15 <213> Streptococcus pneumoniae

<400> 103

atgaaacatt ttgatactat tgtcatcggt gggggacctg ctggtatgat ggctacgatt 60
 20 tccagtaact tttatggaca gaaaaccctc ctcacgaaa aaaatcgga acttgaaaa 120
 aaattagctg ggactgggtg gggacgttgc aatgtgacca acaatggtag cttagacaac 180
 ctgctagctg gaattcctgg aaacggacgc tttctttaca gtgttttctc ccagttcgat 240
 aatcatgaca tcatcaactt ttttacagaa aatgggtgta aacttaaggt cgaagaccac 300
 ggacgcgtct ttccagccag tgacaagtct cggactatta tcgaagcttt ggaaaagaaa 360
 25 atcaactgaac taggtggtca agttgctact caaatagaaa tcgtttctgt taaaaaagta 420
 gatgaccagt ttgtccttaa gtcagcggat caaaccttca cttgtgagaa actcattgtc 480
 acaacagggt gtaagtctta tccttcgact gggttcgactg gttttggtca cgagattgct 540
 cgccatttta agcataccat caccgatctt gaggctgctg aaagtccttt attaacagat 600
 tttccacata aagccttaca agggatttct ctggacgatg tgaccctaag ttatggtaag 660
 30 catgtcatca ctcattgatt actctttacc cactttggtt tgtcaggctc tgctgcccta 720
 cgcattgtcta gctttgtcaa aggtggggag gttctctcac tcgatgtttt gcctcaactt 780
 tctgagaagg acttggttac atttctagaa gaaaatcggg aaaaatcctt gaaaaacgct 840
 ttaaaaacct tgttaccaga acgcttgccc gaattttttg tacaaggata tcctgaaaaa 900
 gtcaaacagc tgactgaaaa ggaacgagaa caacttgctc agtccattaa agaacttaaa 960
 35 attcctgtaa ctggaaaaat gtcccttgca aagtcctttg ttaccaaggg tggagtcagt 1020
 ctcaaggaaa tcaatcctaa aacccttgaa agtaagctgg tacctggcct ccactttgca 1080
 ggcgaagtta tggatatcaa tgcccacacg ggtggcttta acatcacttc tgccctctgt 1140
 accggctggg tggcgggaag tctgcattat gattaa 1176

<210> 104

40 <211> 696

<212> DNA

<213> Streptococcus pneumoniae

<400> 104

45 atgctgaaat gggaagactt gcctgtggaa atgaaatcaa gcgaggttga gtcttactac 60
 cagcttgtct ctaaaaggaa ggggtcgtg attttcaagc gttgcttga ctgggttttg 120
 gccttgggtg ttacatgggt tctaacttct cccatcttct tcatcttgag catttggatc 180
 aagttggata gcaaggggccc agtgatttac aagcaagagc gtgtgaccca gtacaaccgt 240
 50 cggttcaaga tttggaagtt ccgtaccatg gtgacggatg cggataaaaa aggaagtctg 300
 gtgacttctg ctaacgatag ccgtattacc aaggttggaa atttcatccg acgtgtccgt 360
 ttggacgaac tgccctcagtt ggtcaatgct cttaaagggt agatgtcctt tgtcgggtaca 420
 cgacctgaag tgccacgtta tacagagcag tatagccctg aaatgatggc aaccttgctc 480
 ttgcaagcag gaattacctc tccagccagc atcaactaca aggatgagga caccatcatc 540
 agtcaaatga cggagaaagg tctgtcagtt gatcaggcct atgtggagca tgttcttctc 600
 55 gaaaagatgc gctataacct cgcctatctc cgagagttaa gtttcttttg ggacatcaaa 660
 atcatgtttc aaaccgtggt tgaggtacta aaataa 696

<210> 105
 <211> 423
 <212> DNA
 <213> Streptococcus pneumoniae

5

<400> 105
 atgactagtc cactattaga atctagacgc caactccgta aatgcgcctt tcaagctctc 60
 atgagccttg agttcgggtac ggatgtcgaa actgcttgct gtttcgccta tactcatgat 120
 cgtgaatata cggatgtaca acttcacgac tttttgatag acctcgcttc tgggtgttcaa 180
 gctaaaaagg aagaactaga taagcaaata actcagcatt taaaagcagg ttggaccatt 240
 gaacgcctaa cgctcgtgga gagaaacctc cttcgcttgg gagtctttga aatcacttca 300
 tttgacactc ctcagctggg tgctgttaat gaagctatcg agcttgcaaa ggacttctcc 360
 gatcaaaaat ctgcccgctt tatcaatgga ctgctcagcc agtttgtaac agaagaacaa 420
 taa 423

15

<210> 106
 <211> 3540
 <212> DNA
 <213> Streptococcus pneumoniae

20

<400> 106
 atgtatttaa aggaaatcga aattcagggg ttcaagtctt ttgctgataa gaccaagggtc 60
 gtttttgacc aaggtgtgac ggcagttggt ggacccaatg gatctggaaa gtccaatatt 120
 acagaaagtc tgcgttgggc tttgggggag tctagtgtca agagtctccg tgggggcaag 180
 atgccggatg tcatctttgc tggaacagaa agtcgcaaac cgctcaatta tgcttctgta 240
 gttgtgactc tggataatca tgacggattt atcaaggatg caggtcaaga aatcaggggtg 300
 gaacgccata tctatcgtag tggagatagc gaatacaaga ttgacggcaa gaaagtcctg 360
 ctgctgtgata ttcattgacct ctctctggat actggattgg gacgagattc ctctctctatt 420
 atttcccaag ggaaggttga ggagattttt aattccaagc ctgaggaacg acgagctatt 480
 tttgaagaag ctgctggagt tttaaaatac aagactcgca gaaaagaaac cgagagtaaa 540
 ctgcagcaaa ctcaggataa tctggaccgc ttagaggaca ttatctacga gttggataat 600
 caaatcaagc ctcttgagaa gcaagctgag aatgcccgta agtttttaga cttggaagga 660
 caacgtaagg ctatttattt agacgttctg gttgctcaaa tcaaggaaaa taaggcagaa 720
 ctagagtcga cagaagaaga gttggctcag gttcaagaac tcttgatgag ttattacca 780
 aagcgtgaaa aattagaaga agaaaatcaa actcttaaaa agcaacgcca agatttcag 840
 gctgaatgga ccaagacca aggcagtttg atggacttga ctagtctgat tagtgattta 900
 gaaagaaaat tagccctatc gaaactggag tccgagcaag tggccctgaa tcaacaggag 960
 gcacaagctc gtttggtgctc tttggaggat aagagaaatt cactcagcaa agaaaagtat 1020
 gataaagaaa gctcttttagc tctgttagag ggaaatctag tccaaaataa tcaaaaactc 1080
 aatcgttttag aagctgaatt gctggctttc tcagacgata ctgatcagat gattgagctc 1140
 ttacgtgaac gctttgtagc tcttttacaa gaagaagcgg atgtctcaaa ccagttgacc 1200
 cgtattgaga atgagttgga aaatagtcgt cagctttctc aaaaacaagc agatcaacta 1260
 gaaaagctga aagagcaatt agctacagct aaagagaagg ctagtcagca aaaagacgag 1320
 ctgaaaactg ccaaggtgca ggttcagaaa ttattggctg actatcaagc tattgccaag 1380
 gagcaagagg agcagaaaaa ttcctatcaa gctcaacaaa gtcaactctt tgaccgtctg 1440
 gatagctctc aaaacaagca ggccagagct caaagtttgg aaaatatcct gagaaatcat 1500
 agtaactttt atgcaggtgt taagagtgtt ctccaagaaa aagatcgctt aggtgggatt 1560
 attggtgcag tcagtgagca tctgaccttt gatgtttatt atcaaactgc cctagagatt 1620
 gccttagggg caagtagcca gcatatcatc gtagaagatg aagagtcggc aaccaaagct 1680
 attgatttcc tcaaacgaaa cagagtcggg cgtgcaacct ttcttctctt gaccactatt 1740
 aaggcgcgta cgatttctag tcagaaccaa gatgctatcg ctgtaagccc aggtttcctt 1800
 gggatggcag atgagttggg gacttttgat actagactgg aagccatttt caagaacttg 1860
 ctgactacga cggctatctt tgataccgta gaacatgcgc gtgaagctgc tcgacaagtt 1920
 cgttatcagg ttcgtatggg gacattggat gggacagaaat tacgcacggg tgggtcctat 1980
 gcgggtgggt ccaatcgcca aaataacagt attttcatca agccagaact ggagcaatta 2040
 caaaaagaaa ttgctgcaga tgaagcaagc ttgggttcag aagaagcggc tttgaagacc 2100
 ttgcaagacc agatggctgc attgacagaa agattagaag ccatcaaata tcaaggagag 2160

	caggcacgta	ttcaggagca	aggcttgtcc	ctcgtttatc	agcaaactag	tcagcaagtt	2220
	gaagaactgg	aaactctttg	gaaactccaa	gaagaggaaa	tagatcgtct	ttctgagggg	2280
	gattggcaag	cggataagga	aaaatgtcaa	gagagccttg	ctactatcgc	cagtgcacag	2340
	caaaatctgg	aagctgagat	tgaagaaatt	aagtctaata	aaaacgccat	ccaagaacgc	2400
5	tatcaaaatt	tgcaggaaga	ggtggcgcaa	gctcgcttgc	ttaagacaaa	actgcaaggg	2460
	caaaaacgtt	atgaagtagc	tgatattgag	cgtttaggca	aggaattgga	caatcttaat	2520
	atcgaacaag	aagaaattca	gcgcattgctc	caagaaaaag	ttgacaatct	tgagaaggtt	2580
	gatacagaat	tgctcagtc	acaggcgga	gaatccaaaa	ctcagaaaa	aaatctccaa	2640
	caaggtttga	ttcgcaagca	gtttgagttg	gatgatata	aaggtcaact	ggatgatatt	2700
10	gccagtcact	tggatcaagc	tcgccagcag	aatgaggagt	ggattcgcaa	gcaaacacgt	2760
	gctgaagcca	agaaagaaaa	ggtcagcgag	cgcttgcgcc	atctacaaaa	tcaattaaca	2820
	gaccagtacc	agattagcta	tactgaagca	ctagaagagg	cacatgaatt	ggaaaacctc	2880
	aatctggcag	agcaagaggt	gcaggattta	gagaaggcta	ttcgctcatt	gggacctgtc	2940
	aacttggaag	ctattgacca	gtacgaagaa	gttcacaacc	gtctggactt	tctaaatagt	3000
15	cagcgagatg	atattttgtc	agcgaaaaat	ctgctccttg	aaaccattac	agagatgaat	3060
	gatgaggtca	aggaacgctt	taaatcaacc	tttgaagcta	ttcgtgagtc	ttttaaagtg	3120
	accttcaagc	agatgttttg	cggaggtcag	gcagacttga	tattgactga	gggacacctt	3180
	ttaacagctg	gtgtggagat	ttctgttcaa	cctccaggtg	agaaaatcca	gtcgcttaac	3240
	ctcatgagtg	gtggtgaaaa	agctctatcg	gctcttgcc	tgcttttctc	cattattcgt	3300
20	gtcaagacca	ttccttttgt	catcttggat	gaggtggaag	ctgcgctgga	tgaagccaat	3360
	gttaaacgtt	ttggggatta	cctcaaccgc	tttgacaagg	acagccagtt	tatcgctgta	3420
	acccaccgta	agggaaccat	ggcagcggt	gattccatct	atggagtga	catgcaagaa	3480
	tcaggtgtct	caaaaattgt	ttcgggttaag	ttaaaagatt	tagaaagtat	tgaaggatga	3540
25	<210> 107						
	<211> 1344						
	<212> DNA						
	<213> Streptococcus pneumoniae						
30	<400> 107						
	atgacaaaac	gtgtaacgat	tattgacgta	aaagactatg	ttgggtcagga	agtgcagatt	60
	ggcgctttgg	ttgccaaaca	atcaggaaaa	ggaaaaatcg	ctttcttaca	attgcgtgat	120
	ggaacagcct	tctttcaagg	tgtggttttt	aaaccaaact	ttgtcgaaaa	atttggtgaa	180
	gaagtgggac	ttgagaagtt	tgatgtttatc	aaacgcttga	gccaaagaaac	gtctgtttat	240
35	gtgacaggta	ttgtcaaaga	ggacgaacgt	tctaaatttg	gctatgagtt	ggacatcaca	300
	gacatcgaag	tgatcgggtga	atctcaagac	taccaaatca	caccaaaga	acacggaaca	360
	gactttttga	tggtataaccg	tactttgttg	ctacgctctc	gtaagcaagt	agctgtgttg	420
	caaataccgta	acgctattat	ctatgcaact	tatgagttct	ttgacaagaa	cggttttatg	480
	aagtttgaca	gcccaattct	ttcaggaaat	gcggcgagaag	attctacaga	actctttgaa	540
40	actgactact	tcggaacgcc	agcctacttg	agccaatcag	gtcagcttta	cctagaagca	600
	ggggctatgg	ctcttggtcg	tgtctttgac	tttgggtccag	ttttccgtgc	tgaaaaatca	660
	aaaacacgcc	gtcacttgac	tgagttcttg	atgatggatg	ctgagtaact	atacttgaca	720
	catgatgagt	cgcttgactt	gcaagaagct	tatgtgaaag	ctcttctaca	aggtgttctt	780
	gaccgcgcgc	ctcaagcctt	ggaaaccttg	gaacgtgata	cagaactctt	gaaacgctac	840
45	attgcagagc	cattcaaacg	tatcacttac	gatcaagcca	ttgacctctt	gcaagagcat	900
	gaaaatgatg	aagatgctga	ctacgagcat	cttgagcatg	gtgatgactt	tggttcacca	960
	cacgaaactt	ggatttcaaa	ccactttggt	gtgccaacat	ttgtcatgaa	ctatccagca	1020
	gccatcaagg	ccttctacat	gaaaccagtt	cctggaaatc	cagagcgcg	gctttgtgca	1080
	gacttgcttg	ctccagaagg	ctatggagaa	attatcggtg	ggtctatg	tgaggaagat	1140
50	tacgatgccc	ttgtcgctaa	gatggatgaa	cttggcatgg	atcgtaacaga	atatgaattc	1200
	taccttgacc	ttcgtaaata	cggtagagtt	ccacacggag	gatttggtat	cggtagcgaa	1260
	cgtatggtaa	ccttcgcagc	aggaacaaaa	catatccgtg	aagctattcc	attcccacgt	1320
	atgttgccac	gtatcaaaacc	ataa				1344
55	<210> 108						
	<211> 927						
	<212> DNA						

<213> Streptococcus pneumoniae

<400> 108

5 atgtctgaaa aattagtaga aatcaaagat ttagaaattt ccttcggtga aggaagtaag 60
 aagtttgtcg cgggttaaaaa tgctaacttc tttatcaaca agggagaaac tttctcgctt 120
 gtaggtgagt ccggtagtg gaaaacaact attggtcgtg ctatcatcgg tctaaatgat 180
 acaagtaatg gagatatcat ttttgatggg caaaagatta atggttaagaa atcgcggtgaa 240
 caagctgcgg aattgattcg tcgaatccag atgattttcc aagaccctgc cgcaagtttg 300
 10 aatgaacgtg cgactggtga ttatattatt tctgaaggtc tttacaatca ccgtttattt 360
 aaggatgaag aagaacgtaa agagaaagtt caaaatatta tccgtgaagt aggtcttctt 420
 gctgagcact tgactcggtta ccctcatgaa ttctcaggcg gtcaacgtca acgtatcggt 480
 attgcccggtg ccttggtcat gcaaccagac tttgttattg cagatgagcc aatttcagcc 540
 ttggacgttt ctgtacgtgc ccaagtcttg aacttgctca aaaaattcca aaaagagctc 600
 ggcctgacct atctcttcat cgcccatgac ttgtcggttg ttcgctttat ttcagatcgt 660
 15 atcgagttta tttacaaggg tgttattgta gaggttgag aaacagaaga attgtttaac 720
 aatccaattc acccatatac tcaagccttg ctttcagcgg taccaatccc agatccaatc 780
 ttggaacgta agaaggtctt gaaggtttac gacccaagtc aacacgacta tgagactgat 840
 aagccgtcta tggtagaaat ccgtccaggt cactatgttt gggcgaacca aaccgaattg 900
 20 gcacgttatc aaaaaggact aaactag 927

<210> 109

<211> 1275

<212> DNA

<213> Streptococcus pneumoniae

25

<400> 109

atgaagataa gttggaatgg attttctaaa aaatcatacc aagagcgcct cgagctgcta 60
 aaagctcagg cgctccttag tcctgagaga caagctagtc tggagaagga tgaacagatg 120
 30 agtgtgactg tggcagacca gctgagttag aatgtggtgg gaactttttc tctgccttat 180
 tcgctgggttc cggaggtact tgtcaacggt caggaataca ccgttcccta tgtgacagaa 240
 gaaccctctg tgggtgcggc ggccagctat gccagcaaaa tcatcaagcg tgcaggtggt 300
 tttactgcac aagtccatca gcgccagatg attgggcagg tagcccttta tcaaattgct 360
 aatcctaacc tagcgcaaga gaagattgcc agcaagaaag cggagctctt ggagcttgcc 420
 35 aatcaagcct atccttctat cgttaaactg ggggggtggg cgctgatct gcagtgcag 480
 cagataaaag gcgaaccaga ctttctcgtt gtttatattc atgtcgatac ccaggaagcc 540
 atgggtgcca atatgctcaa caccatgctg gaagcettga aaccagtctt agaagaactc 600
 agtcagggac agagtctcat gggaatcctg tccaactacg cgactgattc tctggtgact 660
 gcaagctgtc gcatcgccct tcgctacttg agccgccaaa aggatcaagg acgagagatt 720
 40 gcggagaaaa ttgcgttggc tagtcagttt gcgcaggctg atccttaccg agctgctact 780
 cataataaag gaatttttaa tggattatgat gcgattttga ttgccactgg taatgactgg 840
 cgtgccatcg aagctggggc ccatgccttt gccagtcgag atggacgcta tcaaggtctt 900
 agctgctgga cgctggacct tgaaagagaa gaattggctg gtgagatgac cctgcccatt 960
 cctgtagcga ctaagggtgg ctctatcggc ctcaaccac gtgtagctct cagtcatgat 1020
 45 ctactaggaa atccttctgc cagagaatta gccagatta tcgtgtccat cggctcttgc 1080
 caaaattttg cagccctcaa agccttggtta agtacgggca tccagcaagg ccacatgaaa 1140
 ctacaggcca aatccctagc tctcctagct ggggctagtg aatctgaagt tgctccccta 1200
 gtagagcgcc tcatctcaga taaaaccttt aacctagaga cagcccagcg ctatctcgaa 1260
 aatttaagat cataa 1275

50

<210> 110

<211> 789

<212> DNA

<213> Streptococcus pneumoniae

55

<400> 110

atgccaatta catcattaga aataaaggac aagacttttg gaactcgatt cagaggtttt 60
 gatccagaag aagtcgatga atttttagat attgtggttc gtgattacga agatcttgtg 120

5 cgtgcgaatc atgataaaaa tttgcgtatt aagagtttag aagagcggtt gtcttacttt 180
 gatgaaataa aagattcatt gagccagtcg gtaattgattg ctcaggatac agctgagaga 240
 gtgaaacagg cggcgcatga acgttcaaac aatatcattc atcaagcaga gcaagatgcg 300
 caacgcttgt tggagaagc taaatataag gcaaacgaga ttcttcgtca agcaactgat 360
 aatgctaaga aagtcgctgt tgaacacaga gaattgaaga acaagagccg tgtcttccac 420
 caacgtctca aatctacaat tgagagtcag ttggctattg ttgaatcttc agattgggaa 480
 gatattctcc gtccaacagc tacttatctt caaaccagtg atgaagcctt taaagaagtg 540
 gttagcgaag tacttgga accgattcca gctccaattg aagaagaacc aattgatatg 600
 10 acacgtcagt tctctcaagc agaaatggca gaattacaag ctcgtattga ggtagccgat 660
 aaagaattgt ctgaatttga agctcagatt aaacaggaag tggagctcc aactcctgta 720
 gtgagtcctc aagttgaaga agagcctctg ctcattccagt tggcccaatg tatgaagaac 780
 cagaagtag 789

<210> 111

15 <211> 1728

<212> DNA

<213> Streptococcus pneumoniae

<400> 111

20 atgtctaata gacaactaat ttatttaatt gttgcaattg cagtcatttt agttctggct 60
 tatgtagtgg caatctttct acgtaagcga aacgagggga gattagaggc gctagaagaa 120
 agaaaagaag aactatacaa tcttcagta atgatgaag tagaagctgt aaaaaatatg 180
 cacttgattg gacaaagtca agtggcttcc cgtgaatgga atcaaaaatg ggtcgattta 240
 25 tctctcaact cttttgccga tattgaaaat aatctctttg aagcagaagg ttataaccat 300
 tcatttcgtt ttctcaaggc cagtcatcaa attgaccaa ttgagagtca aattactttg 360
 attgaagaag atattgcggc aattcgcaat gctttggcag acttagagaa gcaagaatct 420
 aaaaatagtg gtcgtgttct tcatgctttg gatttatttg aggaacttca gcatagagtt 480
 gctgaaaatt cagaacagta tggtaagcc ttggatgaaa ttgaaaaaca attagaaaat 540
 atccaatctg aattttcaca atttgtaacc ttgaattcat cgggtgaccc tgtggaagcc 600
 30 gcagtgattt tggataatac agaaaatcac attttggcct taagtcatat tgtggatcgt 660
 gttccagctt tggttacgac gctttctaca gaattgccag atcaattaca ggatttggaa 720
 gccggttata gtaaaactaat tgatgctaatt tatcattttg ttgaaacgga tattgaagcg 780
 cgtttccact tgcatttatga agcattcaag aaaaaccaag agaattattcg tcagttggaa 840
 ttggataatg ccgaatatga gaatggacag gcacaagagg aaatcaatgc cttgtatgat 900
 35 atttttactc gagaaattgc tgctcagaaa gtagtggaaa atctacttgc aactcttcca 960
 acttaccttc aacatatgaa agagaataat actttatttg gagaagatat tgcacgtttg 1020
 aacaagacct atttacttcc tgagacagct gcaagccatg ttcgtcgtat tcagacagaa 1080
 ttagagagtt ttgaggcagc tattgttgag gtaacttcaa atcaagaaga accaacccaa 1140
 gcttattcag ttcttgaaaga aaatcttgag gatttacaac ctcaactaaa agatattgaa 1200
 40 gatgacaaa tttcagttag tgagcgctg acacaaattg agaaagatga tattaatgca 1260
 cgtcaaaagg ccaatgttta tgtcaatcgt ctccatacta tcaagcgata catggaaaaa 1320
 cgcaatctgc cagggtattcc acaaacttcc ttgaagttat tctttacggc aagcaataat 1380
 accgaggatt taatggttga gttagaacaa aaaatgatta acattgaatc tgttaccgca 1440
 gttcttgaaa ttgcaacgaa tgatatggaa gctttagaaa cggaaactta taatattgta 1500
 45 caatatgcaa ctttgacaga gcaactcttg caatattcta accgctatcg ctcatttgat 1560
 gaacgcattc aagaagcatt taacgaagct ttagatattt ttgaaaaaga atttgattat 1620
 cacgcttcat ttgataagat ttctcaagca ttggaagtgg cagagcctgg tgaaccaat 1680
 cgctttgtta cctcatatga gaaaacacgt gaaacgattc gtttttaa 1728

50 <210> 112

<211> 2403

<212> DNA

<213> Streptococcus pneumoniae

55 <400> 112

atgcttatat cttataaatg gttaaaagaa ttgggtggaca ttgatgtgcc atcacaagag 60
 ttggctgaaa aaatgtcaac tacaggaatc gaggtagagg gtgtcgaatc accagctgct 120

	ggctctctcaa	aaattgtcgt	cggtagaggtc	ttgtcttgcg	aagatgtgcc	agagactcac	180
	ctccatgttt	gtcagggttaa	cgttggcgaa	gaagagcgtc	agatcgtttg	tggtgccccca	240
	aatgtgcgtg	ctgggatcaa	ggtcatgggtg	gctcttccag	gagctcgat	cgctgataac	300
5	tacaaaatca	aaaaaggaaa	aatccgtgggt	ttggagtcac	ttggaatgat	ctgttcactt	360
	ggtgaattgg	gaatttctga	ctcagttgtg	cttaaggaat	tcgcagatgg	catccaaatc	420
	ttgcctgaag	atgccgtgcc	aggtgaggaa	gtcttttctt	acctagactt	ggatgatgaa	480
	atcatcgaac	tttccatcac	accaaaccgt	gcagatgccc	tttctatgtg	tggaatgggt	540
	cacgaagtgg	cagccatcta	tgacaaggca	gtcaacttta	aagaatttac	tctaacagaa	600
10	actaatgaag	ctgcggcaga	tgccctttct	gtcagcattg	agacagacaa	ggcgcccttac	660
	tatgcagctc	gtatcttggg	caatgtgacc	atcgacacaa	gtccacaatg	gttgcaaaac	720
	cttctcatga	acgaagggaat	ccgtcccac	aataacgtag	tggaactgac	caactacatc	780
	ctgctctatt	ttggtcaacc	aatgcattgc	tttgacttgg	ataactttga	agggactgac	840
	atccgtgtgc	gtgaagcgcg	tgctgggtgaa	aaattgggtga	ccttggacgg	tgaagaacgt	900
	gacttggacg	tgaatgacct	agtcatactt	gtcgcagaca	agccagtagc	ccttgcagggt	960
15	gtcatgggtg	gtcaagcaac	agaaatctct	gaaaaatcta	gtcgtgttgt	ccttgaagct	1020
	gctgttttca	atggcaaatc	tatccgtgaag	acaagtggtc	gcctgaacct	tcgttctgag	1080
	tcattcttctc	gctttgaaaa	aggaattaat	gtggcaacag	ttaatgaagc	ccttgatgcg	1140
	gcagctagcc	tgattgogga	acttgcagggt	gcgacggtgc	gtaagggcat	cgtttcagcg	1200
20	ggtgagcttg	atacttcaga	tgtagaagtt	tcttcaaccc	ttgctgatgt	taaccgtgtc	1260
	ctcggaactg	agctgtctta	tgctgatgta	gaagacgtct	tcgctcgtct	tggttttgggt	1320
	ctttctggaa	atgcagacag	ctttacagtc	agagtccac	gtcgtcgttg	ggatatcaca	1380
	atcgaagctg	acctctttga	agaaattgct	cgtatctatg	gttatgaccg	cttgccaact	1440
	agtctacca	aagacgatgg	tacagcagggt	gaattgacag	ccacacaaaa	actccgcgt	1500
25	caagttcgta	ctattgctga	aggagcagggt	ttgacagaaa	tcatacaccta	tactctaaca	1560
	actcctgaaa	aagcagttga	gtttacgggt	caaccaagta	accttacgga	actcatgtgg	1620
	ccaatgactg	tggtatcggtc	agtcctcgt	caaaatatga	tttcagggtat	ccttgatacc	1680
	gttgctctaca	acgtggctcg	taagaataaa	aaacttgccc	tttacgagat	tggaagagtc	1740
	tttgaacaaa	caggtaatcc	aaaagaagaa	cttccaaatg	aaatcaacag	ttttgccttt	1800
30	gccttgacag	gcttggttgc	tgaaaaagat	ttccaaacag	cagcagttcc	agttgatttc	1860
	ttctatgcta	agggaatcct	tgaaagcccta	tttactcggt	tggaactcca	agtaacctat	1920
	acagcaacat	ctgaaatcgc	tagccttcat	ccagggtcgta	cagccgtgat	ttcactcggt	1980
	gaccaagttc	ttggtttcct	tgcccaagtg	catccagtc	ctgccaaggc	ttacgatatt	2040
	ccagaacgt	atgtggctga	gcttaacctt	tcagctatcg	aagctgcgct	tcagccagcg	2100
35	actccatttg	tagaaatcac	caaattcccg	gcagtcagcc	gtgacgttgc	ccttctcctc	2160
	aaggcagaag	tgactcatca	agaagttgta	gatgctatcc	aagctgccgg	cgtgaaacgt	2220
	ttgacagata	tcaaactctt	tgacgtcttc	tcaggtgaga	aattgggact	tggtatgaag	2280
	tcaatggctt	atagcttgac	cttccaaaat	ccagaagata	gcttaacgga	cgaagaagtc	2340
	gcacgctata	tggaaaaaat	ccaagcatcg	ctcgaagaaa	aagtcaatgc	agaagtgcgt	2400
40	taa						2403
	<210>	113					
	<211>	543					
	<212>	DNA					
	<213>	Streptococcus pneumoniae					
45	<400>	113					
	atggttagaaa	acgatattaa	aaaagtcctc	gtttcacacg	atgaaattac	agaagcagct	60
	aaaaaactag	gtgctcaatt	aactaaagat	tatgcaggaa	aaaatccaat	cttagttggg	120
50	attttaaaag	gatctattcc	ttttatggct	gaattgggtca	aacatattga	tacacatatt	180
	gaaatggact	tcatgatgggt	ttctagctac	catggtggaa	cagcaagtag	tggtgttatt	240
	aatatttaac	aagatgtgac	tcaagatatac	aaaggaagac	atgttctatt	tgtagaagat	300
	atcattgata	caggtcaaac	tttgaagaat	ttgcgagata	tgtttaaaagc	aagagaagca	360
	gcttctgtta	aaattgcaac	cttggttgat	aaaccagaag	gacgtgttgt	agaaattgag	420
	gcagactata	cctgctttac	tatcccaaat	gagttttag	taggttatgg	tttagactac	480
55	aaagaaaatt	atcgtaattct	tccttatatt	ggagtattga	aagaggaagt	gtattcaaat	540
	tag						543

<210> 114
 <211> 235
 <212> PRT
 <213> Streptococcus pneumoniae

5
 <400> 114
 Met Ile Tyr Ala Gly Ile Leu Ala Gly Gly Thr Gly Thr Arg Met Gly
 1 5 10 15

10 Ile Ser Asn Leu Pro Lys Gln Phe Leu Glu Leu Gly Asp Arg Pro Ile
 20 25 30

15 Leu Ile His Thr Ile Glu Lys Phe Val Leu Glu Pro Ser Ile Glu Lys
 35 40 45

Ile Val Val Gly Val His Gly Asp Trp Val Leu His Ala Glu Asp Leu
 50 55 60

20 Val Asp Lys Tyr Leu Pro Leu His Lys Glu Arg Ile Ile Ile Thr Lys
 65 70 75 80

Gly Gly Ala Asp Arg Asn Thr Ser Ile Glu Asn Ile Ile Glu Ala Ile
 85 90 95

25 Asp Ala Tyr Arg Pro Leu Thr Pro Glu Asp Ile Val Val Thr His Asp
 100 105 110

Ser Val Arg Pro Phe Ile Thr Leu Arg Met Ile Gln Asp Ser Ile Lys
 115 120 125

30 Leu Ala Gln Asn His Asp Ala Val Asp Thr Val Val Glu Ala Val Asp
 130 135 140

35 Thr Ile Val Glu Ser Thr Asn Gly Gln Phe Ile Thr Gly Ile Pro Asn
 145 150 155 160

Arg Ala His Leu Tyr Gln Gly Gln Thr Pro Gln Thr Phe Arg Cys Lys
 165 170 175

40 Asp Phe Met Asp Leu Tyr Gly Ser Leu Ser Asp Glu Glu Lys Glu Ile
 180 185 190

45 Leu Thr Asp Ala Cys Lys Ile Phe Val Ile Lys Gly Lys Asp Val Ala
 195 200 205

Leu Ala Lys Gly Glu Tyr Ser Asn Leu Lys Ile Thr Thr Val Thr Asp
 210 215 220

50 Leu Lys Ile Ala Lys Ser Met Ile Glu Lys Asp
 225 230 235

<210> 115
 <211> 185
 <212> PRT
 <213> Streptococcus pneumoniae

<400> 115

Met Ala Asn Val Ile Ile Glu Lys Ala Lys Glu Arg Met Thr Gln Ser
 1 5 10 15
 5 His Gln Ser Leu Ala Arg Glu Phe Gly Gly Ile Arg Ala Gly Arg Ala
 20 25 30
 Asn Ala Ser Leu Leu Asp Arg Val His Val Glu Tyr Tyr Gly Val Glu
 35 40 45
 10 Thr Pro Leu Asn Gln Ile Ala Ser Ile Thr Ile Pro Glu Ala Arg Val
 50 55 60
 15 Leu Leu Val Thr Pro Phe Asp Lys Ser Ser Leu Lys Asp Ile Glu Arg
 65 70 75 80
 Ala Leu Asn Ala Ser Asp Leu Gly Ile Thr Pro Ala Asn Asp Gly Ser
 85 90 95
 20 Val Ile Arg Leu Val Ile Pro Ala Leu Thr Glu Glu Thr Arg Arg Asp
 100 105 110
 Leu Ala Lys Glu Val Lys Lys Val Gly Glu Asn Ala Lys Val Ala Val
 115 120 125
 25 Arg Asn Ile Arg Arg Asp Ala Met Asp Glu Ala Lys Lys Gln Glu Lys
 130 135 140
 30 Ala Gln Glu Ile Thr Glu Asp Glu Leu Lys Thr Leu Glu Lys Asp Ile
 145 150 155 160
 Gln Lys Val Thr Asp Asp Ala Val Lys His Ile Asp Asp Met Thr Ala
 165 170 175
 35 Asn Lys Glu Lys Glu Leu Leu Glu Val
 180 185

<210> 116

40 <211> 450

<212> PRT

<213> Streptococcus pneumoniae

<400> 116

45 Met Gly Lys Tyr Phe Gly Thr Asp Gly Val Arg Gly Glu Ala Asn Leu
 1 5 10 15
 Glu Leu Thr Pro Glu Leu Ala Phe Lys Leu Gly Arg Phe Gly Gly Tyr
 20 25 30
 50 Val Leu Ser Gln His Glu Thr Glu Ala Pro Lys Val Phe Val Gly Arg
 35 40 45
 55 Asp Thr Arg Ile Ser Gly Glu Met Leu Glu Ser Ala Leu Val Ala Gly
 50 55 60
 Leu Leu Ser Val Gly Ile His Val Tyr Lys Leu Gly Val Leu Ala Thr

	65		70		75		80									
	Pro	Ala	Val	Ala	Tyr	Leu	Val	Glu	Thr	Glu	Gly	Ala	Ser	Ala	Gly	Val
				85						90					95	
5	Met	Ile	Ser	Ala	Ser	His	Asn	Pro	Ala	Leu	Asp	Asn	Gly	Ile	Lys	Phe
				100					105					110		
	Phe	Gly	Gly	Asp	Gly	Phe	Lys	Leu	Asp	Asp	Glu	Lys	Glu	Ala	Glu	Ile
10				115					120				125			
	Glu	Ala	Leu	Leu	Asp	Ala	Glu	Glu	Asp	Thr	Leu	Pro	Arg	Pro	Ser	Ala
		130					135					140				
15	Glu	Gly	Leu	Gly	Ile	Leu	Val	Asp	Tyr	Pro	Glu	Gly	Leu	Arg	Lys	Tyr
	145					150					155					160
	Glu	Gly	Tyr	Arg	Val	Ser	Thr	Gly	Thr	Pro	Leu	Asp	Gly	Met	Lys	Val
20					165					170					175	
	Ala	Leu	Asp	Thr	Ala	Asn	Gly	Ala	Ala	Ser	Thr	Ser	Ala	Arg	Gln	Ile
				180					185					190		
25	Phe	Ala	Asp	Leu	Gly	Ala	Gln	Leu	Thr	Val	Ile	Gly	Glu	Thr	Pro	Asp
			195					200					205			
	Gly	Leu	Asn	Ile	Asn	Leu	Asn	Val	Gly	Ser	Thr	His	Pro	Glu	Ala	Leu
		210					215					220				
30	Gln	Glu	Val	Val	Lys	Glu	Ser	Gly	Ser	Ala	Ile	Gly	Leu	Ala	Phe	Asp
	225					230					235					240
	Gly	Asp	Ser	Asp	Arg	Leu	Ile	Ala	Val	Asp	Glu	Asn	Gly	Asp	Ile	Val
					245					250					255	
35	Asp	Gly	Asp	Lys	Ile	Met	Tyr	Ile	Ile	Gly	Lys	Tyr	Leu	Ser	Glu	Lys
				260					265						270	
	Gly	Gln	Leu	Ala	Gln	Asn	Thr	Ile	Val	Thr	Thr	Val	Met	Ser	Asn	Leu
40			275					280					285			
	Gly	Phe	His	Lys	Ala	Leu	Asn	Arg	Glu	Gly	Ile	Asn	Lys	Ala	Val	Thr
		290					295					300				
45	Ala	Val	Gly	Asp	Arg	Tyr	Val	Val	Glu	Glu	Met	Arg	Lys	Ser	Gly	Tyr
	305					310					315					320
	Asn	Leu	Gly	Gly	Glu	Gln	Ser	Gly	His	Val	Ile	Leu	Met	Asp	Tyr	Asn
				325						330					335	
50	Thr	Thr	Gly	Asp	Gly	Gln	Leu	Ser	Ala	Val	Gln	Leu	Thr	Lys	Ile	Met
				340					345					350		
	Lys	Glu	Thr	Gly	Lys	Ser	Leu	Ser	Glu	Leu	Ala	Ala	Glu	Val	Thr	Ile
55			355					360					365			
	Tyr	Pro	Gln	Lys	Leu	Val	Asn	Ile	Arg	Val	Glu	Asn	Val	Met	Lys	Glu

370 375 380
 Lys Ala Met Glu Val Pro Ala Ile Lys Ala Ile Ile Glu Lys Met Glu
 385 390 395 400
 5 Glu Glu Met Ala Gly Asn Gly Arg Ile Leu Val Arg Pro Ser Gly Thr
 405 410 415
 10 Glu Pro Leu Leu Arg Val Met Ala Glu Ala Pro Thr Thr Glu Glu Val
 420 425 430
 Asp Tyr Tyr Val Asp Thr Ile Thr Asp Val Val Arg Ala Glu Ile Gly
 435 440 445
 15 Ile Asp
 450
 20 <210> 117
 <211> 234
 <212> PRT
 <213> Streptococcus pneumoniae
 25 <400> 117
 Met Lys Lys Ile Leu Ile Val Asp Asp Glu Lys Pro Ile Ser Asp Ile
 1 5 10 15
 Ile Lys Phe Asn Met Thr Lys Glu Gly Tyr Glu Val Val Thr Ala Phe
 20 25 30
 30 Asn Gly Arg Glu Ala Leu Glu Gln Phe Glu Ala Glu Gln Pro Asp Ile
 35 40 45
 35 Ile Ile Leu Asp Leu Met Leu Pro Glu Ile Asp Gly Leu Glu Val Ala
 50 55 60
 Lys Thr Ile Arg Lys Thr Ser Ser Val Pro Ile Leu Met Leu Ser Ala
 65 70 75 80
 40 Lys Asp Ser Glu Phe Asp Lys Val Ile Gly Leu Glu Leu Gly Ala Asp
 85 90 95
 Asp Tyr Val Thr Lys Pro Phe Ser Asn Arg Glu Leu Gln Ala Arg Val
 100 105 110
 45 Lys Ala Leu Leu Arg Arg Ser Gln Pro Met Pro Val Asp Gly Gln Glu
 115 120 125
 Ala Asp Ser Lys Pro Gln Pro Ile Gln Ile Gly Asp Leu Glu Ile Val
 130 135 140
 Pro Asp Ala Tyr Val Ala Lys Lys Tyr Gly Glu Glu Leu Asp Leu Thr
 145 150 155 160
 55 His Arg Glu Phe Glu Leu Leu Tyr His Leu Ala Ser His Thr Gly Gln
 165 170 175

Val Ile Thr Arg Glu His Leu Leu Glu Thr Val Trp Gly Tyr Asp Tyr
 180 185 190
 5 Phe Gly Asp Val Arg Thr Val Asp Val Thr Val Arg Arg Leu Arg Glu
 195 200 205
 Lys Ile Glu Asp Thr Pro Ser Arg Pro Glu Tyr Ile Leu Thr Arg Arg
 210 215 220
 10 Gly Val Gly Tyr Tyr Met Arg Asn Asn Ala
 225 230
 15 <210> 118
 <211> 368
 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 118
 20 Met Glu Glu Ile Leu Cys Ile Gly Cys Gly Ala Thr Ile Gln Thr Thr
 1 5 10 15
 Asp Lys Ala Gly Leu Gly Phe Thr Pro Gln Ser Ala Leu Glu Lys Gly
 20 25 30
 25 Leu Glu Thr Gly Glu Val Tyr Cys Gln Arg Cys Phe Arg Leu Arg His
 35 40 45
 30 Tyr Asn Glu Ile Thr Asp Val Gln Leu Thr Asn Asp Asp Phe Leu Lys
 50 55 60
 Leu Leu His Glu Val Gly Asp Ser Asp Ala Leu Val Val Asn Val Ile
 65 70 75 80
 35 Asp Ile Phe Asp Phe Asn Gly Ser Val Ile Pro Gly Leu Pro Arg Phe
 85 90 95
 Val Ser Gly Asn Asp Val Leu Leu Val Gly Asn Lys Lys Asp Ile Leu
 100 105 110
 40 Pro Lys Ser Val Lys Ser Gly Lys Ile Ser Gln Trp Leu Met Lys Arg
 115 120 125
 45 Ala His Glu Glu Gly Leu Arg Pro Val Asp Val Val Leu Thr Ser Ala
 130 135 140
 Gln Asn Lys His Ala Ile Lys Glu Val Ile Asp Lys Ile Glu His Tyr
 145 150 155 160
 50 Arg Lys Gly Arg Asp Val Tyr Val Val Gly Val Thr Asn Val Gly Lys
 165 170 175
 Ser Thr Leu Ile Asn Ala Ile Ile Gln Glu Ile Thr Gly Asp Gln Asn
 180 185 190
 55 Val Ile Thr Thr Ser Arg Phe Pro Gly Thr Thr Leu Asp Lys Ile Glu
 195 200 205

Ile Pro Leu Asp Asp Gly Ser Tyr Ile Tyr Asp Thr Pro Gly Ile Ile
 210 215 220
 5 His Arg His Gln Met Ala His Tyr Leu Thr Ala Lys Asn Leu Lys Tyr
 225 230 235 240
 Val Ser Pro Lys Lys Glu Ile Lys Pro Lys Thr Tyr Gln Leu Asn Pro
 245 250 255
 10 Glu Gln Thr Leu Phe Leu Gly Gly Leu Gly Arg Phe Asp Phe Ile Ala
 260 265 270
 Gly Glu Lys Gln Gly Phe Thr Ala Phe Phe Asp Asn Glu Leu Lys Leu
 275 280 285
 15 His Arg Ser Lys Leu Glu Gly Ala Ser Ala Phe Tyr Asp Lys His Leu
 290 295 300
 20 Gly Thr Leu Leu Thr Pro Pro Asn Ser Lys Glu Lys Glu Asp Phe Pro
 305 310 315 320
 Arg Leu Val Gln His Val Phe Thr Ile Lys Asp Lys Thr Asp Leu Val
 325 330 335
 25 Ile Ser Gly Leu Gly Trp Ile Arg Val Thr Gly Thr Ala Lys Val Ala
 340 345 350
 Val Trp Ala Pro Glu Gly Val Ala Val Val Thr Arg Lys Ala Ile Ile
 355 360 365
 30
 35
 <210> 119
 <211> 486
 <212> PRT
 <213> Streptococcus pneumoniae
 40
 <400> 119
 Met Tyr Pro Asp Asp Ser Leu Thr Leu His Thr Asp Leu Tyr Gln Ile
 1 5 10 15
 45 Asn Met Met Gln Val Tyr Phe Asp Gln Gly Ile His Asn Lys Lys Ala
 20 25 30
 Val Phe Glu Val Tyr Phe Arg Gln Gln Pro Phe Lys Asn Gly Tyr Ala
 35 40 45
 50 Val Phe Ala Gly Leu Glu Arg Ile Val Asn Tyr Leu Glu Asp Leu Arg
 50 55 60
 55 Phe Ser Asp Ser Asp Ile Ala Tyr Leu Glu Ser Leu Gly Tyr His Gly
 65 70 75 80
 Ala Phe Leu Asp Tyr Leu Arg Asn Phe Lys Leu Glu Leu Thr Val Arg

	85								90						95						
5	Ser	Ala	Gln	Glu	Gly	Asp	Leu	Val	Phe	Ala	Asn	Glu	Pro	Ile	Val	Gln					
				100					105					110							
	Val	Glu	Gly	Pro	Leu	Ala	Gln	Cys	Gln	Leu	Val	Glu	Thr	Ala	Leu	Leu					
			115					120					125								
10	Asn	Ile	Val	Asn	Tyr	Gln	Thr	Leu	Val	Ala	Thr	Lys	Ala	Ala	Arg	Ile					
		130					135					140									
	Arg	Ser	Val	Ile	Glu	Asp	Glu	Pro	Leu	Met	Glu	Phe	Gly	Thr	Arg	Arg					
	145					150					155					160					
15	Ala	Gln	Glu	Thr	Asp	Ala	Ala	Ile	Trp	Gly	Thr	Arg	Ala	Ala	Val	Ile					
					165					170					175						
	Gly	Gly	Ala	Asn	Gly	Thr	Ser	Asn	Val	Arg	Ala	Gly	Lys	Leu	Phe	Asp					
				180					185					190							
20	Ile	Pro	Val	Leu	Gly	Thr	His	Ala	His	Ala	Leu	Val	Gln	Val	Tyr	Gly					
			195					200					205								
25	Asn	Asp	Tyr	Glu	Ala	Phe	Lys	Ala	Tyr	Ala	Ala	Thr	His	Lys	Asn	Cys					
		210					215					220									
	Val	Phe	Leu	Val	Asp	Thr	Tyr	Asp	Thr	Leu	Arg	Ile	Gly	Val	Pro	Ala					
	225					230					235					240					
30	Ala	Ile	Gln	Val	Ala	Arg	Glu	Leu	Gly	Asp	Gln	Ile	Asn	Phe	Met	Gly					
					245					250					255						
	Val	Arg	Ile	Asp	Ser	Gly	Asp	Ile	Ala	Tyr	Ile	Ser	Lys	Lys	Val	Arg					
				260					265					270							
35	Gln	Gln	Leu	Asp	Glu	Ala	Gly	Phe	Thr	Glu	Ala	Lys	Ile	Tyr	Ala	Ser					
			275					280					285								
40	Asn	Asp	Leu	Asp	Glu	Asn	Thr	Ile	Leu	Asn	Leu	Lys	Met	Gln	Lys	Ala					
		290					295					300									
	Lys	Ile	Asp	Val	Trp	Gly	Val	Gly	Thr	Gln	Leu	Ile	Thr	Ala	Tyr	Asp					
	305					310					315					320					
45	Gln	Pro	Ala	Leu	Gly	Ala	Val	Tyr	Lys	Ile	Val	Ala	Ile	Glu	Asp	Glu					
					325					330					335						
	Thr	Gly	Gln	Met	Arg	Asn	Thr	Ile	Lys	Leu	Ser	Asn	Asn	Ala	Glu	Lys					
				340					345					350							
50	Val	Ser	Thr	Pro	Gly	Lys	Lys	Gln	Val	Trp	Arg	Ile	Thr	Ser	Arg	Glu					
			355					360					365								
55	Lys	Gly	Lys	Ser	Glu	Gly	Asp	Tyr	Ile	Thr	Tyr	Asp	Gly	Val	Asp	Ile					
		370					375					380									
	Ser	Asp	Met	Thr	Glu	Ile	Lys	Met	Phe	His	Pro	Thr	Tyr	Thr	Tyr	Ile					

385 390 395 400
 Lys Lys Thr Val Arg Asn Phe Asp Ala Val Pro Leu Leu Val Asp Ile
 405 410 415
 5 Phe Lys Glu Gly Ile Leu Val Tyr Asn Leu Pro Ser Leu Thr Asp Ile
 420 425 430
 10 Gln Asp Tyr Ala Arg Lys Glu Phe Asp Lys Leu Trp Asp Glu Tyr Lys
 435 440 445
 Arg Val Leu Asn Pro Gln His Tyr Pro Val Asp Leu Ala Arg Asp Val
 450 455 460
 15 Trp Gln Asp Lys Met Asp Leu Ile Asp Lys Met Arg Lys Glu Ala Leu
 465 470 475 480
 Gly Glu Gly Glu Glu Glu
 485
 20
 <210> 120
 <211> 283
 <212> PRT
 25 <213> Streptococcus pneumoniae
 <400> 120
 Met Ala Thr Ile Gln Trp Phe Pro Gly His Met Ser Lys Ala Arg Arg
 1 5 10 15
 30 Gln Val Gln Glu Asn Leu Lys Phe Val Asp Phe Val Thr Ile Leu Val
 20 25 30
 35 Asp Ala Arg Leu Pro Leu Ser Ser Gln Asn Pro Met Leu Thr Lys Ile
 35 40 45
 Val Gly Asp Lys Pro Lys Leu Leu Ile Leu Asn Lys Ala Asp Leu Ala
 50 55 60
 40 Asp Pro Ala Met Thr Lys Glu Trp Arg Gln Tyr Phe Glu Ser Gln Gly
 65 70 75 80
 Ile Gln Thr Leu Ala Ile Asn Ser Lys Glu Gln Val Thr Val Lys Val
 85 90 95
 45 Val Thr Asp Ala Ala Lys Lys Leu Met Ala Asp Lys Ile Ala Arg Gln
 100 105 110
 50 Lys Glu Arg Gly Ile Gln Ile Glu Thr Leu Arg Thr Met Ile Ile Gly
 115 120 125
 Ile Pro Asn Ala Gly Lys Ser Thr Leu Met Asn Arg Leu Ala Gly Lys
 130 135 140
 55 Lys Ile Ala Val Val Gly Asn Lys Pro Gly Val Thr Lys Gly Gln Gln
 145 150 155 160

Trp Leu Lys Thr Asn Lys Asp Leu Glu Ile Leu Asp Thr Pro Gly Ile
 165 170 175
 5 Leu Trp Pro Lys Phe Glu Asp Glu Thr Val Ala Leu Lys Leu Ala Leu
 180 185 190
 Thr Gly Ala Ile Lys Asp Gln Leu Leu Pro Met Asp Glu Val Thr Ile
 195 200 205
 10 Phe Gly Ile Asn Tyr Phe Lys Glu His Tyr Pro Glu Lys Leu Ala Glu
 210 215 220
 Arg Phe Lys Gln Met Lys Ile Glu Glu Glu Pro Ser Val Ile Ile Met
 225 230 235 240
 15 Asp Met Thr Arg Ala Leu Gly Phe Arg Asp Asp Tyr Asp Arg Phe Tyr
 245 250 255
 20 Ser Leu Phe Val Lys Glu Val Arg Asp Gly Lys Leu Gly Asn Tyr Thr
 260 265 270
 Leu Asp Thr Leu Glu Asp Leu Asp Gly Asn Asp
 275 280
 25
 <210> 121
 <211> 156
 <212> PRT
 <213> Streptococcus pneumoniae
 30
 <400> 121
 Met Ile Asn Asn Val Val Leu Val Gly Arg Met Thr Arg Asp Ala Glu
 1 5 10 15
 35 Leu Arg Tyr Thr Pro Ser Asn Val Ala Val Ala Thr Phe Thr Leu Ala
 20 25 30
 Val Asn Arg Thr Phe Lys Ser Gln Asn Gly Glu Arg Glu Ala Asp Phe
 35 40 45
 40 Ile Asn Val Val Met Trp Arg Gln Gln Ala Glu Asn Leu Ala Asn Trp
 50 55 60
 Ala Lys Lys Gly Ser Leu Ile Gly Val Thr Gly Arg Ile Gln Thr Arg
 65 70 75 80
 45 Ser Tyr Asp Asn Gln Gln Gly Gln Arg Val Tyr Val Thr Glu Val Val
 85 90 95
 50 Ala Glu Asn Phe Gln Met Leu Glu Ser Arg Ser Val Arg Glu Gly His
 100 105 110
 Thr Gly Gly Ala Tyr Ser Ala Pro Thr Ala Asn Tyr Ser Ala Pro Thr
 115 120 125
 55 Asn Ser Val Pro Asp Phe Ser Arg Asn Glu Asn Pro Phe Gly Ala Thr
 130 135 140

Asn Pro Leu Asp Ile Ser Asp Asp Asp Leu Pro Phe
 145 150 155

5

<210> 122
 <211> 324
 <212> PRT
 <213> Streptococcus pneumoniae

10

<400> 122
 Met Lys Thr Arg Ile Thr Glu Leu Leu Lys Ile Asp Tyr Pro Ile Phe
 1 5 10 15

15

Gln Gly Gly Met Ala Trp Val Ala Asp Gly Asp Leu Ala Gly Ala Val
 20 25 30

Ser Lys Ala Gly Gly Leu Gly Ile Ile Gly Gly Gly Asn Ala Pro Lys
 35 40 45

20

Glu Val Val Lys Ala Asn Ile Asp Lys Ile Lys Ser Leu Thr Asp Lys
 50 55 60

Pro Phe Gly Val Asn Ile Met Leu Leu Ser Pro Phe Val Glu Asp Ile
 65 70 75 80

25

Val Asp Leu Val Ile Glu Glu Gly Val Lys Val Val Thr Thr Gly Ala
 85 90 95

30

Gly Asn Pro Ser Lys Tyr Met Glu Arg Phe His Glu Ala Gly Ile Ile
 100 105 110

Val Ile Pro Val Val Pro Ser Val Ala Leu Ala Lys Arg Met Glu Lys
 115 120 125

35

Ile Gly Ala Asp Ala Val Ile Ala Glu Gly Met Glu Ala Gly Gly His
 130 135 140

40

Ile Gly Lys Leu Thr Thr Met Thr Leu Val Arg Gln Val Ala Thr Ala
 145 150 155 160

Ile Ser Ile Pro Val Ile Ala Ala Gly Gly Ile Ala Asp Gly Glu Gly
 165 170 175

45

Ala Ala Ala Gly Phe Met Leu Gly Ala Glu Ala Val Gln Val Gly Thr
 180 185 190

Arg Phe Val Val Ala Lys Glu Ser Asn Ala His Pro Asn Tyr Lys Glu
 195 200 205

50

Lys Ile Leu Lys Ala Arg Asp Ile Asp Thr Thr Ile Ser Ala Gln His
 210 215 220

55

Phe Gly His Ala Val Arg Ala Ile Lys Asn Gln Leu Thr Arg Asp Phe
 225 230 235 240

Glu Leu Ala Glu Lys Asp Ala Phe Lys Gln Glu Asp Pro Asp Leu Glu

	245	250	255
	Ile Phe Glu Gln Met Gly Ala Gly Ala Leu Ala Lys Ala Val Val His		
	260	265	270
5	Gly Asp Val Glu Gly Gly Ser Val Met Ala Gly Gln Ile Ala Gly Leu		
	275	280	285
10	Val Ser Lys Glu Glu Thr Ala Glu Glu Ile Leu Lys Asp Leu Tyr Tyr		
	290	295	300
	Gly Ala Ala Lys Lys Ile Gln Glu Glu Ala Ser Arg Trp Thr Gly Val		
	305	310	315
15	Val Arg Asn Asp		
20	<210> 123		
	<211> 140		
	<212> PRT		
	<213> Streptococcus pneumoniae		
25	<400> 123		
	Met Ile Asp Ile Gln Gly Ile Lys Glu Ala Leu Pro His Arg Tyr Pro		
	1	5	10
	Met Leu Leu Val Asp Arg Val Leu Glu Val Ser Glu Asp Thr Ile Val		
	20	25	30
30	Ala Ile Lys Asn Val Thr Ile Asn Glu Pro Phe Phe Asn Gly His Phe		
	35	40	45
35	Pro Gln Tyr Pro Val Met Pro Gly Val Leu Ile Met Glu Ala Leu Ala		
	50	55	60
	Gln Thr Ala Gly Val Leu Glu Leu Ser Lys Pro Glu Asn Lys Gly Lys		
	65	70	75
40	Leu Val Phe Tyr Ala Gly Met Asp Lys Val Lys Phe Lys Lys Gln Val		
	85	90	95
	Val Pro Gly Asp Gln Leu Val Met Thr Ala Thr Phe Val Lys Arg Arg		
	100	105	110
45	Gly Thr Ile Ala Val Val Glu Ala Lys Ala Glu Val Asp Gly Lys Leu		
	115	120	125
50	Ala Ala Ser Gly Thr Leu Thr Phe Ala Ile Gly Asn		
	130	135	140
55	<210> 124		
	<211> 340		
	<212> PRT		
	<213> Streptococcus pneumoniae		

<400> 124
 Met Ile Asn Gln Ile Tyr Gln Leu Thr Lys Pro Lys Phe Ile Asn Val
 1 5 10 15
 5 Lys Tyr Gln Glu Glu Ala Ile Asp Gln Glu Asn His Ile Leu Ile Arg
 20 25 30
 Pro Asn Tyr Met Ala Val Cys His Ala Asp Gln Arg Tyr Tyr Gln Gly
 35 40 45
 10 Lys Arg Asp Pro Lys Ile Leu Asn Lys Lys Leu Pro Met Ala Met Ile
 50 55 60
 15 His Glu Ser Cys Gly Ile Val Ile Ser Asp Pro Ser Gly Thr Tyr Glu
 65 70 75 80
 Val Gly Gln Lys Val Val Met Ile Pro Asn Gln Ser Pro Met Gln Ser
 85 90 95
 20 Asp Glu Glu Phe Tyr Glu Asn Tyr Met Thr Gly Thr His Phe Leu Ser
 100 105 110
 Ser Gly Phe Asp Gly Phe Met Arg Glu Phe Val Ser Leu Pro Lys Asp
 115 120 125
 25 Arg Val Val Ala Tyr Asp Ala Ile Glu Asp Thr Val Ala Ala Ile Thr
 130 135 140
 30 Glu Phe Val Ser Val Gly Met His Ala Met Asn Arg Leu Leu Thr Leu
 145 150 155 160
 Ala His Ser Lys Arg Glu Arg Ile Pro Val Ile Gly Asp Gly Ser Leu
 165 170 175
 35 Ala Phe Val Val Ala Asn Ile Ile Asn Tyr Thr Leu Pro Glu Ala Glu
 180 185 190
 Ile Val Val Ile Gly Arg His Trp Glu Lys Leu Glu Leu Phe Ser Phe
 195 200 205
 40 Ala Lys Glu Cys Tyr Ile Thr Asp Asn Ile Pro Glu Glu Leu Ala Phe
 210 215 220
 45 Asp His Ala Phe Glu Cys Cys Gly Gly Asp Gly Thr Gly Pro Ala Ile
 225 230 235 240
 Asn Asp Leu Ile Arg Tyr Ile Arg Pro Gln Gly Thr Ile Leu Met Met
 245 250 255
 50 Gly Val Ser Glu Tyr Lys Val Asn Leu Asn Thr Arg Asp Ala Leu Glu
 260 265 270
 Lys Gly Leu Leu Leu Val Gly Ser Ser Arg Ser Gly Arg Ile Asp Phe
 275 280 285
 55 Glu Asn Ala Ile Gln Met Met Lys Val Lys Lys Phe Ala Asn Arg Leu
 290 295 300

Lys Asn Ile Leu Tyr Leu Glu Glu Pro Val Arg Glu Ile Lys Asp Ile
 305 310 315 320
 5 His Arg Val Phe Ala Thr Asp Leu Asn Thr Ala Phe Lys Thr Val Phe
 325 330 335
 Lys Trp Glu Val
 340
 10
 <210> 125
 <211> 447
 <212> PRT
 15 <213> Streptococcus pneumoniae
 <400> 125
 Met Asn Leu Lys Thr Thr Leu Gly Leu Leu Ala Gly Arg Ser Ser His
 1 5 10 15
 20 Phe Val Leu Ser Arg Leu Gly Arg Gly Ser Thr Leu Pro Gly Lys Val
 20 25 30
 25 Ala Leu Gln Phe Asp Lys Asp Ile Leu Gln Asn Leu Ala Lys Asn Tyr
 35 40 45
 Glu Ile Val Val Val Thr Gly Thr Asn Gly Lys Thr Leu Thr Thr Ala
 50 55 60
 30 Leu Thr Val Gly Ile Leu Lys Glu Val Tyr Gly Gln Val Leu Thr Asn
 65 70 75 80
 Pro Ser Gly Ala Asn Met Ile Thr Gly Ile Ala Thr Thr Phe Leu Thr
 85 90 95
 35 Ala Lys Ser Ser Lys Thr Gly Lys Asn Ile Ala Val Leu Glu Ile Asp
 100 105 110
 40 Glu Ala Ser Leu Ser Arg Ile Cys Asp Tyr Ile Gln Pro Ser Leu Phe
 115 120 125
 Val Ile Thr Asn Ile Phe Arg Asp Gln Met Asp Arg Phe Gly Glu Ile
 130 135 140
 45 Tyr Thr Thr Tyr Asn Met Ile Leu Asp Ala Ile Arg Lys Val Pro Thr
 145 150 155 160
 Ala Thr Val Leu Leu Asn Gly Asp Ser Pro Leu Phe Tyr Lys Pro Thr
 165 170 175
 50 Ile Pro Asn Pro Ile Glu Tyr Phe Gly Phe Asp Leu Glu Lys Gly Pro
 180 185 190
 55 Ala Gln Leu Ala His Tyr Asn Thr Glu Gly Ile Leu Cys Pro Asp Cys
 195 200 205
 Gln Gly Ile Leu Lys Tyr Glu His Asn Thr Tyr Ala Asn Leu Gly Ala

	210	215	220
5	Tyr Ile Cys Glu Gly Cys Gly Cys Lys Arg Pro Asp Leu Asp Tyr Arg 225 230 235 240		
	Leu Thr Lys Leu Val Glu Leu Thr Asn Asn Arg Ser Arg Phe Val Ile 245 250 255		
10	Asp Gly Gln Glu Tyr Gly Ile Gln Ile Gly Gly Leu Tyr Asn Ile Tyr 260 265 270		
	Asn Ala Leu Ala Ala Val Ala Ile Ala Arg Phe Leu Gly Ala Asp Ser 275 280 285		
15	Gln Leu Ile Lys Gln Gly Phe Asp Lys Ser Arg Ala Val Phe Gly Arg 290 295 300		
20	Gln Glu Thr Phe His Ile Gly Asp Lys Glu Cys Thr Leu Val Leu Ile 305 310 315 320		
	Lys Asn Pro Val Gly Ala Thr Gln Ala Ile Glu Met Ile Lys Leu Ala 325 330 335		
25	Pro Tyr Pro Phe Ser Leu Ser Val Leu Leu Asn Ala Asn Tyr Ala Asp 340 345 350		
	Gly Ile Asp Thr Ser Trp Ile Trp Asp Ala Asp Phe Glu Gln Ile Thr 355 360 365		
30	Asp Met Asp Ile Pro Glu Ile Asn Ala Gly Gly Val Arg His Ser Glu 370 375 380		
35	Ile Ala Arg Arg Leu Arg Val Thr Gly Tyr Pro Ala Glu Lys Ile Thr 385 390 395 400		
	Glu Thr Ser Asn Leu Glu Gln Val Leu Lys Thr Ile Glu Asn Gln Asp 405 410 415		
40	Cys Lys His Ala Tyr Ile Leu Ala Thr Tyr Thr Ala Met Leu Glu Phe 420 425 430		
	Arg Glu Leu Leu Ala Ser Arg Gln Ile Val Arg Lys Glu Met Asn 435 440 445		
45	<210> 126 <211> 260 <212> PRT <213> Streptococcus pneumoniae		
50	<400> 126 Met Val Tyr Thr Ser Leu Ser Ser Lys Asp Gly Asn Tyr Pro Tyr Gln 1 5 10 15		
55	Leu Asn Ile Ala His Leu Tyr Gly Asn Leu Met Asn Thr Tyr Gly Asp 20 25 30		

Asn Gly Asn Ile Leu Met Leu Lys Tyr Val Ala Glu Lys Leu Gly Ala
 35 40 45
 5 His Val Thr Val Asp Ile Val Ser Leu His Asp Asp Phe Asp Glu Asn
 50 55 60
 His Tyr Asp Ile Ala Phe Phe Gly Gly Gly Gln Asp Phe Glu Gln Ser
 65 70 75 80
 10 Ile Ile Ala Asp Asp Leu Pro Ala Lys Lys Glu Ser Ile Asp Asn Tyr
 85 90 95
 Ile Gln Asn Asp Gly Val Val Leu Ala Ile Cys Gly Gly Phe Gln Leu
 100 105 110
 15 Leu Gly Gln Tyr Tyr Val Glu Ala Ser Gly Lys Arg Ile Glu Gly Leu
 115 120 125
 Gly Val Met Gly His Tyr Thr Leu Asn Gln Thr Asn Asn Arg Phe Ile
 130 135 140
 Gly Asp Ile Lys Ile His Asn Glu Asp Phe Asp Glu Thr Tyr Tyr Gly
 145 150 155 160
 25 Phe Glu Asn His Gln Gly Arg Thr Phe Leu Ser Asp Asp Gln Lys Pro
 165 170 175
 Leu Gly Gln Val Val Tyr Gly Asn Gly Asn Asn Glu Glu Lys Val Gly
 180 185 190
 30 Glu Gly Val His Tyr Lys Asn Val Phe Gly Ser Tyr Phe His Gly Pro
 195 200 205
 Ile Leu Ser Arg Asn Ala Asn Leu Ala Tyr Arg Leu Val Thr Thr Ala
 210 215 220
 35 Leu Lys Lys Lys Tyr Gly Gln Asp Ile Gln Leu Pro Ala Tyr Glu Asp
 225 230 235 240
 40 Ile Leu Ser Gln Glu Ile Ala Glu Glu Tyr Ser Asp Val Lys Ser Lys
 245 250 255
 Ala Asp Phe Ser
 260
 45
 <210> 127
 <211> 223
 <212> PRT
 50 <213> Streptococcus pneumoniae
 <400> 127
 Met Asn Val Lys Glu Asn Thr Glu Leu Val Phe Arg Glu Val Ala Glu
 1 5 10 15
 55 Ala Ser Leu Ser Ala Asn Arg Glu Ser Gly Ser Val Ser Val Ile Ala
 20 25 30

Val Thr Lys Tyr Val Asp Val Pro Thr Ala Glu Ala Leu Leu Pro Leu
 35 40 45
 5 Gly Val His His Ile Gly Glu Asn Arg Val Asp Lys Phe Leu Glu Lys
 50 55 60
 Tyr Glu Ala Leu Lys Asp Arg Asp Val Thr Trp His Leu Ile Gly Thr
 65 70 75 80
 10 Leu Gln Arg Arg Lys Val Lys Asp Val Ile Gln Tyr Val Asp Tyr Phe
 85 90 95
 15 His Ala Leu Asp Ser Val Lys Leu Ala Gly Glu Ile Gln Lys Arg Ser
 100 105 110
 Asp Arg Val Ile Lys Cys Phe Leu Gln Val Asn Ile Ser Lys Glu Glu
 115 120 125
 20 Ser Lys His Gly Phe Ser Arg Glu Glu Leu Leu Glu Ile Leu Pro Glu
 130 135 140
 Leu Ala Gly Leu Asp Lys Ile Glu Tyr Val Gly Leu Met Thr Met Ala
 145 150 155 160
 25 Pro Phe Glu Ala Ser Ser Glu Gln Leu Lys Glu Ile Phe Lys Ala Ala
 165 170 175
 30 Gln Asp Leu Gln Arg Glu Ile Gln Glu Lys Gln Ile Pro Asn Ile Pro
 180 185 190
 Met Thr Glu Leu Ser Met Gly Met Ser Arg Asp Tyr Lys Glu Ala Ile
 195 200 205
 35 Gln Phe Gly Ser Thr Phe Val Arg Ile Gly Thr Ser Phe Phe Lys
 210 215 220
 40 <210> 128
 <211> 279
 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 128
 45 Met Gly Ile Ala Leu Glu Asn Val Asn Phe Thr Tyr Gln Glu Gly Thr
 1 5 10 15
 Pro Leu Ala Ser Ala Ala Leu Ser Asp Val Ser Leu Thr Ile Glu Asp
 20 25 30
 50 Gly Ser Tyr Thr Ala Leu Ile Gly His Thr Gly Ser Gly Lys Ser Thr
 35 40 45
 55 Ile Leu Gln Leu Leu Asn Gly Leu Leu Val Pro Ser Gln Gly Ser Val
 50 55 60
 Arg Val Phe Asp Thr Leu Ile Thr Ser Thr Ser Lys Asn Lys Asp Ile

	65		70		75		80									
	Arg	Gln	Ile	Arg	Lys	Gln	Val	Gly	Leu	Val	Phe	Gln	Phe	Ala	Glu	Asn
					85					90					95	
5	Gln	Ile	Phe	Glu	Glu	Thr	Val	Leu	Lys	Asp	Val	Ala	Phe	Gly	Pro	Gln
				100					105					110		
	Asn	Phe	Gly	Val	Ser	Glu	Glu	Asp	Ala	Val	Lys	Thr	Ala	Arg	Glu	Lys
10			115					120					125			
	Leu	Ala	Leu	Val	Gly	Ile	Asp	Glu	Ser	Leu	Phe	Asp	Arg	Ser	Pro	Phe
		130					135					140				
15	Glu	Leu	Ser	Gly	Gly	Gln	Met	Arg	Arg	Val	Ala	Ile	Ala	Gly	Ile	Leu
	145					150					155					160
	Ala	Met	Glu	Pro	Ala	Ile	Leu	Val	Leu	Asp	Glu	Pro	Thr	Ala	Gly	Leu
20					165					170					175	
	Asp	Pro	Leu	Gly	Arg	Lys	Glu	Leu	Met	Thr	Leu	Phe	Lys	Lys	Leu	His
			180						185					190		
	Gln	Ser	Gly	Met	Thr	Ile	Val	Leu	Val	Thr	His	Leu	Met	Asp	Asp	Val
25			195					200					205			
	Ala	Glu	Tyr	Ala	Asn	Gln	Val	Tyr	Val	Met	Glu	Lys	Gly	Arg	Leu	Val
		210					215					220				
30	Lys	Gly	Gly	Lys	Pro	Ser	Asp	Val	Phe	Gln	Asp	Val	Val	Phe	Met	Glu
	225					230					235					240
	Glu	Val	Gln	Leu	Gly	Val	Pro	Lys	Ile	Thr	Ala	Phe	Cys	Lys	Arg	Leu
				245						250					255	
35	Ala	Asp	Arg	Gly	Val	Ser	Phe	Lys	Arg	Leu	Pro	Val	Lys	Ile	Glu	Glu
			260					265						270		
40	Phe	Lys	Glu	Ser	Leu	Asn	Gly									
			275													
	<210>	129														
	<211>	309														
45	<212>	PRT														
	<213>	Streptococcus pneumoniae														
	<400>	129														
50	Met	Asp	Ile	Gln	Phe	Leu	Gly	Thr	Gly	Ala	Gly	Gln	Pro	Ser	Lys	Ala
	1				5					10					15	
	Arg	Asn	Val	Ser	Ser	Leu	Ala	Leu	Lys	Leu	Leu	Asp	Glu	Ile	Asn	Glu
				20					25					30		
55	Val	Trp	Leu	Phe	Asp	Cys	Gly	Glu	Gly	Thr	Gln	Asn	Arg	Ile	Leu	Glu
		35						40					45			

Thr Thr Ile Arg Pro Arg Lys Val Ser Lys Ile Phe Ile Thr His Leu
 50 55 60
 5 His Gly Asp His Ile Phe Gly Leu Pro Gly Phe Leu Ser Ser Arg Ala
 65 70 75 80
 Phe Gln Ala Asn Glu Glu Gln Thr Asp Leu Glu Ile Tyr Gly Pro Gln
 85 90 95
 10 Gly Ile Lys Ser Phe Val Leu Thr Ser Leu Arg Val Ser Gly Ser Arg
 100 105 110
 Leu Pro Tyr Arg Ile His Phe His Glu Phe Asp Gln Asp Ser Leu Gly
 115 120 125
 15 Lys Ile Leu Glu Ile Asp Lys Phe Thr Val Tyr Ala Glu Glu Leu Asp
 130 135 140
 20 His Thr Ile Phe Cys Val Gly Tyr Arg Val Met Gln Lys Asp Leu Glu
 145 150 155 160
 Gly Thr Leu Asp Ala Glu Lys Leu Lys Ala Ala Gly Val Pro Phe Gly
 165 170 175
 25 Pro Leu Phe Gly Lys Ile Lys Asn Gly Gln Asp Leu Val Leu Glu Asp
 180 185 190
 Gly Thr Glu Ile Lys Ala Ala Asp Tyr Ile Ser Ala Pro Arg Pro Gly
 195 200 205
 30 Lys Ile Ile Thr Ile Leu Gly Asp Thr Arg Lys Thr Asp Ala Ser Val
 210 215 220
 35 Arg Leu Ala Val Asn Ala Asp Val Leu Val His Glu Ser Thr Tyr Gly
 225 230 235 240
 Lys Gly Asp Glu Lys Ile Ala Arg Asn His Gly His Ser Thr Asn Met
 245 250 255
 40 Gln Ala Ala Gln Val Ala Val Glu Ala Gly Ala Lys Arg Leu Leu Leu
 260 265 270
 Asn His Ile Ser Ala Arg Phe Leu Ser Lys Asp Ile Ser Lys Leu Lys
 275 280 285
 45 Lys Asp Ala Ala Thr Ile Phe Glu Asn Val His Val Val Lys Asp Leu
 290 295 300
 50 Glu Glu Val Glu Ile
 305

<210> 130

<211> 553

55 <212> PRT

<213> Streptococcus pneumoniae

<400> 130
Met Ser Asn Ile Ser Leu Thr Thr Leu Gly Gly Val Arg Glu Asn Gly
1 5 10 15
5 Lys Asn Met Tyr Ile Ala Glu Ile Gly Glu Ser Ile Phe Val Leu Asn
20 25 30
Val Gly Leu Lys Tyr Pro Glu Asn Glu Gln Leu Gly Val Asp Val Val
35 40 45
10 Ile Pro Asn Met Asp Tyr Leu Phe Glu Asn Ser Asp Arg Ile Ala Gly
50 55 60
15 Val Phe Leu Thr His Gly His Ala Asp Ala Ile Gly Ala Leu Pro Tyr
65 70 75 80
Leu Leu Ala Glu Ala Lys Val Pro Val Phe Gly Ser Glu Leu Thr Ile
85 90 95
20 Glu Leu Ala Lys Leu Phe Val Lys Gly Asn Asp Ala Val Lys Lys Phe
100 105 110
Asn Asp Phe His Val Ile Asp Glu Asn Thr Glu Ile Asp Phe Gly Gly
115 120 125
25 Thr Val Val Ser Phe Phe Pro Thr Thr Tyr Ser Val Pro Glu Ser Leu
130 135 140
30 Gly Ile Val Leu Lys Thr Ser Glu Gly Ser Ile Val Tyr Thr Gly Asp
145 150 155 160
Phe Lys Phe Asp Gln Thr Ala Ser Glu Ser Tyr Ala Thr Asp Phe Ala
165 170 175
35 Arg Leu Ala Glu Ile Gly Arg Asp Gly Val Leu Ala Leu Leu Ser Asp
180 185 190
Ser Ala Asn Ala Asp Ser Asn Ile Gln Val Ala Ser Glu Ser Glu Val
195 200 205
40 Arg Asp Glu Ile Thr Gln Thr Ile Ala Asp Trp Glu Gly Arg Ile Ile
210 215 220
45 Val Ala Ala Val Ser Ser Asn Leu Ser Arg Ile Gln Gln Ile Phe Asp
225 230 235 240
Ala Ala Asp Lys Thr Gly Arg Arg Ile Val Leu Thr Gly Phe Asp Ile
245 250 255
50 Glu Asn Ile Val Arg Thr Ala Ile Arg Leu Lys Lys Leu Ser Leu Ala
260 265 270
Asn Glu Ile Leu Leu Ile Lys Pro Lys Asp Met Ser Arg Phe Glu Asp
275 280 285
55 His Glu Leu Ile Ile Leu Glu Thr Gly Arg Met Gly Glu Pro Ile Asn
290 295 300

Gly Leu Arg Lys Met Ser Ile Gly Arg His Arg Tyr Val Glu Ile Lys
 305 310 315 320
 5 Asp Gly Asp Leu Val Tyr Ile Ala Thr Ala Pro Ser Ile Ala Lys Glu
 325 330 335
 Ala Phe Val Ala Arg Val Glu Asn Met Ile Tyr Gln Ala Gly Gly Val
 340 345 350
 10 Val Lys Leu Ile Thr Gln Ser Leu His Val Ser Gly His Gly Asn Val
 355 360 365
 15 Arg Asp Leu Gln Leu Met Ile Asn Leu Leu Gln Pro Lys Tyr Leu Phe
 370 375 380
 Pro Val Gln Gly Glu Tyr Arg Glu Leu Asp Ala His Ala Lys Ala Ala
 385 390 395 400
 20 Met Ala Val Gly Met Leu Pro Glu Arg Ile Phe Ile Pro Lys Lys Gly
 405 410 415
 Thr Thr Met Ala Tyr Glu Asn Gly Asp Phe Val Pro Ala Gly Ser Val
 420 425 430
 25 Ser Ala Gly Asp Ile Leu Ile Asp Gly Asn Ala Ile Gly Asp Val Gly
 435 440 445
 30 Asn Val Val Leu Arg Asp Arg Lys Val Leu Ser Glu Asp Gly Ile Phe
 450 455 460
 Ile Val Ala Ile Thr Val Asn Arg Arg Glu Lys Lys Ile Val Ala Arg
 465 470 475 480
 35 Ala Arg Val His Thr Arg Gly Phe Val Tyr Leu Lys Lys Ser Arg Asp
 485 490 495
 Ile Leu Arg Glu Ser Ser Glu Leu Ile Asn Gln Thr Val Glu Asp Tyr
 500 505 510
 40 Leu Gln Gly Asp Asp Phe Asp Trp Ala Asp Leu Lys Gly Lys Val Arg
 515 520 525
 45 Asp Asn Leu Thr Lys Tyr Leu Phe Asp Gln Thr Lys Arg Arg Pro Ala
 530 535 540
 Ile Leu Pro Val Val Met Glu Ala Lys
 545 550
 50
 <210> 131
 <211> 316
 <212> PRT
 <213> Streptococcus pneumoniae
 55
 <400> 131
 Met Thr Lys Glu Phe His His Val Thr Val Leu Leu His Glu Thr Ile

	1	5	10	15
	Asp Met Leu Asp Val Lys Pro Asp Gly Ile Tyr Val Asp Ala Thr Leu	20	25	30
5	Gly Gly Ala Gly His Ser Glu Tyr Leu Leu Ser Lys Leu Ser Glu Lys	35	40	45
10	Gly His Leu Tyr Ala Phe Asp Gln Asp Gln Asn Ala Ile Asp Asn Ala	50	55	60
	Gln Lys Arg Leu Ala Pro Tyr Ile Glu Lys Gly Val Val Thr Phe Ile	65	70	75
15	Lys Asp Asn Phe Arg His Leu Gln Ala Arg Leu Arg Glu Ala Gly Val	85	90	95
	Gln Glu Ile Asp Gly Ile Cys Tyr Asp Leu Gly Val Ser Ser Pro Gln	100	105	110
20	Leu Asp Gln Arg Glu Arg Gly Phe Ser Tyr Lys Lys Asp Ala Pro Leu	115	120	125
25	Asp Met Arg Met Asn Gln Asp Ala Ser Leu Thr Ala Tyr Glu Val Val	130	135	140
	Asn His Tyr Asp Tyr His Asp Leu Val Arg Ile Phe Phe Lys Tyr Gly	145	150	155
30	Glu Asp Lys Phe Ser Lys Gln Ile Ala Arg Lys Ile Glu Gln Ala Arg	165	170	175
	Glu Val Lys Pro Ile Glu Thr Thr Thr Glu Leu Ala Glu Ile Ile Lys	180	185	190
35	Leu Val Lys Pro Ala Lys Glu Leu Lys Lys Lys Gly His Pro Ala Lys	195	200	205
40	Gln Ile Phe Gln Ala Ile Arg Ile Glu Val Asn Asp Glu Leu Gly Ala	210	215	220
	Ala Asp Glu Ser Ile Gln Gln Ala Met Asp Met Leu Ala Leu Asp Gly	225	230	235
45	Arg Ile Ser Val Ile Thr Phe His Ser Leu Glu Asp Arg Leu Thr Lys	245	250	255
	Gln Leu Phe Lys Glu Ala Ser Thr Val Glu Val Pro Lys Gly Leu Pro	260	265	270
50	Phe Ile Pro Asp Asp Leu Lys Pro Lys Met Glu Leu Val Ser Arg Lys	275	280	285
55	Pro Ile Leu Pro Ser Ala Glu Glu Leu Glu Ala Asn Asn Arg Ser His	290	295	300
	Ser Ala Lys Leu Arg Val Val Arg Lys Ile His Lys			

305 310 315

5 <210> 132
 <211> 332
 <212> PRT
 <213> Streptococcus pneumoniae

10 <400> 132
 Met Ser Arg Ile Leu Asp Asn Glu Ile Met Gly Asp Glu Glu Leu Val
 1 5 10 15

15 Glu Arg Thr Leu Arg Pro Gln Tyr Leu Arg Glu Tyr Ile Gly Gln Asp
 20 25 30

 Lys Val Lys Asp Gln Leu Gln Ile Phe Ile Glu Ala Ala Lys Met Arg
 35 40 45

20 Asp Glu Ala Leu Asp His Val Leu Leu Phe Gly Pro Pro Gly Leu Gly
 50 55 60

 Lys Thr Thr Met Ala Phe Val Ile Ala Asn Glu Leu Gly Val Asn Leu
 65 70 75 80

25 Lys Gln Thr Ser Gly Pro Val Ile Glu Lys Ala Gly Asp Leu Val Ala
 85 90 95

30 Ile Leu Asn Glu Leu Glu Pro Gly Asp Val Leu Phe Ile Asp Glu Ile
 100 105 110

 His Arg Leu Pro Met Ser Val Glu Glu Val Leu Tyr Ser Ala Met Glu
 115 120 125

35 Asp Phe Tyr Ile Asp Ile Met Ile Gly Ala Gly Glu Gly Ser Arg Ser
 130 135 140

 Val His Leu Glu Leu Pro Pro Phe Thr Leu Ile Gly Ala Thr Thr Arg
 145 150 155 160

40 Ala Gly Met Leu Ser Asn Pro Leu Arg Ala Arg Phe Gly Ile Thr Gly
 165 170 175

 His Met Glu Tyr Tyr Ala His Ala Asp Leu Thr Glu Ile Val Glu Arg
 180 185 190

45 Thr Ala Asp Ile Phe Glu Met Glu Ile Thr His Glu Ala Ala Ser Glu
 195 200 205

50 Leu Ala Leu Arg Ser Arg Gly Thr Pro Arg Ile Ala Asn Arg Leu Leu
 210 215 220

 Lys Arg Val Arg Asp Phe Ala Gln Ile Met Gly Asn Gly Val Ile Asp
 225 230 235 240

55 Asp Ile Ile Thr Asp Lys Ala Leu Thr Met Leu Asp Val Asp His Glu
 245 250 255

Gly Leu Asp Tyr Val Asp Gln Lys Ile Leu Arg Thr Met Ile Glu Met
 260 265 270

5 Tyr Ser Gly Gly Pro Val Gly Leu Gly Thr Leu Ser Val Asn Ile Ala
 275 280 285

Glu Glu Arg Glu Thr Val Glu Asp Met Tyr Glu Pro Tyr Leu Ile Gln
 290 295 300

10 Lys Gly Phe Ile Met Arg Thr Arg Ser Gly Arg Val Ala Thr Ala Lys
 305 310 315 320

Ala Tyr Glu His Leu Gly Tyr Glu Tyr Ser Glu Lys
 325 330

15

<210> 133
 <211> 436
 <212> PRT
 20 <213> Streptococcus pneumoniae

<400> 133
 Met Ser Met Phe Leu Asp Thr Ala Lys Ile Lys Val Lys Ala Gly Asn
 1 5 10 15

25 Gly Gly Asp Gly Met Val Ala Phe Arg Arg Glu Lys Tyr Val Pro Asn
 20 25 30

30 Gly Gly Pro Trp Gly Gly Asp Gly Gly Arg Gly Gly Asn Val Val Phe
 35 40 45

Val Val Asp Glu Gly Leu Arg Thr Leu Met Asp Phe Arg Tyr Asn Arg
 50 55 60

35 His Phe Lys Ala Asp Ser Gly Glu Lys Gly Met Thr Lys Gly Met His
 65 70 75 80

Gly Arg Gly Ala Glu Asp Leu Arg Val Arg Val Ser Gln Gly Thr Thr
 85 90 95

40 Val Arg Asp Ala Glu Thr Gly Lys Val Leu Thr Asp Leu Ile Lys His
 100 105 110

45 Gly Gln Glu Phe Ile Val Ala His Gly Gly Arg Gly Gly Arg Gly Asn
 115 120 125

Ile Arg Phe Ala Thr Pro Lys Asn Pro Ala Pro Glu Ile Ser Glu Asn
 130 135 140

50 Gly Glu Pro Gly Gln Glu Arg Glu Leu Gln Leu Glu Leu Lys Ile Leu
 145 150 155 160

Ala Asp Val Gly Leu Val Gly Phe Pro Ser Val Gly Lys Ser Thr Leu
 165 170 175

55 Leu Ser Val Ile Thr Ser Ala Lys Pro Lys Ile Gly Ala Tyr His Phe
 180 185 190

Thr Thr Ile Val Pro Asn Leu Gly Met Val Arg Thr Gln Ser Gly Glu
 195 200 205
 5 Ser Phe Ala Val Ala Asp Leu Pro Gly Leu Ile Glu Gly Ala Ser Gln
 210 215 220
 Gly Val Gly Leu Gly Thr Gln Phe Leu Arg His Ile Glu Arg Thr Arg
 225 230 235 240
 10 Val Ile Leu His Ile Ile Asp Met Ser Ala Ser Glu Gly Arg Asp Pro
 245 250 255
 Tyr Glu Asp Tyr Leu Ala Ile Asn Lys Glu Leu Glu Ser Tyr Asn Leu
 15 260 265 270
 Arg Leu Met Glu Arg Pro Gln Ile Ile Val Ala Asn Lys Met Asp Met
 275 280 285
 20 Pro Glu Ser Gln Glu Asn Leu Glu Glu Phe Lys Lys Lys Leu Ala Glu
 290 295 300
 Asn Tyr Asp Glu Phe Glu Glu Leu Pro Ala Ile Phe Pro Ile Ser Gly
 25 305 310 315 320
 Leu Thr Lys Gln Gly Leu Ala Thr Leu Leu Asp Ala Thr Ala Glu Leu
 325 330 335
 30 Leu Asp Lys Thr Pro Glu Phe Leu Leu Tyr Asp Glu Ser Asp Met Glu
 340 345 350
 Glu Glu Ala Tyr Tyr Gly Phe Asp Glu Glu Glu Lys Ala Phe Glu Ile
 355 360 365
 35 Ser Arg Asp Asp Asp Ala Thr Trp Val Leu Ser Gly Glu Lys Leu Met
 370 375 380
 Lys Leu Phe Asn Met Thr Asn Phe Asp Arg Asp Glu Ser Val Met Lys
 385 390 395 400
 40 Phe Ala Arg Gln Leu Arg Gly Met Gly Val Asp Glu Ala Leu Arg Ala
 405 410 415
 Arg Gly Ala Lys Asp Gly Asp Leu Val Arg Ile Gly Lys Phe Glu Phe
 45 420 425 430
 Glu Phe Val Asp
 435
 50
 <210> 134
 <211> 172
 <212> PRT
 <213> Streptococcus pneumoniae
 55
 <400> 134
 Met Asn Tyr Phe Asn Val Gly Lys Ile Val Asn Thr Gln Gly Leu Gln

1 5 10 15
 Gly Glu Met Arg Val Leu Ser Val Thr Asp Phe Ala Glu Glu Arg Phe
 20 25 30
 5 Lys Lys Gly Ala Glu Leu Ala Leu Phe Asp Glu Lys Asp Gln Phe Val
 35 40 45
 Gln Thr Val Thr Ile Ala Ser His Arg Lys Gln Lys Asn Phe Asp Ile
 10 50 55 60
 Ile Lys Phe Lys Asp Met Tyr His Ile Asn Thr Ile Glu Lys Tyr Lys
 65 70 75 80
 15 Gly Tyr Ser Leu Lys Val Ala Glu Glu Asp Leu Asn Asp Leu Asp Asp
 85 90 95
 Gly Glu Phe Tyr Tyr His Glu Ile Ile Gly Leu Glu Val Tyr Glu Gly
 20 100 105 110
 Asp Ser Leu Val Gly Thr Ile Lys Glu Ile Leu Gln Pro Gly Ala Asn
 115 120 125
 25 Asp Val Trp Val Val Lys Arg Lys Gly Lys Arg Asp Leu Leu Leu Pro
 130 135 140
 Tyr Ile Pro Pro Val Val Leu Asn Val Asp Ile Pro Asn Lys Arg Val
 145 150 155 160
 30 Asp Val Glu Ile Leu Glu Gly Leu Asp Asp Glu Asp
 165 170
 35 <210> 135
 <211> 239
 <212> PRT
 <213> Streptococcus pneumoniae
 40 <400> 135
 Met Lys Ile Asp Ile Leu Thr Leu Phe Pro Glu Met Phe Ser Pro Leu
 1 5 10 15
 Glu His Ser Ile Val Gly Lys Ala Arg Glu Lys Gly Leu Leu Asp Ile
 20 25 30
 45 Gln Tyr His Asn Phe Arg Glu Asn Ala Glu Lys Ala Arg His Val Asp
 35 40 45
 50 Asp Glu Pro Tyr Gly Gly Gly Gln Gly Met Leu Leu Arg Ala Gln Pro
 50 55 60
 Ile Phe Asp Ser Phe Asp Ala Ile Glu Lys Lys Asn Pro Arg Val Ile
 65 70 75 80
 55 Leu Leu Asp Pro Ala Gly Lys Gln Phe Asp Gln Ala Tyr Ala Glu Asp
 85 90 95

Leu Ala Gln Glu Glu Glu Leu Ile Phe Ile Cys Gly His Tyr Glu Gly
 100 105 110
 5 Tyr Asp Glu Arg Ile Lys Thr Leu Val Thr Asp Glu Ile Ser Leu Gly
 115 120 125
 Asp Tyr Val Leu Thr Gly Gly Glu Leu Ala Ala Met Thr Met Ile Asp
 130 135 140
 10 Ala Thr Val Arg Leu Ile Pro Glu Val Ile Gly Lys Glu Ser Ser His
 145 150 155 160
 Gln Asp Asp Ser Phe Ser Ser Gly Leu Leu Glu Tyr His Gln Tyr Thr
 165 170 175
 15 Arg Pro Tyr Asp Tyr Arg Gly Met Val Val Pro Asp Val Leu Met Ser
 180 185 190
 20 Gly His His Glu Lys Ile Arg Gln Trp Arg Leu Tyr Glu Ser Leu Lys
 195 200 205
 Lys Thr Tyr Glu Arg Arg Pro Asp Leu Leu Glu His Tyr Gln Leu Thr
 210 215 220
 25 Val Glu Glu Glu Lys Met Leu Ala Glu Ile Lys Glu Asn Lys Glu
 225 230 235
 30
 <210> 136
 <211> 186
 <212> PRT
 35 <213> Streptococcus pneumoniae
 <400> 136
 40 Met Ile Glu Ala Ser Lys Leu Lys Ala Gly Met Thr Phe Glu Thr Ala
 1 5 10 15
 Asp Gly Lys Leu Ile Arg Val Leu Glu Ala Ser His His Lys Pro Gly
 20 25 30
 45 Lys Gly Asn Thr Ile Met Arg Met Lys Leu Arg Asp Val Arg Thr Gly
 35 40 45
 Ser Thr Phe Asp Thr Ser Tyr Arg Pro Glu Glu Lys Phe Glu Gln Ala
 50 55 60
 Ile Ile Glu Thr Val Pro Ala Gln Tyr Leu Tyr Lys Met Asp Asp Thr
 65 70 75 80
 55 Ala Tyr Phe Met Asn Thr Glu Thr Tyr Asp Gln Tyr Glu Ile Pro Val
 85 90 95
 Val Asn Val Glu Asn Glu Leu Leu Tyr Ile Leu Glu Asn Ser Asp Val

75

	Leu	Glu	Gln	Ala	Gln	Thr	Asn	His	Asn	Asp	Tyr	Val	Leu	Ile	Asp	Thr	
				180					185					190			
5	Ala	Gly	Arg	Leu	Gln	Ile	Asp	Glu	Leu	Leu	Met	Asn	Glu	Leu	Arg	Asp	
			195					200					205				
	Val	Lys	Thr	Leu	Ala	Gln	Pro	Asn	Glu	Ile	Leu	Leu	Val	Val	Asp	Ala	
		210					215					220					
10	Met	Ile	Gly	Gln	Glu	Ala	Ala	Asn	Val	Ala	Arg	Glu	Phe	Asn	Ala	Gln	
	225					230					235					240	
	Leu	Glu	Val	Thr	Gly	Val	Ile	Leu	Thr	Lys	Ile	Asp	Gly	Asp	Thr	Arg	
15					245					250					255		
	Gly	Gly	Ala	Ala	Leu	Ser	Val	Arg	His	Ile	Thr	Gly	Lys	Pro	Ile	Lys	
				260					265					270			
20	Phe	Thr	Gly	Thr	Gly	Glu	Lys	Ile	Thr	Asp	Ile	Glu	Thr	Phe	His	Pro	
			275					280					285				
	Asp	Arg	Met	Ser	Ser	Arg	Ile	Leu	Gly	Met	Gly	Asp	Met	Leu	Thr	Leu	
25		290					295					300					
	Ile	Glu	Lys	Ala	Ser	Gln	Glu	Tyr	Asp	Glu	Gln	Lys	Ala	Leu	Glu	Met	
	305					310					315					320	
	Ala	Glu	Lys	Met	Arg	Glu	Asn	Thr	Phe	Asp	Phe	Asn	Asp	Phe	Ile	Asp	
30					325					330					335		
	Gln	Leu	Asp	Gln	Val	Gln	Asn	Met	Gly	Pro	Met	Glu	Asp	Leu	Leu	Lys	
				340					345					350			
35	Met	Ile	Pro	Gly	Met	Ala	Asn	Asn	Pro	Ala	Leu	Gln	Asn	Met	Lys	Val	
			355					360					365				
	Asp	Glu	Arg	Gln	Ile	Ala	Arg	Lys	Arg	Ala	Ile	Val	Ser	Ser	Met	Thr	
40		370					375					380					
	Pro	Glu	Glu	Arg	Glu	Asn	Pro	Asp	Leu	Leu	Asn	Pro	Ser	Arg	Arg	Arg	
	385					390					395					400	
	Arg	Ile	Ala	Ala	Gly	Ser	Gly	Asn	Thr	Phe	Val	Glu	Val	Asn	Lys	Phe	
45					405					410					415		
	Ile	Lys	Asp	Phe	Asn	Gln	Ala	Lys	Gln	Leu	Met	Gln	Gly	Val	Met	Ser	
				420					425					430			
50	Gly	Asp	Met	Asn	Lys	Met	Met	Lys	Gln	Met	Gly	Ile	Asn	Pro	Asn	Asn	
		435						440					445				
	Leu	Pro	Lys	Asn	Met	Pro	Asn	Met	Gly	Gly	Met	Asp	Met	Ser	Ala	Leu	
55		450					455					460					
	Glu	Gly	Met	Met	Gly	Gln	Gly	Gly	Met	Pro	Asp	Leu	Ser	Ala	Leu	Gly	
	465					470					475					480	

Gly Ala Gly Met Pro Asp Met Ser Gln Met Phe Gly Gly Gly Leu Lys
 485 490 495
 5 Gly Lys Ile Gly Glu Phe Ala Met Lys Gln Ser Met Lys Arg Met Ala
 500 505 510
 Asn Lys Met Lys Lys Ala Lys Lys Lys Arg Lys
 515 520
 10
 <210> 138
 <211> 281
 <212> PRT
 15 <213> Streptococcus pneumoniae
 <400> 138
 Met Tyr Leu Ile Glu Ile Leu Lys Ser Ile Phe Phe Gly Ile Val Glu
 1 5 10 15
 20 Gly Ile Thr Glu Trp Leu Pro Ile Ser Ser Thr Gly His Leu Ile Leu
 20 25 30
 Ala Glu Glu Phe Ile Gln Tyr Gln Asn Gln Asn Glu Ala Phe Met Ser
 25 35 40 45
 Met Phe Asn Val Val Ile Gln Leu Gly Ala Ile Leu Ala Val Met Val
 50 55 60
 30 Ile Tyr Phe Asn Lys Leu Asn Pro Phe Lys Pro Thr Lys Asp Lys Gln
 65 70 75 80
 Glu Val Arg Lys Thr Trp Arg Leu Trp Leu Lys Val Leu Ile Ala Thr
 85 90 95
 35 Leu Pro Leu Leu Gly Val Phe Lys Phe Asp Asp Trp Phe Asp Thr His
 100 105 110
 Phe His Asn Met Val Ser Val Ala Leu Met Leu Ile Ile Tyr Gly Val
 40 115 120 125
 Ala Phe Ile Tyr Leu Glu Lys Arg Asn Lys Ala Arg Ala Ile Glu Pro
 130 135 140
 45 Ser Val Thr Glu Leu Asp Lys Leu Pro Tyr Thr Thr Ala Phe Tyr Ile
 145 150 155 160
 Gly Leu Phe Gln Val Leu Ala Leu Leu Pro Gly Thr Ser Arg Ser Gly
 165 170 175
 50 Ala Thr Ile Val Gly Gly Leu Leu Asn Gly Thr Ser Arg Ser Val Val
 180 185 190
 Thr Glu Phe Thr Phe Tyr Leu Gly Ile Pro Val Met Phe Gly Ala Ser
 55 195 200 205
 Ala Leu Lys Ile Phe Lys Phe Val Lys Ala Gly Glu Leu Leu Ser Phe

210 215 220
 Gly Gln Leu Phe Leu Leu Leu Val Ala Met Gly Val Ala Phe Ala Val
 225 230 235 240
 5 Ser Met Val Ala Ile Arg Phe Leu Thr Ser Tyr Val Lys Lys His Asp
 245 250 255
 Phe Thr Leu Phe Gly Lys Tyr Arg Ile Val Leu Gly Ser Val Leu Leu
 10 260 265 270
 Leu Tyr Ser Phe Val Arg Leu Phe Val
 275 280
 15 <210> 139
 <211> 429
 <212> PRT
 <213> Streptococcus pneumoniae
 20 <400> 139
 Met Gly Leu Phe Asp Arg Leu Phe Gly Lys Lys Glu Glu Pro Lys Ile
 1 5 10 15
 25 Glu Glu Val Val Lys Glu Ala Leu Glu Asn Leu Asp Leu Ser Glu Asp
 20 25 30
 Ile Glu Pro Ala Phe Thr Glu Ala Glu Glu Val Ser Gln Glu Glu Ala
 35 40 45
 30 Glu Val Glu Ser Ser Glu Glu Ser Val Phe Gln Glu Glu Asp Ser Gln
 50 55 60
 35 Asp Thr Val Glu Glu Asn Leu Asp Leu Glu Pro Val Val Glu Val Ser
 65 70 75 80
 Gln Glu Glu Val Glu Glu Phe Pro Asn Ser Gln Glu Val Thr Glu Glu
 85 90 95
 40 Glu Lys Leu Glu His Glu Gly Thr Val Glu Glu Asn Asn Phe Glu Val
 100 105 110
 Leu Glu Pro Glu Ala Pro Gln Thr Glu Glu Thr Val Gln Glu Lys Tyr
 115 120 125
 45 Asp Arg Ser Leu Lys Lys Thr Arg Thr Gly Phe Gly Ala Arg Leu Asn
 130 135 140
 50 Ala Phe Phe Ala Asn Phe Arg Ser Val Asp Glu Glu Phe Phe Glu Glu
 145 150 155 160
 Leu Glu Glu Leu Leu Ile Met Ser Asp Val Gly Val Gln Val Ala Ser
 165 170 175
 55 Asn Leu Thr Glu Glu Leu Arg Tyr Glu Ala Lys Leu Glu Asn Ala Lys
 180 185 190

Lys Pro Asp Ala Leu Arg Arg Val Ile Ile Glu Lys Leu Val Glu Leu
 195 200 205
 5 Tyr Glu Lys Asp Gly Ser Tyr Asp Glu Ser Ile His Phe Gln Asp Asn
 210 215 220
 Leu Thr Val Met Leu Phe Val Gly Val Asn Gly Val Gly Lys Thr Thr
 225 230 235 240
 10 Ser Ile Gly Lys Leu Ala His Arg Tyr Lys Arg Ala Gly Lys Lys Val
 245 250 255
 Met Leu Val Ala Ala Asp Thr Phe Arg Ala Gly Ala Val Ala Gln Leu
 260 265 270
 15 Ala Glu Trp Gly Arg Arg Val Asp Val Pro Val Val Thr Gly Pro Glu
 275 280 285
 20 Lys Ala Asp Pro Ala Ser Val Val Phe Asp Gly Met Glu Arg Ala Val
 290 295 300
 Ala Glu Gly Ile Asp Ile Leu Met Ile Asp Thr Ala Gly Arg Leu Gln
 305 310 315 320
 25 Asn Lys Asp Asn Leu Met Ala Glu Leu Glu Lys Ile Gly Arg Ile Ile
 325 330 335
 Lys Arg Val Val Pro Glu Ala Pro His Glu Thr Phe Leu Ala Leu Asp
 340 345 350
 30 Ala Ser Thr Gly Gln Asn Ala Leu Val Gln Ala Lys Glu Phe Ser Lys
 355 360 365
 35 Ile Thr Pro Leu Thr Gly Ile Val Leu Thr Lys Ile Asp Gly Thr Ala
 370 375 380
 Arg Gly Gly Val Val Leu Ala Ile Arg Glu Glu Leu Asn Ile Pro Val
 385 390 395 400
 40 Lys Leu Ile Gly Phe Gly Glu Lys Ile Asp Asp Ile Gly Glu Phe Asn
 405 410 415
 Ser Glu Asn Phe Met Lys Gly Leu Leu Glu Gly Leu Ile
 420 425
 45
 <210> 140
 <211> 165
 <212> PRT
 50 <213> Streptococcus pneumoniae
 <400> 140
 Met Tyr Ile Glu Met Val Asp Glu Thr Gly Gln Val Ser Lys Glu Met
 1 5 10 15
 55 Leu Gln Gln Thr Gln Glu Ile Leu Glu Phe Ala Ala Lys Lys Leu Gly
 20 25 30

Lys Glu Asp Lys Glu M t Ala Val Thr Phe Val Thr Asn Glu Arg Ser
 35 40 45
 5 His Glu Leu Asn Leu Glu Tyr Arg Asp Thr Asp Arg Pro Thr Asp Val
 50 55 60
 Ile Ser Leu Glu Tyr Lys Pro Glu Leu Glu Ile Ala Phe Asp Glu Glu
 65 70 75 80
 10 Asp Leu Leu Glu Asn Pro Glu Leu Ala Glu Met Met Ser Glu Phe Asp
 85 90 95
 Ala Tyr Ile Gly Glu Leu Phe Ile Ser Ile Asp Lys Ala His Glu Gln
 100 105 110
 15 Ala Glu Glu Tyr Gly His Ser Phe Glu Arg Glu Met Gly Phe Leu Ala
 115 120 125
 20 Val His Gly Phe Leu His Ile Asn Gly Tyr Asp His Tyr Thr Pro Glu
 130 135 140
 Glu Glu Ala Glu Met Phe Gly Leu Gln Glu Glu Ile Leu Thr Ala Tyr
 145 150 155 160
 25 Gly Leu Thr Arg Gln
 165
 30 <210> 141
 <211> 255
 <212> PRT
 <213> Streptococcus pneumoniae
 35 <400> 141
 Met Ser Ile Arg Val Ile Ile Ala Gly Phe Lys Gly Lys Met Gly Gln
 1 5 10 15
 40 Ala Ala Cys Gln Met Val Leu Thr Asp Pro Asp Leu Asp Leu Val Ala
 20 25 30
 Val Leu Asp Pro Phe Glu Ser Glu Ser Glu Trp Gln Gly Ile Pro Val
 35 40 45
 45 Phe Lys Asp Lys Ala Asp Leu Ala Gly Phe Glu Ala Asp Val Trp Val
 50 55 60
 Asp Phe Thr Thr Pro Ala Val Ala Tyr Glu Asn Thr Arg Phe Ala Leu
 65 70 75 80
 50 Glu Asn Gly Phe Ala Pro Val Val Gly Thr Thr Gly Phe Thr Ser Glu
 85 90 95
 Glu Ile Ala Glu Leu Lys Glu Phe Ser Arg Ala Gln Asp Leu Gly Gly
 100 105 110
 55 Leu Ile Ala Pro Asn Phe Ala Leu Gly Ala Val Leu Leu Met Gln Phe

115 120 125
 Ala Thr Gln Ala Ala Lys Tyr Phe Pro Asn Val Glu Ile Ile Glu Leu
 130 135 140
 5 His His Asp Lys Lys Lys Asp Ala Pro Ser Gly Thr Ala Ile Lys Thr
 145 150 155 160
 10 Ala Glu Leu Met Ala Glu Val Arg Glu Ser Ile Gln Gln Gly Ala Ala
 165 170 175
 Asp Glu Glu Glu Leu Ile Ala Gly Ala Arg Gly Ala Asp Phe Asp Gly
 180 185 190
 15 Met Arg Ile His Ser Val Arg Leu Pro Gly Leu Val Ala His Gln Glu
 195 200 205
 20 Val Ile Phe Gly Asn Gln Gly Glu Gly Leu Thr Leu Arg His Asp Ser
 210 215 220
 Tyr Asp Arg Ile Ser Phe Met Thr Gly Val Asn Leu Gly Ile Lys Glu
 225 230 235 240
 25 Val Val Lys Arg His Glu Leu Val Tyr Gly Leu Glu His Leu Leu
 245 250 255
 <210> 142
 <211> 91
 30 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 142
 35 Met Ala Asn Lys Gln Asp Leu Ile Ala Lys Val Ala Glu Ala Thr Glu
 1 5 10 15
 Leu Thr Lys Lys Asp Ser Ala Ala Ala Val Glu Ala Val Phe Ala Ala
 20 25 30
 40 Val Ala Asp Tyr Leu Ala Ala Gly Glu Lys Val Gln Leu Ile Gly Phe
 35 40 45
 Ser Asn Phe Glu Val Arg Glu Arg Ala Glu Arg Lys Gly Arg Asn Pro
 50 55 60
 45 Gln Thr Gly Lys Glu Met Thr Ile Ala Ala Ser Lys Val Pro Ala Phe
 65 70 75 80
 50 Lys Ala Gly Lys Ala Leu Lys Asp Ala Val Lys
 85 90
 <210> 143
 <211> 306
 55 <212> PRT
 <213> Streptococcus pneumoniae

<400> 143

	Met	Thr	Lys	Thr	Ala	Phe	Leu	Phe	Ala	Gly	Gln	Gly	Ala	Gln	Tyr	Leu	
	1				5					10					15		
5	Gly	Met	Gly	Arg	Asp	Phe	Tyr	Asp	Gln	Tyr	Pro	Ile	Val	Lys	Glu	Thr	
				20					25					30			
	Ile	Asp	Arg	Ala	Ser	Gln	Val	Leu	Gly	Tyr	Asp	Leu	Arg	Tyr	Leu	Ile	
				35				40					45				
10	Asp	Thr	Glu	Glu	Asp	Lys	Leu	Asn	Gln	Thr	Arg	Tyr	Thr	Gln	Pro	Ala	
		50					55					60					
	Ile	Leu	Ala	Thr	Ser	Val	Ala	Ile	Tyr	Arg	Leu	Leu	Gln	Glu	Lys	Gly	
15		65				70					75					80	
	Tyr	Gln	Pro	Asp	Met	Val	Ala	Gly	Leu	Ser	Leu	Gly	Glu	Tyr	Ser	Ala	
					85					90					95		
20	Leu	Val	Ala	Ser	Gly	Ala	Leu	Asp	Phe	Glu	Asp	Ala	Val	Ala	Leu	Val	
				100					105					110			
	Ala	Lys	Arg	Gly	Ala	Tyr	Met	Glu	Glu	Ala	Ala	Pro	Ala	Asp	Ser	Gly	
			115					120					125				
25	Lys	Met	Val	Ala	Val	Leu	Asn	Thr	Pro	Val	Glu	Val	Ile	Glu	Glu	Ala	
		130					135					140					
	Cys	Gln	Lys	Ala	Ser	Glu	Leu	Gly	Val	Val	Thr	Pro	Ala	Asn	Tyr	Asn	
30		145				150					155					160	
	Thr	Pro	Ala	Gln	Ile	Val	Ile	Ala	Gly	Glu	Val	Val	Ala	Val	Asp	Arg	
				165						170					175		
35	Ala	Val	Glu	Leu	Leu	Gln	Glu	Ala	Gly	Ala	Lys	Arg	Leu	Ile	Pro	Leu	
				180					185					190			
	Lys	Val	Ser	Gly	Pro	Phe	His	Thr	Ala	Leu	Leu	Glu	Pro	Ala	Ser	Gln	
			195					200					205				
40	Lys	Leu	Ala	Glu	Thr	Leu	Ala	Gln	Val	Ser	Phe	Ser	Asp	Phe	Thr	Cys	
		210					215					220					
	Pro	Leu	Val	Gly	Asn	Thr	Glu	Ala	Ala	Val	Met	Gln	Lys	Glu	Asp	Ile	
45		225				230					235					240	
	Ala	Gln	Leu	Leu	Thr	Arg	Gln	Val	Lys	Glu	Pro	Val	Arg	Phe	Tyr	Glu	
				245						250				255			
50	Ser	Ile	Gly	Val	Met	Gln	Glu	Ala	Gly	Ile	Ser	Asn	Phe	Ile	Glu	Ile	
				260					265					270			
	Gly	Pro	Gly	Lys	Val	Leu	Ser	Gly	Phe	Val	Lys	Lys	Ile	Asp	Gln	Thr	
			275					280					285				
55	Ala	His	Leu	Ala	His	Val	Glu	Asp	Gln	Ala	Ser	Leu	Val	Ala	Leu	Leu	
		290					295					300					

Glu Lys
305

5

<210> 144
<211> 243
<212> PRT
<213> Streptococcus pneumoniae

10

<400> 144
Met Lys Leu Glu His Lys Asn Ile Phe Ile Thr Gly Ser Ser Arg Gly
1 5 10 15

15

Ile Gly Leu Ala Ile Ala His Lys Phe Ala Gln Ala Gly Ala Asn Ile
20 25 30

Val Leu Asn Ser Arg Gly Ala Ile Ser Glu Glu Leu Leu Ala Glu Phe
35 40 45

20

Ser Asn Tyr Gly Ile Lys Val Val Pro Ile Ser Gly Asp Val Ser Asp
50 55 60

25

Phe Ala Asp Ala Lys Arg Met Ile Asp Gln Ala Ile Ala Glu Leu Gly
65 70 75 80

Ser Val Asp Val Leu Val Asn Asn Ala Gly Ile Thr Gln Asp Thr Leu
85 90 95

30

Met Leu Lys Met Thr Glu Ala Asp Phe Glu Lys Val Leu Lys Val Asn
100 105 110

Leu Thr Gly Ala Phe Asn Met Thr Gln Ser Val Leu Lys Pro Met Met
115 120 125

35

Lys Ala Arg Glu Gly Ala Ile Ile Asn Met Ser Ser Val Val Gly Leu
130 135 140

40

Met Gly Asn Ile Gly Gln Ala Asn Tyr Ala Ala Ser Lys Ala Gly Leu
145 150 155 160

Ile Gly Phe Thr Lys Ser Val Ala Arg Glu Val Ala Ser Arg Asn Ile
165 170 175

45

Arg Val Asn Val Ile Ala Pro Gly Met Ile Glu Ser Asp Met Thr Ala
180 185 190

Ile Leu Ser Asp Lys Ile Lys Glu Ala Thr Leu Ala Gln Ile Pro Met
195 200 205

50

Lys Glu Phe Gly Gln Ala Glu Gln Val Ala Asp Leu Thr Val Phe Leu
210 215 220

55

Ala Gly Gln Asp Tyr Leu Thr Gly Gln Val Val Ala Ile Asp Gly Gly
225 230 235 240

Leu Ser Met

5 <210> 145
 <211> 276
 <212> PRT
 <213> Streptococcus pneumoniae

 <400> 145
 10 Met Gly Val Lys Lys Lys Leu Lys Leu Thr Ser Leu Leu Gly Leu Ser
 1 5 10 15
 Leu Leu Ile Met Thr Ala Cys Ala Thr Asn Gly Val Thr Ser Asp Ile
 20 25 30
 15 Thr Ala Glu Ser Ala Asp Phe Trp Ser Lys Leu Val Tyr Phe Phe Ala
 35 40 45
 Glu Ile Ile Arg Phe Leu Ser Phe Asp Ile Ser Ile Gly Val Gly Ile
 20 50 55 60
 Ile Leu Phe Thr Val Leu Ile Arg Thr Val Leu Leu Pro Val Phe Gln
 65 70 75 80
 25 Val Gln Met Val Ala Ser Arg Lys Met Gln Glu Ala Gln Pro Arg Ile
 85 90 95
 Lys Ala Leu Arg Glu Gln Tyr Pro Gly Arg Asp Met Glu Ser Arg Thr
 100 105 110
 30 Lys Leu Glu Gln Glu Met Arg Lys Val Phe Lys Glu Met Gly Val Arg
 115 120 125
 Gln Ser Asp Ser Leu Trp Pro Ile Leu Ile Gln Met Pro Val Ile Leu
 35 130 135 140
 Ala Leu Phe Gln Ala Leu Ser Arg Val Asp Phe Leu Lys Thr Gly His
 145 150 155 160
 40 Phe Leu Trp Ile Asn Leu Gly Ser Val Asp Thr Thr Leu Val Leu Pro
 165 170 175
 Ile Leu Ala Ala Val Phe Thr Phe Leu Ser Thr Trp Leu Ser Asn Lys
 180 185 190
 45 Ala Leu Ser Glu Arg Asn Gly Ala Thr Thr Ala Met Met Tyr Gly Ile
 195 200 205
 Pro Val Leu Ile Phe Ile Phe Ala Val Tyr Ala Pro Gly Gly Val Ala
 50 210 215 220
 Leu Tyr Trp Thr Val Ser Asn Ala Tyr Gln Val Leu Gln Thr Tyr Phe
 225 230 235 240
 55 Leu Asn Asn Pro Phe Lys Ile Ile Ala Glu Arg Glu Ala Val Val Gln
 245 250 255

Ala Gln Lys Asp Leu Glu Asn Arg Lys Arg Lys Ala Lys Lys Lys Ala
 260 265 270

5 Gln Lys Thr Lys
 275

<210> 146

<211> 409

10 <212> PRT

<213> Streptococcus pneumoniae

<400> 146

15 Met Lys Ile Ser Lys Arg His Leu Leu Asn Tyr Ser Ile Leu Ile Pro
 1 5 10 15

Tyr Leu Leu Leu Ser Ile Leu Gly Leu Ile Val Val Tyr Ser Thr Thr
 20 25 30

20 Ser Ala Ile Leu Ile Glu Glu Gly Lys Ser Ala Leu Gln Leu Val Arg
 35 40 45

Asn Gln Gly Ile Phe Trp Ile Val Ser Leu Ile Leu Ile Ala Leu Ile
 50 55 60

25 Tyr Lys Leu Arg Leu Asp Phe Leu Arg Asn Glu Arg Leu Ile Ile Leu
 65 70 75 80

30 Val Ile Leu Ile Glu Met Leu Leu Leu Phe Leu Ala Arg Phe Ile Gly
 85 90 95

Ile Ser Val Asn Gly Ala Tyr Gly Trp Ile Ser Val Ala Gly Val Thr
 100 105 110

35 Ile Gln Pro Ala Glu Tyr Leu Lys Ile Ile Ile Ile Trp Tyr Leu Ala
 115 120 125

His Arg Phe Ser Lys Gln Gln Glu Glu Ile Ala Thr Tyr Asp Phe Gln
 130 135 140

40 Val Leu Thr Gln Asn Gln Trp Leu Pro Arg Ala Phe Asn Asp Trp Arg
 145 150 155 160

45 Phe Val Leu Leu Val Leu Ile Gly Ser Leu Gly Ile Phe Pro Asp Leu
 165 170 175

Gly Asn Ala Thr Ile Leu Val Leu Val Ser Leu Ile Met Tyr Thr Val
 180 185 190

50 Ser Gly Ile Ala Tyr Arg Trp Phe Ser Thr Ile Leu Ala Leu Val Ser
 195 200 205

Ala Thr Ser Val Phe Val Leu Thr Thr Ile Ser Leu Ile Gly Val Glu
 210 215 220

55 Thr Phe Ser Lys Ile Pro Val Phe Gly Tyr Val Ala Lys Arg Phe Ser
 225 230 235 240

Ala Phe Phe Asn Pro Phe Ala Asp Arg Ala Asp Ala Gly His Gln Leu
 245 250 255
 5 Ala Asn Ser Tyr Phe Ala Met Val Asn Gly Gly Trp Phe Gly Leu Gly
 260 265 270
 Leu Gly Asn Ser Ile Glu Lys Arg Gly Tyr Leu Pro Glu Ala His Thr
 275 280 285
 10 Asp Phe Val Phe Ser Ile Val Ile Glu Glu Phe Gly Phe Val Gly Ala
 290 295 300
 Ser Leu Ile Leu Ala Leu Leu Phe Phe Met Ile Leu Arg Ile Ile Leu
 15 305 310 315 320
 Val Gly Ile Arg Ala Glu Asn Pro Phe Asn Ala Met Val Ala Leu Gly
 325 330 335
 20 Val Gly Gly Met Met Leu Val Gln Val Phe Val Asn Ile Gly Gly Ile
 340 345 350
 Ser Gly Leu Ile Pro Ser Thr Gly Val Thr Phe Pro Phe Leu Ser Gln
 355 360 365
 25 Gly Gly Asn Ser Leu Leu Val Leu Ser Val Ala Val Ala Phe Val Leu
 370 375 380
 Asn Ile Asp Ala Ser Glu Lys Arg Ala Lys Leu Tyr Arg Glu Leu Glu
 30 385 390 395 400
 Asn Gln Pro Met Asn Leu Leu Leu Lys
 405
 35
 <210> 147
 <211> 419
 <212> PRT
 <213> Streptococcus pneumoniae
 40
 <400> 147
 Met Leu Gly Ile Leu Thr Phe Ile Leu Val Phe Gly Ile Ile Val Val
 1 5 10 15
 45 Val His Glu Phe Gly His Phe Tyr Phe Ala Lys Lys Ser Gly Ile Leu
 20 25 30
 Val Arg Glu Phe Ala Ile Gly Met Gly Pro Lys Ile Phe Ala His Ile
 35 40 45
 50 Gly Lys Asp Gly Thr Ala Tyr Thr Ile Arg Ile Leu Pro Leu Gly Gly
 50 55 60
 Tyr Val Arg Met Ala Gly Trp Gly Asp Asp Thr Thr Glu Ile Lys Thr
 55 65 70 75 80
 Gly Thr Pro Val Ser Leu Thr Leu Ala Asp Asp Gly Lys Val Lys Arg

[illegible]

385 390 395 400
 Met Val Val Leu Met Ile Ala Val Thr Trp Asn Asp Ile Met Arg Leu
 405 410 415
 5 Phe Phe Arg

 10 <210> 148
 <211> 197
 <212> PRT
 <213> Streptococcus pneumoniae

 15 <400> 148
 Met Tyr Ala Tyr Leu Lys Gly Ile Ile Thr Lys Ile Thr Ala Lys Tyr
 1 5 10 15
 Ile Val Leu Glu Thr Asn Gly Ile Gly Tyr Ile Leu His Val Ala Asn
 20 20 25 30
 Pro Tyr Ala Tyr Ser Gly Gln Val Asn Gln Glu Ala Gln Ile Tyr Val
 35 40 45
 25 His Gln Val Val Arg Glu Asp Ala His Leu Leu Tyr Gly Phe Arg Ser
 50 55 60
 Glu Asp Glu Lys Lys Leu Phe Leu Ser Leu Ile Ser Val Ser Gly Ile
 65 70 75 80
 30 Gly Pro Val Ser Ala Leu Ala Ile Ile Ala Ala Asp Asp Asn Ala Gly
 85 90 95
 Leu Val Gln Ala Ile Glu Thr Lys Asn Ile Thr Tyr Leu Thr Lys Phe
 35 100 105 110
 Pro Lys Ile Gly Lys Lys Thr Ala Gln Gln Met Val Leu Asp Leu Glu
 115 120 125
 40 Gly Lys Val Val Val Ala Gly Asp Asp Leu Pro Ala Lys Val Ala Val
 130 135 140
 Gln Ala Ser Ala Glu Asn Gln Glu Leu Glu Glu Ala Met Glu Ala Met
 145 150 155 160
 45 Leu Ala Leu Gly Tyr Lys Ala Thr Glu Leu Lys Lys Ile Lys Lys Phe
 165 170 175
 Phe Glu Gly Thr Thr Asp Thr Ala Glu Asn Tyr Ile Lys Ser Ala Leu
 50 180 185 190
 Lys Met Leu Val Lys
 195

 55 <210> 149
 <211> 257

<212> PRT

<213> Streptococcus pneumoniae

<400> 149

5 Met Lys Asn Asn Arg Ile Leu Ala Leu Ser Gly Asn Asp Ile Phe Ser
 1 5 10 15
 Gly Gly Gly Leu Ser Ala Asp Leu Ala Thr Tyr Thr Leu Asn Gly Leu
 20 25 30
 10 His Gly Phe Val Ala Val Thr Cys Leu Thr Ala Leu Thr Glu Lys Gly
 35 40 45
 15 Phe Glu Val Phe Pro Thr Asp Asp Thr Ile Phe Gln His Glu Leu Asp
 50 55 60
 Ser Leu Arg Asp Val Glu Phe Gly Gly Ile Lys Ile Gly Leu Leu Pro
 65 70 75 80
 20 Thr Val Ser Val Ala Glu Lys Ala Leu Asp Phe Ile Lys Gln Arg Pro
 85 90 95
 Gly Val Pro Val Val Leu Asp Pro Val Leu Val Cys Lys Glu Thr His
 100 105 110
 25 Asp Val Ala Val Ser Glu Leu Cys Gln Glu Leu Ile Arg Phe Phe Pro
 115 120 125
 30 Tyr Val Ser Val Ile Thr Pro Asn Leu Pro Glu Ala Glu Leu Leu Ser
 130 135 140
 Gly Gln Glu Ile Lys Thr Leu Glu Asp Met Lys Thr Ala Ala Gln Lys
 145 150 155 160
 35 Leu His Asp Leu Gly Ala Pro Ala Val Ile Ile Lys Gly Gly Asn Arg
 165 170 175
 Leu Ser Gln Asp Lys Ala Val Asp Val Phe Tyr Asp Gly Gln Thr Phe
 180 185 190
 40 Thr Ile Leu Glu Asn Pro Val Ile Gln Gly Gln Asn Ala Gly Ala Gly
 195 200 205
 45 Cys Thr Phe Ala Ser Ser Ile Ala Ser His Leu Val Lys Gly Asp Lys
 210 215 220
 Phe Leu Pro Ala Val Glu Ser Ser Lys Ala Phe Val Tyr Arg Ala Ile
 225 230 235 240
 50 Ala Gln Ala Asp Gln Tyr Gly Val Arg Gln Tyr Glu Ala Asn Lys Asn
 245 250 255
 Asn
 55
 <210> 150

<211> 412

<212> PRT

<213> Streptococcus pneumoniae

5

<400> 150

Met Ile Glu Thr Glu Lys Lys Glu Glu Arg Val Leu Leu Ile Gly Val
 1 5 10 15

10

Glu Leu Gln Gly Met Asp Ser Phe Asp Leu Ser Met Glu Glu Leu Ala
 20 25 30

Ser Leu Ala Lys Thr Ala Gly Ala Val Val Val Asp Ser Tyr Arg Gln
 35 40 45

15

Lys Arg Glu Lys Tyr Asp Ser Lys Thr Phe Val Gly Ser Gly Lys Leu
 50 55 60

20

Glu Glu Ile Ala Leu Met Val Asp Ala Glu Glu Ile Thr Thr Val Ile
 65 70 75 80

Val Asn Asn Arg Leu Thr Pro Arg Gln Asn Val Asn Leu Glu Glu Val
 85 90 95

25

Leu Gly Val Lys Val Ile Asp Arg Met Gln Leu Ile Leu Asp Ile Phe
 100 105 110

Ala Met Arg Ala Arg Ser His Glu Gly Lys Leu Gln Val His Leu Ala
 115 120 125

30

Gln Phe Lys Tyr Leu Leu Pro Arg Leu Val Gly Gln Gly Ile Met Leu
 130 135 140

Ser Arg Gln Ala Gly Gly Ile Gly Ser Arg Gly Pro Gly Glu Ser Gln
 145 150 155 160

35

Leu Glu Leu Asn Arg Arg Ser Val Arg Asn Gln Ile Thr Asp Ile Glu
 165 170 175

40

Arg Gln Leu Lys Val Val Glu Lys Asn Arg Ala Thr Val Arg Glu Lys
 180 185 190

Arg Leu Glu Ser Ser Thr Phe Lys Ile Gly Leu Ile Gly Tyr Thr Asn
 195 200 205

45

Ala Gly Lys Ser Thr Ile Met Asn Ile Leu Thr Ser Lys Thr Gln Tyr
 210 215 220

Glu Ala Asp Glu Leu Phe Ala Thr Leu Asp Ala Thr Thr Lys Ser Ile
 225 230 235 240

50

His Leu Gly Gly Asn Leu Gln Val Thr Leu Thr Asp Thr Val Gly Phe
 245 250 255

55

Ile Gln Asp Leu Pro Thr Glu Leu Val Ser Ser Phe Lys Ser Thr Leu
 260 265 270

Glu Glu Ser Lys His Val Asp Leu Leu Val His Val Ile Asp Ala Ser

	275	280	285
5	Asn Pro Tyr His Glu Glu His Glu Lys Thr Val Leu Ser Ile Met Lys 290 295 300		
	Asp Leu Asp Met Glu Asp Ile Pro His Leu Thr Leu Tyr Asn Lys Ala 305 310 315 320		
10	Asp Leu Val Glu Asp Phe Thr Pro Thr Gln Thr Pro Tyr Thr Leu Ile 325 330 335		
	Ser Ala Lys Ser Glu Asp Ser Arg Glu Asn Leu Gln Ala Leu Leu Leu 340 345 350		
15	Asp Lys Ile Lys Glu Ile Phe Glu Ala Phe Thr Leu Arg Val Pro Phe 355 360 365		
	Ser Lys Ser Tyr Lys Ile His Asp Leu Glu Ser Val Ala Ile Leu Glu 370 375 380		
20	Glu Arg Asp Tyr Gln Glu Asp Gly Glu Val Ile Thr Gly Tyr Ile Ser 385 390 395 400		
25	Glu Lys Asn Lys Trp Arg Leu Glu Glu Phe Tyr Asp 405 410		
30	<210> 151 <211> 160 <212> PRT <213> Streptococcus pneumoniae		
35	<400> 151 Met Ala Glu Lys Thr Tyr Pro Met Thr Leu Glu Glu Lys Glu Lys Leu 1 5 10 15		
	Glu Lys Glu Leu Glu Glu Leu Lys Leu Val Arg Arg Pro Glu Val Val 20 25 30		
40	Glu Arg Ile Lys Ile Ala Arg Ser Tyr Gly Asp Leu Ser Glu Asn Ser 35 40 45		
45	Glu Tyr Glu Ala Ala Lys Asp Glu Gln Ala Phe Val Glu Gly Gln Ile 50 55 60		
	Ser Ser Leu Glu Thr Lys Ile Arg Tyr Ala Glu Ile Val Asn Ser Asp 65 70 75 80		
50	Ala Val Ala Gln Asp Glu Val Ala Ile Gly Lys Thr Val Thr Ile Gln 85 90 95		
	Glu Ile Gly Glu Asp Glu Glu Glu Val Tyr Ile Ile Val Gly Ser Ala 100 105 110		
55	Gly Ala Asp Ala Phe Ala Gly Lys Val Ser Asn Glu Ser Pro Ile Gly 115 120 125		

Gln Ala Leu Ile Gly Lys Lys Thr Gly Asp Thr Ala Thr Ile Glu Thr
 130 135 140

5 Pro Val Gly Ser Tyr Asp Val Lys Ile Leu Lys Val Glu Lys Thr Ala
 145 150 155 160

10
 <210> 152
 <211> 189
 <212> PRT
 <213> Streptococcus pneumoniae

15
 <400> 152
 Met Thr Lys Leu Leu Val Gly Leu Gly Asn Pro Gly Asp Lys Tyr Phe
 1 5 10 15

20 Glu Thr Lys His Asn Val Gly Phe Met Leu Ile Asp Gln Leu Ala Lys
 20 25 30

Lys Gln Asn Val Thr Phe Thr His Asp Lys Ile Phe Gln Ala Asp Leu
 35 40 45

25 Ala Ser Phe Phe Leu Asn Gly Glu Lys Ile Tyr Leu Val Lys Pro Thr
 50 55 60

30 Thr Phe Met Asn Glu Ser Gly Lys Ala Val His Ala Leu Leu Thr Tyr
 65 70 75 80

Tyr Gly Leu Asp Ile Asp Asp Leu Leu Ile Ile Tyr Asp Asp Leu Asp
 85 90 95

35 Met Glu Val Gly Lys Ile Arg Leu Arg Ala Lys Gly Ser Ala Gly Gly
 100 105 110

His Asn Gly Ile Lys Ser Ile Ile Gln His Ile Gly Thr Gln Val Phe
 115 120 125

40 Asn Arg Val Lys Ile Gly Ile Gly Arg Pro Lys Asn Gly Met Ser Val
 130 135 140

45 Val His His Val Leu Ser Lys Phe Asp Arg Asp Glu Tyr Ile Gly Ile
 145 150 155 160

Leu Gln Ser Val Asp Lys Val Asp Asp Ser Val Asn Tyr Tyr Leu Gln
 165 170 175

50 Glu Lys Asn Phe Glu Lys Thr Met Gln Arg Tyr Asn Gly
 180 185

55
 <210> 153
 <211> 283
 <212> PRT
 <213> Streptococcus pneumoniae

<400> 153
 Met Ile Leu Ile Thr Gly Ala Asn Gly Gln Leu Gly Thr Glu Leu Arg
 1 5 10 15
 5 Tyr Leu Leu Asp Glu Arg Asn Glu Glu Tyr Val Ala Val Asp Val Ala
 20 25 30
 10 Lys Met Asp Ile Thr Asn Glu Glu Met Val Glu Lys Val Phe Glu Glu
 35 40 45
 Val Lys Pro Thr Leu Val Tyr His Cys Ala Ala Tyr Thr Ala Val Asp
 50 55 60
 15 Ala Ala Glu Asp Glu Gly Lys Glu Leu Asp Phe Ala Ile Asn Val Thr
 65 70 75 80
 Gly Thr Lys Asn Val Ala Lys Ala Ser Glu Lys His Gly Ala Thr Leu
 85 90 95
 20 Val Tyr Ile Ser Thr Asp Tyr Val Phe Asp Gly Lys Lys Pro Val Gly
 100 105 110
 25 Gln Glu Trp Glu Val Asp Asp Arg Pro Asp Pro Gln Thr Glu Tyr Gly
 115 120 125
 Arg Thr Lys Arg Met Gly Glu Glu Leu Val Glu Lys His Val Ser Asn
 130 135 140
 30 Phe Tyr Ile Ile Arg Thr Ala Trp Val Phe Gly Asn Tyr Gly Lys Asn
 145 150 155 160
 Phe Val Phe Thr Met Gln Asn Leu Ala Lys Thr His Lys Thr Leu Thr
 165 170 175
 35 Val Val Asn Asp Gln Tyr Gly Arg Pro Thr Trp Thr Arg Thr Leu Ala
 180 185 190
 40 Glu Phe Met Thr Tyr Leu Ala Glu Asn Arg Lys Glu Phe Gly Tyr Tyr
 195 200 205
 His Leu Ser Asn Asp Ala Thr Glu Asp Thr Thr Trp Tyr Asp Phe Ala
 210 215 220
 45 Val Glu Ile Leu Lys Asp Thr Asp Val Glu Val Lys Pro Val Asp Ser
 225 230 235 240
 Ser Gln Phe Pro Ala Lys Ala Lys Arg Pro Leu Asn Ser Thr Met Ser
 245 250 255
 50 Leu Ala Lys Ala Lys Ala Thr Gly Phe Val Ile Pro Thr Trp Gln Asp
 260 265 270
 55 Ala Leu Gln Glu Phe Tyr Lys Gln Glu Val Arg
 275 280

5 <210> 154
 <211> 407
 <212> PRT
 <213> Streptococcus pneumoniae

 <400> 154
 10 Met Lys Arg Ser Leu Asp Ser Arg Val Asp Tyr Ser Leu Leu Leu Pro
 1 5 10 15
 Val Phe Phe Leu Leu Val Ile Gly Val Val Ala Ile Tyr Ile Ala Val
 20 25 30
 15 Ser His Asp Tyr Pro Asn Asn Ile Leu Pro Ile Leu Gly Gln Gln Val
 35 40 45
 Ala Trp Ile Ala Leu Gly Leu Val Ile Gly Phe Val Val Met Leu Phe
 50 55 60
 20 Asn Thr Glu Phe Leu Trp Lys Val Thr Pro Phe Leu Tyr Ile Leu Gly
 65 70 75 80
 25 Leu Gly Leu Met Ile Leu Pro Ile Val Phe Tyr Asn Pro Ser Leu Val
 85 90 95
 Ala Ser Thr Gly Ala Lys Asn Trp Val Ser Ile Asn Gly Ile Thr Leu
 100 105 110
 30 Phe Gln Pro Ser Glu Phe Met Lys Ile Ser Tyr Ile Leu Met Leu Ala
 115 120 125
 Arg Val Ile Val Gln Phe Thr Lys Lys His Lys Glu Trp Arg Arg Thr
 130 135 140
 35 Val Pro Leu Asp Phe Leu Leu Ile Phe Trp Met Ile Leu Phe Thr Ile
 145 150 155 160
 40 Pro Val Leu Val Leu Leu Ala Leu Gln Ser Asp Leu Gly Thr Ala Leu
 165 170 175
 Val Phe Val Ala Ile Phe Ser Gly Ile Val Leu Leu Ser Gly Val Ser
 180 185 190
 45 Trp Lys Ile Ile Ile Pro Val Phe Val Thr Ala Val Thr Gly Val Ala
 195 200 205
 Gly Phe Leu Ala Ile Phe Ile Ser Lys Asp Gly Arg Ala Phe Leu His
 210 215 220
 50 Gln Ile Gly Met Pro Thr Tyr Gln Ile Asn Arg Ile Leu Ala Trp Leu
 225 230 235 240
 55 Ash Pro Phe Glu Phe Ala Gln Thr Thr Thr Tyr Gln Gln Ala Gln Gly
 245 250 255
 Gln Ile Ala Ile Gly Ser Gly Gly Leu Phe Gly Gln Gly Phe Asn Ala

	260	265	270
	Ser Asn Leu Leu Ile Pro Val Arg Glu Ser Asp Met Ile Phe Thr Val		
5	275	280	285
	Ile Ala Glu Asp Phe Gly Phe Ile Gly Ser Val Leu Val Ile Ala Leu		
	290	295	300
10	Tyr Leu Met Leu Ile Tyr Arg Met Leu Lys Ile Thr Leu Lys Ser Asn		
	305	310	315
	Asn Gln Phe Tyr Thr Tyr Ile Ser Thr Gly Leu Ile Met Met Leu Leu		
	325	330	335
15	Phe His Ile Phe Glu Asn Ile Gly Ala Val Thr Gly Leu Leu Pro Leu		
	340	345	350
	Thr Gly Ile Pro Leu Pro Phe Ile Ser Gln Gly Gly Ser Ala Ile Ile		
20	355	360	365
	Ser Asn Leu Ile Gly Val Gly Leu Leu Leu Ser Met Ser Tyr Gln Thr		
	370	375	380
25	Asn Leu Ala Glu Glu Lys Ser Gly Lys Val Pro Phe Lys Arg Lys Lys		
	385	390	395
	Val Val Leu Lys Gln Ile Lys		
	405		
30			
	<210> 155		
	<211> 202		
	<212> PRT		
	<213> Streptococcus pneumoniae		
35			
	<400> 155		
	Met Gly Lys Ile Ile Gly Ile Thr Gly Gly Ile Ala Ser Gly Lys Ser		
	1	5	10
40	Thr Val Thr Asn Phe Leu Lys His Gln Gly Leu Ser Ser Ser Gly Leu		
	20	25	30
	Pro Thr Gln Cys Ser Thr Asn Tyr Arg Lys Pro Gly Gly Arg Leu Phe		
45	35	40	45
	Glu Ala Leu Val Gln His Phe Gly Gln Glu Ile Ile Leu Glu Asn Gly		
	50	55	60
50	Glu Leu Asn Arg Pro Leu Ile Ala Ser Leu Ile Phe Ser Asn Pro Glu		
	65	70	75
	Glu Gln Lys Trp Ser Asn Gln Ile Gln Gly Glu Ile Ile Arg Glu Glu		
	85	90	95
55	Leu Ala Thr Leu Arg Glu Gln Leu Ala Gln Thr Glu Glu Ile Phe Phe		
	100	105	110

Met Asp Ile Pro Leu Leu Phe Glu Gln Asp Tyr Ser Asp Trp Phe Ala
 115 120 125
 5 Glu Thr Trp Leu Val Tyr Val Asp Arg Asp Ala Gln Val Glu Arg Leu
 130 135 140
 Met Lys Arg Asp Gln Leu Ser Lys Asp Glu Ala Glu Ser Arg Met Ala
 145 150 155 160
 10 Ala Gln Trp Pro Leu Glu Lys Lys Lys Asp Leu Ala Ser Gln Val Leu
 165 170 175
 Asp Asn Asn Gly Asn Gln Asn Gln Leu Leu Asn Gln Val His Ile Leu
 180 185 190
 15 Leu Glu Gly Gly Arg Gln Asp Asp Arg Asp
 195 200
 20 <210> 156
 <211> 419
 <212> PRT
 <213> Streptococcus pneumoniae
 25 <400> 156
 Met Arg Lys Ile Val Ile Asn Gly Gly Leu Pro Leu Gln Gly Glu Ile
 1 5 10 15
 30 Thr Ile Ser Gly Ala Lys Asn Ser Val Val Ala Leu Ile Pro Ala Ile
 20 25 30
 Ile Leu Ala Asp Asp Val Val Thr Leu Asp Cys Val Pro Asp Ile Ser
 35 40 45
 35 Asp Val Ala Ser Leu Val Glu Ile Met Glu Leu Met Gly Ala Thr Val
 50 55 60
 Lys Arg Tyr Asp Asp Val Leu Glu Ile Asp Pro Arg Gly Val Gln Asn
 65 70 75 80
 40 Ile Pro Met Pro Tyr Gly Lys Ile Asn Ser Leu Arg Ala Ser Tyr Tyr
 85 90 95
 45 Phe Tyr Gly Ser Leu Leu Gly Arg Phe Gly Glu Ala Thr Val Gly Leu
 100 105 110
 Pro Gly Gly Cys Asp Leu Gly Pro Arg Pro Ile Asp Leu His Leu Lys
 115 120 125
 50 Ala Phe Glu Ala Met Gly Ala Thr Ala Ser Tyr Glu Gly Asp Asn Met
 130 135 140
 Lys Leu Ser Ala Lys Asp Thr Gly Leu His Gly Ala Ser Ile Tyr Met
 145 150 155 160
 55 Asp Thr Val Ser Val Gly Ala Thr Ile Asn Thr Met Ile Ala Ala Val
 165 170 175

Lys Ala Asn Gly Arg Thr Ile Ile Glu Asn Ala Ala Arg Glu Pro Glu
 180 185 190
 5 Ile Ile Asp Val Ala Thr Leu Leu Asn Asn Met Gly Ala His Ile Arg
 195 200 205
 Gly Ala Gly Thr Asn Ile Ile Ile Ile Asp Gly Val Glu Arg Leu His
 210 215 220
 10 Gly Thr Arg His Gln Val Ile Pro Asp Arg Ile Glu Ala Gly Thr Tyr
 225 230 235 240
 Ile Ser Leu Ala Ala Ala Val Gly Lys Gly Ile Arg Ile Asn Asn Val
 245 250 255
 Leu Tyr Glu His Leu Glu Gly Phe Ile Ala Lys Leu Glu Glu Met Gly
 260 265 270
 20 Val Arg Met Thr Val Ser Glu Asp Ser Ile Phe Val Glu Glu Gln Ser
 275 280 285
 Asn Leu Lys Ala Ile Asn Ile Lys Thr Ala Pro Tyr Pro Gly Phe Ala
 290 295 300
 25 Thr Asp Leu Gln Gln Pro Leu Thr Pro Leu Leu Leu Arg Ala Asn Gly
 305 310 315 320
 Arg Gly Thr Ile Val Asp Thr Ile Tyr Glu Lys Arg Val Asn His Val
 325 330 335
 Phe Glu Leu Ala Lys Met Asp Ala Asp Ile Ser Thr Thr Asn Gly His
 340 345 350
 35 Ile Leu Tyr Thr Gly Gly Arg Asp Leu Arg Gly Ala Ser Val Lys Ala
 355 360 365
 Thr Asp Leu Arg Ala Gly Ala Ala Leu Val Ile Ala Gly Leu Met Ala
 370 375 380
 40 Glu Gly Lys Thr Glu Ile Thr Asn Ile Glu Phe Ile Leu Arg Gly Tyr
 385 390 395 400
 Ser Asp Ile Ile Glu Lys Leu Arg Asn Leu Gly Ala Asp Ile Arg Leu
 405 410 415
 Val Glu Asp
 50
 <210> 157
 <211> 231
 <212> PRT
 <213> Streptococcus pneumoniae
 55
 <400> 157
 Met Ser Arg Ile Glu Phe Ser Pro Ser Leu Met Thr Met Asp Leu Asp

	1	5	10	15
	Lys Phe Lys Glu Gln Ile Thr Phe Leu Asn Asp Lys Val Ala Ser Tyr	20	25	30
5	His Ile Asp Ile Met Asp Gly His Phe Val Pro Asn Ile Thr Leu Ser	35	40	45
10	Pro Trp Phe Ile Gln Glu Val Gln Lys Ile Ser Asp Thr Pro Leu Ser	50	55	60
	Val His Leu Met Val Thr Asp Pro Thr Phe Trp Val Asp Gln Val Leu	65	70	75
15	Asp Leu Gln Cys Glu Tyr Ile Cys Ile His Ala Glu Val Leu Asn Gly	85	90	95
	Leu Ala Phe Arg Leu Ile Asp Lys Ile His Asp Ala Gly Leu Lys Ala	100	105	110
20	Gly Val Val Leu Asn Pro Glu Thr Pro Val Ser Thr Ile Phe Pro Tyr	115	120	125
25	Ile Asp Leu Leu Asp Lys Val Thr Ile Met Thr Val Asp Pro Gly Phe	130	135	140
	Ala Gly Gln Arg Phe Leu Glu Ser Thr Leu Tyr Lys Ile Gln Glu Leu	145	150	155
30	Arg Gln Leu Arg Val Gln Asn Gly Tyr His Tyr Ile Ile Glu Met Asp	165	170	175
	Gly Ser Ser Ser Arg Lys Thr Phe Lys Gln Ile Asp Val Ala Gly Pro	180	185	190
35	Asp Ile Tyr Val Ile Gly Arg Ser Gly Leu Phe Gly Leu Asp Asp Asp	195	200	205
40	Ile Ala Lys Ala Trp Asp Ile Cys Ser Arg Asp Tyr Glu Glu Met Thr	210	215	220
	Gly Lys Thr Met Pro Ile Lys	225	230	
45	<210> 158			
	<211> 374			
	<212> PRT			
	<213> Streptococcus pneumoniae			
50	<400> 158			
	Met Arg Asn Met Ala Leu Thr Ala Gly Ile Val Gly Leu Pro Asn Val	1	5	10
				15
55	Gly Lys Ser Thr Leu Phe Asn Ala Ile Thr Lys Ala Gly Ala Glu Ala	20	25	30

Ala Asn Tyr Pro Phe Ala Thr Ile Asp Pro Asn Val Gly Met Val Glu
35 40 45

5 Asp Pro Asp Glu Arg Leu Gln Lys Leu Thr Glu Met Ile Thr Pro Lys
50 55 60

Lys Thr Val Pro Thr Thr Phe Glu Phe Thr Asp Ile Ala Gly Ile Val
65 70 75 80

10 Lys Gly Ala Ser Lys Gly Glu Gly Leu Gly Asn Lys Phe Leu Ala Asn
85 90 95

Ile Arg Glu Val Asp Ala Ile Val His Val Val Arg Ala Phe Asp Asp
100 105 110

15 Glu Asn Val Met Arg Glu Gln Gly Arg Glu Asp Ala Phe Val Asp Pro
115 120 125

20 Leu Ala Asp Ile Asp Thr Ile Asn Leu Glu Leu Ile Leu Ala Asp Leu
130 135 140

Glu Ser Val Asn Lys Arg Tyr Ala Arg Val Glu Lys Met Ala Arg Thr
145 150 155 160

25 Gln Lys Asp Lys Glu Ser Val Ala Glu Phe Asn Val Leu Gln Lys Ile
165 170 175

Lys Pro Val Leu Glu Asp Gly Lys Ser Ala Arg Thr Ile Glu Phe Thr
180 185 190

30 Asp Glu Glu Gln Lys Val Val Lys Gly Leu Phe Leu Leu Thr Thr Lys
195 200 205

35 Pro Val Leu Tyr Val Ala Asn Val Asp Glu Asp Val Val Ser Glu Pro
210 215 220

Asp Ser Ile Asp Tyr Val Lys Gln Ile Arg Glu Phe Ala Ala Thr Glu
225 230 235 240

40 Asn Ala Glu Val Val Val Ile Ser Ala Arg Ala Glu Glu Glu Ile Ser
245 250 255

Glu Leu Asp Asp Glu Asp Lys Lys Glu Phe Leu Glu Ala Ile Gly Leu
260 265 270

45 Thr Glu Ser Gly Val Asp Lys Leu Thr Arg Ala Ala Tyr His Leu Leu
275 280 285

50 Gly Leu Gly Thr Tyr Phe Thr Ala Gly Glu Lys Glu Val Arg Ala Trp
290 295 300

Thr Phe Lys Arg Gly Met Lys Ala Pro Gln Ala Ala Gly Ile Ile His
305 310 315 320

55 Ser Asp Phe Glu Lys Gly Phe Ile Arg Ala Val Thr Met Ser Tyr Glu
325 330 335

Asp Leu Val Lys Tyr Gly Ser Glu Lys Ala Val Lys Glu Ala Gly Arg
 340 345 350
 5 Leu Arg Glu Glu Gly Lys Glu Tyr Ile Val Gln Asp Gly Asp Ile Met
 355 360 365
 Glu Phe Arg Phe Asn Val
 370
 10
 <210> 159
 <211> 110
 <212> PRT
 <213> Streptococcus pneumoniae
 15
 <400> 159
 Met Glu Ile Glu Lys Thr Asn Arg Met Asn Ala Leu Phe Glu Phe Tyr
 1 5 10 15
 20 Ala Ala Leu Leu Thr Asp Lys Gln Met Asn Tyr Ile Glu Leu Tyr Tyr
 20 25 30
 Ala Asp Asp Tyr Ser Leu Ala Glu Ile Ala Glu Glu Phe Gly Val Ser
 35 40 45
 25 Arg Gln Ala Val Tyr Asp Asn Ile Lys Arg Thr Glu Lys Ile Leu Glu
 50 55 60
 30 Asp Tyr Glu Met Lys Leu His Met Tyr Ser Asp Tyr Ile Val Arg Ser
 65 70 75 80
 Gln Ile Phe Asp Gln Ile Leu Glu Arg Tyr Pro Lys Asp Asp Phe Leu
 85 90 95
 35 Gln Glu Gln Ile Glu Ile Leu Thr Ser Ile Asp Asn Arg Glu
 100 105 110
 40
 <210> 160
 <211> 223
 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 160
 45 Met Thr Leu Glu Trp Glu Glu Phe Leu Asp Pro Tyr Ile Gln Ala Val
 1 5 10 15
 Gly Glu Leu Lys Ile Lys Leu Arg Gly Ile Arg Lys Gln Tyr Arg Lys
 20 25 30
 50 Gln Asn Lys His Ser Pro Ile Glu Phe Val Thr Gly Arg Val Lys Pro
 35 40 45
 55 Ile Glu Ser Ile Lys Glu Lys Met Ala Arg Arg Gly Ile Thr Tyr Ala
 50 55 60
 Thr Leu Glu His Asp Leu Gln Asp Ile Ala Gly Leu Arg Val Met Val

	65		70		75		80
5	Gln	Phe	Val	Asp	Asp	Val	Lys
				85			
	Gln	Asp	Met	Arg	Ile	Ile	Gln
				100			
10	Ala	Ser	Gly	Tyr	Arg	Ser	Tyr
				115			
	Thr	Ile	Asn	Gly	Ala	Lys	Thr
				130			
15	Leu	Ala	Met	Asn	Phe	Trp	Ala
	Tyr	Gln	Gly	Asp	Phe	Pro	Asp
20	Ala	Arg	Ile	Ala	His	Gln	Leu
25	Asp	Ile	Gln	Glu	Ala	Gln	Ala
	Asn	Asp	Gly	Val	Gly	Asn	Ser
30	<210>	161					
	<211>	195					
	<212>	PRT					
	<213>	Streptococcus pneumoniae					
35	<400>	161					
	Met	Glu	Leu	Asn	Thr	His	Asn
	1						
40	Lys	Ser	His	Tyr	Pro	Gln	Asp
	Arg	Ser	Asn	Val	Gly	Lys	Ser
45	Lys	Asn	Leu	Ala	Arg	Thr	Ser
50	Asn	Phe	Phe	Asn	Ile	Asp	Asp
	Tyr	Gly	Tyr	Ala	Arg	Val	Ser
55	Met	Ile	Glu	Glu	Tyr	Leu	Thr

Ser Leu Val Asp Leu Arg His Asp Pro Ser Ala Asp Asp Val Gln Met
 115 120 125
 5 Tyr Glu Phe Leu Lys Tyr Tyr Glu Ile Pro Val Ile Ile Val Ala Thr
 130 135 140
 Lys Ala Asp Lys Ile Pro Arg Gly Lys Trp Asn Lys His Glu Ser Ala
 145 150 155 160
 10 Ile Lys Lys Lys Leu Asn Phe Asp Pro Ser Asp Asp Phe Ile Leu Phe
 165 170 175
 Ser Ser Val Ser Lys Ala Gly Met Asp Glu Ala Trp Asp Ala Ile Leu
 180 185 190
 15 Glu Lys Leu
 195
 20 <210> 162
 <211> 97
 <212> PRT
 <213> Streptococcus pneumoniae
 25 <400> 162
 Met Lys Thr Arg Lys Ile Pro Leu Arg Lys Ser Val Val Ser Asn Glu
 1 5 10 15
 30 Val Ile Asp Lys Arg Asp Leu Leu Arg Ile Val Lys Asn Lys Glu Gly
 20 25 30
 Gln Val Phe Ile Asp Pro Thr Gly Lys Ala Asn Gly Arg Gly Ala Tyr
 35 40 45
 35 Ile Lys Leu Asp Asn Ala Glu Ala Leu Glu Ala Lys Lys Lys Lys Val
 50 55 60
 Phe Asn Arg Ser Phe Ser Met Glu Val Glu Glu Ser Phe Tyr Asp Glu
 65 70 75 80
 40 Leu Ile Ala Tyr Val Asp His Lys Val Lys Arg Arg Glu Leu Gly Leu
 85 90 95
 45 Glu
 50 <210> 163
 <211> 103
 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 163
 55 Met Leu Lys Pro Ser Ile Asp Thr Leu Leu Asp Lys Val Pro Ser Lys
 1 5 10 15
 Tyr Ser Leu Val Ile Leu Glu Ala Lys Arg Ala His Glu Leu Glu Ala

[illegible]

20 <210> 164
 <211> 103
 <212> PRT
 <213> Streptococcus pneumoniae

25 <400> 164
Met Ser Leu Thr Ser Lys Gln Arg Ala Phe Leu Asn Ser Gln Ala His
 1 5 10 15

30 Thr Leu Lys Pro Ile Ile Gln Ile Gly Lys Asn Gly Leu Asn Asp Gln
20 25 30
Ile Lys Thr Ser Val Arg Gln Ala Leu Asp Ala Arg Glu Leu Ile Lys
35 40 45

35 Val Thr Leu Leu Gln Asn Thr Asp Glu Asn Ile His Glu Val Ala Glu
50 55 60

Ile Leu Glu Glu Glu Ile Gly Val Asp Thr Val Gln Lys Ile Gly Arg
65 70 75 80

40 Ile Leu Ile Leu Phe Lys Gln Ser Ser Lys Lys Glu Asn Arg Lys Ile
85 90 95

Ser Lys Lys Val Lys Glu Ile
100

50 <210> 165
 <211> 175
 <212> PRT
 <213> Streptococcus pneumoniae

<400> 165
Met Ala Ile Glu Asn Tyr Ile Pro Asp Phe Ala Val Glu Ala Val Tyr
1 5 10 15

Asp Leu Thr Val Pro Ser Leu Gln Ala Gln Gly Ile Lys Ala Val Leu
20 25 30

Val Asp Leu Asp Asn Thr Leu Ile Ala Trp Asn Asn Pro Asp Gly Thr
 35 40 45
 5 Pro Glu Met Lys Gln Trp Leu His Asp Leu Arg Asp Ala Gly Ile Gly
 50 55 60
 Ile Ile Val Val Ser Asn Asn Thr Lys Lys Arg Val Gln Arg Ala Val
 65 70 75 80
 10 Glu Lys Phe Gly Ile Asp Tyr Val Tyr Trp Ala Leu Lys Pro Phe Thr
 85 90 95
 15 Phe Gly Ile Asp Arg Ala Met Lys Glu Phe His Tyr Asp Lys Lys Glu
 100 105 110
 Val Val Met Val Gly Asp Gln Leu Met Thr Asp Ile Arg Ala Ala His
 115 120 125
 20 Arg Ala Gly Ile Arg Ser Ile Leu Val Lys Pro Leu Val Gln His Asp
 130 135 140
 Ser Ile Lys Thr Gln Ile Asn Arg Thr Arg Glu Arg Arg Val Met Arg
 145 150 155 160
 25 Lys Ile Thr Glu Lys Tyr Gly Pro Ile Thr Tyr Lys Lys Gly Ile
 165 170 175
 30 <210> 166
 <211> 455
 <212> PRT
 <213> Streptococcus pneumoniae
 35 <400> 166
 Met Phe Arg Lys Ile Leu Ile Ala Asn Arg Gly Glu Ile Ala Val Arg
 1 5 10 15
 40 Ile Ile Arg Ala Ala Arg Glu Leu Gly Ile Ala Thr Val Ala Val Tyr
 20 25 30
 Ser Thr Ala Asp Lys Glu Ala Leu His Thr Leu Leu Ala Asp Glu Ala
 35 40 45
 45 Val Cys Ile Gly Pro Gly Lys Ala Thr Glu Ser Tyr Leu Asn Ile Asn
 50 55 60
 Ala Val Leu Ser Ala Ala Val Leu Thr Glu Ala Glu Ala Ile His Pro
 65 70 75 80
 50 Gly Phe Gly Phe Leu Ser Glu Asn Ser Lys Phe Ala Thr Met Cys Glu
 85 90 95
 55 Glu Ile Gly Ile Lys Phe Ile Gly Pro Ser Gly His Val Met Asp Met
 100 105 110
 Met Gly Asp Lys Ile Asn Ala Arg Ala Gln Met Ile Lys Ala Gly Val

	115	120	125	
5	Pro Val Ile Pro Gly Ser Asp Gly Glu Val His Asn Ser Glu Glu Ala 130 135 140			
	Leu Ile Val Ala Glu Lys Ile Gly Tyr Pro Val Met Leu Lys Ala Ser 145 150 155 160			
10	Ala Gly Gly Gly Gly Lys Gly Ile Arg Lys Val Glu Lys Pro Asp Asp 165 170 175			
	Leu Val Ser Ala Phe Glu Thr Ala Ser Ser Glu Ala Lys Ala Asn Tyr 180 185 190			
15	Gly Asn Gly Ala Met Tyr Ile Glu Arg Val Ile Tyr Pro Ala Arg His 195 200 205			
20	Ile Glu Val Gln Ile Leu Gly Asp Glu His Gly His Val Ile His Leu 210 215 220			
	Gly Glu Arg Asp Cys Ser Leu Gln Arg Asn Asn Gln Lys Val Leu Glu 225 230 235 240			
25	Glu Ser Pro Ser Ile Ala Ile Gly Lys Thr Leu Arg His Glu Ile Gly 245 250 255			
	Ala Ala Ala Val Arg Ala Ala Glu Phe Val Gly Tyr Glu Asn Ala Gly 260 265 270			
30	Thr Ile Glu Phe Leu Leu Asp Glu Ala Ser Ser Asn Phe Tyr Phe Met 275 280 285			
35	Glu Met Asn Thr Arg Val Gln Val Glu His Pro Val Thr Glu Phe Val 290 295 300			
	Ser Gly Val Asp Ile Val Lys Glu Gln Ile Cys Ile Ala Ala Gly Gln 305 310 315 320			
40	Pro Leu Ser Val Lys Gln Glu Asp Ile Val Leu Arg Gly His Ala Ile 325 330 335			
	Glu Cys Arg Ile Asn Ala Glu Asn Pro Ala Phe Asn Phe Ala Pro Ser 340 345 350			
45	Pro Gly Lys Ile Thr Asn Leu Tyr Leu Pro Ser Gly Gly Val Gly Leu 355 360 365			
50	Arg Val Asp Ser Ala Val Tyr Pro Gly Tyr Thr Ile Pro Pro Tyr Tyr 370 375 380			
	Asp Ser Met Ile Ala Lys Ile Ile Val His Gly Glu Asn Arg Phe Asp 385 390 395 400			
55	Ala Leu Met Lys Met Gln Arg Ala Leu Tyr Glu Leu Glu Ile Glu Gly 405 410 415			
	Val Gln Thr Asn Ala Asp Phe Gln Leu Asp Leu Ile Ser Asp Arg Asn			

420 425 430
 Val Ile Ala Gly Asp Tyr Asp Thr Cys Phe Leu Met Glu Thr Phe Leu
 435 440 445
 5 Pro Lys Tyr Gln Glu Lys Glu
 450 455
 10 <210> 167
 <211> 77
 <212> PRT
 <213> Streptococcus pneumoniae
 15 <400> 167
 Met Ile Tyr Lys Val Phe Tyr Gln Glu Thr Lys Glu Arg Ser Pro Arg
 1 5 10 15
 20 Arg Glu Thr Thr Arg Ala Leu Tyr Leu Asp Ile Asp Thr Ser Ser Glu
 20 25 30
 Leu Glu Gly Arg Ile Thr Ala Arg Gln Leu Val Glu Glu Asn Arg Pro
 35 40 45
 25 Glu Tyr Asn Ile Glu Tyr Ile Glu Leu Leu Ser Asp Lys Leu Leu Asp
 50 55 60
 Tyr Glu Lys Glu Thr Gly Ala Phe Glu Ile Thr Glu Phe
 65 70 75
 30
 <210> 168
 <211> 336
 <212> PRT
 35 <213> Streptococcus pneumoniae
 <400> 168
 Met Lys Asp Arg Tyr Ile Leu Ala Phe Glu Thr Ser Cys Asp Glu Thr
 1 5 10 15
 40 Ser Val Ala Val Leu Lys Asn Asp Asp Glu Leu Leu Ser Asn Val Ile
 20 25 30
 45 Ala Ser Gln Ile Glu Ser His Lys Arg Phe Gly Gly Val Val Pro Glu
 35 40 45
 Val Ala Ser Arg His His Val Glu Val Ile Thr Ala Cys Ile Glu Glu
 50 55 60
 50 Ala Leu Ala Glu Ala Gly Ile Thr Glu Glu Asp Val Thr Ala Val Ala
 65 70 75 80
 Val Thr Tyr Gly Pro Gly Leu Val Gly Ala Leu Leu Val Gly Leu Ser
 85 90 95
 55 Ala Ala Lys Ala Phe Ala Trp Ala His Gly Leu Pro Leu Ile Pro Val
 100 105 110

Asn His Met Ala Gly His Leu Met Ala Ala Gln Ser Val Glu Pro Leu
 115 120 125
 5 Glu Phe Pro Leu Leu Ala Leu Leu Val Ser Gly Gly His Thr Glu Leu
 130 135 140
 Val Tyr Val Ser Glu Ala Gly Asp Tyr Lys Ile Val Gly Glu Thr Arg
 145 150 155 160
 10 Asp Asp Ala Val Gly Glu Ala Tyr Asp Lys Val Gly Arg Val Met Gly
 165 170 175
 15 Leu Thr Tyr Pro Ala Gly Arg Glu Ile Asp Glu Leu Ala His Gln Gly
 180 185 190
 Gln Asp Ile Tyr Asp Phe Pro Arg Ala Met Ile Lys Glu Asp Asn Leu
 195 200 205
 20 Glu Phe Ser Phe Ser Gly Leu Lys Ser Ala Phe Ile Asn Leu His His
 210 215 220
 Asn Ala Glu Gln Lys Gly Glu Ser Leu Ser Thr Glu Asp Leu Cys Ala
 225 230 235 240
 25 Ser Phe Gln Ala Ala Val Met Asp Ile Leu Met Ala Lys Thr Lys Lys
 245 250 255
 30 Ala Leu Glu Glu Tyr Pro Val Lys Thr Leu Phe Val Ala Gly Gly Val
 260 265 270
 Ala Ala Asn Lys Gly Leu Arg Glu Arg Leu Ala Ala Glu Ile Thr Asp
 275 280 285
 35 Val Lys Val Ile Ile Pro Pro Leu Arg Leu Cys Gly Asp Asn Ala Gly
 290 295 300
 Met Ile Ala Tyr Ala Ser Val Ser Glu Trp Asn Lys Glu Asn Phe Ala
 305 310 315 320
 40 Gly Trp Asp Leu Asn Ala Lys Pro Ser Leu Ala Phe Asp Thr Met Glu
 325 330 335
 45
 <210> 169
 <211> 602
 50 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 169
 Met Cys Gly Ile Val Gly Val Val Gly Asn Thr Asn Ala Thr Asp Ile
 55 1 5 10 15
 Leu Ile Gln Gly Leu Glu Lys Leu Glu Tyr Arg Gly Tyr Asp Ser Ala

	20	25	30
	Gly Ile Phe Val Leu Asp Gly Ala Asp Asn His Leu Val Lys Ala Val		
	35	40	45
5	Gly Arg Ile Ala Glu Leu Ser Ala Lys Thr Ala Gly Val Glu Gly Thr		
	50	55	60
10	Thr Gly Ile Gly His Thr Arg Trp Ala Thr His Gly Lys Pro Thr Glu		
	65	70	75
	Asp Asn Ala His Pro His Arg Ser Glu Thr Glu Arg Phe Val Leu Val		
		85	90
15	His Asn Gly Val Ile Glu Asn Tyr Leu Glu Ile Lys Glu Glu Tyr Leu		
	100	105	110
	Ala Gly His His Phe Lys Gly Gln Thr Asp Thr Glu Ile Ala Val His		
	115	120	125
20	Leu Ile Gly Lys Phe Ala Glu Glu Glu Gly Leu Ser Val Leu Glu Ala		
	130	135	140
25	Phe Lys Lys Ala Leu His Ile Ile Arg Gly Ser Tyr Ala Phe Ala Leu		
	145	150	155
	Ile Asp Ser Glu Asn Pro Asp Val Ile Tyr Val Ala Lys Asn Lys Ser		
		165	170
30	Pro Leu Leu Ile Gly Leu Gly Glu Gly Tyr Asn Met Val Cys Ser Asp		
	180	185	190
	Ala Met Ala Met Ile Arg Glu Thr Asn Gln Tyr Met Glu Ile His Asp		
	195	200	205
35	Gln Glu Leu Val Ile Val Lys Ala Asp Ser Val Glu Val Gln Asp Tyr		
	210	215	220
40	Asp Gly Asn Ser Arg Glu Arg Ala Ser Tyr Thr Ala Glu Leu Asp Leu		
	225	230	235
	Ser Asp Ile Gly Lys Gly Thr Tyr Pro Tyr Tyr Met Leu Lys Glu Ile		
		245	250
45	Asp Glu Gln Pro Thr Val Met Arg Lys Leu Ile Gln Ala Tyr Thr Asp		
	260	265	270
	Asp Ala Gly Gln Val Val Val Ala Pro Ala Ile Ile Lys Ala Val Gln		
	275	280	285
50	Asp Ala Asp Arg Ile Tyr Ile Leu Ala Ala Gly Thr Ser Tyr His Ala		
	290	295	300
55	Gly Phe Ala Ser Lys Lys Met Leu Glu Glu Leu Thr Asp Thr Pro Val		
	305	310	315
	Glu Leu Gly Ile Ser Ser Glu Trp Gly Tyr Gly Met Pro Leu Leu Ser		

				325					330				335				
	Lys	Lys	Pro	Leu	Phe	Ile	Phe	Ile	Ser	Gln	Ser	Gly	Glu	Thr	Ala	Asp	
				340					345					350			
5	Ser	Arg	Gln	Val	Leu	Val	Lys	Ala	Asn	Glu	Met	Gly	Ile	Pro	Ser	Leu	
			355					360					365				
10	Thr	Val	Thr	Asn	Val	Pro	Gly	Ser	Thr	Leu	Ser	Arg	Glu	Ala	Asn	Tyr	
		370					375						380				
	Thr	Met	Leu	Leu	His	Ala	Gly	Pro	Glu	Ile	Ala	Val	Ala	Ser	Thr	Lys	
		385				390					395					400	
15	Ala	Tyr	Thr	Ala	Gln	Ile	Ala	Ala	Leu	Ala	Phe	Leu	Ala	Lys	Ala	Val	
					405					410					415		
	Gly	Glu	Ala	Asn	Gly	Asn	Ala	Lys	Ala	Gln	Ala	Phe	Asp	Leu	Val	His	
				420					425					430			
20	Glu	Leu	Ser	Ile	Val	Ala	Gln	Ser	Ile	Glu	Ser	Thr	Leu	Ser	Glu	Lys	
			435					440					445				
25	Glu	Thr	Ile	Glu	Ala	Lys	Val	Arg	Glu	Leu	Leu	Glu	Thr	Thr	Arg	Asn	
		450					455					460					
	Ala	Phe	Tyr	Ile	Gly	Arg	Gly	Gln	Asp	Tyr	Tyr	Val	Ala	Met	Glu	Ala	
		465				470					475					480	
30	Ser	Leu	Lys	Leu	Lys	Glu	Ile	Ser	Tyr	Ile	Gln	Cys	Glu	Gly	Phe	Ala	
					485					490					495		
	Ala	Gly	Glu	Leu	Lys	His	Gly	Thr	Ile	Ala	Leu	Ile	Glu	Glu	Gly	Thr	
				500					505					510			
35	Pro	Val	Leu	Ala	Leu	Leu	Ser	Asp	Pro	Val	Leu	Ala	Asn	His	Thr	Arg	
			515					520					525				
40	Gly	Asn	Ile	Gln	Glu	Val	Ala	Ala	Arg	Gly	Ala	Lys	Val	Leu	Thr	Ile	
		530					535					540					
	Ala	Glu	Glu	Asn	Val	Ala	Lys	Asp	Thr	Asp	Asp	Ile	Val	Leu	Thr	Thr	
		545				550					555					560	
45	Val	His	Pro	Tyr	Leu	Ser	Pro	Ile	Ser	Met	Val	Val	Pro	Thr	Gln	Leu	
					565					570					575		
	Val	Ala	Tyr	Phe	Ala	Thr	Leu	His	Arg	Gly	Leu	Asp	Val	Asp	Lys	Pro	
				580					585					590			
50	Arg	Asn	Leu	Ala	Lys	Ser	Val	Thr	Val	Glu							
			595					600									
55	<210>	170															
	<211>	240															
	<212>	PRT															

<213> Streptococcus pneumoniae

<400> 170

5 Met Ile Arg Ile Glu Asn Leu Ser Val Ser Tyr Lys Glu Thr Leu Ala
 1 5 10 15
 Leu Lys Asp Ile Ser Leu Val Leu His Gly Pro Thr Ile Thr Gly Ile
 20 25 30
 10 Ile Gly Pro Asn Gly Ala Gly Lys Ser Thr Leu Leu Lys Gly Met Leu
 35 40 45
 Gly Ile Ile Pro His Gln Gly Gln Ala Phe Leu Asp Asp Lys Glu Val
 50 55 60
 15 Lys Lys Ser Leu His Arg Ile Ala Tyr Val Glu Gln Lys Ile Asn Ile
 65 70 75 80
 20 Asp Tyr Asn Phe Pro Ile Lys Val Lys Glu Cys Val Ser Leu Gly Leu
 85 90 95
 Phe Pro Ser Ile Pro Leu Phe Arg Ser Leu Lys Ala Lys His Trp Lys
 100 105 110
 25 Lys Val Gln Glu Ala Leu Glu Ile Val Gly Leu Ala Asp Tyr Ala Glu
 115 120 125
 Arg Gln Ile Ser Gln Leu Ser Gly Gly Gln Phe Gln Arg Val Leu Ile
 130 135 140
 30 Ala Arg Cys Leu Val Gln Glu Ala Asp Tyr Ile Leu Leu Asp Glu Pro
 145 150 155 160
 35 Phe Ala Gly Ile Asp Ser Val Ser Glu Glu Ile Ile Met Asn Thr Leu
 165 170 175
 Arg Asp Leu Lys Lys Ala Gly Lys Thr Val Leu Ile Val His His Asp
 180 185 190
 40 Leu Ser Lys Ile Pro His Tyr Phe Asp Gln Val Leu Leu Val Asn Arg
 195 200 205
 Glu Val Ile Ala Phe Gly Pro Thr Lys Glu Thr Phe Thr Glu Thr Asn
 210 215 220
 45 Leu Lys Glu Ala Tyr Gly Asn Gln Leu Phe Phe Asn Gly Gly Asp Leu
 225 230 235 240

50

<210> 171

<211> 740

55 <212> PRT

<213> Streptococcus pneumoniae

<400> 171
 Met Pro Lys Glu Val Asn Leu Thr Gly Glu Glu Val Val Ala Leu Thr
 1 5 10 15
 5 Lys Glu Tyr Leu Thr Glu Glu Asp Val His Phe Val His Lys Ala Leu
 20 25 30
 Val Tyr Ala Val Glu Cys His Ser Gly Gln Tyr Arg Lys Ser Gly Glu
 35 40 45
 10 Pro Tyr Ile Ile His Pro Ile Gln Val Ala Gly Ile Leu Ala Lys Leu
 50 55 60
 15 Lys Leu Asp Ala Val Thr Val Ala Cys Gly Phe Leu His Asp Val Val
 65 70 75 80
 Glu Asp Thr Asp Ala Thr Leu Asp Asp Leu Glu Arg Glu Phe Gly Pro
 85 90 95
 20 Asp Val Arg Val Ile Val Asp Gly Val Thr Lys Leu Gly Lys Val Glu
 100 105 110
 Tyr Lys Ser Ile Glu Glu Gln Leu Ala Glu Asn His Arg Lys Met Leu
 115 120 125
 25 Met Ala Met Ser Glu Asp Ile Arg Val Ile Leu Val Lys Leu Ser Asp
 130 135 140
 Arg Leu His Asn Met Arg Thr Leu Lys His Leu Arg Lys Asp Lys Gln
 145 150 155 160
 Glu Arg Ile Ser Lys Glu Thr Met Glu Ile Tyr Ala Pro Leu Ala His
 165 170 175
 35 Arg Leu Gly Ile Ser Ser Val Lys Trp Glu Leu Glu Asp Leu Ser Phe
 180 185 190
 Arg Tyr Leu Asn Pro Thr Glu Phe Tyr Lys Ile Thr His Met Met Lys
 195 200 205
 40 Glu Lys Arg Arg Glu Arg Glu Ala Leu Val Asp Glu Val Val Thr Lys
 210 215 220
 Leu Glu Glu Tyr Thr Thr Glu Arg His Leu Lys Gly Lys Ile Tyr Gly
 225 230 235 240
 Arg Pro Lys His Ile Tyr Ser Ile Phe Arg Lys Met Gln Asp Lys Arg
 245 250 255
 50 Lys Arg Phe Glu Glu Ile Tyr Asp Leu Ile Ala Ile Arg Cys Ile Leu
 260 265 270
 Asp Thr Gln Ser Asp Val Tyr Ala Met Leu Gly Tyr Val His Glu Phe
 275 280 285
 55 Trp Lys Pro Met Pro Gly Arg Phe Lys Asp Tyr Ile Ala Asn Arg Lys
 290 295 300

	Ala	Asn	Gly	Tyr	Gln	Ser	Ile	His	Thr	Thr	Val	Tyr	Gly	Pro	Lys	Gly	
	305					310					315					320	
5	Pro	Ile	Glu	Phe	Gln	Ile	Arg	Thr	Lys	Glu	Met	His	Glu	Val	Ala	Glu	
					325					330					335		
	Tyr	Gly	Val	Ala	Ala	His	Trp	Ala	Tyr	Lys	Lys	Gly	Ile	Lys	Gly	Gln	
				340					345					350			
10	Val	Asn	Ser	Lys	Glu	Ser	Ala	Ile	Gly	Met	Asn	Trp	Ile	Lys	Glu	Met	
			355					360					365				
	Met	Glu	Leu	Gln	Asp	Gln	Ala	Asp	Asp	Ala	Lys	Glu	Phe	Val	Asp	Ser	
15		370					375					380					
	Val	Lys	Glu	Asn	Tyr	Leu	Ala	Glu	Glu	Ile	Tyr	Val	Phe	Thr	Pro	Asp	
	385					390					395					400	
20	Gly	Ala	Val	Arg	Ser	Leu	Pro	Lys	Asp	Ser	Gly	Pro	Ile	Asp	Phe	Ala	
					405					410					415		
	Tyr	Glu	Ile	His	Thr	Lys	Val	Gly	Glu	Lys	Ala	Thr	Gly	Ala	Lys	Val	
				420					425					430			
25	Asn	Gly	Arg	Met	Val	Pro	Leu	Thr	Thr	Lys	Leu	Lys	Thr	Gly	Asp	Gln	
			435					440					445				
	Val	Glu	Ile	Ile	Ala	Asn	Pro	Asn	Ser	Phe	Gly	Pro	Ser	Arg	Asp	Trp	
30		450					455					460					
	Leu	Asn	Met	Val	Lys	Thr	Ser	Lys	Ala	Arg	Asn	Lys	Ile	Arg	Gln	Phe	
	465					470					475					480	
35	Phe	Lys	Asn	Gln	Asp	Lys	Glu	Leu	Ser	Val	Asn	Lys	Gly	Arg	Glu	Met	
					485					490					495		
	Leu	Met	Ala	Gln	Phe	Gln	Glu	Asn	Gly	Tyr	Val	Ala	Asn	Lys	Phe	Met	
				500					505					510			
40	Asp	Lys	Arg	His	Met	Asp	Gln	Val	Leu	Gln	Lys	Thr	Ser	Tyr	Lys	Thr	
			515					520					525				
	Glu	Asp	Ser	Leu	Phe	Ala	Ala	Ile	Gly	Phe	Gly	Glu	Ile	Gly	Ala	Ile	
45		530					535					540					
	Thr	Val	Phe	Asn	Arg	Leu	Thr	Glu	Lys	Glu	Arg	Arg	Glu	Glu	Glu	Arg	
	545					550					555					560	
50	Ala	Lys	Ala	Lys	Ala	Glu	Ala	Glu	Glu	Leu	Val	Lys	Gly	Gly	Glu	Val	
					565					570					575		
	Lys	Val	Glu	Asn	Lys	Glu	Thr	Leu	Lys	Val	Lys	His	Glu	Gly	Gly	Val	
				580					585					590			
55	Val	Ile	Glu	Gly	Ala	Ser	Gly	Leu	Leu	Val	Arg	Ile	Ala	Lys	Cys	Cys	
			595					600					605				

Asn Pro Val Pro Gly Asp Asp Ile Val Gly Tyr Ile Thr Lys Gly Arg
 610 615 620
 5 Gly Val Ala Ile His Arg Val Asp Cys Met Asn Leu Arg Ala Gln Glu
 625 630 635 640
 Asn Tyr Glu Gln Arg Leu Leu Asp Val Glu Trp Glu Asp Gln Tyr Ser
 645 650 655
 10 Ser Ser Asn Lys Glu Tyr Leu Ala His Ile Asp Ile Tyr Gly Leu Asn
 660 665 670
 15 Arg Thr Gly Leu Leu Asn Asp Val Leu Gln Val Leu Ser Asn Thr Thr
 675 680 685
 Lys Asn Ile Ser Thr Val Asn Ala Gln Pro Thr Lys Asp Met Lys Phe
 690 695 700
 20 Ala Asn Ile His Val Ser Phe Gly Ile Ala Asn Leu Ser Thr Leu Thr
 705 710 715 720
 Thr Val Val Asp Lys Ile Lys Ser Val Pro Glu Val Tyr Ser Val Lys
 725 730 735
 25 Arg Thr Asn Gly
 740
 30 <210> 172
 <211> 492
 <212> PRT
 <213> Streptococcus pneumoniae
 35 <400> 172
 Met Ser Asn Trp Asp Thr Lys Phe Leu Lys Lys Gly Phe Thr Phe Asp
 1 5 10 15
 40 Asp Val Leu Leu Ile Pro Ala Glu Ser His Val Leu Pro Asn Asp Ala
 20 25 30
 Asp Leu Thr Thr Lys Leu Ala Asp Asn Leu Thr Leu Asn Ile Pro Ile
 35 40 45
 45 Ile Thr Ala Ala Met Asp Thr Val Thr Glu Ser Gln Met Ala Ile Ala
 50 55 60
 Ile Ala Arg Ala Gly Gly Leu Gly Val Ile His Lys Asn Met Ser Ile
 65 70 75 80
 50 Ala Gln Gln Ala Asp Glu Val Arg Lys Val Lys Arg Ser Glu Asn Gly
 85 90 95
 55 Val Ile Ile Asp Pro Phe Phe Leu Thr Pro Glu His Thr Ile Ala Glu
 100 105 110
 Ala Asp Glu Leu Met Gly Arg Tyr Arg Ile Ser Gly Val Pro Val Val

	115	120	125
	Glu Thr Leu Glu Asn Arg Lys	Leu Val Gly Ile	Leu Thr Asn Arg Asp
	130	135	140
5	Leu Arg Phe Ile Ser Asp Tyr Asn Gln Pro	Ile Ser Asn His Met Thr	
	145	150	155 160
10	Ser Glu Asn Leu Val Thr Ala Pro Val Gly Thr Asp Leu Ala Thr Ala		
	165	170	175
	Glu Ser Ile Leu Gln Glu His Arg Ile Glu Lys Leu Pro Leu Val Asp		
	180	185	190
15	Glu Glu Gly Ser Leu Ser Gly Leu Ile Thr Ile Lys Asp Ile Glu Lys		
	195	200	205
20	Val Ile Glu Phe Pro Asn Ala Ala Lys Asp Glu Phe Gly Arg Leu Leu		
	210	215	220
	Val Ala Gly Ala Val Gly Val Thr Ser Asp Thr Phe Glu Arg Ala Glu		
	225	230	235 240
25	Ala Leu Phe Glu Ala Gly Ala Asp Ala Ile Val Ile Asp Thr Ala His		
	245	250	255
	Gly His Ser Ala Gly Val Leu Arg Lys Ile Ala Glu Ile Arg Ala His		
	260	265	270
30	Phe Pro Asp Arg Thr Leu Ile Ala Gly Asn Ile Ala Thr Ala Glu Gly		
	275	280	285
35	Ala Arg Ala Leu Tyr Glu Ala Gly Val Asp Val Val Lys Val Gly Ile		
	290	295	300
	Gly Pro Gly Ser Ile Cys Thr Thr Arg Val Ile Ala Gly Val Gly Val		
	305	310	315 320
40	Pro Gln Val Thr Ala Ile Tyr Asp Ala Ala Ala Val Ala Arg Glu Tyr		
	325	330	335
	Gly Lys Thr Ile Ile Ala Asp Gly Gly Ile Lys Tyr Ser Gly Asp Ile		
	340	345	350
45	Val Lys Ala Leu Ala Ala Gly Gly Asn Ala Val Met Leu Gly Ser Met		
	355	360	365
50	Phe Ala Gly Thr Asp Glu Ala Pro Gly Glu Thr Glu Ile Phe Gln Gly		
	370	375	380
	Arg Lys Phe Lys Thr Tyr Arg Gly Met Gly Ser Ile Ala Ala Met Lys		
	385	390	395 400
55	Lys Gly Ser Ser Asp Arg Tyr Phe Gln Gly Ser Val Asn Glu Ala Asn		
	405	410	415
	Lys Leu Val Pro Glu Gly Ile Glu Gly Arg Val Ala Tyr Lys Gly Ala		

420 425 430
 Ala Ala Asp Ile Val Phe Gln Met Ile Gly Gly Ile Arg Ser Gly Met
 435 440 445
 5 Gly Tyr Cys Gly Ala Ala Asn Leu Lys Glu Leu His Asp Asn Ala Gln
 450 455 460
 10 Phe Ile Glu Met Ser Gly Ala Gly Leu Lys Glu Ser His Pro His Asp
 465 470 475 480
 Val Gln Ile Thr Asn Glu Ala Pro Asn Tyr Ser Met
 485 490
 15 <210> 173
 <211> 648
 <212> PRT
 <213> Streptococcus pneumoniae
 20 <400> 173
 Met Thr Glu Glu Ile Lys Asn Leu Gln Ala Gln Asp Tyr Asp Ala Ser
 1 5 10 15
 25 Gln Ile Gln Val Leu Glu Gly Leu Glu Ala Val Arg Met Arg Pro Gly
 20 25 30
 Met Tyr Ile Gly Ser Thr Ser Lys Glu Gly Leu His His Leu Val Trp
 35 40 45
 30 Glu Ile Val Asp Asn Ser Ile Asp Glu Ala Leu Ala Gly Phe Ala Ser
 50 55 60
 35 His Ile Gln Val Phe Ile Glu Pro Asp Asp Ser Ile Thr Val Val Asp
 65 70 75 80
 Asp Gly Arg Gly Ile Pro Val Asp Ile Gln Glu Lys Thr Gly Arg Pro
 85 90 95
 40 Ala Val Glu Thr Val Phe Thr Val Leu His Ala Gly Gly Lys Phe Gly
 100 105 110
 Gly Gly Gly Tyr Lys Val Ser Gly Gly Leu His Gly Val Gly Ser Ser
 115 120 125
 45 Val Val Asn Ala Leu Ser Thr Gln Leu Asp Val His Val His Lys Asn
 130 135 140
 50 Gly Lys Ile His Tyr Gln Glu Tyr Arg Arg Gly His Val Val Ala Asp
 145 150 155 160
 Leu Glu Ile Val Gly Asp Thr Asp Lys Thr Gly Thr Thr Val His Phe
 165 170 175
 55 Thr Pro Asp Pro Lys Ile Phe Thr Glu Thr Thr Ile Phe Asp Phe Asp
 180 185 190

Lys Leu Asn Lys Arg Ile Gln Glu Leu Ala Phe Leu Asn Arg Gly Leu
 195 200 205
 5 Gln Ile Ser Ile Thr Asp Lys Arg Gln Gly Leu Glu Gln Thr Lys His
 210 215 220
 Tyr His Tyr Glu Gly Gly Ile Ala Ser Tyr Val Glu Tyr Ile Asn Glu
 225 230 235 240
 10 Asn Lys Asp Val Ile Phe Asp Thr Pro Ile Tyr Thr Asp Gly Glu Met
 245 250 255
 Asp Asp Ile Thr Val Glu Val Ala Met Gln Tyr Thr Thr Gly Tyr His
 260 265 270
 15 Glu Asn Val Met Ser Phe Ala Asn Asn Ile His Thr His Glu Gly Gly
 275 280 285
 20 Thr His Glu Gln Gly Phe Arg Thr Ala Leu Thr Arg Val Ile Asn Asp
 290 295 300
 Tyr Ala Arg Lys Asn Lys Leu Leu Lys Asp Asn Glu Asp Asn Leu Thr
 305 310 315 320
 25 Gly Glu Asp Val Arg Glu Gly Leu Thr Ala Val Ile Ser Val Lys His
 325 330 335
 Pro Asn Pro Gln Phe Glu Gly Gln Thr Lys Thr Lys Leu Gly Asn Ser
 340 345 350
 30 Glu Val Val Lys Ile Thr Asn Arg Leu Phe Ser Glu Ala Phe Ser Asp
 355 360 365
 35 Phe Leu Met Glu Asn Pro Gln Ile Ala Lys Arg Ile Val Glu Lys Gly
 370 375 380
 Ile Leu Ala Ala Lys Ala Arg Val Ala Ala Lys Arg Ala Arg Glu Val
 385 390 395 400
 40 Thr Arg Lys Lys Ser Gly Leu Glu Ile Ser Asn Leu Pro Gly Lys Leu
 405 410 415
 Ala Asp Cys Ser Ser Asn Asn Pro Ala Glu Thr Glu Leu Phe Ile Val
 420 425 430
 45 Glu Gly Asp Ser Ala Gly Gly Ser Ala Lys Ser Gly Arg Asn Arg Glu
 435 440 445
 50 Phe Gln Ala Ile Leu Pro Ile Arg Gly Lys Ile Leu Asn Val Glu Lys
 450 455 460
 Ala Ser Met Asp Lys Ile Leu Ala Asn Glu Glu Ile Arg Ser Leu Phe
 465 470 475 480
 55 Thr Ala Met Gly Thr Gly Phe Gly Ala Glu Phe Asp Val Ser Lys Ala
 485 490 495

Arg Tyr Gln Lys Leu Val Leu Met Thr Asp Ala Asp Val Asp Gly Ala
 500 505 510
 5 His Ile Arg Thr Leu Leu Leu Thr Leu Ile Tyr Arg Tyr Met Lys Pro
 515 520 525
 Ile Leu Glu Ala Gly Tyr Val Tyr Ile Ala Gln Pro Pro Ile Tyr Gly
 530 535 540
 10 Val Lys Val Gly Ser Glu Ile Lys Glu Tyr Ile Gln Pro Gly Ala Asp
 545 550 555 560
 Gln Glu Ile Lys Leu Gln Glu Ala Leu Ala Arg Tyr Ser Glu Gly Arg
 565 570 575
 15 Thr Lys Pro Thr Ile Gln Arg Tyr Lys Gly Leu Gly Glu Met Asp Asp
 580 585 590
 20 His Gln Leu Trp Glu Thr Thr Met Asp Pro Glu His Arg Leu Met Ala
 595 600 605
 Arg Val Ser Val Asp Asp Ala Ala Glu Ala Asp Lys Ile Phe Asp Met
 610 615 620
 25 Leu Met Gly Asp Arg Val Glu Pro Arg Arg Glu Phe Ile Glu Glu Asn
 625 630 635 640
 Ala Val Tyr Ser Thr Leu Asp Val
 645
 30
 <210> 174
 <211> 88
 <212> PRT
 35 <213> Streptococcus pneumoniae
 <400> 174
 Met Gly Phe Thr Glu Glu Thr Val Arg Phe Lys Leu Asp Asp Ser Asn
 1 5 10 15
 40 Lys Lys Glu Ile Ser Glu Thr Leu Thr Asp Val Tyr Ala Ser Leu Asn
 20 25 30
 45 Asp Lys Gly Tyr Asn Pro Ile Asn Gln Ile Val Gly Tyr Val Leu Ser
 35 40 45
 Gly Asp Pro Ala Tyr Val Pro Arg Tyr Asn Asn Ala Arg Asn Gln Ile
 50 55 60
 50 Arg Lys Tyr Glu Arg Asp Glu Ile Val Glu Glu Leu Val Arg Tyr Tyr
 65 70 75 80
 Leu Lys Gly Gln Gly Val Asp Leu
 85
 55
 <210> 175

<211> 198
 <212> PRT
 <213> Streptococcus pneumoniae

5 <400> 175
 Met Val Asn Tyr Pro His Lys Val Ser Ser Gln Asp Arg Gln Thr Ser
 1 5 10 15
 10 Leu Ser Gln Pro Lys Asn Phe Ala Asn Arg Gly Met Ser Phe Glu Lys
 20 25 30
 Met Ile Asn Ala Thr Asn Asp Tyr Tyr Leu Ser Gln Gly Leu Ala Val
 35 40 45
 15 Ile His Lys Lys Pro Thr Pro Ile Gln Ile Val Gln Val Asp Tyr Pro
 50 55 60
 Gln Arg Ser Arg Ala Lys Ile Val Glu Ala Tyr Phe Arg Gln Ala Ser
 65 70 75 80
 20 Thr Thr Asp Tyr Ser Gly Val Tyr Asn Gly Tyr Tyr Ile Asp Phe Glu
 85 90 95
 25 Val Lys Glu Thr Lys Gln Lys Arg Ala Ile Pro Met Lys Asn Phe His
 100 105 110
 Pro His Gln Ile Gln His Met Glu Gln Val Leu Ala Gln Gln Gly Ile
 115 120 125
 30 Cys Phe Val Leu Leu His Phe Ser Ser Gln Gln Glu Thr Tyr Leu Leu
 130 135 140
 Pro Ala Phe Asp Leu Ile Arg Phe Tyr His Gln Asp Lys Gly Gln Lys
 145 150 155 160
 35 Ser Met Pro Leu Glu Tyr Ile Arg Glu Tyr Gly Tyr Glu Ile Lys Ala
 165 170 175
 40 Gly Ala Phe Pro Gln Ile Pro Tyr Leu Asn Val Ile Lys Glu His Leu
 180 185 190
 Leu Gly Gly Lys Thr Arg
 195

45
 <210> 176
 <211> 288
 <212> PRT
 <213> Streptococcus pneumoniae

50
 <400> 176
 Met Ala Leu Phe Ser Lys Lys Asp Lys Tyr Ile Arg Ile Asn Pro Asn
 1 5 10 15
 55 Arg Ser Val Arg Glu Lys Pro Gln Ala Lys Pro Glu Val Pro Asp Glu
 20 25 30

Leu Phe Ser Gln Cys Pro Gly Cys Lys His Thr Ile Tyr Gln Lys Asp
 35 40 45
 5 Leu Gly Ser Glu Arg Ile Cys Pro His Cys Ser Tyr Thr Phe Arg Ile
 50 55 60
 Ser Ala Gln Glu Arg Leu Ala Leu Thr Ile Asp Met Gly Thr Phe Lys
 65 70 75 80
 10 Glu Leu Phe Thr Gly Ile Glu Ser Lys Asp Pro Leu His Phe Pro Gly
 85 90 95
 Tyr Gln Lys Lys Leu Ala Ser Met Arg Glu Lys Thr Gly Leu His Glu
 100 105 110
 15 Ala Val Val Thr Gly Thr Ala Leu Ile Lys Gly Gln Thr Val Ala Leu
 115 120 125
 20 Gly Ile Met Asp Ser Asn Phe Ile Met Ala Ser Met Gly Thr Val Val
 130 135 140
 Gly Glu Lys Ile Thr Arg Leu Phe Glu Tyr Ala Thr Val Glu Lys Leu
 145 150 155 160
 25 Pro Val Val Leu Phe Thr Ala Ser Gly Gly Ala Arg Met Gln Glu Gly
 165 170 175
 Ile Met Ser Leu Met Gln Met Ala Lys Ile Ser Ala Ala Val Lys Arg
 180 185 190
 30 His Ser Asn Ala Gly Leu Phe Tyr Leu Thr Ile Leu Thr Asp Pro Thr
 195 200 205
 35 Thr Gly Gly Val Thr Ala Ser Phe Ala Met Glu Gly Asp Ile Ile Leu
 210 215 220
 Ala Glu Pro Gln Ser Leu Val Gly Phe Ala Gly Arg Arg Val Ile Glu
 225 230 235 240
 40 Asn Thr Val Arg Glu Ser Leu Pro Glu Asp Phe Gln Lys Ala Glu Phe
 245 250 255
 Leu Leu Glu His Gly Phe Val Asp Ala Ile Val Lys Arg Arg Asp Leu
 260 265 270
 45 Pro Asp Thr Ile Ala Ser Leu Val Arg Leu His Gly Gly Ser Pro Arg
 275 280 285
 50

<210> 177

<211> 139

55 <212> PRT

<213> Streptococcus pneumoniae

<400> 177
 Met Arg Ile Met Gly Leu Asp Val Gly Ser Lys Thr Val Gly Val Ala
 1 5 10 15
 5 Ile Ser Asp Pro Leu Gly Phe Thr Ala Gln Gly Leu Glu Ile Ile Gln
 20 25 30
 Ile Asn Glu Glu Gln Gly Gln Phe Gly Ser Asp Arg Val Lys Glu Leu
 35 40 45
 10 Val Asp Thr Tyr Lys Val Glu Arg Phe Val Val Gly Leu Pro Lys Asn
 50 55 60
 15 Met Asn Asn Thr Ser Gly Pro Arg Val Glu Ala Ser Gln Ala Tyr Gly
 65 70 75 80
 Ala Lys Leu Glu Glu Phe Phe Gly Leu Pro Val Asp Tyr Gln Asp Glu
 85 90 95
 20 Arg Leu Thr Thr Val Ala Ala Glu Arg Met Leu Ile Glu Gln Ala Asp
 100 105 110
 Ile Ser Arg Asn Lys Arg Lys Lys Val Ile Asp Lys Leu Ala Ala Gln
 115 120 125
 25 Leu Ile Leu Gln Asn Tyr Leu Asp Arg Lys Phe
 130 135
 30 <210> 178
 <211> 398
 <212> PRT
 <213> Streptococcus pneumoniae
 35 <400> 178
 Met Ala Lys Leu Thr Val Lys Asp Val Asp Leu Lys Gly Lys Lys Val
 1 5 10 15
 40 Leu Val Arg Val Asp Phe Asn Val Pro Leu Lys Asp Gly Val Ile Thr
 20 25 30
 Asn Asp Asn Arg Ile Thr Ala Ala Leu Pro Thr Ile Lys Tyr Ile Ile
 35 40 45
 45 Glu Gln Gly Gly Arg Ala Ile Leu Phe Ser His Leu Gly Arg Val Lys
 50 55 60
 Glu Glu Ala Asp Lys Ala Gly Lys Ser Leu Ala Pro Val Ala Ala Asp
 65 70 75 80
 50 Leu Ala Ala Lys Leu Gly Gln Asp Val Val Phe Pro Gly Val Thr Arg
 85 90 95
 55 Gly Ala Glu Leu Glu Ala Ala Ile Asn Ala Leu Glu Asp Gly Gln Val
 100 105 110
 Leu Leu Val Glu Asn Thr Arg Tyr Glu Asp Val Asp Gly Lys Lys Glu

	115	120	125
5	Ser Lys Asn Asp Pro Glu Leu Gly Lys Tyr Trp Ala Ser Leu Gly Asp 130 135 140		
	Gly Ile Phe Val Asn Asp Ala Phe Gly Thr Ala His Arg Ala His Ala 145 150 155 160		
10	Ser Asn Val Gly Ile Ser Ala Asn Val Glu Lys Ala Val Ala Gly Phe 165 170 175		
	Leu Leu Glu Asn Glu Ile Ala Tyr Ile Gln Glu Ala Val Glu Thr Pro 180 185 190		
15	Glu Arg Pro Phe Val Ala Ile Leu Gly Gly Ser Lys Val Ser Asp Lys 195 200 205		
	Ile Gly Val Ile Glu Asn Leu Leu Glu Lys Ala Asp Lys Val Leu Ile 210 215 220		
20	Gly Gly Gly Met Thr Tyr Thr Phe Tyr Lys Ala Gln Gly Ile Glu Ile 225 230 235 240		
25	Gly Asn Ser Leu Val Glu Glu Asp Lys Leu Asp Val Ala Lys Ala Leu 245 250 255		
	Leu Glu Lys Ala Asn Gly Lys Leu Ile Leu Pro Val Asp Ser Lys Glu 260 265 270		
30	Ala Asn Ala Phe Ala Gly Tyr Thr Glu Val Arg Asp Thr Glu Gly Glu 275 280 285		
	Ala Val Ser Glu Gly Phe Leu Gly Leu Asp Ile Gly Pro Lys Ser Ile 290 295 300		
35	Ala Lys Phe Asp Glu Ala Leu Thr Gly Ala Lys Thr Val Val Trp Asn 305 310 315 320		
40	Gly Pro Met Gly Val Phe Glu Asn Pro Asp Phe Gln Ala Gly Thr Ile 325 330 335		
	Gly Val Met Asp Ala Ile Val Lys Gln Pro Gly Val Lys Ser Ile Ile 340 345 350		
45	Gly Gly Gly Asp Ser Ala Ala Ala Ile Asn Leu Gly Arg Ala Asp 355 360 365		
	Lys Phe Ser Trp Ile Ser Thr Gly Gly Gly Ala Ser Met Glu Leu Leu 370 375 380		
50	Glu Gly Lys Val Leu Pro Gln Leu Ala Ala Leu Thr Glu Lys 385 390 395		
55	<210> 179 <211> 165 <212> PRT		

<213> Streptococcus pneumoniae

<400> 179

5 Met Leu Lys Ser Glu Lys Gln Ser Arg Tyr Gln Met Leu Asn Glu Glu
 1 5 10 15
 Leu Ser Phe Leu Leu Glu Gly Glu Thr Asn Val Leu Ala Asn Leu Ser
 20 25 30
 10 Asn Ala Ser Ala Leu Ile Lys Ser Arg Phe Pro Asn Thr Val Phe Ala
 35 40 45
 Gly Phe Tyr Leu Phe Asp Gly Lys Glu Leu Val Leu Gly Pro Phe Gln
 50 55 60
 15 Gly Gly Val Ser Cys Ile Arg Ile Ala Leu Gly Lys Gly Val Cys Gly
 65 70 75 80
 20 Glu Ala Ala His Phe Gln Glu Thr Val Ile Val Gly Asp Val Thr Thr
 85 90 95
 Tyr Leu Asn Tyr Ile Ser Cys Asp Ser Leu Ala Lys Ser Glu Ile Val
 100 105 110
 25 Val Pro Met Met Lys Asn Gly Gln Leu Leu Gly Val Leu Asp Leu Asp
 115 120 125
 Ser Ser Glu Ile Glu Asp Tyr Asp Ala Met Asp Arg Asp Tyr Leu Glu
 130 135 140
 30 Gln Phe Val Ala Ile Leu Leu Glu Lys Thr Ala Trp Asp Phe Thr Met
 145 150 155 160
 35 Phe Glu Glu Lys Ser
 165

<210> 180

<211> 209

<212> PRT

<213> Streptococcus pneumoniae

<400> 180

45 Met Thr Ile Glu Leu Leu Thr Pro Phe Thr Lys Val Glu Leu Glu Pro
 1 5 10 15
 Glu Ile Lys Glu Lys Lys Arg Lys Gln Val Gly Ile Leu Gly Gly Asn
 20 25 30
 50 Phe Asn Pro Val His Asn Ala His Leu Ile Val Ala Asp Gln Val Arg
 35 40 45
 Gln Gln Leu Gly Leu Asp Gln Val Leu Leu Met Pro Glu Tyr Gln Pro
 50 55 60
 55 Pro His Val Asp Lys Lys Glu Thr Ile Pro Glu His His Arg Leu Lys
 65 70 75 80

Met Leu Glu Leu Ala Ile Glu Gly Ile Asp Gly Leu Val Ile Glu Thr
 85 90 95
 5 Ile Glu Leu Glu Arg Lys Gly Ile Ser Tyr Thr Tyr Asp Thr Met Lys
 100 105 110
 Ile Leu Thr Glu Lys Asn Pro Asp Thr Asp Tyr Tyr Phe Ile Ile Gly
 115 120 125
 10 Ala Asp Met Val Asp Tyr Leu Pro Lys Trp Tyr Arg Ile Asp Glu Leu
 130 135 140
 Val Asp Met Val Gln Phe Val Gly Val Gln Arg Pro Arg Tyr Lys Val
 145 150 155 160
 15 Gly Thr Ser Tyr Pro Val Ile Trp Val Asp Val Pro Leu Met Asp Ile
 165 170 175
 20 Ser Ser Ser Met Val Arg Ala Phe Leu Ala Gln Gly Arg Lys Pro Asn
 180 185 190
 Phe Leu Leu Pro Gln Pro Val Leu Asp Tyr Ile Glu Lys Glu Gly Leu
 195 200 205
 25 Tyr
 30 <210> 181
 <211> 255
 <212> PRT
 <213> Streptococcus pneumoniae
 35 <400> 181
 Met Asn Ile Ala Lys Ile Val Arg Glu Ala Arg Glu Gln Ser Arg Leu
 1 5 10 15
 40 Thr Thr Leu Asp Phe Ala Thr Gly Ile Phe Asp Glu Phe Ile Gln Leu
 20 25 30
 His Gly Asp Arg Ser Phe Arg Asp Asp Gly Ala Val Val Gly Gly Ile
 35 40 45
 45 Gly Trp Leu Gly Asp Gln Ala Val Thr Val Val Gly Ile Gln Lys Gly
 50 55 60
 Lys Ser Leu Gln Asp Asn Leu Lys Arg Asn Phe Gly Gln Pro His Pro
 65 70 75 80
 50 Glu Gly Tyr Arg Lys Ala Leu Arg Leu Met Lys Gln Ala Glu Lys Phe
 85 90 95
 Gly Arg Pro Val Val Thr Phe Ile Asn Thr Ala Gly Ala Tyr Pro Gly
 100 105 110
 55 Val Gly Ala Glu Glu Arg Gly Gln Gly Glu Ala Ile Ala Arg Asn Leu

	115	120	125
5	Met Glu Met Ser Asp Leu Lys Val Pro Ile Ile Ala Ile Ile Ile Gly 130 135 140		
	Glu Gly Gly Ser Gly Gly Ala Leu Ala Leu Ala Val Ala Asp Arg Val 145 150 155 160		
10	Trp Met Leu Glu Asn Ser Ile Tyr Ala Ile Leu Ser Pro Glu Gly Phe 165 170 175		
	Ala Ser Ile Leu Trp Lys Asp Gly Thr Arg Ala Met Glu Ala Ala Glu 180 185 190		
15	Leu Met Lys Ile Thr Ser His Glu Leu Leu Glu Met Asp Val Val Asp 195 200 205		
	Lys Val Ile Ser Glu Val Gly Leu Ser Ser Lys Glu Leu Ile Lys Ser 210 215 220		
20	Val Lys Lys Glu Leu Gln Thr Glu Leu Ala Arg Leu Ser Gln Lys Pro 225 230 235 240		
25	Leu Glu Glu Leu Leu Glu Glu Arg Tyr Gln Arg Phe Arg Lys Tyr 245 250 255		
30	<210> 182 <211> 169 <212> PRT <213> Streptococcus pneumoniae		
	<400> 182		
35	Met Ile Ile Lys Val Glu Met Ala Asp Val Glu Val Leu Ala Lys Ile 1 5 10 15		
	Ala Lys Gln Thr Phe Arg Glu Thr Phe Ala Tyr Asp Asn Thr Glu Glu 20 25 30		
40	Gln Leu Gln Glu Tyr Phe Glu Glu Ala Tyr Ser Leu Lys Thr Leu Ser 35 40 45		
	Thr Glu Leu Gly Asn Pro Asp Ser Glu Thr Tyr Phe Ile Met His Glu 50 55 60		
45	Glu Glu Ile Ala Gly Phe Leu Lys Val Asn Trp Gly Ser Ala Gln Thr 65 70 75 80		
50	Glu Arg Glu Leu Glu Asp Ala Phe Glu Ile Gln Arg Leu Tyr Val Leu 85 90 95		
	Gln Lys Phe Gln Gly Phe Gly Leu Gly Lys Gln Leu Phe Glu Phe Ala 100 105 110		
55	Leu Glu Leu Ala Thr Lys Asn Ser Phe Ser Trp Ala Trp Leu Gly Val 115 120 125		

Trp Glu His Asn Thr Lys Ala Gln Ala Phe Tyr Asn Arg Tyr Gly Phe
 130 135 140
 5 Glu Lys Phe Ser Gln His His Phe Met Val Gly Gln Lys Val Asp Thr
 145 150 155 160
 Asp Trp Leu Leu Arg Lys Lys Leu Arg
 165
 10 <210> 183
 <211> 529
 <212> PRT
 <213> Streptococcus pneumoniae
 15 <400> 183
 Met Leu Arg Gly Thr Ala Leu Leu Thr Ala Ser Asn Phe Ile Ser Arg
 1 5 10 15
 20 Leu Leu Gly Ala Val Tyr Ile Ile Pro Trp Tyr Ile Trp Met Gly Ala
 20 25 30
 Tyr Ala Ala Lys Ala Asn Gly Leu Phe Thr Met Gly Tyr Thr Ile Tyr
 35 40 45
 25 Ala Trp Phe Leu Leu Val Ser Thr Ala Gly Ile Pro Val Ala Val Ala
 50 55 60
 30 Lys Gln Val Ala Lys Tyr Asn Thr Met Arg Glu Glu Glu His Ser Phe
 65 70 75 80
 Ala Leu Ile Arg Ser Phe Leu Gly Phe Met Thr Gly Leu Gly Leu Val
 85 90 95
 35 Phe Ala Leu Val Leu Tyr Val Phe Ala Pro Trp Leu Ala Asp Leu Ser
 100 105 110
 Gly Val Gly Lys Asp Leu Ile Pro Ile Met Gln Ser Leu Ala Trp Gly
 115 120 125
 40 Val Leu Ile Phe Pro Ser Met Ser Val Ile Arg Gly Phe Phe Gln Gly
 130 135 140
 45 Met Asn Asn Leu Lys Pro Tyr Ala Met Ser Gln Ile Ala Glu Gln Val
 145 150 155 160
 Ile Arg Val Ile Trp Met Leu Leu Ala Thr Phe Ile Ile Met Lys Leu
 165 170 175
 50 Gly Ser Gly Asp Tyr Leu Ala Ala Val Thr Gln Ser Thr Phe Ala Ala
 180 185 190
 Phe Val Gly Met Val Ala Ser Phe Ala Val Leu Ile Tyr Phe Leu Ala
 195 200 205
 55 Gln Glu Ser Ser Leu Lys Arg Val Phe Glu Thr Gly Asp Lys Ile Asn
 210 215 220

Ser Lys Arg Leu Leu Val Asp Thr Ile Lys Glu Ala Ile Pro Phe Ile
 225 230 235 240
 5 Leu Thr Gly Ser Ala Ile Gln Ile Phe Gln Ile Leu Asp Gln Leu Thr
 245 250 255
 Phe Ile Asn Ser Met Ser Trp Phe Thr Asn Tyr Ser Asn Glu Asp Leu
 260 265 270
 10 Val Val Met Phe Ser Tyr Phe Ser Ala Asn Pro Asn Lys Ile Thr Met
 275 280 285
 Ile Leu Ile Ser Val Gly Val Ser Ile Gly Ser Val Gly Leu Pro Leu
 290 295 300
 15 Leu Thr Glu Asn Tyr Val Lys Gly Asp Leu Lys Ala Ala Ser Arg Leu
 305 310 315 320
 20 Val Gln Asp Ser Leu Thr Leu Leu Phe Met Phe Leu Leu Pro Ala Thr
 325 330 335
 Val Gly Val Val Met Val Gly Glu Pro Leu Tyr Thr Val Phe Tyr Gly
 340 345 350
 25 Lys Pro Asp Ser Leu Ala Leu Gly Leu Phe Val Phe Ala Val Leu Gln
 355 360 365
 Ser Ile Ile Leu Gly Leu Tyr Met Val Leu Ser Pro Met Leu Gln Ala
 370 375 380
 30 Met Phe Arg Asn Arg Lys Ala Val Leu Tyr Phe Ile Tyr Gly Ser Ile
 385 390 395 400
 35 Ala Lys Leu Val Leu Gln Leu Pro Thr Ile Ala Leu Phe His Ser Tyr
 405 410 415
 Gly Pro Leu Ile Ser Thr Thr Ile Ala Leu Ile Ile Pro Asn Val Leu
 420 425 430
 40 Met Tyr Arg Asp Ile Cys Lys Val Thr Gly Val Lys Arg Lys Val Ile
 435 440 445
 Leu Lys Arg Thr Ile Leu Ile Ser Leu Leu Thr Leu Val Met Phe Leu
 450 455 460
 45 Leu Ile Gly Thr Ile Gln Trp Leu Leu Gly Phe Phe Phe Gln Pro Ser
 465 470 475 480
 50 Gly Arg Leu Trp Ser Phe Phe Tyr Val Ala Leu Val Gly Ala Met Gly
 485 490 495
 Gly Gly Leu Tyr Met Val Met Ser Leu Arg Thr Tyr Leu Leu Asp Lys
 500 505 510
 55 Val Ile Gly Lys Ala Gln Ala Asp Arg Leu Arg Ala Lys Phe Lys Leu
 515 520 525

Ser

5

<210> 184

<211> 155

<212> PRT

<213> Streptococcus pneumoniae

10

<400> 184

Met Ser Asp Lys Ile Gly Leu Phe Thr Gly Ser Phe Asp Pro Met Thr
 1 5 10 15

15

Asn Gly His Leu Asp Ile Ile Glu Arg Ala Ser Arg Leu Phe Asp Lys
 20 25 30

Leu Tyr Val Gly Ile Phe Phe Asn Pro His Lys Gln Gly Phe Leu Pro
 35 40 45

20

Ile Glu Asn Arg Lys Arg Gly Leu Glu Lys Ala Leu Gly His Leu Glu
 50 55 60

25

Asn Val Glu Val Val Ala Ser His Asp Glu Leu Val Val Asp Val Ala
 65 70 75 80

Lys Arg Leu Gly Ala Thr Cys Leu Val Arg Gly Leu Arg Asn Ala Ser
 85 90 95

30

Asp Leu Gln Tyr Glu Ala Ser Phe Asp Tyr Tyr Asn His Gln Leu Ser
 100 105 110

Ser Asp Ile Glu Thr Ile Tyr Leu His Ser Arg Pro Glu His Leu Tyr
 115 120 125

35

Ile Ser Ser Ser Gly Val Arg Glu Leu Leu Lys Phe Gly Gln Asp Ile
 130 135 140

40

Ala Cys Tyr Val Pro Glu Ser Ile Trp Arg Lys
 145 150 155

<210> 185

<211> 143

<212> PRT

<213> Streptococcus pneumoniae

45

<400> 185

Met Thr Ile Leu Phe Val Val Ile Ser Ala Ser Phe Leu Tyr Met Val
 1 5 10 15

50

Ser Leu Ser Met Lys Pro Tyr Gln Thr Ala Lys Ser Glu Gly Glu Lys
 20 25 30

55

Leu Ala Gln Gln Tyr Ala Gly Leu Glu Gln Ala Asp Gln Val Asp Leu
 35 40 45

Tyr Asn Gly Leu Glu Ser Tyr Tyr Ser Val Leu Gly Arg Asn Lys Gln
 50 55 60
 5 Gln Glu Ala Leu Ala Val Leu Ile Gly Lys Asp Asp His Lys Ile Tyr
 65 70 75 80
 Val Tyr Gln Leu Asn Gln Gly Val Ser Gln Glu Lys Ala Glu Thr Val
 85 90 95
 10 Ser Lys Glu Lys Gly Ala Gly Glu Ile Asp Lys Ile Ile Phe Gly Arg
 100 105 110
 Tyr Gln Asp Lys Pro Ile Trp Glu Val Lys Ser Gly Ser Asp Phe Tyr
 115 120 125
 15 Leu Val Asp Phe Glu Thr Gly Ala Leu Val Asn Lys Glu Gly Leu
 130 135 140
 20 <210> 186
 <211> 243
 <212> PRT
 <213> Streptococcus pneumoniae
 25 <400> 186
 Met Ile Asp Ile His Ser His Ile Val Phe Asp Val Asp Asp Gly Pro
 1 5 10 15
 30 Lys Ser Arg Glu Glu Ser Lys Ala Leu Leu Thr Glu Ala Tyr Arg Gln
 20 25 30
 Gly Val Arg Thr Ile Val Ser Thr Ser His Arg Arg Lys Gly Met Phe
 35 40 45
 35 Glu Thr Pro Glu Glu Lys Ile Ala Glu Asn Phe Leu Gln Val Arg Glu
 50 55 60
 Ile Ala Lys Glu Val Ala Ser Asp Leu Val Ile Ala Tyr Gly Ala Glu
 65 70 75 80
 40 Ile Tyr Tyr Thr Pro Asp Val Leu Asp Lys Leu Glu Asn Asn Arg Ile
 85 90 95
 45 Pro Thr Leu Asn Asn Ser Arg Tyr Ala Leu Ile Glu Phe Ser Met Asn
 100 105 110
 Thr Pro Tyr Arg Asp Ile His Ser Ala Leu Asn Lys Ile Leu Met Leu
 115 120 125
 50 Gly Ile Thr Pro Val Ile Ala His Ile Glu Arg Tyr Asp Val Leu Glu
 130 135 140
 Asn Asn Glu Lys Arg Val Arg Glu Leu Ile Asp Met Gly Cys Tyr Thr
 145 150 155 160
 55 Gln Ile Asn Ser Ser His Val Leu Lys Ser Lys Leu Phe Gly Glu Pro
 165 170 175

Tyr Lys Phe Met Lys Lys Arg Ala Gln Tyr Phe Leu Glu Arg Asp Leu
 180 185 190
 5 Val His Ile Ile Ala Ser Asp Met His Asn Val Asp Gly Arg Pro Pro
 195 200 205
 His Met Ala Glu Ala Tyr Asp Leu Val Ser Gln Lys Tyr Gly Glu Ala
 210 215 220
 10 Lys Ala Gln Glu Leu Phe Ile Asp Asn Pro Arg Lys Ile Val Met Asp
 225 230 235 240
 Gln Leu Ile
 15
 <210> 187
 <211> 308
 20 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 187
 25 Met Ser Thr Ile Asp Lys Glu Lys Phe Gln Phe Val Lys Arg Asp Asp
 1 5 10 15
 Phe Ala Ser Glu Thr Ile Asp Ala Pro Ala Tyr Ser Tyr Trp Lys Ser
 20 25 30
 30 Val Phe Lys Gln Phe Met Lys Lys Lys Ser Thr Val Val Met Leu Gly
 35 40 45
 Ile Leu Val Ala Ile Ile Leu Ile Ser Phe Ile Tyr Pro Met Phe Ser
 50 55 60
 35 Lys Phe Asp Phe Asn Asp Val Ser Lys Val Asn Asp Phe Ser Val Arg
 65 70 75 80
 40 Tyr Ile Lys Pro Asn Ala Glu His Trp Phe Gly Thr Asp Ser Asn Gly
 85 90 95
 Lys Ser Leu Phe Asp Gly Val Trp Phe Gly Ala Arg Asn Ser Ile Leu
 100 105 110
 45 Ile Ser Val Ile Ala Thr Val Ile Asn Leu Val Ile Gly Val Phe Val
 115 120 125
 Gly Gly Ile Trp Gly Ile Ser Lys Ser Val Asp Arg Val Met Met Glu
 130 135 140
 50 Val Tyr Asn Val Ile Ser Asn Ile Pro Pro Leu Leu Ile Val Ile Val
 145 150 155 160
 55 Leu Thr Tyr Ser Ile Gly Ala Gly Phe Trp Asn Leu Ile Phe Ala Met
 165 170 175
 Ser Val Thr Thr Trp Ile Gly Ile Ala Phe Met Ile Arg Val Gln Ile

180 185 190
 Leu Arg Tyr Arg Asp Leu Glu Tyr Asn Leu Ala Ser Arg Thr Leu Gly
 195 200 205
 5 Thr Pro Thr Leu Lys Ile Val Ala Lys Asn Ile Met Pro Gln Leu Val
 210 215 220
 10 Ser Val Ile Val Thr Thr Met Thr Gln Met Leu Pro Ser Phe Ile Ser
 225 230 235 240
 Tyr Glu Ala Phe Leu Ser Phe Phe Gly Leu Gly Leu Pro Ile Thr Val
 245 250 255
 15 Pro Ser Leu Gly Arg Leu Ile Ser Asp Tyr Ser Gln Asn Val Thr Thr
 260 265 270
 Asn Ala Tyr Leu Phe Trp Ile Pro Leu Thr Thr Leu Val Leu Val Ser
 275 280 285
 20 Leu Ser Leu Phe Val Val Gly Gln Asn Leu Ala Asp Ala Ser Asp Pro
 290 295 300
 Arg Thr His Arg
 305
 30 <210> 188
 <211> 77
 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 188
 35 Met Tyr Asn Leu Leu Leu Thr Ile Leu Leu Val Leu Ser Val Val Ile
 1 5 10 15
 Val Ile Ala Ile Phe Met Gln Pro Thr Lys Asn Gln Ser Ser Asn Val
 20 25 30
 40 Phe Asp Ala Ser Ser Gly Asp Leu Phe Glu Arg Ser Lys Ala Arg Gly
 35 40 45
 Phe Glu Ala Val Met Gln Arg Leu Thr Gly Ile Leu Val Phe Phe Trp
 50 55 60
 45 Leu Ala Ile Ala Leu Ala Leu Thr Val Leu Ser Ser Arg
 65 70 75
 50 <210> 189
 <211> 369
 <212> PRT
 <213> Streptococcus pneumoniae
 55 <400> 189
 Met Phe Arg Arg Asn Lys Leu Phe Phe Trp Thr Thr Glu Ile Leu Leu
 1 5 10 15

Leu Thr Ile Ile Phe Tyr Leu Trp Arg Gln Met Gly Ser Leu Ile Asn
 20 25 30
 5 Pro Phe Val Ser Val Leu Asn Thr Ile Met Ile Pro Phe Leu Leu Gly
 35 40 45
 Gly Phe Leu Tyr Tyr Leu Thr Asn Pro Ile Val Thr Phe Leu Asn Lys
 50 55 60
 10 Val Cys Lys Leu Asn Arg Leu Leu Gly Ile Leu Ile Thr Leu Cys Thr
 65 70 75 80
 15 Leu Val Trp Gly Met Val Ile Gly Val Val Tyr Leu Leu Pro Ile Leu
 85 90 95
 Ile Asn Gln Leu Ser Ser Leu Ile Ile Ser Ser Gln Thr Ile Tyr Ser
 100 105 110
 20 Arg Val Gln Asp Leu Ile Ile Asp Leu Ser Asn Tyr Pro Ala Leu Gln
 115 120 125
 Asn Leu Asp Val Glu Ala Thr Ile Gln Gln Leu Asn Leu Ser Tyr Val
 130 135 140
 25 Asp Ile Leu Gln Asn Ile Leu Asn Ser Val Ser Asn Ser Val Gly Ser
 145 150 155 160
 30 Val Leu Ser Ala Leu Ile Ser Thr Val Leu Ile Leu Ile Met Thr Pro
 165 170 175
 Val Phe Leu Val Tyr Phe Leu Leu Asp Gly His Lys Phe Leu Pro Met
 180 185 190
 35 Leu Glu Arg Thr Ile Leu Lys Arg Asp Arg Leu His Ile Ala Gly Leu
 195 200 205
 Leu Lys Asn Leu Asn Ala Thr Ile Ala Arg Tyr Ile Ser Gly Val Ser
 210 215 220
 40 Ile Asp Ala Ile Ile Ile Gly Cys Leu Ala Tyr Ile Gly Tyr Ser Ile
 225 230 235 240
 45 Ile Gly Leu Lys Tyr Ala Leu Val Phe Ala Ile Phe Ser Gly Val Ala
 245 250 255
 Asn Leu Ile Pro Tyr Val Gly Pro Ser Ile Gly Leu Ile Pro Met Ile
 260 265 270
 50 Ile Ala Asn Ile Phe Thr Val Pro His Arg Leu Leu Ile Ala Val Ile
 275 280 285
 Tyr Met Leu Val Val Gln Gln Val Asp Gly Asn Ile Leu Tyr Pro Arg
 290 295 300
 55 Ile Val Gly Ser Val Met Lys Val His Pro Ile Thr Ile Leu Val Leu
 305 310 315 320

Leu Leu Leu Ser Ser Asn Ile Tyr Gly Val Val Gly M t Ile Val Ala
 325 330 335
 5 Val Pro Thr Tyr Ser Ile Leu Lys Glu Ile Ser Lys Phe Leu Ser Arg
 340 345 350
 Leu Tyr Glu Asn His Lys Ile Met Lys Glu Arg Glu Arg Glu Leu Ala
 355 360 365
 10 Lys
 15 <210> 190
 <211> 451
 <212> PRT
 <213> Streptococcus pneumoniae
 20 <400> 190
 Met Tyr Gln Ala Leu Tyr Arg Lys Tyr Arg Ser Gln Asn Phe Ser Gln
 1 5 10 15
 Leu Val Gly Gln Glu Val Val Ala Lys Thr Leu Lys Gln Ala Val Glu
 20 25 30
 Gln Glu Lys Ile Ser His Ala Tyr Leu Phe Ser Gly Pro Arg Gly Thr
 35 40 45
 30 Gly Lys Thr Ser Val Ala Lys Ile Phe Ala Lys Ala Met Asn Cys Pro
 50 55 60
 Asn Gln Val Gly Gly Glu Pro Cys Asn Asn Cys Tyr Ile Cys Gln Ala
 65 70 75 80
 35 Val Thr Asp Gly Ser Leu Glu Asp Val Ile Glu Met Asp Ala Ala Ser
 85 90 95
 Asn Asn Gly Val Asp Glu Ile Arg Glu Ile Arg Asp Lys Ser Thr Tyr
 100 105 110
 Ala Pro Ser Leu Ala Arg Tyr Lys Val Tyr Ile Ile Asp Glu Val His
 115 120 125
 45 Met Leu Ser Thr Gly Ala Phe Asn Ala Leu Leu Lys Thr Leu Glu Glu
 130 135 140
 Pro Thr Gln Asn Val Val Phe Ile Leu Ala Thr Thr Glu Leu His Lys
 145 150 155 160
 50 Ile Pro Ala Thr Ile Leu Ser Arg Val Gln Arg Phe Glu Phe Lys Ser
 165 170 175
 Ile Lys Thr Gln Asp Ile Lys Glu His Ile His Tyr Ile Leu Glu Lys
 180 185 190
 55 Glu Asn Ile Ser Ser Glu Pro Glu Ala Val Glu Ile Ile Ala Arg Arg

	195	200	205
5	Ala Glu Gly Gly Met Arg Asp 210	Ala Leu Ser Ile 215	Leu Asp Gln Ala Leu 220
	Ser Leu Thr Gln Gly Asn Glu Leu Thr Thr 225	Ala Ile Ser Glu Glu Ile 230 235 240	
10	Thr Gly Thr Ile Ser Leu Ser Ala Leu Asp Asp Tyr Val Ala Ala Leu 245 250 255		
	Ser Gln Gln Asp Val Pro Lys Ala Leu Ser Cys Leu Asn Leu Leu Phe 260 265 270		
15	Asp Asn Gly Lys Ser Met Thr Arg Phe Val Thr Asp Leu Leu His Tyr 275 280 285		
20	Leu Arg Asp Leu Leu Ile Val Gln Thr Gly Gly Glu Asn Thr His His 290 295 300		
	Ser Ser Val Phe Val Glu Asn Leu Ala Leu Pro Gln Lys Asn Leu Phe 305 310 315 320		
25	Glu Met Ile Arg Leu Ala Thr Val Asn Leu Ala Asp Ile Lys Ser Ser 325 330 335		
	Leu Gln Pro Lys Ile Tyr Ala Glu Met Met Thr Val Arg Leu Ala Glu 340 345 350		
30	Ile Lys Pro Glu Pro Ala Leu Ser Gly Ala Val Glu Asn Glu Ile Ala 355 360 365		
35	Thr Leu Arg Gln Glu Val Ala Arg Leu Lys Gln Glu Leu Ser Asn Ala 370 375 380		
	Gly Ala Val Pro Lys Gln Val Ala Pro Ala Pro Ser Arg Pro Ala Thr 385 390 395 400		
40	Gly Lys Thr Val Tyr Arg Val Asp Arg Asn Lys Val Gln Ser Ile Leu 405 410 415		
	Gln Glu Ala Val Glu Asn Pro Asp Leu Thr Arg Gln Asn Leu Ile Arg 420 425 430		
45	Leu Gln Asn Ala Trp Gly Glu Val Ile Glu Ser Leu Gly Gly Pro Asp 435 440 445		
50	Lys Leu Cys 450		
55	<210> 191 <211> 662 <212> PRT <213> Streptococcus pneumoniae <400> 191		

	Met	Phe	Arg	Leu	Thr	Asn	Lys	Leu	Ala	Val	Ser	Asn	Leu	Ile	Lys	Asn	
	1				5					10					15		
5	Arg	Lys	Leu	Tyr	Tyr	Pro	Phe	Ala	Leu	Ala	Val	Leu	Leu	Ala	Val	Thr	
				20					25					30			
	Leu	Thr	Tyr	Leu	Phe	Tyr	Ser	Leu	Thr	Phe	Asn	Pro	Lys	Ile	Ala	Glu	
			35					40					45				
10	Ile	Arg	Gly	Gly	Thr	Thr	Ile	Gln	Ala	Thr	Leu	Gly	Phe	Gly	Met	Phe	
		50					55					60					
	Val	Val	Thr	Leu	Ala	Ser	Ala	Ile	Ile	Val	Leu	Tyr	Ala	Asn	Ser	Phe	
	65					70				75						80	
15	Val	Met	Lys	Lys	Arg	Ser	Lys	Glu	Leu	Gly	Ile	Tyr	Gly	Met	Leu	Gly	
					85					90					95		
	Leu	Glu	Lys	Arg	His	Leu	Ile	Ser	Met	Thr	Phe	Lys	Glu	Leu	Val	Val	
20				100					105					110			
	Phe	Gly	Ile	Leu	Thr	Val	Gly	Ala	Gly	Ile	Gly	Ile	Gly	Ala	Leu	Phe	
			115					120					125				
25	Asp	Lys	Leu	Ile	Phe	Ala	Phe	Leu	Leu	Lys	Leu	Met	Lys	Leu	Lys	Val	
		130					135					140					
	Glu	Leu	Val	Ala	Thr	Phe	Gln	Thr	Lys	Val	Val	Ile	Thr	Val	Leu	Val	
	145					150					155					160	
30	Val	Phe	Gly	Leu	Ile	Phe	Leu	Gly	Leu	Met	Phe	Leu	Asn	Ala	Leu	Arg	
					165					170					175		
	Ile	Ala	Arg	Met	Asn	Ala	Leu	Gln	Leu	Ser	Arg	Glu	Lys	Ala	Ser	Gly	
35				180					185					190			
	Glu	Lys	Lys	Gly	Arg	Phe	Leu	Pro	Leu	Gln	Thr	Ile	Leu	Gly	Ser	Ile	
			195					200					205				
40	Ser	Leu	Gly	Ile	Gly	Tyr	Tyr	Leu	Ala	Leu	Thr	Val	Lys	Asp	Pro	Leu	
		210					215					220					
	Thr	Ala	Leu	Thr	Thr	Phe	Phe	Ile	Ala	Val	Leu	Leu	Val	Ile	Phe	Gly	
	225					230					235					240	
45	Thr	Tyr	Leu	Leu	Phe	Asn	Ala	Gly	Ile	Thr	Val	Phe	Leu	Gln	Ile	Leu	
					245					250					255		
	Lys	Lys	Asn	Lys	Lys	Tyr	Tyr	Tyr	Gln	Pro	Asn	Asn	Leu	Ile	Ser	Val	
50				260					265					270			
	Ser	Asn	Leu	Ile	Phe	Arg	Met	Lys	Lys	Asn	Ala	Val	Gly	Leu	Ala	Thr	
			275					280					285				
55	Ile	Ala	Ile	Leu	Ser	Thr	Met	Val	Leu	Val	Thr	Met	Ser	Ala	Ala	Thr	
		290					295					300					

Ser Ile Phe Asn Ser Ala Glu Ser Phe Lys Lys Val Leu Asn Pro His
 305 310 315 320
 5 Asp Phe Gly Val Ser Gly Gln Asn Val Glu Lys Glu Asp Leu Asp Lys
 325 330 335
 Leu Leu Ser Gln Phe Ala Ser Asp Asn Gly Tyr Lys Ile Lys Glu Lys
 340 345 350
 10 Glu Val Phe Arg Tyr Thr Tyr Phe Gly Val Ala Asn Gln Glu Gly Asn
 355 360 365
 Lys Leu Thr Phe Phe Glu Lys Gly Gln Asn Arg Val Gln Pro Thr Thr
 370 375 380
 15 Val Phe Met Val Phe Asp Gln Lys Asp Tyr Glu Asn Met Thr Gly Gln
 385 390 395 400
 20 Lys Leu Ser Leu Ser Gly Asn Glu Val Gly Leu Phe Ala Lys Asn Asp
 405 410 415
 Gly Leu Lys Gly Gln Lys Thr Leu Ile Leu Asn Asp His Gln Phe Ser
 420 425 430
 25 Val Lys Glu Glu Phe Asn Lys Asp Phe Ile Val Asn His Val Pro Asn
 435 440 445
 Gln Phe Asn Ile Leu Thr Ala Asp Tyr Asn Tyr Leu Val Val Pro Asp
 450 455 460
 30 Leu Gln Ala Phe Leu Asn Gln Phe Pro Asp Ser Asp Ile Tyr Asn Gln
 465 470 475 480
 Phe Tyr Gly Gly Met Asn Val Asn Val Ser Glu Glu Glu Gln Leu Lys
 485 490 495
 Val Ala Glu Glu Tyr Glu Asn Tyr Leu Asn Gln Phe Asn Ala Gln Leu
 500 505 510
 40 Asp Thr Glu Gly Ser Tyr Val Tyr Gly Ser Asn Leu Ala Asp Ala Ser
 515 520 525
 Ser Gln Met Ser Ala Leu Phe Gly Gly Val Phe Phe Ile Gly Ile Phe
 530 535 540
 45 Leu Ser Ile Ile Phe Met Val Gly Thr Val Leu Val Ile Tyr Tyr Lys
 545 550 555 560
 Gln Ile Ser Glu Gly Tyr Glu Asp Arg Glu Arg Phe Ile Ile Leu Gln
 565 570 575
 Lys Val Gly Leu Asp Gln Lys Gln Ile Lys Gln Thr Ile His Lys Gln
 580 585 590
 55 Val Leu Thr Val Phe Phe Leu Pro Leu Leu Phe Ala Phe Ile His Leu
 595 600 605

Ala Phe Ala Tyr His Met Leu Ser Leu Ile Leu Lys Val Ile Gly Val
 610 615 620
 5 Leu Asp Thr Thr Met Met Leu Ile Val Thr Leu Ser Ile Cys Ala Ile
 625 630 635 640
 Phe Leu Ile Ala Tyr Val Leu Ile Phe Met Ile Thr Ser Arg Ser Tyr
 645 650 655
 10 Arg Lys Ile Val Gln Met
 660
 15 <210> 192
 <211> 296
 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 192
 20 Met Lys Gln Asp Gln Leu Lys Ala Trp Gln Pro Ala Gln Phe Asp Arg
 1 5 10 15
 Phe Val Arg Ile Leu Glu Gln Asp Gln Leu Asn His Ala Tyr Leu Phe
 20 25 30
 25 Ser Gly Phe Phe Gly Ser Leu Glu Met Ala Gln Phe Leu Ala Lys Ser
 35 40 45
 30 Leu Phe Cys Thr Asp Lys Val Gly Val Leu Pro Cys Glu Lys Cys Arg
 50 55 60
 Ser Cys Lys Leu Ile Glu Gln Glu Glu Phe Pro Asp Val Thr Leu Ile
 65 70 75 80
 35 Lys Pro Val Asn Gln Val Ile Lys Thr Glu Arg Ile Arg Glu Leu Val
 85 90 95
 Gly Gln Phe Ser Gln Ala Gly Ile Glu Ser Gln Gln Gln Val Phe Ile
 100 105 110
 40 Ile Glu Gln Ala Asp Lys Met His Pro Asn Ala Ala Asn Ser Leu Leu
 115 120 125
 45 Lys Val Ile Glu Glu Pro Gln Ser Glu Val Tyr Ile Phe Phe Leu Thr
 130 135 140
 Ser Asp Glu Glu Lys Met Leu Pro Thr Ile Arg Ser Arg Thr Gln Ile
 145 150 155 160
 50 Phe His Phe Lys Lys Gln Glu Glu Lys Leu Ile Leu Leu Leu Glu Gln
 165 170 175
 Met Gly Leu Val Lys Lys Lys Ala Thr Leu Leu Ala Lys Phe Ser Gln
 180 185 190
 55 Ser Arg Ala Glu Ala Glu Lys Leu Ala Asn Gln Ala Ser Phe Trp Thr
 195 200 205

Leu Val Asp Glu Ser Glu Arg Leu Leu Thr Trp Leu Val Ala Lys Lys
 210 215 220
 5 Lys Glu Ser Tyr Leu Gln Val Ala Lys Leu Ala Asn Leu Ala Asp Asp
 225 230 235 240
 Lys Glu Lys Gln Asp Gln Val Leu Arg Ile Leu Glu Val Leu Cys Gly
 245 250 255
 10 Gln Asp Leu Leu Gln Val Arg Val Arg Val Ile Leu Gln Asp Leu Leu
 260 265 270
 15 Glu Ala Arg Lys Met Trp Gln Ala Asn Val Ser Phe Gln Asn Ala Met
 275 280 285
 Glu Tyr Leu Val Leu Lys Glu Ile
 290 295
 20
 <210> 193
 <211> 204
 <212> PRT
 <213> Streptococcus pneumoniae
 25
 <400> 193
 Met Asn Ser Phe Lys Asn Phe Leu Lys Glu Trp Gly Leu Phe Leu Leu
 1 5 10 15
 30 Ile Leu Ser Leu Leu Ala Leu Ser Arg Ile Phe Phe Trp Ser Asn Val
 20 25 30
 Arg Val Glu Gly His Ser Met Asp Pro Thr Leu Ala Asp Gly Glu Ile
 35 35 40 45
 Leu Phe Val Val Lys His Leu Pro Ile Asp Arg Phe Asp Ile Val Val
 50 55 60
 40 Ala His Glu Glu Asp Gly Asn Lys Asp Ile Val Lys Arg Val Ile Gly
 65 70 75 80
 Met Pro Gly Asp Thr Ile Arg Tyr Glu Asn Asp Lys Leu Tyr Ile Asn
 85 90 95
 45 Asp Lys Glu Thr Asp Glu Pro Tyr Leu Ala Asp Tyr Ile Lys Arg Phe
 100 105 110
 Lys Asp Asp Lys Leu Gln Ser Thr Tyr Ser Gly Lys Gly Phe Glu Gly
 115 120 125
 50 Asn Lys Gly Thr Phe Phe Arg Ser Ile Ala Gln Lys Ala Gln Ala Phe
 130 135 140
 Thr Val Asp Val Asn Tyr Asn Thr Asn Phe Ser Phe Thr Val Pro Glu
 55 145 150 155 160
 Gly Glu Tyr Leu Leu Leu Gly Asp Asp Arg Leu Val Ser Ser Asp Ser

165 170 175
 Arg His Val Gly Thr Phe Lys Ala Lys Asp Ile Thr Gly Glu Ala Lys
 180 185 190
 5 Phe Arg Phe Trp Pro Ile Thr Arg Ile Gly Thr Phe
 195 200
 10 <210> 194
 <211> 328
 <212> PRT
 <213> Streptococcus pneumoniae
 15 <400> 194
 Met Val Val Phe Thr Gly Ser Thr Val Glu Glu Ala Ile Gln Lys Gly
 1 5 10 15
 20 Leu Lys Glu Leu Asp Ile Pro Arg Met Lys Ala His Ile Lys Val Ile
 20 25 30
 Ser Arg Glu Lys Lys Gly Phe Leu Gly Leu Phe Gly Lys Lys Pro Ala
 35 40 45
 25 Gln Val Asp Ile Glu Ala Ile Ser Glu Thr Thr Val Val Lys Ala Asn
 50 55 60
 30 Gln Gln Val Val Lys Gly Val Pro Lys Lys Ile Asn Asp Leu Asn Glu
 65 70 75 80
 Pro Val Lys Thr Val Ser Glu Glu Thr Val Asp Leu Gly His Val Val
 85 90 95
 35 Asn Ala Ile Lys Lys Ile Glu Glu Glu Gly Gln Gly Ile Ser Asp Glu
 100 105 110
 Val Lys Ala Glu Ile Leu Lys His Glu Arg His Ala Ser Thr Ile Leu
 115 120 125
 40 Glu Glu Thr Gly His Ile Glu Ile Leu Asn Glu Leu Gln Ile Glu Glu
 130 135 140
 Ala Met Arg Glu Glu Ala Gly Ala Asp Asp Leu Glu Thr Glu Gln Asp
 145 150 155 160
 45 Gln Thr Glu Asn Gln Asp Leu Lys Glu Met Gly Leu Lys Val Glu Gln
 165 170 175
 50 Ser Tyr Asp Ile Ala Gln Val Ala Thr Asp Val Thr Ala Tyr Val Gln
 180 185 190
 Ala Ile Val Asp Asp Met Asp Val Glu Ala Thr Leu Ser Asn Asp Tyr
 195 200 205
 55 Asn Arg Arg Ser Ile Asn Leu Gln Ile Asp Thr Asn Glu Pro Gly Arg
 210 215 220

Ile Ile Gly Tyr His Gly Lys Val Leu Lys Ala Leu Gln Leu Leu Ala
 225 230 235 240
 5 Gln Asn Tyr Leu Tyr Asn Arg Tyr Ser Lys Thr Phe Tyr Val Thr Ile
 245 250 255
 Asn Val Asn Asp Tyr Val Glu His Arg Ala Glu Val Leu Gln Thr Tyr
 260 265 270
 10 Ala Gln Lys Leu Ala Asn Arg Val Leu Glu Glu Gly Arg Ser His Lys
 275 280 285
 Thr Asp Pro Met Ser Asn Ser Glu Arg Lys Ile Ile His Arg Ile Ile
 290 295 300
 15 Ser Arg Met Asp Gly Val Thr Ser Tyr Ser Glu Gly Asp Glu Pro Asn
 305 310 315 320
 20 Arg Tyr Val Val Val Asp Thr Glu
 325
 <210> 195
 <211> 460
 25 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 195
 30 Met Ser Asn Phe Ala Ile Ile Leu Ala Ala Gly Lys Gly Thr Arg Met
 1 5 10 15
 Lys Ser Asp Leu Pro Lys Val Leu His Lys Val Ala Gly Ile Ser Met
 20 25 30
 35 Leu Glu His Val Phe Arg Ser Val Gly Ala Ile Gln Pro Glu Lys Thr
 35 40 45
 Val Thr Val Val Gly His Lys Ala Glu Leu Val Glu Glu Val Leu Ala
 50 55 60
 40 Gly Gln Thr Glu Phe Val Thr Gln Ser Glu Gln Leu Gly Thr Gly His
 65 70 75 80
 45 Ala Val Met Met Thr Glu Pro Ile Leu Glu Gly Val Ser Gly His Thr
 85 90 95
 Leu Val Ile Ala Gly Asp Thr Pro Leu Ile Thr Gly Glu Ser Leu Lys
 100 105 110
 50 Asn Leu Ile Asp Phe His Ile Asn His Lys Asn Val Ala Thr Ile Leu
 115 120 125
 Thr Ala Glu Thr Asp Asn Pro Phe Gly Tyr Gly Arg Ile Val Arg Asn
 130 135 140
 55 Asp Asn Ala Glu Val Leu Arg Ser Leu Leu Ser Arg Arg Met Leu Gln
 145 150 155 160

Ile Leu Lys Ser Lys Ser Arg Lys Ser Thr Leu Val Thr Tyr Val Phe
 165 170 175
 5 Asp Asn Glu Arg Leu Phe Glu Ala Leu Lys Asn Ile Asn Thr Asn Asn
 180 185 190
 Ala Gln Gly Glu Tyr Tyr Ile Thr Asp Val Ile Gly Ile Phe Arg Glu
 195 200 205
 10 Thr Gly Glu Lys Val Gly Ala Tyr Thr Leu Lys Asp Phe Asp Glu Ser
 210 215 220
 15 Leu Gly Val Asn Asp Arg Val Ala Leu Ala Thr Ala Glu Ser Val Met
 225 230 235 240
 Arg Arg Arg Ile Asn His Lys His Met Val Asn Gly Val Ser Phe Val
 245 250 255
 20 Asn Pro Glu Ala Thr Tyr Ile Asp Ile Asp Val Glu Ile Ala Pro Glu
 260 265 270
 Val Gln Ile Glu Ala Asn Val Ile Leu Lys Gly Gln Thr Lys Ile Gly
 275 280 285
 25 Ala Glu Thr Val Leu Thr Asn Gly Thr Tyr Val Val Asp Ser Thr Ile
 290 295 300
 30 Gly Ala Gly Ala Val Ile Thr Asn Ser Met Ile Glu Glu Ser Ser Val
 305 310 315 320
 Ala Asp Gly Val Thr Val Gly Pro Tyr Ala His Ile Arg Pro Asn Ser
 325 330 335
 35 Ser Leu Gly Ala Gln Val His Ile Gly Asn Phe Val Glu Val Lys Gly
 340 345 350
 Ser Ser Ile Gly Glu Asn Thr Lys Ala Gly His Leu Thr Tyr Ile Gly
 355 360 365
 40 Asn Cys Glu Val Gly Ser Asn Val Asn Phe Gly Ala Gly Thr Ile Thr
 370 375 380
 Val Asn Tyr Asp Gly Lys Asn Lys Tyr Lys Thr Val Ile Gly Val Asn
 385 390 395 400
 Val Phe Val Gly Ser Asn Ser Thr Ile Ile Ala Pro Val Glu Leu Gly
 405 410 415
 50 Asp Asn Ser Leu Val Gly Ala Gly Ser Thr Ile Thr Lys Asp Val Pro
 420 425 430
 Ala Asp Ala Ile Ala Ile Gly Arg Gly Arg Gln Ile Asn Lys Asp Glu
 435 440 445
 55 Tyr Ala Thr Arg Leu Pro His His Pro Lys Asn Gln
 450 455 460

5 <210> 196
 <211> 311
 <212> PRT
 <213> Streptococcus pneumoniae

10 <400> 196
 Met Ser Lys Ile Leu Val Phe Gly His Gln Asn Pro Asp Ser Asp Ala
 1 5 10 15
 Ile Gly Ser Ser Val Ala Phe Ala Tyr Leu Ala Lys Glu Ala Tyr Gly
 20 25 30
 15 Leu Asp Thr Glu Ala Val Ala Leu Gly Thr Pro Asn Glu Glu Thr Ala
 35 40 45
 Phe Val Leu Asn Tyr Phe Gly Val Glu Ala Pro Arg Val Ile Thr Ser
 50 55 60
 20 Ala Lys Ala Glu Gly Ala Glu Gln Val Ile Leu Thr Asp His Asn Glu
 65 70 75 80
 25 Phe Gln Gln Ser Val Ser Asp Ile Ala Glu Val Glu Val Tyr Gly Val
 85 90 95
 Val Asp His His Arg Val Ala Asn Phe Glu Thr Ala Ser Pro Leu Tyr
 100 105 110
 30 Met Arg Leu Glu Pro Val Gly Ser Ala Ser Ser Ile Val Tyr Arg Met
 115 120 125
 Phe Lys Glu His Gly Val Ala Val Pro Lys Glu Ile Ala Gly Leu Met
 130 135 140
 35 Leu Ser Gly Leu Ile Ser Asp Thr Leu Leu Leu Lys Ser Pro Thr Thr
 145 150 155 160
 40 His Pro Thr Asp Lys Ile Ile Ala Pro Glu Leu Ala Glu Leu Ala Gly
 165 170 175
 Val Asn Leu Glu Glu Tyr Gly Leu Ala Met Leu Lys Ala Gly Thr Asn
 180 185 190
 45 Leu Ala Ser Lys Ser Ala Glu Glu Leu Ile Asp Ile Asp Ala Lys Thr
 195 200 205
 Phe Glu Leu Asn Gly Asn Asn Val Arg Val Ala Gln Val Asn Thr Val
 210 215 220
 50 Asp Ile Ala Glu Val Leu Glu Arg Gln Ala Glu Ile Glu Ala Ala Met
 225 230 235 240
 55 Gln Ala Ala Asn Glu Ser Asn Gly Tyr Ser Asp Phe Val Leu Met Ile
 245 250 255
 Thr Asp Ile Val Asn Ser Asn Ser Glu Ile Leu Ala Leu Gly Ala Asn

260 265 270
 Met Asp Lys Val Glu Ala Ala Phe Asn Phe Lys Leu Glu Asn Asn His
 275 280 285
 5. Ala Phe Leu Ala Gly Ala Val Ser Arg Lys Lys Gln Val Val Pro Gln
 290 295 300
 Leu Thr Glu Ser Phe Asn Thr
 10 305 310
 <210> 197
 <211> 225
 15 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 197
 Met Ile Ser Lys Arg Leu Glu Leu Val Ala Ser Phe Val Ser Gln Gly
 20 1 5 10 15
 Ala Ile Leu Leu Asp Val Gly Ser Asp His Ala Tyr Leu Pro Ile Glu
 20 25 30
 25 Leu Val Glu Arg Gly Gln Ile Lys Ser Ala Ile Ala Gly Glu Val Val
 35 40 45
 Glu Gly Pro Tyr Gln Ser Ala Val Lys Asn Val Glu Ala His Gly Leu
 30 50 55 60
 Lys Glu Lys Ile Gln Val Arg Leu Ala Asn Gly Leu Ala Ala Phe Glu
 65 70 75 80
 35 Glu Thr Asp Gln Val Ser Val Ile Thr Ile Ala Gly Met Gly Gly Arg
 85 90 95
 Leu Ile Ala Arg Ile Leu Glu Glu Gly Leu Gly Lys Leu Ala Asn Val
 100 105 110
 40 Glu Arg Leu Ile Leu Gln Pro Asn Asn Arg Glu Asp Asp Leu Arg Ile
 115 120 125
 Trp Leu Gln Asp His Gly Phe Gln Ile Val Ala Glu Ser Ile Leu Glu
 45 130 135 140
 Glu Ala Gly Lys Phe Tyr Glu Ile Leu Val Val Glu Ala Gly Gln Met
 145 150 155 160
 50 Lys Leu Ser Ala Ser Asp Val Arg Phe Gly Pro Phe Leu Ser Lys Glu
 165 170 175
 Val Ser Pro Val Phe Val Gln Lys Trp Gln Lys Glu Ala Glu Lys Leu
 180 185 190
 55 Glu Phe Ala Leu Gly Gln Ile Pro Glu Lys Asn Leu Glu Glu Arg Gln
 195 200 205

Val Leu Val Asp Lys Ile Gln Ala Ile Lys Glu Val Leu His Val Ser
 210 215 220

5 Lys
 225

10 <210> 198
 <211> 161
 <212> PRT
 <213> Streptococcus pneumoniae

15 <400> 198
 Met Asn Leu Asn Asp Ile Lys Asp Leu Met Thr Gln Phe Asp Gln Ser
 1 5 10 15

Ser Leu Arg Glu Phe Ser Tyr Lys Asn Gly Thr Asp Glu Leu Gln Phe
 20 25 30

20 Ser Lys Asn Glu Ala Arg Pro Val Pro Glu Val Ala Thr Gln Val Ala
 35 40 45

Pro Ala Pro Val Leu Ala Thr Pro Ser Pro Val Ala Pro Thr Ser Ala
 50 55 60

25 Pro Ala Glu Thr Val Ala Glu Glu Val Pro Ala Pro Ala Glu Ala Ser
 65 70 75 80

30 Val Ala Ser Glu Gly Asn Leu Val Glu Ser Pro Leu Val Gly Val Val
 85 90 95

Tyr Leu Ala Ala Gly Pro Asp Lys Pro Ala Phe Val Thr Val Gly Asp
 100 105 110

35 Ser Val Lys Lys Gly Gln Thr Leu Val Ile Ile Glu Ala Met Lys Val
 115 120 125

Met Asn Glu Ile Pro Ala Pro Lys Asp Gly Val Val Thr Glu Ile Leu
 130 135 140

40 Val Ser Asn Glu Glu Met Val Glu Phe Gly Lys Gly Leu Val Arg Ile
 145 150 155 160

45 Lys

50 <210> 199
 <211> 411
 <212> PRT
 <213> Streptococcus pneumoniae

55 <400> 199
 Met Lys Leu Asn Arg Val Val Val Thr Gly Tyr Gly Val Thr Ser Pro
 1 5 10 15

Ile Gly Asn Thr Pro Glu Glu Phe Trp Asn Ser Leu Ala Thr Gly Lys

		20		25		30	
	Ile Gly Ile Gly Gly Ile Thr Lys Phe Asp His Ser Asp Phe Asp Val	35	40	45			
5	His Asn Ala Ala Glu Ile Gln Asp Phe Pro Phe Asp Lys Tyr Phe Val	50	55	60			
10	Lys Lys Asp Thr Asn Arg Phe Asp Asn Tyr Ser Leu Tyr Ala Leu Tyr	65	70	75		80	
	Ala Ala Gln Glu Ala Val Asn His Ala Asn Leu Asp Val Glu Ala Leu	85	90	95			
15	Asn Arg Asp Arg Phe Gly Val Ile Val Ala Ser Gly Ile Gly Gly Ile	100	105	110			
20	Lys Glu Ile Glu Asp Gln Val Leu Arg Leu His Glu Lys Gly Pro Lys	115	120	125			
	Arg Val Lys Pro Met Thr Leu Pro Lys Ala Leu Pro Asn Met Ala Ser	130	135	140			
25	Gly Asn Val Ala Met Arg Phe Gly Ala Asn Gly Val Cys Lys Ser Ile	145	150	155		160	
	Asn Thr Ala Cys Ser Ser Ser Asn Asp Ala Ile Gly Asp Ala Phe Arg	165	170	175			
30	Ser Ile Lys Phe Gly Phe Gln Asp Val Met Leu Val Gly Gly Thr Glu	180	185	190			
35	Ala Ser Ile Thr Pro Phe Ala Ile Ala Gly Phe Gln Ala Leu Thr Ala	195	200	205			
	Leu Ser Thr Thr Glu Asp Pro Thr Arg Ala Ser Ile Pro Phe Asp Lys	210	215	220			
40	Asp Arg Asn Gly Phe Val Met Gly Glu Gly Ser Gly Met Leu Val Leu	225	230	235		240	
	Glu Ser Leu Glu His Ala Glu Lys Arg Gly Ala Thr Ile Leu Ala Glu	245	250	255			
45	Val Val Gly Tyr Gly Asn Thr Cys Asp Ala Tyr His Met Thr Ser Pro	260	265	270			
50	His Pro Glu Gly Gln Gly Ala Ile Lys Ala Ile Lys Leu Ala Leu Glu	275	280	285			
	Glu Ala Glu Ile Ser Pro Glu Gln Val Ala Tyr Val Asn Ala His Gly	290	295	300			
55	Thr Ser Thr Pro Ala Asn Glu Lys Gly Glu Ser Gly Ala Ile Val Ala	305	310	315		320	
	Val Leu Gly Lys Glu Val Pro Val Ser Ser Thr Lys Ser Phe Thr Gly						

325 330 335
 His Leu Leu Gly Ala Ala Gly Ala Val Glu Ala Ile Val Thr Ile Glu
 340 345 350
 5 Ala Met Arg His Asn Phe Val Pro Met Thr Ala Gly Thr Ser Glu Val
 355 360 365
 10 Ser Asp Tyr Ile Glu Ala Asn Val Val Tyr Gly Gln Gly Leu Glu Lys
 370 375 380
 Glu Ile Pro Tyr Ala Ile Ser Asn Thr Phe Gly Phe Gly Gly His Asn
 385 390 395 400
 15 Ala Val Leu Ala Phe Lys Arg Trp Glu Asn Arg
 405 410
 20 <210> 200
 <211> 359
 <212> PRT
 <213> Streptococcus pneumoniae
 25 <400> 200
 Met Asn Ile Tyr Asp Gln Leu Gln Val Val Glu Asp Arg Tyr Glu Glu
 1 5 10 15
 Leu Gly Glu Leu Leu Ser Asp Pro Asp Val Val Ser Asp Thr Lys Arg
 20 25 30
 30 Phe Met Glu Leu Ser Lys Glu Glu Ala Ser Asn Arg Asp Thr Val Ile
 35 40 45
 35 Ala Tyr Arg Glu Tyr Lys Gln Val Leu Gln Asn Ile Val Asp Ala Glu
 50 55 60
 Glu Met Ile Lys Glu Ser Gly Gly Asp Ala Asp Leu Glu Glu Leu Ala
 65 70 75 80
 40 Lys Gln Glu Leu Lys Asp Ala Lys Ala Glu Lys Glu Glu Tyr Glu Glu
 85 90 95
 Lys Leu Lys Ile Leu Leu Leu Pro Lys Asp Pro Asn Asp Asp Lys Asn
 100 105 110
 45 Ile Ile Leu Glu Ile Arg Gly Ala Ala Gly Gly Asp Glu Ala Ala Leu
 115 120 125
 Phe Ala Gly Asp Leu Leu Thr Met Tyr Gln Lys Tyr Ala Glu Ala Gln
 130 135 140
 50 Gly Trp Arg Phe Glu Val Met Glu Ala Ser Met Asn Gly Val Gly Gly
 145 150 155 160
 55 Phe Lys Glu Val Val Ala Met Val Ser Gly Gln Ser Val Tyr Ser Lys
 165 170 175

Leu Lys Tyr Glu Ser Gly Ala His Arg Val Gln Arg Val Pro Val Thr
 180 185 190
 5' Glu Ser Gln Gly Arg Val His Thr Ser Thr Ala Thr Val Leu Val Met
 195 200 205
 Pro Glu Val Glu Glu Val Glu Tyr Asp Ile Asp Pro Lys Asp Leu Arg
 210 215 220
 10 Val Asp Ile Tyr His Ala Ser Gly Ala Gly Gly Gln Asn Val Asn Lys
 225 230 235 240
 Val Ala Thr Ala Val Arg Ile Val His Leu Pro Thr Asn Ile Lys Val
 245 250 255
 15 Glu Met Gln Glu Glu Arg Thr Gln Gln Lys Asn Arg Glu Lys Ala Met
 260 265 270
 Lys Ile Ile Arg Ala Arg Val Ala Asp His Phe Ala Gln Ile Ala Gln
 275 280 285
 20 Asp Glu Gln Asp Ala Glu Arg Lys Ser Thr Ile Gly Thr Gly Asp Arg
 290 295 300
 25 Ser Glu Arg Ile Arg Thr Tyr Asn Phe Pro Gln Asn Arg Val Thr Asp
 305 310 315 320
 His Arg Ile Gly Leu Thr Leu Gln Lys Leu Asp Thr Ile Leu Ser Gly
 325 330 335
 30 Lys Leu Asp Glu Val Val Asp Ala Leu Val Leu Tyr Asp Gln Thr Gln
 340 345 350
 Lys Leu Glu Glu Leu Asn Lys
 35 355
 <210> 201
 <211> 559
 40 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 201
 45 Met Ala Tyr Thr Leu Lys Pro Glu Glu Val Gly Val Phe Ala Ile Gly
 1 5 10 15
 Gly Leu Gly Glu Ile Gly Lys Asn Thr Tyr Gly Ile Glu Tyr Gln Asp
 20 25 30
 50 Glu Ile Ile Ile Val Asp Ala Gly Ile Lys Phe Pro Glu Asp Asp Leu
 35 40 45
 Leu Gly Ile Asp Tyr Val Ile Pro Asp Tyr Ser Tyr Ile Val Asp Asn
 50 55 60
 55 Ile Asp Arg Val Lys Ala Val Leu Ile Thr His Gly His Glu Asp His
 65 70 75 80

Ile Gly Gly Ile Pro Phe Leu Leu Lys Gln Ala Asn Val Pro Ile Tyr
 85 90 95
 5' Ala Gly Pro Leu Ala Leu Ala Leu Ile Arg Gly Lys Leu Glu Glu His
 100 105 110
 Gly Leu Leu Arg Asn Ala Lys Leu Tyr Glu Ile Asn His Asn Thr Glu
 115 120 125
 10 Leu Thr Phe Lys Asn Leu Lys Ala Thr Phe Phe Arg Thr Thr His Ser
 130 135 140
 15 Ile Pro Glu Pro Leu Gly Ile Val Ile His Thr Pro Gln Gly Lys Ile
 145 150 155 160
 Val Cys Thr Gly Asp Phe Lys Phe Asp Phe Thr Pro Val Gly Glu Pro
 165 170 175
 20 Ala Asp Leu His Arg Met Ala Ala Leu Gly Glu Glu Gly Val Leu Cys
 180 185 190
 Leu Leu Ser Asp Ser Thr Asn Ala Glu Val Pro Thr Phe Thr Asn Ser
 195 200 205
 25 Glu Lys Val Val Gly Gln Ser Ile Met Lys Ile Ile Gln Gly Ile Glu
 210 215 220
 30 Gly Arg Ile Ile Phe Ala Ser Phe Ala Ser Asn Ile Phe Arg Leu Gln
 225 230 235 240
 Gln Ala Thr Glu Ala Ala Val Lys Thr Gly Arg Lys Ile Ala Val Phe
 245 250 255
 35 Gly Arg Ser Met Glu Lys Ala Ile Val Asn Gly Ile Asp Leu Gly Tyr
 260 265 270
 Ile Lys Ala Pro Lys Gly Thr Phe Ile Glu Pro Asn Glu Ile Lys Asp
 275 280 285
 40 Tyr Pro Ala Gly Glu Val Leu Ile Leu Cys Thr Gly Ser Gln Gly Glu
 290 295 300
 45 Pro Met Ala Ala Leu Ser Arg Ile Ala Asn Gly Thr His Arg Gln Val
 305 310 315 320
 Gln Leu Gln Pro Gly Asp Thr Val Ile Phe Ser Ser Ser Pro Ile Pro
 325 330 335
 50 Gly Asn Thr Thr Ser Val Asn Lys Leu Ile Asn Ile Ile Ser Glu Ala
 340 345 350
 Gly Val Glu Val Ile His Gly Lys Val Asn Asn Ile His Thr Ser Gly
 355 360 365
 55 His Gly Gly Gln Gln Glu Gln Lys Leu Met Leu Cys Leu Ile Lys Pro
 370 375 380

Lys Tyr Phe Met Pro Val His Gly Glu Tyr Arg Met Gln Lys Val His
 385 390 395 400
 5 Ala Gly Leu Ala Val Asp Thr Gly Val Glu Lys Asp Asn Ile Phe Ile
 405 410 415
 Met Ser Asn Gly Asp Val Leu Ala Leu Thr Ala Asp Ser Ala Arg Ile
 420 425 430
 10 Ala Gly His Phe Asn Ala Gln Asp Ile Tyr Val Asp Gly Asn Arg Ile
 435 440 445
 Gly Glu Ile Gly Ala Ala Val Leu Lys Asp Arg Arg Asp Leu Ser Glu
 450 455 460
 15 Asp Gly Val Val Leu Ala Val Ala Thr Val Asp Phe Lys Ser Gln Met
 465 470 475 480
 20 Ile Leu Ser Gly Pro Asp Ile Leu Ser Arg Gly Phe Val Tyr Met Arg
 485 490 495
 Glu Ser Gly Asp Leu Ile Arg Gln Ser Gln Arg Ile Leu Phe Asn Ala
 500 505 510
 25 Ile Arg Ile Ala Leu Lys Asn Lys Asp Ala Ser Val Gln Ser Val Asn
 515 520 525
 Gly Ala Ile Val Asn Ala Ile Arg Pro Phe Leu Tyr Glu Asn Thr Glu
 530 535 540
 30 Arg Glu Pro Ile Ile Ile Pro Met Ile Leu Thr Pro Asp Glu Glu
 545 550 555
 35
 <210> 202
 <211> 450
 <212> PRT
 <213> Streptococcus pneumoniae
 40
 <400> 202
 Met Ala Glu Val Glu Glu Leu Arg Val Gln Pro Gln Asp Ile Leu Ala
 1 5 10 15
 45 Glu Gln Ser Val Leu Gly Ala Ile Phe Ile Asp Glu Ser Lys Leu Val
 20 25 30
 Phe Val Arg Glu Tyr Ile Glu Ser Arg Asp Phe Phe Lys Tyr Ala His
 35 40 45
 50 Arg Leu Ile Phe Gln Ala Met Val Asp Leu Ser Asp Arg Gly Asp Ala
 50 55 60
 55 Ile Asp Ala Thr Thr Val Arg Thr Ile Leu Asp Asn Gln Gly Asp Leu
 65 70 75 80
 Gln Asn Ile Gly Gly Leu Ser Tyr Leu Val Glu Ile Val Asn Ser Val

	85										90					95				
5	Pro	Thr	Ser	Ala	Asn	Ala	Glu	Tyr	Tyr	Ala	Lys	Ile	Val	Ala	Glu	Lys				
				100					105					110						
	Ala	Met	Leu	Arg	Arg	Leu	Ile	Ala	Lys	Leu	Thr	Glu	Ser	Val	Asn	Gln				
			115					120					125							
10	Ala	Tyr	Glu	Ala	Ser	Gln	Pro	Ala	Asp	Glu	Ile	Ile	Ala	Gln	Ala	Glu				
		130					135					140								
	Lys	Gly	Leu	Ile	Asp	Val	Ser	Glu	Asn	Ala	Asn	Arg	Ser	Gly	Phe	Lys				
						150					155					160				
15	Asn	Ile	Arg	Asp	Val	Leu	Asn	Leu	Asn	Phe	Gly	Asn	Leu	Glu	Ala	Arg				
					165					170					175					
	Ser	Gln	Gln	Thr	Thr	Asp	Ile	Thr	Gly	Ile	Ala	Thr	Gly	Tyr	Arg	Asp				
				180					185					190						
20	Leu	Asp	His	Met	Thr	Thr	Gly	Leu	His	Glu	Glu	Glu	Leu	Ile	Ile	Leu				
			195					200					205							
	Ala	Ala	Arg	Pro	Ala	Val	Gly	Lys	Thr	Ala	Phe	Ala	Leu	Asn	Ile	Ala				
		210					215					220								
	Gln	Asn	Ile	Gly	Thr	Lys	Leu	Asp	Lys	Thr	Val	Ala	Ile	Phe	Ser	Leu				
						230					235					240				
30	Glu	Met	Gly	Ala	Glu	Ser	Leu	Val	Asp	Arg	Met	Leu	Ala	Ala	Glu	Gly				
					245					250					255					
	Leu	Val	Glu	Ser	His	Ser	Ile	Arg	Thr	Gly	Gln	Leu	Thr	Asp	Glu	Glu				
				260					265					270						
35	Trp	Gln	Lys	Tyr	Thr	Ile	Ala	Gln	Gly	Asn	Leu	Ala	Asn	Ala	Ser	Ile				
			275					280					285							
	Tyr	Ile	Asp	Asp	Thr	Pro	Gly	Ile	Arg	Ile	Thr	Glu	Ile	Arg	Ser	Arg				
		290					295					300								
	Ser	Arg	Lys	Leu	Ala	Gln	Glu	Thr	Gly	Asn	Leu	Gly	Leu	Ile	Val	Ile				
						310					315					320				
45	Asp	Tyr	Leu	Gln	Leu	Ile	Thr	Gly	Thr	Gly	Arg	Glu	Asn	Arg	Gln	Gln				
					325					330					335					
	Glu	Val	Ser	Glu	Ile	Ser	Arg	Gln	Leu	Lys	Ile	Leu	Ala	Lys	Glu	Leu				
				340					345					350						
50	Lys	Val	Pro	Val	Ile	Ala	Leu	Ser	Gln	Leu	Ser	Arg	Gly	Val	Glu	Gln				
			355					360					365							
	Arg	Gln	Asp	Lys	Arg	Pro	Val	Leu	Ser	Asp	Ile	Arg	Glu	Ser	Gly	Ser				
		370					375					380								
55	Ile	Glu	Gln	Asp	Ala	Asp	Ile	Val	Ala	Phe	Leu	Tyr	Arg	Asp	Asp	Tyr				

385 390 395 400
 Tyr Glu Arg Gly Gly Glu Glu Glu Glu Gly Ile Pro Asn Asn Lys Val
 405 410 415
 5 Glu Val Ile Ile Glu Lys Asn Arg Ser Gly Ala Arg Gly Thr Val Glu
 420 425 430
 10 Leu Ile Val Gln Lys Glu Tyr Asn Lys Phe Ser Ser Ile Ser Lys Arg
 435 440 445
 Glu Ala
 450
 15 <210> 203
 <211> 699
 <212> PRT
 <213> Streptococcus pneumoniae
 20 <400> 203
 Met Ala Thr Ala Thr Lys Lys Lys Lys Ser Thr Val Lys Lys Asn Leu
 1 5 10 15
 25 Val Ile Val Glu Ser Pro Ala Lys Ala Lys Thr Ile Glu Lys Tyr Leu
 20 25 30
 Gly Arg Asn Tyr Lys Val Leu Ala Ser Val Gly His Ile Arg Asp Leu
 35 40 45
 30 Lys Lys Ser Ser Met Ser Val Asp Ile Glu Asn Asn Tyr Glu Pro Gln
 50 55 60
 35 Tyr Ile Asn Ile Arg Gly Lys Gly Pro Leu Ile Asn Asp Leu Lys Lys
 65 70 75 80
 Glu Ala Lys Lys Ala Asn Lys Val Phe Leu Ala Ser Asp Pro Asp Arg
 85 90 95
 40 Glu Gly Glu Ala Ile Ser Trp His Leu Ala His Ile Leu Asn Leu Asp
 100 105 110
 Glu Asn Asp Ala Asn Arg Val Val Phe Asn Glu Ile Thr Lys Asp Ala
 115 120 125
 45 Val Lys Asn Ala Phe Lys Glu Pro Arg Lys Ile Asp Met Asp Leu Val
 130 135 140
 50 Asp Ala Gln Gln Ala Arg Arg Ile Leu Asp Arg Leu Val Gly Tyr Ser
 145 150 155 160
 Ile Ser Pro Ile Leu Trp Lys Lys Val Lys Lys Gly Leu Ser Ala Gly
 165 170 175
 55 Arg Val Gln Ser Ile Ala Leu Lys Leu Ile Ile Asp Arg Glu Asn Glu
 180 185 190

	Ile	Asn	Ala	Phe	Gln	Pro	Glu	Glu	Tyr	Trp	Thr	Val	Asp	Ala	Val	Phe	
			195					200					205				
5	Lys	Lys	Gly	Thr	Lys	Gln	Phe	His	Ala	Ser	Phe	Tyr	Gly	Val	Asp	Gly	
		210					215					220					
	Lys	Lys	Met	Lys	Leu	Thr	Ser	Asn	Asn	Glu	Val	Lys	Glu	Val	Leu	Ser	
		225				230					235					240	
10	Arg	Leu	Thr	Ser	Lys	Asp	Phe	Ser	Val	Asp	Gln	Val	Asp	Lys	Lys	Glu	
					245					250						255	
	Arg	Lys	Arg	Asn	Ala	Pro	Leu	Pro	Tyr	Thr	Thr	Ser	Ser	Met	Gln	Met	
				260					265						270		
15	Asp	Ala	Ala	Asn	Lys	Ile	Asn	Phe	Arg	Thr	Arg	Lys	Thr	Met	Met	Val	
		275						280					285				
	Ala	Gln	Gln	Leu	Tyr	Glu	Gly	Ile	Asn	Ile	Gly	Ser	Gly	Val	Gln	Gly	
20		290					295						300				
	Leu	Ile	Thr	Tyr	Met	Arg	Thr	Asp	Ser	Thr	Arg	Ile	Ser	Pro	Val	Ala	
		305				310					315					320	
25	Gln	Asn	Glu	Ala	Ala	Ser	Phe	Ile	Thr	Asp	Arg	Phe	Gly	Ser	Lys	Tyr	
				325						330					335		
	Ser	Lys	His	Gly	Ser	Lys	Val	Lys	Asn	Ala	Ser	Gly	Ala	Gln	Asp	Ala	
			340						345					350			
30	His	Glu	Ala	Ile	Arg	Pro	Ser	Ser	Val	Phe	Asn	Thr	Pro	Glu	Ser	Ile	
		355						360					365				
	Ala	Lys	Tyr	Leu	Asp	Lys	Asp	Gln	Leu	Lys	Leu	Tyr	Thr	Leu	Ile	Trp	
35		370					375					380					
	Asn	Arg	Phe	Val	Ala	Ser	Gln	Met	Thr	Ala	Ala	Val	Phe	Asp	Thr	Met	
		385				390					395					400	
40	Ala	Val	Lys	Leu	Ser	Gln	Lys	Gly	Val	Gln	Phe	Ala	Ala	Asn	Gly	Ser	
				405						410					415		
	Gln	Val	Lys	Phe	Asp	Gly	Tyr	Leu	Ala	Ile	Tyr	Asn	Asp	Ser	Asp	Lys	
			420						425					430			
45	Asn	Lys	Met	Leu	Pro	Asp	Met	Val	Val	Gly	Asp	Val	Val	Lys	Gln	Val	
		435						440					445				
	Asn	Ser	Lys	Pro	Glu	Gln	His	Phe	Thr	Gln	Pro	Pro	Ala	Arg	Tyr	Ser	
50		450					455					460					
	Glu	Ala	Thr	Leu	Ile	Lys	Thr	Leu	Glu	Glu	Asn	Gly	Val	Gly	Arg	Pro	
		465				470					475					480	
55	Ser	Thr	Tyr	Ala	Pro	Thr	Ile	Glu	Thr	Ile	Gln	Lys	Arg	Tyr	Tyr	Val	
				485						490					495		

Arg Leu Ala Ala Lys Arg Phe Glu Pro Thr Glu Leu Gly Glu Ile Val
 500 505 510
 5 sn Lys Leu Ile Val Glu Tyr Phe Pro Asp Ile Val Asn Val Thr Phe
 515 520 525
 Thr Ala Glu Met Glu Gly Lys Leu Asp Asp Val Glu Val Gly Lys Glu
 530 535 540
 10 Gln Trp Arg Arg Val Ile Asp Ala Phe Tyr Lys Pro Phe Ser Lys Glu
 545 550 555 560
 15 Val Ala Lys Ala Glu Glu Glu Met Glu Lys Ile Gln Ile Lys Asp Glu
 565 570 575
 Pro Ala Gly Phe Asp Cys Glu Val Cys Gly Ser Pro Met Val Ile Lys
 580 585 590
 20 Leu Gly Arg Phe Gly Lys Phe Tyr Ala Cys Ser Asn Phe Pro Asp Cys
 595 600 605
 Arg His Thr Gln Ala Ile Val Lys Glu Ile Gly Val Glu Cys Pro Ser
 610 615 620
 25 Cys His Gln Gly Gln Ile Ile Glu Arg Lys Thr Lys Arg Asn Arg Leu
 625 630 635 640
 30 Phe Tyr Gly Cys Asn Arg Tyr Pro Glu Cys Glu Phe Thr Ser Trp Asp
 645 650 655
 Lys Pro Val Gly Arg Asp Cys Pro Lys Cys Gly Asn Phe Leu Met Glu
 660 665 670
 35 Lys Lys Val Arg Gly Gly Gly Lys Gln Val Val Cys Ser Lys Gly Asp
 675 680 685
 Tyr Glu Glu Glu Lys Met Ala Leu Cys Gln Leu
 690 695
 40
 <210> 204
 <211> 326
 <212> PRT
 45 <213> Streptococcus pneumoniae
 <400> 204
 Met Phe Ile Ser Ile Ser Ala Gly Ile Val Thr Phe Leu Leu Thr Leu
 1 5 10 15
 50 Val Gly Ile Pro Ala Phe Ile Gln Phe Tyr Arg Lys Ala Gln Ile Thr
 20 25 30
 Gly Gln Gln Met His Glu Asp Val Lys Gln His Gln Ala Lys Ala Gly
 35 40 45
 55 Thr Pro Thr Met Gly Gly Leu Val Phe Leu Ile Thr Ser Val Leu Val

	50	55	60
	Ala Phe Phe Phe Ala Leu Phe Ser Ser Gln Phe Ser Asn Asn Val Gly		
	65	70	75 80
5	Met Ile Leu Phe Ile Leu Val Leu Tyr Gly Leu Val Gly Phe Leu Asp		
	85	90	95
	Asp Phe Leu Lys Val Phe Arg Lys Ile Asn Glu Gly Leu Asn Pro Lys		
10	100	105	110
	Gln Lys Leu Ala Leu Gln Leu Leu Gly Gly Val Ile Phe Tyr Leu Phe		
	115	120	125
15	Tyr Glu Arg Gly Gly Asp Met Leu Ser Val Phe Gly Tyr Gln Val His		
	130	135	140
	Leu Gly Ile Phe Tyr Ile Val Phe Ala Leu Phe Trp Leu Val Gly Phe		
	145	150	155 160
20	Ser Asn Ala Val Asn Leu Thr Asp Gly Val Asp Gly Leu Ala Ser Ile		
	165	170	175
	Ser Val Val Ile Ser Leu Ser Ala Tyr Gly Val Ile Ala Tyr Val Gln		
25	180	185	190
	Gly Gln Met Asp Ile Leu Leu Val Ile Leu Ala Met Ile Gly Gly Leu		
	195	200	205
30	Leu Ser Phe Phe Ile Phe Asn His Lys Pro Ala Lys Ile Phe Met Gly		
	210	215	220
	Asp Val Gly Ser Leu Ala Leu Gly Gly Met Leu Ala Ala Ile Ser Met		
	225	230	235 240
35	Ala Leu His Gln Glu Trp Thr Leu Leu Ile Ile Gly Ile Val Tyr Val		
	245	250	255
	Phe Glu Thr Thr Ser Val Met Met Gln Val Ser Tyr Phe Lys Leu Thr		
40	260	265	270
	Gly Gly Lys Arg Ile Phe Arg Met Thr Pro Val His His His Phe Glu		
	275	280	285
45	Leu Gly Gly Leu Ser Gly Lys Gly Asn Pro Trp Ser Glu Trp Lys Val		
	290	295	300
	Asp Phe Phe Phe Trp Gly Val Gly Leu Leu Ala Ser Leu Leu Thr Leu		
	305	310	315 320
50	Ala Ile Leu Tyr Leu Met		
	325		
55	<210> 205		
	<211> 693		
	<212> PRT		

<213> Streptococcus pneumoniae

<400> 205

5 Met Ala Arg Glu Phe Ser Leu Glu Lys Thr Arg Asn Ile Gly Ile Met
 1 5 10 15
 Ala His Val Asp Ala Gly Lys Thr Thr Thr Thr Glu Arg Ile Leu Tyr
 20 25 30
 10 Tyr Thr Gly Lys Ile His Lys Ile Gly Glu Thr His Glu Gly Ala Ser
 35 40 45
 Gln Met Asp Trp Met Glu Gln Glu Gln Glu Arg Gly Ile Thr Ile Thr
 50 55 60
 15 Ser Ala Ala Thr Thr Ala Gln Trp Asn Asn His Arg Val Asn Ile Ile
 65 70 75 80
 20 Asp Thr Pro Gly His Val Asp Phe Thr Ile Glu Val Gln Arg Ser Leu
 85 90 95
 Arg Val Leu Asp Gly Ala Val Thr Val Leu Asp Ser Gln Ser Gly Val
 100 105 110
 25 Glu Pro Gln Thr Glu Thr Val Trp Arg Gln Ala Thr Glu Tyr Gly Val
 115 120 125
 Pro Arg Ile Val Phe Ala Asn Lys Met Asp Lys Ile Gly Ala Asp Phe
 130 135 140
 30 Leu Tyr Ser Val Ser Thr Leu His Asp Arg Leu Gln Ala Asn Ala His
 145 150 155 160
 35 Pro Ile Gln Leu Pro Ile Gly Ser Glu Asp Asp Phe Arg Gly Ile Ile
 165 170 175
 Asp Leu Ile Lys Met Lys Ala Glu Ile Tyr Thr Asn Asp Leu Gly Thr
 180 185 190
 40 Asp Ile Leu Glu Glu Asp Ile Pro Ala Glu Tyr Leu Asp Gln Ala Gln
 195 200 205
 Glu Tyr Arg Glu Lys Leu Ile Glu Ala Val Ala Glu Thr Asp Glu Glu
 210 215 220
 45 Leu Met Met Lys Tyr Leu Glu Gly Glu Glu Ile Thr Asn Glu Glu Leu
 225 230 235 240
 50 Lys Ala Gly Ile Arg Lys Ala Thr Ile Asn Val Glu Phe Phe Pro Val
 245 250 255
 Leu Cys Gly Ser Ala Phe Lys Asn Lys Gly Val Gln Leu Met Leu Asp
 260 265 270
 55 Ala Val Ile Asp Tyr Leu Pro Ser Pro Leu Asp Ile Pro Ala Ile Lys
 275 280 285

Gly Ile Asn Pro Asp Thr Asp Ala Glu Glu Ile Arg Pro Ala Ser Asp
 290 295 300
 5 Glu Glu Pro Phe Ala Ala Leu Ala Phe Lys Ile Met Thr Asp Pro Phe
 305 310 315 320
 Val Gly Arg Leu Thr Phe Phe Arg Val Tyr Ser Gly Val Leu Gln Ser
 325 330 335
 10 Gly Ser Tyr Val Leu Asn Thr Ser Lys Gly Lys Arg Glu Arg Ile Gly
 340 345 350
 Arg Ile Leu Gln Met His Ala Asn Ser Arg Gln Glu Ile Asp Thr Val
 355 360 365
 15 Tyr Ser Gly Asp Ile Ala Ala Ala Val Gly Leu Lys Asp Thr Thr Thr
 370 375 380
 20 Gly Asp Ser Leu Thr Asp Glu Lys Ala Lys Ile Ile Leu Glu Ser Ile
 385 390 395 400
 Asn Val Pro Glu Pro Val Ile Gln Leu Met Val Glu Pro Lys Ser Lys
 405 410 415
 25 Ala Asp Gln Asp Lys Met Gly Ile Ala Leu Gln Lys Leu Ala Glu Glu
 420 425 430
 Asp Pro Thr Phe Arg Val Glu Thr Asn Val Glu Thr Gly Glu Thr Val
 435 440 445
 30 Ile Ser Gly Met Gly Glu Leu His Leu Asp Val Leu Val Asp Arg Met
 450 455 460
 Arg Arg Glu Phe Lys Val Glu Ala Asn Val Gly Ala Pro Gln Val Ser
 465 470 475 480
 Tyr Arg Glu Thr Phe Arg Ala Ser Thr Gln Ala Arg Gly Phe Phe Lys
 485 490 495
 40 Arg Gln Ser Gly Gly Lys Gly Gln Phe Gly Asp Val Trp Ile Glu Phe
 500 505 510
 Thr Pro Asn Glu Glu Gly Lys Gly Phe Glu Phe Glu Asn Ala Ile Val
 515 520 525
 45 Gly Gly Val Val Pro Arg Glu Phe Ile Pro Ala Val Glu Lys Gly Leu
 530 535 540
 Val Glu Ser Met Ala Asn Gly Val Leu Ala Gly Tyr Pro Met Val Asp
 545 550 555 560
 Val Lys Ala Lys Leu Tyr Asp Gly Ser Tyr His Asp Val Asp Ser Ser
 565 570 575
 55 Glu Thr Ala Phe Lys Ile Ala Ala Ser Leu Ser Leu Lys Glu Ala Ala
 580 585 590

Lys Ser Ala Gln Pro Ala Ile Leu Glu Pro Met Met Leu Val Thr Ile
 595 600 605
 5 Thr Val Pro Glu Glu Asn Leu Gly Asp Val Met Gly His Val Thr Ala
 610 615 620
 Arg Arg Gly Arg Val Asp Gly Met Glu Ala His Gly Asn Ser Gln Ile
 625 630 635 640
 10 Val Arg Ala Tyr Val Pro Leu Ala Glu Met Phe Gly Tyr Ala Thr Val
 645 650 655
 Leu Arg Ser Ala Ser Gln Gly Arg Gly Thr Phe Met Met Val Phe Asp
 660 665 670
 15 His Tyr Glu Asp Val Pro Lys Ser Val Gln Glu Glu Ile Ile Lys Lys
 675 680 685
 20 Asn Lys Gly Glu Asp
 690
 <210> 206
 <211> 408
 25 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 206
 30 Met Pro Asn Tyr Asn Ile Pro Phe Ser Pro Pro Asp Ile Thr Glu Ala
 1 5 10 15
 Glu Ile Ala Glu Val Ala Asp Thr Leu Arg Ser Gly Trp Ile Thr Thr
 20 25 30
 35 Gly Pro Lys Thr Lys Glu Leu Glu Arg Arg Leu Ser Leu Tyr Thr Gln
 35 40 45
 Thr Pro Lys Thr Val Cys Leu Asn Ser Ala Thr Ala Ala Leu Glu Leu
 50 55 60
 40 Ile Leu Arg Val Leu Glu Val Gly Pro Gly Asp Glu Val Ile Val Pro
 65 70 75 80
 Ala Met Thr Tyr Thr Ala Ser Cys Ser Val Ile Thr His Val Gly Ala
 45 85 90 95
 Thr Pro Val Met Val Asp Ile Gln Ala Asp Thr Phe Glu Met Asp Tyr
 100 105 110
 50 Asp Leu Leu Glu Gln Ala Ile Thr Glu Lys Thr Lys Val Ile Ile Pro
 115 120 125
 Val Glu Leu Ala Gly Ile Val Cys Asp Tyr Asp Arg Leu Phe Gln Val
 130 135 140
 55 Val Glu Lys Lys Arg Asp Phe Phe Thr Ala Ser Ser Lys Trp Gln Lys
 145 150 155 160

Ala Phe Asn Arg Ile Val Ile Val Ser Asp Ser Ala His Ala Leu Gly
 165 170 175
 5 Ser Thr Tyr Lys Gly Gln Pro Ser Gly Ser Ile Ala Asp Phe Thr Ser
 180 185 190
 Phe Ser Phe His Ala Val Lys Asn Phe Thr Thr Ala Glu Gly Gly Ser
 195 200 205
 10 Ala Thr Trp Lys Ala Asn Pro Val Ile Asp Asp Glu Glu Met Tyr Lys
 210 215 220
 15 Glu Phe Gln Ile Leu Ser Leu His Gly Gln Thr Lys Asp Ala Leu Ala
 225 230 235 240
 Lys Met Gln Leu Gly Ser Trp Glu Tyr Asp Ile Val Thr Pro Ala Tyr
 245 250 255
 20 Lys Cys Asn Met Thr Asp Ile Met Ala Ser Leu Gly Leu Val Gln Leu
 260 265 270
 Asp Arg Tyr Pro Ser Leu Leu Gln Arg Arg Lys Asp Ile Val Asp Arg
 275 280 285
 25 Tyr Asp Ser Gly Phe Ala Gly Ser Arg Ile His Pro Leu Ala His Lys
 290 295 300
 30 Thr Glu Thr Val Glu Ser Ser Arg His Leu Tyr Ile Thr Arg Val Glu
 305 310 315 320
 Gly Ala Ser Leu Glu Glu Arg Ser Leu Ile Ile Gln Glu Leu Ala Lys
 325 330 335
 35 Ala Gly Ile Ala Ser Asn Val His Tyr Lys Pro Leu Pro Leu Leu Thr
 340 345 350
 Ala Tyr Lys Asn Leu Gly Phe Asp Met Thr Asn Tyr Pro Lys Ala Tyr
 355 360 365
 40 Ala Phe Phe Glu Asn Glu Ile Thr Leu Pro Leu His Thr Lys Leu Ser
 370 375 380
 45 Asp Glu Glu Val Asp Tyr Ile Ile Glu Thr Phe Lys Thr Val Ser Glu
 385 390 395 400
 Lys Val Leu Thr Leu Ser Lys Lys
 405
 50
 <210> 207
 <211> 325
 <212> PRT
 <213> Streptococcus pneumoniae
 55
 <400> 207
 Met Thr Glu Pro Asp Phe Trp Asn Asp Asn Ile Ala Ala Gln Lys Thr

	1		5		10		15									
	Ser	Gln	Glu	Leu	Asn	Val	Phe	Lys	Asn	Thr	Tyr	Asn	Thr	Phe	His	Lys
				20					25					30		
5	Met	Glu	Glu	Leu	Gln	Asp	Glu	Val	Glu	Ile	Leu	Leu	Asp	Phe	Leu	Ala
			35					40					45			
	Glu	Asp	Glu	Ser	Val	His	Asp	Glu	Leu	Val	Ala	Gln	Leu	Ala	Glu	Leu
10			50				55						60			
	Asp	Lys	Ile	Met	Thr	Ser	Tyr	Glu	Met	Thr	Leu	Leu	Leu	Ser	Glu	Pro
	65					70					75					80
15	Tyr	Asp	His	Asn	Asn	Ala	Ile	Leu	Glu	Ile	His	Pro	Gly	Ser	Gly	Gly
					85					90					95	
	Thr	Glu	Ala	Gln	Asp	Trp	Gly	Asp	Met	Leu	Leu	Arg	Met	Tyr	Thr	Arg
				100					105					110		
20	Tyr	Gly	Asn	Ala	Lys	Gly	Phe	Lys	Val	Glu	Val	Leu	Asp	Tyr	Gln	Ala
			115					120					125			
	Gly	Asp	Glu	Ala	Gly	Ile	Lys	Ser	Val	Thr	Leu	Ser	Phe	Glu	Gly	Pro
25			130				135						140			
	Asn	Ala	Tyr	Gly	Leu	Leu	Lys	Ser	Glu	Met	Gly	Val	His	Arg	Leu	Val
	145					150					155					160
30	Arg	Ile	Ser	Pro	Phe	Asp	Ser	Ala	Lys	Arg	Arg	His	Thr	Ser	Phe	Thr
					165					170					175	
	Ser	Val	Glu	Val	Met	Pro	Glu	Leu	Asp	Asp	Thr	Ile	Glu	Val	Glu	Ile
				180					185					190		
35	Arg	Glu	Asp	Asp	Ile	Lys	Met	Asp	Thr	Phe	Arg	Ser	Gly	Gly	Ala	Gly
			195					200					205			
	Gly	Gln	Asn	Val	Asn	Lys	Val	Ser	Thr	Gly	Val	Arg	Leu	Thr	His	Ile
40			210				215						220			
	Pro	Thr	Gly	Ile	Val	Val	Gln	Ser	Thr	Val	Asp	Arg	Thr	Gln	Tyr	Gly
	225					230					235					240
45	Asn	Arg	Asp	Arg	Ala	Met	Lys	Met	Leu	Gln	Ala	Lys	Leu	Tyr	Gln	Met
					245					250					255	
	Glu	Gln	Glu	Lys	Lys	Ala	Ala	Glu	Val	Asp	Ser	Leu	Lys	Gly	Glu	Lys
				260					265					270		
50	Lys	Glu	Ile	Thr	Trp	Gly	Ser	Gln	Ile	Arg	Ser	Tyr	Val	Phe	Thr	Pro
			275					280					285			
	Tyr	Thr	Met	Val	Lys	Asp	His	Arg	Thr	Ser	Phe	Glu	Val	Ala	Gln	Val
55			290				295					300				
	Asp	Lys	Val	Met	Asp	Gly	Asp	Leu	Asp	Gly	Phe	Ile	Asp	Ala	Tyr	Leu

305 310 315 320
 Lys Trp Arg Ile Ser
 325
 5
 <210> 208
 <211> 249
 <212> PRT
 10 <213> Streptococcus pneumoniae
 <400> 208
 Met Phe Tyr Thr Tyr Leu Arg Gly Leu Val Val Leu Leu Leu Trp Ser
 1 5 10 15
 15 Ile Asn Gly Asn Ala His Tyr His Asn Thr Asp Lys Ile Pro Asn Gln
 20 20 25 30
 Asp Glu Asn Tyr Ile Leu Val Ala Pro His Arg Thr Trp Trp Asp Pro
 20 35 40 45
 Val Tyr Met Ala Phe Ala Thr Lys Pro Lys Gln Phe Ile Phe Met Ala
 50 55 60
 25 Lys Lys Glu Leu Phe Thr Asn Arg Ile Phe Gly Trp Trp Ile Arg Met
 65 70 75 80
 Cys Gly Ala Phe Pro Ile Asp Arg Glu Asn Pro Ser Ala Ser Ala Ile
 85 90 95
 30 Lys Tyr Pro Ile Asn Val Leu Lys Lys Ser Asp Arg Ser Leu Ile Met
 100 105 110
 Phe Pro Ser Gly Ser Arg His Ser Asn Asp Val Lys Gly Gly Ala Ala
 115 120 125
 35 Leu Ile Ala Lys Met Ala Lys Val Arg Ile Met Pro Val Thr Tyr Thr
 130 135 140
 40 Gly Pro Met Thr Leu Lys Gly Leu Ile Ser Arg Glu Arg Val Asp Met
 145 150 155 160
 Asn Phe Gly Asn Pro Ile Asp Ile Ser Asp Ile Lys Lys Met Asn Asp
 165 170 175
 45 Glu Gly Ile Glu Thr Val Ala Asn Arg Ile Gln Thr Glu Phe Gln Arg
 180 185 190
 Leu Asp Glu Glu Thr Lys Gln Trp His Asn Asp Lys Lys Pro Asn Pro
 195 200 205
 50 Leu Trp Trp Phe Ile Arg Ile Pro Ala Leu Ile Leu Ala Ile Ile Leu
 210 215 220
 55 Ala Ile Leu Thr Ile Ile Phe Ser Phe Ile Ala Ser Phe Ile Trp Asn
 225 230 235 240

Pro Asp Lys Lys Arg Glu Glu Leu Ala
245

5 <210> 209
<211> 1033
<212> PRT
<213> Streptococcus pneumoniae

10 <400> 209
Met Ile Ala Gln Leu Asp Thr Lys Thr Val Tyr Ser Phe Met Glu Ser
1 5 10 15
Val Ile Ser Ile Glu Lys Tyr Val Arg Ala Ala Lys Glu Tyr Gly Tyr
15 20 25 30
Thr His Leu Ala Met Met Asp Ile Asp Asn Leu Tyr Gly Ala Phe Asp
35 40 45
20 Phe Leu Glu Ile Thr Lys Lys Tyr Gly Ile His Pro Leu Leu Gly Leu
50 55 60
Glu Met Thr Val Phe Val Asp Asp Gln Gly Val Asn Leu Arg Phe Leu
65 70 75 80
25 Ala Leu Ser Ser Val Gly Tyr Gln Gln Leu Met Lys Leu Ser Thr Ala
85 90 95
30 Lys Met Gln Gly Glu Lys Thr Trp Ser Val Leu Ser Gln Tyr Leu Glu
100 105 110
Asp Ile Ala Val Ile Val Pro Tyr Phe Asp Arg Val Glu Ser Leu Glu
115 120 125
35 Leu Gly Cys Asp Tyr Tyr Ile Gly Val Tyr Pro Glu Thr Leu Ala Ser
130 135 140
Glu Phe His His Pro Ile Leu Pro Leu Tyr Arg Val Asn Ala Phe Glu
145 150 155 160
40 Ser Arg Asp Arg Glu Val Leu Gln Val Leu Thr Ala Ile Lys Glu Asn
165 170 175
45 Leu Pro Leu Arg Glu Val Pro Leu Arg Ser Arg Gln Asp Val Phe Ile
180 185 190
Ser Ala Ser Ser Leu Glu Lys Leu Phe Gln Glu Arg Phe Pro Gln Ala
195 200 205
50 Leu Asp Asn Leu Glu Lys Leu Ile Ser Gly Ile Ser Tyr Asp Leu Asp
210 215 220
Thr Ser Leu Lys Leu Pro Arg Phe Asn Pro Ala Arg Pro Ala Val Glu
225 230 235 240
55 Glu Leu Arg Glu Arg Ala Glu Leu Gly Leu Val Gln Lys Gly Leu Thr
245 250 255

Ser Lys Glu Tyr Gln Asp Arg Leu Asp Gln Glu Leu Ser Val Ile His
 260 265 270
 5 Asp Met Gly Phe Asp Asp Tyr Phe Leu Val Val Trp Asp Leu Leu Arg
 275 280 285
 Phe Gly Arg Ser Asn Gly Tyr Tyr Met Gly Met Gly Arg Gly Ser Ala
 290 295 300
 10 Val Gly Ser Leu Val Ser Tyr Ala Leu Asp Ile Thr Gly Ile Asp Pro
 305 310 315 320
 Val Glu Lys Asn Leu Ile Phe Glu Arg Phe Leu Asn Arg Glu Arg Tyr
 325 330 335
 15 Thr Met Pro Asp Ile Asp Ile Asp Ile Pro Asp Ile Tyr Arg Pro Asp
 340 345 350
 20 Phe Ile Arg Tyr Val Gly Asn Lys Tyr Gly Ser Lys His Ala Ala Gln
 355 360 365
 Ile Val Thr Phe Ser Thr Phe Gly Ala Lys Gln Ala Leu Arg Asp Val
 370 375 380
 25 Leu Lys Arg Phe Gly Val Pro Glu Tyr Glu Leu Ser Ala Ile Thr Lys
 385 390 395 400
 30 Lys Ile Ser Phe Arg Asp Asn Leu Lys Ser Ala Tyr Glu Gly Asn Leu
 405 410 415
 Gln Phe Arg Gln Gln Ile Asn Ser Lys Leu Glu Tyr Gln Lys Ala Phe
 420 425 430
 35 Glu Ile Ala Cys Lys Ile Glu Gly Tyr Pro Arg Gln Thr Ser Val His
 435 440 445
 Ala Ala Gly Val Val Ile Ser Asp Gln Asp Leu Thr Asn Tyr Ile Pro
 450 455 460
 40 Leu Lys Tyr Gly Asp Glu Ile Pro Leu Thr Gln Tyr Asp Ala His Gly
 465 470 475 480
 Val Glu Ala Ser Gly Leu Leu Lys Met Asp Phe Leu Gly Leu Arg Asn
 485 490 495
 45 Leu Thr Phe Val Gln Lys Met Gln Glu Leu Leu Ala Glu Ile Glu Gly
 500 505 510
 50 Ile His Leu Lys Ile Glu Glu Ile Asp Leu Glu Asp Lys Glu Thr Leu
 515 520 525
 Asp Leu Phe Ala Ser Gly Asn Thr Lys Gly Ile Phe Gln Phe Glu Gln
 530 535 540
 55 Pro Gly Ala Ile Arg Leu Leu Lys Arg Val Gln Pro Val Cys Phe Glu
 545 550 555 560

	Asp	Val	Val	Ala	Thr	Thr	Ser	Leu	Asn	Arg	Pro	Gly	Ala	Ser	Asp	Tyr	
					565					570					575		
5	Ile	Asn	Asn	Phe	Val	Ala	Arg	Lys	His	Gly	Gln	Glu	Glu	Val	Thr	Val	
				580					585					590			
	Leu	Asp	Pro	Val	Leu	Glu	Asp	Ile	Leu	Ala	Pro	Thr	Tyr	Gly	Ile	Met	
			595					600					605				
10	Leu	Tyr	Gln	Glu	Gln	Val	Met	Gln	Val	Ala	Gln	Arg	Phe	Ala	Gly	Phe	
		610					615					620					
	Ser	Leu	Gly	Lys	Ala	Asp	Ile	Leu	Arg	Arg	Ala	Met	Gly	Lys	Lys	Asp	
15		625				630					635					640	
	Ala	Ser	Ala	Met	His	Glu	Met	Arg	Ala	Ser	Phe	Ile	Gln	Gly	Ser	Leu	
					645					650					655		
20	Glu	Ala	Gly	His	Thr	Val	Glu	Lys	Ala	Glu	Gln	Val	Phe	Asp	Val	Met	
				660					665					670			
	Glu	Lys	Phe	Ala	Gly	Tyr	Gly	Phe	Asn	Arg	Ser	His	Ala	Tyr	Ala	Tyr	
25			675					680					685				
	Ser	Ala	Leu	Ala	Phe	Gln	Leu	Ala	Tyr	Phe	Lys	Thr	His	Tyr	Pro	Ala	
		690					695					700					
30	Ile	Phe	Tyr	Gln	Ile	Met	Leu	Asn	Ser	Ala	Asn	Ser	Asp	Tyr	Leu	Ile	
		705				710					715				720		
	Asp	Ala	Leu	Glu	Ala	Gly	Phe	Glu	Val	Ala	Pro	Leu	Ser	Ile	Asn	Thr	
				725					730						735		
35	Ile	Pro	Tyr	His	Asp	Lys	Ile	Ala	Asn	Lys	Ala	Ile	Tyr	Leu	Gly	Leu	
				740				745						750			
	Lys	Ser	Ile	Lys	Gly	Val	Ser	Asn	Asp	Leu	Ala	Leu	Trp	Ile	Ile	Glu	
			755					760					765				
40	His	Arg	Pro	Tyr	Ser	Asn	Ile	Glu	Asp	Phe	Ile	Ala	Lys	Leu	Pro	Glu	
		770				775						780					
	Asp	Tyr	Leu	Lys	Leu	Pro	Leu	Leu	Glu	Pro	Leu	Val	Lys	Val	Gly	Leu	
45		785				790					795				800		
	Phe	Asp	Ser	Phe	Glu	Lys	Asn	Arg	Gln	Lys	Val	Phe	Asn	Asn	Leu	Ala	
				805					810						815		
50	Asn	Leu	Phe	Glu	Phe	Val	Lys	Glu	Leu	Gly	Ser	Leu	Phe	Gly	Asp	Ala	
				820					825					830			
	Ile	Tyr	Ser	Trp	Gln	Glu	Ser	Glu	Asp	Trp	Thr	Glu	Gln	Glu	Lys	Phe	
			835					840					845				
55	Tyr	Met	Glu	Gln	Glu	Leu	Leu	Gly	Ile	Gly	Val	Ser	Lys	His	Pro	Leu	
		850				855						860					

Gln Ala Ile Ala Ser Lys Ala Ile Tyr Pro Ile Thr Pro Ile Gly Asn
 865 870 875 880
 5 Leu Ser Glu Asn Ser Tyr Ala Ile Ile Leu Val Glu Val Gln Lys Ile
 885 890 895
 Lys Val Ile Arg Thr Lys Lys Gly Glu Asn Met Ala Phe Leu Gln Ala
 900 905 910
 10 Asp Asp Ser Lys Lys Lys Leu Asp Val Thr Leu Phe Ser Asp Leu Tyr
 915 920 925
 15 Arg Gln Val Gly Gln Glu Ile Lys Glu Gly Ala Phe Tyr Tyr Val Lys
 930 935 940
 Gly Lys Ile Gln Ser Arg Asp Gly Arg Leu Gln Met Ile Ala Gln Glu
 945 950 955 960
 20 Ile Arg Glu Ala Val Ala Glu Arg Phe Trp Ile Gln Val Lys Asn His
 965 970 975
 Glu Ser Asp Gln Glu Ile Ser Arg Ile Leu Glu Gln Phe Lys Gly Pro
 980 985 990
 25 Ile Pro Val Ile Ile Arg Tyr Glu Glu Glu Gln Lys Thr Ile Val Ser
 995 1000 1005
 Pro His His Phe Val Ala Lys Ser Asn Glu Leu Glu Glu Lys Leu Asn
 1010 1015 1020
 Glu Ile Val Met Lys Thr Ile Tyr Arg
 1025 1030
 35
 <210> 210
 <211> 306
 <212> PRT
 <213> Streptococcus pneumoniae
 40
 <400> 210
 Met Thr Asn Glu Phe Leu His Phe Glu Lys Ile Ser Arg Gln Thr Trp
 1 5 10 15
 45 Gln Ser Leu His Arg Lys Thr Thr Pro Pro Leu Thr Glu Glu Glu Leu
 20 25 30
 Glu Ser Ile Lys Ser Phe Asn Asp Gln Ile Ser Leu Gln Asp Val Thr
 35 40 45
 50 Asp Ile Tyr Leu Pro Leu Ala His Leu Ile Gln Ile Tyr Lys Arg Thr
 50 55 60
 55 Lys Glu Asp Leu Ala Phe Ser Lys Gly Ile Phe Leu Gln Arg Glu Ser
 65 70 75 80
 Lys Ser Gln Pro Phe Ile Ile Gly Val Ser Gly Ser Val Ala Val Gly

	85								90				95			
5	Lys	Ser	Thr	Thr	Ser	Arg	Leu	Leu	Gln	Ile	Leu	Leu	Ser	Arg	Thr	Phe
				100					105					110		
	Thr	Asp	Ala	Thr	Val	Glu	Leu	Val	Thr	Thr	Asp	Gly	Phe	Leu	Tyr	Pro
			115					120					125			
10	Asn	Gln	Thr	Leu	Ile	Glu	Gln	Gly	Ile	Leu	Asn	Arg	Lys	Gly	Phe	Pro
			130					135				140				
	Glu	Ser	Tyr	Asp	Met	Glu	Ala	Leu	Leu	Asn	Phe	Leu	Asp	Arg	Ile	Lys
	145					150					155					160
15	Asn	Gly	Gln	Asp	Val	Asp	Ile	Pro	Val	Tyr	Ser	His	Glu	Val	Tyr	Asp
					165					170					175	
	Ile	Val	Pro	Lys	Lys	Lys	Gln	Ser	Val	Lys	Ala	Ala	Asp	Phe	Val	Ile
				180					185					190		
20	Val	Glu	Gly	Ile	Asn	Val	Phe	Gln	Asn	Pro	Gln	Asn	Asp	Arg	Leu	Tyr
			195					200					205			
	Ile	Thr	Asp	Phe	Phe	Asp	Phe	Ser	Ile	Tyr	Val	Asp	Ala	Gly	Val	Asp
25			210				215					220				
	Asp	Ile	Glu	Ser	Trp	Tyr	Leu	Asp	Arg	Phe	Leu	Lys	Met	Leu	Ser	Leu
	225					230					235					240
30	Ala	Gln	Asn	Asp	Pro	Asp	Ser	Tyr	Tyr	Tyr	Arg	Phe	Thr	Gln	Met	Pro
					245					250					255	
	Ile	Gly	Glu	Val	Glu	Ser	Phe	Ala	His	Gln	Val	Trp	Thr	Ser	Ile	Asn
				260					265					270		
35	Leu	Thr	Asn	Leu	Gln	Asn	Tyr	Ile	Glu	Pro	Thr	Arg	Asn	Arg	Ala	Glu
			275					280					285			
	Val	Ile	Leu	His	Lys	Ser	Lys	Asn	His	Glu	Ile	Asp	Glu	Ile	Tyr	Leu
40			290				295					300				
	Lys	Lys														
	305															
45																
	<210>	211														
	<211>	246														
	<212>	PRT														
	<213>	Streptococcus pneumoniae														
50																
	<400>	211														
	Met	Glu	Ile	Ser	Leu	Leu	Thr	Asp	Val	Gly	Gln	Lys	Arg	Thr	Asn	Asn
	1				5					10					15	
55	Gln	Asp	Tyr	Val	Asn	His	Tyr	Val	Asn	Arg	Ala	Gly	Arg	Thr	Met	Ile
				20					25					30		

Ile Leu Ala Asp Gly Met Gly Gly His Arg Ala Gly Asn Ile Ala Ser
 35 40 45
 5 Glu Met Ala Val Thr Asp Leu Gly Val Ala Trp Val Asp Thr Gln Ile
 50 55 60
 Asp Thr Val Asn Glu Val Arg Glu Trp Phe Ala His Tyr Leu Glu Ile
 65 70 75 80
 10 Glu Asn Gln Lys Ile His Gln Leu Gly Gln Asp Glu Ala Tyr Arg Gly
 85 90 95
 Met Gly Thr Thr Leu Glu Val Leu Ala Ile Ile Asp Asn Gln Ala Ile
 100 105 110
 15 Tyr Ala His Ile Gly Asp Ser Arg Ile Gly Leu Ile Arg Gly Glu Glu
 115 120 125
 20 Tyr His Gln Leu Thr Ser Asp His Ser Leu Val Asn Glu Leu Leu Lys
 130 135 140
 Ala Gly Gln Leu Thr Pro Glu Glu Ala Glu Ala His Pro Gln Lys Asn
 145 150 155 160
 25 Ile Ile Thr Gln Ser Ile Gly Gln Lys Asp Glu Ile Gln Pro Asp Phe
 165 170 175
 Gly Thr Val Ile Leu Glu Ser Gly Asp Tyr Leu Leu Leu Asn Ser Asp
 180 185 190
 30 Gly Leu Thr Asn Met Ile Ser Gly Ser Glu Ile Arg Asp Ile Val Thr
 195 200 205
 35 Ser Asp Ile Pro Leu Ala Asp Lys Thr Glu Thr Leu Val Arg Phe Ala
 210 215 220
 Asn Asn Ala Gly Gly Leu Asp Asn Ile Thr Val Ala Leu Val Ser Met
 225 230 235 240
 40 Asn Glu Glu Asp Glu Glu
 245
 45 <210> 212
 <211> 276
 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 212
 50 Met Thr Ile Gln Met Lys Asn Thr Gly Lys Arg Ile Asp Leu Ile Ala
 1 5 10 15
 Asn Arg Lys Pro Gln Ser Gln Arg Val Leu Tyr Glu Leu Arg Asp Arg
 20 25 30
 55 Leu Lys Arg Asn Gln Phe Ile Leu Asn Asp Thr Asn Pro Asp Ile Val
 35 40 45

Ile Ser Ile Gly Gly Asp Gly Met Leu Leu Ser Ala Phe His Lys Tyr
 50 55 60
 5 Glu Asn Gln Leu Asp Lys Val Arg Phe Ile Gly Leu His Thr Gly His
 65 70 75 80
 Leu Gly Phe Tyr Thr Asp Tyr Arg Asp Phe Glu Leu Asp Lys Leu Val
 85 90 95
 10 Thr Asn Leu Gln Leu Asp Thr Gly Ala Arg Val Ser Tyr Pro Val Leu
 100 105 110
 15 Asn Val Lys Val Phe Leu Glu Asn Gly Glu Val Lys Ile Phe Arg Ala
 115 120 125
 Leu Asn Glu Ala Ser Ile Arg Arg Ser Asp Arg Thr Met Val Ala Asp
 130 135 140
 20 Ile Val Ile Asn Gly Val Pro Phe Glu Arg Phe Arg Gly Asp Gly Leu
 145 150 155 160
 Thr Val Ser Thr Pro Thr Gly Ser Thr Ala Tyr Asn Lys Ser Leu Gly
 165 170 175
 25 Gly Ala Val Leu His Pro Thr Ile Glu Ala Leu Gln Leu Thr Glu Ile
 180 185 190
 30 Ala Ser Leu Asn Asn Arg Val Tyr Arg Thr Leu Gly Ser Ser Ile Ile
 195 200 205
 Val Pro Lys Lys Asp Lys Ile Glu Leu Ile Pro Thr Arg Asn Asp Tyr
 210 215 220
 35 His Thr Ile Ser Val Asp Asn Ser Val Tyr Ser Phe Arg Asn Ile Glu
 225 230 235 240
 Arg Ile Glu Tyr Gln Ile Asp His His Lys Ile His Phe Val Ala Thr
 245 250 255
 40 Pro Ser His Thr Ser Phe Trp Asn Arg Val Lys Asp Ala Phe Ile Gly
 260 265 270
 45 Glu Val Asp Glu
 275
 <210> 213
 <211> 540
 50 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 213
 55 Met Ser Lys Glu Ile Lys Phe Ser Ser Asp Ala Arg Ser Ala Met Val
 1 5 10 15
 Arg Gly Val Asp Ile Leu Ala Asp Thr Val Lys Val Thr Leu Gly Pro

		20		25		30											
	Lys	Gly	Arg	Asn	Val	Val	Leu	Glu	Lys	Ser	Phe	Gly	Ser	Pro	Leu	Ile	
			35					40					45				
5	Thr	Asn	Asp	Gly	Val	Thr	Ile	Ala	Lys	Glu	Ile	Glu	Leu	Glu	Asp	His	
		50					55					60					
	Phe	Glu	Asn	Met	Gly	Ala	Lys	Leu	Val	Ser	Glu	Val	Ala	Ser	Lys	Thr	
10		65				70					75					80	
	Asn	Asp	Ile	Ala	Gly	Asp	Gly	Thr	Thr	Thr	Ala	Thr	Val	Leu	Thr	Gln	
					85					90					95		
15	Ala	Ile	Val	Arg	Glu	Gly	Ile	Lys	Asn	Val	Thr	Ala	Gly	Ala	Asn	Pro	
				100					105					110			
	Ile	Gly	Ile	Arg	Arg	Gly	Ile	Glu	Thr	Ala	Val	Ala	Ala	Ala	Val	Glu	
			115					120					125				
20	Ala	Leu	Lys	Asn	Asn	Ala	Ile	Pro	Val	Ala	Asn	Lys	Glu	Ala	Ile	Ala	
		130					135					140					
	Gln	Val	Ala	Ala	Val	Ser	Ser	Arg	Ser	Glu	Lys	Val	Gly	Glu	Tyr	Ile	
25		145				150					155					160	
	Ser	Glu	Ala	Met	Glu	Lys	Val	Gly	Lys	Asp	Gly	Val	Ile	Thr	Ile	Glu	
				165					170						175		
30	Glu	Ser	Arg	Gly	Met	Glu	Thr	Glu	Leu	Glu	Val	Val	Glu	Gly	Met	Gln	
				180					185					190			
	Phe	Asp	Arg	Gly	Tyr	Leu	Ser	Gln	Tyr	Met	Val	Thr	Asp	Ser	Glu	Lys	
			195					200					205				
35	Met	Val	Ala	Asp	Leu	Glu	Asn	Pro	Tyr	Ile	Leu	Ile	Thr	Asp	Lys	Lys	
		210					215					220					
	Ile	Ser	Asn	Ile	Gln	Glu	Ile	Leu	Pro	Leu	Leu	Glu	Ser	Ile	Leu	Gln	
40		225				230					235					240	
	Ser	Asn	Arg	Pro	Leu	Leu	Ile	Ile	Ala	Asp	Asp	Val	Asp	Gly	Glu	Ala	
				245					250						255		
45	Leu	Pro	Thr	Leu	Val	Leu	Asn	Lys	Ile	Arg	Gly	Thr	Phe	Asn	Val	Val	
				260					265					270			
	Ala	Val	Lys	Ala	Pro	Gly	Phe	Gly	Asp	Arg	Arg	Lys	Ala	Met	Leu	Glu	
			275					280					285				
50	Asp	Ile	Ala	Ile	Leu	Thr	Gly	Gly	Thr	Val	Ile	Thr	Glu	Asp	Leu	Gly	
		290					295					300					
	Leu	Glu	Leu	Lys	Asp	Ala	Thr	Ile	Glu	Ala	Leu	Gly	Gln	Ala	Ala	Arg	
55		305				310					315					320	
	Val	Thr	Val	Asp	Lys	Asp	Ser	Thr	Val	Ile	Val	Glu	Gly	Ala	Gly	Asn	

	325	330	335
5	Pro Glu Ala Ile Ser His Arg Val	Ala Val Ile Lys Ser	Gln Ile Glu
	340	345	350
	Thr Thr Thr Ser Glu Phe Asp Arg Glu Lys Leu Gln Glu Arg Leu Ala		
	355	360	365
10	Lys Leu Ser Gly Gly Val Ala Val Ile Lys Val Gly Ala Ala Thr Glu		
	370	375	380
	Thr Glu Leu Lys Glu Met Lys Leu Arg Ile Glu Asp Ala Leu Asn Ala		
	385	390	395
15	Thr Arg Ala Ala Val Glu Glu Gly Ile Val Ala Gly Gly Gly Thr Ala		
	405	410	415
	Leu Ala Asn Val Ile Pro Ala Val Ala Thr Leu Glu Leu Thr Gly Asp		
	420	425	430
20	Glu Ala Thr Gly Arg Asn Ile Val Leu Arg Ala Leu Glu Glu Pro Val		
	435	440	445
25	Arg Gln Ile Ala His Asn Ala Gly Phe Glu Gly Ser Ile Val Ile Asp		
	450	455	460
	Arg Leu Lys Asn Ala Glu Leu Gly Ile Gly Phe Asn Ala Ala Thr Gly		
	465	470	475
30	Glu Trp Val Asn Met Ile Asp Gln Gly Ile Ile Asp Pro Val Lys Val		
	485	490	495
	Ser Arg Ser Ala Leu Gln Asn Ala Ala Ser Val Ala Ser Leu Ile Leu		
	500	505	510
35	Thr Thr Glu Ala Val Val Ala Asn Lys Pro Glu Pro Val Ala Pro Ala		
	515	520	525
40	Pro Ala Met Asp Pro Ser Met Met Gly Gly Met Met		
	530	535	540
45	<210> 214		
	<211> 481		
	<212> PRT		
	<213> Streptococcus pneumoniae		
50	<400> 214		
	Met Ile Lys Ile Glu Thr Val Leu Asp Ile Leu Lys Lys Asp Gly Leu		
	1	5	10
	Phe Arg Glu Ile Ile Asp Gln Gly His Tyr His Tyr Asn Tyr Ser Lys		
	20	25	30
55	Val Ile Phe Asp Ser Ile Ser Tyr Asp Ser Arg Lys Val Thr Glu Asp		
	35	40	45

Thr Leu Phe Phe Ala Lys Gly Ala Ala Phe Lys Lys Glu Tyr Leu Leu
 50 55 60

5 Ser Ala Ile Thr Gln Gly Leu Ala Trp Tyr Val Ala Glu Lys Asp Tyr
 65 70 75 80

Glu Val Gly Ile Pro Val Ile Ile Val Asn Asp Ile Lys Lys Ala Met
 85 90 95

10 Ser Leu Ile Ala Met Glu Phe Tyr Gly Asn Pro Gln Glu Lys Leu Lys
 100 105 110

Leu Leu Ala Phe Thr Gly Thr Lys Gly Lys Thr Thr Ala Ala Tyr Phe
 115 120 125

15 Ala Tyr Asn Ile Leu Ser Gln Gly His Arg Pro Ala Met Leu Ser Thr
 130 135 140

20 Met Asn Thr Thr Leu Asp Gly Glu Thr Phe Phe Lys Ser Ala Leu Thr
 145 150 155 160

Thr Pro Glu Ser Ile Asp Leu Phe Asp Met Met Asn Gln Ala Val Gln
 165 170 175

25 Asn Asp Arg Thr His Leu Ile Met Glu Val Ser Ser Gln Ala Tyr Leu
 180 185 190

Val Lys Arg Val Tyr Gly Leu Thr Phe Asp Val Gly Val Phe Leu Asn
 195 200 205

30 Ile Ser Pro Asp His Ile Gly Pro Ile Glu His Pro Ser Phe Glu Asp
 210 215 220

35 Tyr Phe Tyr His Lys Arg Leu Leu Met Glu Lys Ser Arg Ala Val Ile
 225 230 235 240

Ile Asn Ser Asp Met Asp His Phe Ser Val Leu Lys Glu Gln Val Glu
 245 250 255

40 Asp Gln Asp His Asp Phe Tyr Gly Ser Gln Phe Asp Asn Gln Ile Glu
 260 265 270

Asn Ser Lys Ala Phe Ser Phe Ser Ala Thr Gly Lys Leu Ala Gly Asp
 275 280 285

45 Tyr Asp Ile Gln Leu Ile Gly Asn Phe Asn Gln Glu Asn Ala Val Ala
 290 295 300

50 Ala Gly Leu Ala Cys Leu Arg Leu Gly Ala Ser Leu Glu Asp Ile Lys
 305 310 315 320

Lys Gly Ile Ala Ala Thr Arg Val Pro Gly Arg Met Glu Val Leu Thr
 325 330 335

55 Gln Lys Asn Gly Ala Lys Val Phe Ile Asp Tyr Ala His Asn Gly Asp
 340 345 350

Ser Leu Lys Lys Leu Ile Asn Val Val Glu Thr His Gln Thr Gly Lys
 355 360 365
 5 Ile Ala Leu Val Leu Gly Ser Thr Gly Asn Lys Gly Glu Ser Arg Arg
 370 375 380
 Lys Asp Phe Gly Leu Leu Leu Asn Gln His Pro Glu Ile Gln Val Phe
 385 390 395 400
 10 Leu Thr Ala Asp Asp Pro Asn Tyr Glu Asp Pro Met Ala Ile Ala Asp
 405 410 415
 Glu Ile Ser Ser Tyr Ile Asn His Pro Val Glu Lys Ile Ala Asp Arg
 420 425 430
 15 Gln Glu Ala Ile Lys Ala Ala Met Ala Ile Thr Asn His Glu Leu Asp
 435 440 445
 Ala Val Ile Ile Ala Gly Lys Gly Ala Asp Cys Tyr Gln Ile Ile Gln
 450 455 460
 20 Gly Lys Lys Glu Ser Tyr Pro Gly Asp Thr Ala Val Ala Glu Asn Tyr
 465 470 475 480
 25 Leu
 30 <210> 215
 <211> 659
 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 215
 35 Met Ile Gln Ile Gly Lys Ile Phe Ala Gly Arg Tyr Arg Ile Val Lys
 1 5 10 15
 Gln Ile Gly Arg Gly Gly Met Ala Asp Val Tyr Leu Ala Lys Asp Leu
 20 25 30
 40 Ile Leu Asp Gly Glu Glu Val Ala Val Lys Val Leu Arg Thr Asn Tyr
 35 40 45
 Gln Thr Asp Pro Ile Ala Val Ala Arg Phe Gln Arg Glu Ala Arg Ala
 50 55 60
 Met Ala Asp Leu Asp His Pro His Ile Val Arg Ile Thr Asp Ile Gly
 65 70 75 80
 50 Glu Glu Asp Gly Gln Gln Tyr Leu Ala Met Glu Tyr Val Ala Gly Leu
 85 90 95
 Asp Leu Lys Arg Tyr Ile Lys Glu His Tyr Pro Leu Ser Asn Glu Glu
 100 105 110
 55 Ala Val Arg Ile Met Gly Gln Ile Leu Leu Ala Met Arg Leu Ala His
 115 120 125

Thr Arg Gly Ile Val His Arg Asp Leu Lys Pro Gln Asn Ile Leu Leu
 130 135 140
 5 Thr Pro Asp Gly Thr Ala Lys Val Thr Asp Phe Gly Ile Ala Val Ala
 145 150 155 160
 Phe Ala Glu Thr Ser Leu Thr Gln Thr Asn Ser Met Leu Gly Ser Val
 165 170 175
 10 His Tyr Leu Ser Pro Glu Gln Ala Arg Gly Ser Lys Ala Thr Val Gln
 180 185 190
 Ser Asp Ile Tyr Ala Met Gly Ile Ile Phe Tyr Glu Met Leu Thr Gly
 195 200 205
 15 His Ile Pro Tyr Asp Gly Asp Ser Ala Val Thr Ile Ala Leu Gln His
 210 215 220
 20 Phe Gln Lys Pro Leu Pro Ser Val Ile Ala Glu Asn Pro Ser Val Pro
 225 230 235 240
 Gln Ala Leu Glu Asn Val Ile Ile Lys Ala Thr Ala Lys Lys Leu Thr
 245 250 255
 25 Asn Arg Tyr Arg Ser Val Ser Glu Met Tyr Val Asp Leu Ser Ser Ser
 260 265 270
 30 Leu Ser Tyr Asn Arg Arg Asn Glu Ser Lys Leu Ile Phe Asp Glu Thr
 275 280 285
 Ser Lys Ala Asp Thr Lys Thr Leu Pro Lys Val Ser Gln Ser Thr Leu
 290 295 300
 35 Thr Ser Ile Pro Lys Val Gln Ala Gln Thr Glu His Lys Ser Ile Lys
 305 310 315 320
 Asn Pro Ser Gln Ala Val Thr Glu Glu Thr Tyr Gln Pro Gln Ala Pro
 325 330 335
 40 Lys Lys His Arg Phe Lys Met Arg Tyr Leu Ile Leu Leu Ala Ser Leu
 340 345 350
 Val Leu Val Ala Ala Ser Leu Ile Trp Ile Leu Ser Arg Thr Pro Ala
 355 360 365
 45 Thr Ile Ala Ile Pro Asp Val Ala Gly Gln Thr Val Ala Glu Ala Lys
 370 375 380
 50 Ala Thr Leu Lys Lys Ala Asn Phe Glu Ile Gly Glu Glu Lys Thr Glu
 385 390 395 400
 Ala Ser Glu Lys Val Glu Glu Gly Arg Ile Ile Arg Thr Asp Pro Gly
 405 410 415
 55 Ala Gly Thr Gly Arg Lys Glu Gly Thr Lys Ile Asn Leu Val Val Ser
 420 425 430

Ser Gly Lys Gln Ser Phe Gln Ile Ser Asn Tyr Val Gly Arg Lys Ser
 435 440 445
 5 Ser Asp Val Ile Ala Glu Leu Lys Glu Lys Lys Val Pro Asp Asn Leu
 450 455 460
 10 Ile Lys Ile Glu Glu Glu Glu Ser Asn Glu Ser Glu Ala Gly Thr Val
 465 470 475 480
 Leu Lys Gln Ser Leu Pro Glu Gly Thr Thr Tyr Asp Leu Ser Lys Ala
 485 490 495
 15 Thr Gln Ile Val Leu Thr Val Ala Lys Lys Ala Thr Thr Ile Gln Leu
 500 505 510
 Gly Asn Tyr Ile Gly Arg Asn Ser Thr Glu Val Ile Ser Glu Leu Lys
 515 520 525
 20 Gln Lys Lys Val Pro Glu Asn Leu Ile Lys Ile Glu Glu Glu Glu Ser
 530 535 540
 Ser Glu Ser Glu Pro Gly Thr Ile Met Lys Gln Ser Pro Gly Ala Gly
 545 550 555 560
 25 Thr Thr Tyr Asp Val Ser Lys Pro Thr Gln Ile Val Leu Thr Val Ala
 565 570 575
 Lys Lys Val Thr Ser Val Ala Met Pro Ser Tyr Ile Gly Ser Ser Leu
 580 585 590
 Glu Phe Thr Lys Asn Asn Leu Ile Gln Ile Val Gly Ile Lys Glu Ala
 595 600 605
 35 Asn Ile Glu Val Val Glu Val Thr Thr Ala Pro Ala Gly Ser Ala Glu
 610 615 620
 Gly Met Val Val Glu Gln Ser Pro Arg Ala Gly Glu Lys Val Asp Leu
 625 630 635 640
 40 Asn Lys Thr Arg Val Lys Ile Ser Ile Tyr Lys Pro Lys Thr Thr Ser
 645 650 655
 45 Ala Thr Pro
 <210> 216
 <211> 391
 50 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 216
 55 Met Lys His Phe Asp Thr Ile Val Ile Gly Gly Gly Pro Ala Gly Met
 1 5 10 15
 Met Ala Thr Ile Ser Ser Asn Phe Tyr Gly Gln Lys Thr Leu Leu Ile

	20	25	30
	Glu Lys Asn Arg Lys Leu Gly Lys Lys Leu Ala Gly Thr Gly Gly Gly		
5	35	40	45
	Arg Cys Asn Val Thr Asn Asn Gly Ser Leu Asp Asn Leu Leu Ala Gly		
	50	55	60
10	Ile Pro Gly Asn Gly Arg Phe Leu Tyr Ser Val Phe Ser Gln Phe Asp		
	65	70	75
	Asn His Asp Ile Ile Asn Phe Phe Thr Glu Asn Gly Val Lys Leu Lys		
		85	90
15	Val Glu Asp His Gly Arg Val Phe Pro Ala Ser Asp Lys Ser Arg Thr		
	100	105	110
	Ile Ile Glu Ala Leu Glu Lys Lys Ile Thr Glu Leu Gly Gly Gln Val		
	115	120	125
20	Ala Thr Gln Ile Glu Ile Val Ser Val Lys Lys Val Asp Asp Gln Phe		
	130	135	140
25	Val Leu Lys Ser Ala Asp Gln Thr Phe Thr Cys Glu Lys Leu Ile Val		
	145	150	155
	Thr Thr Gly Gly Lys Ser Tyr Pro Ser Thr Gly Ser Thr Gly Phe Gly		
		165	170
30	His Glu Ile Ala Arg His Phe Lys His Thr Ile Thr Asp Leu Glu Ala		
	180	185	190
	Ala Glu Ser Pro Leu Leu Thr Asp Phe Pro His Lys Ala Leu Gln Gly		
	195	200	205
35	Ile Ser Leu Asp Asp Val Thr Leu Ser Tyr Gly Lys His Val Ile Thr		
	210	215	220
40	His Asp Leu Leu Phe Thr His Phe Gly Leu Ser Gly Pro Ala Ala Leu		
	225	230	235
	Arg Met Ser Ser Phe Val Lys Gly Gly Glu Val Leu Ser Leu Asp Val		
		245	250
45	Leu Pro Gln Leu Ser Glu Lys Asp Leu Val Thr Phe Leu Glu Glu Asn		
	260	265	270
	Arg Glu Lys Ser Leu Lys Asn Ala Leu Lys Thr Leu Leu Pro Glu Arg		
	275	280	285
50	Leu Ala Glu Phe Phe Val Gln Gly Tyr Pro Glu Lys Val Lys Gln Leu		
	290	295	300
55	Thr Glu Lys Glu Arg Glu Gln Leu Val Gln Ser Ile Lys Glu Leu Lys		
	305	310	315
	Ile Pro Val Thr Gly Lys Met Ser Leu Ala Lys Ser Phe Val Thr Lys		

325 330 335
 Gly Gly Val Ser Leu Lys Glu Ile Asn Pro Lys Thr Leu Glu Ser Lys
 340 345 350
 5 Leu Val Pro Gly Leu His Phe Ala Gly Glu Val Met Asp Ile Asn Ala
 355 360 365
 10 His Thr Gly Gly Phe Asn Ile Thr Ser Ala Leu Cys Thr Gly Trp Val
 370 375 380
 Ala Gly Ser Leu His Tyr Asp
 385 390
 15 <210> 217
 <211> 231
 <212> PRT
 <213> Streptococcus pneumoniae
 20 <400> 217
 Met Leu Lys Trp Glu Asp Leu Pro Val Glu Met Lys Ser Ser Glu Val
 1 5 10 15
 25 Glu Ser Tyr Tyr Gln Leu Val Ser Lys Arg Lys Gly Ser Leu Ile Phe
 20 25 30
 Lys Arg Cys Leu Asp Trp Val Leu Ala Leu Val Leu Thr Trp Val Leu
 35 40 45
 30 Thr Ser Pro Ile Phe Leu Ile Leu Ser Ile Trp Ile Lys Leu Asp Ser
 50 55 60
 35 Lys Gly Pro Val Ile Tyr Lys Gln Glu Arg Val Thr Gln Tyr Asn Arg
 65 70 75 80
 Arg Phe Lys Ile Trp Lys Phe Arg Thr Met Val Thr Asp Ala Asp Lys
 85 90 95
 40 Lys Gly Ser Leu Val Thr Ser Ala Asn Asp Ser Arg Ile Thr Lys Val
 100 105 110
 Gly Asn Phe Ile Arg Arg Val Arg Leu Asp Glu Leu Pro Gln Leu Val
 115 120 125
 45 Asn Val Leu Lys Gly Glu Met Ser Phe Val Gly Thr Arg Pro Glu Val
 130 135 140
 50 Pro Arg Tyr Thr Glu Gln Tyr Ser Pro Glu Met Met Ala Thr Leu Leu
 145 150 155 160
 Leu Gln Ala Gly Ile Thr Ser Pro Ala Ser Ile Asn Tyr Lys Asp Glu
 165 170 175
 55 Asp Thr Ile Ile Ser Gln Met Thr Glu Lys Gly Leu Ser Val Asp Gln
 180 185 190

Ala Tyr Val Glu His Val Leu Pro Glu Lys Met Arg Tyr Asn Leu Ala
 195 200 205

5 Tyr Leu Arg Glu Phe Ser Phe Phe Gly Asp Ile Lys Ile Met Phe Gln
 210 215 220

Thr Val Phe Glu Val Leu Lys
 225 230

10 <210> 218
 <211> 140
 <212> PRT
 <213> Streptococcus pneumoniae

15 <400> 218
 Met Thr Ser Pro Leu Leu Glu Ser Arg Arg Gln Leu Arg Lys Cys Ala
 1 5 10 15

20 Phe Gln Ala Leu Met Ser Leu Glu Phe Gly Thr Asp Val Glu Thr Ala
 20 25 30

25 Cys Arg Phe Ala Tyr Thr His Asp Arg Glu Tyr Thr Asp Val Gln Leu
 35 40 45

Pro Ala Phe Leu Ile Asp Leu Val Ser Gly Val Gln Ala Lys Lys Glu
 50 55 60

30 Glu Leu Asp Lys Gln Ile Thr Gln His Leu Lys Ala Gly Trp Thr Ile
 65 70 75 80

Glu Arg Leu Thr Leu Val Glu Arg Asn Leu Leu Arg Leu Gly Val Phe
 85 90 95

35 Glu Ile Thr Ser Phe Asp Thr Pro Gln Leu Val Ala Val Asn Glu Ala
 100 105 110

Ile Glu Leu Ala Lys Asp Phe Ser Asp Gln Lys Ser Ala Arg Phe Ile
 115 120 125

40 Asn Gly Leu Leu Ser Gln Phe Val Thr Glu Glu Gln
 130 135 140

45 <210> 219
 <211> 1179
 <212> PRT
 <213> Streptococcus pneumoniae

50 <400> 219
 Met Tyr Leu Lys Glu Ile Glu Ile Gln Gly Phe Lys Ser Phe Ala Asp
 1 5 10 15

55 Lys Thr Lys Val Val Phe Asp Gln Gly Val Thr Ala Val Val Gly Pro
 20 25 30

Asn Gly Ser Gly Lys Ser Asn Ile Thr Glu Ser Leu Arg Trp Ala Leu

	35	40	45
	Gly Glu Ser Ser Val Lys Ser Leu Arg Gly Gly Lys Met Pro Asp Val		
5	50	55	60
	Ile Phe Ala Gly Thr Glu Ser Arg Lys Pro Leu Asn Tyr Ala Ser Val		
	65	70	75 80
10	Val Val Thr Leu Asp Asn His Asp Gly Phe Ile Lys Asp Ala Gly Gln		
	85	90	95
	Glu Ile Arg Val Glu Arg His Ile Tyr Arg Ser Gly Asp Ser Glu Tyr		
	100	105	110
15	Lys Ile Asp Gly Lys Lys Val Arg Leu Arg Asp Ile His Asp Leu Phe		
	115	120	125
	Leu Asp Thr Gly Leu Gly Arg Asp Ser Phe Ser Ile Ile Ser Gln Gly		
20	130	135	140
	Lys Val Glu Glu Ile Phe Asn Ser Lys Pro Glu Glu Arg Arg Ala Ile		
	145	150	155 160
25	Phe Glu Glu Ala Ala Gly Val Leu Lys Tyr Lys Thr Arg Arg Lys Glu		
	165	170	175
	Thr Glu Ser Lys Leu Gln Gln Thr Gln Asp Asn Leu Asp Arg Leu Glu		
	180	185	190
30	Asp Ile Ile Tyr Glu Leu Asp Asn Gln Ile Lys Pro Leu Glu Lys Gln		
	195	200	205
	Ala Glu Asn Ala Arg Lys Phe Leu Asp Leu Glu Gly Gln Arg Lys Ala		
35	210	215	220
	Ile Tyr Leu Asp Val Leu Val Ala Gln Ile Lys Glu Asn Lys Ala Glu		
	225	230	235 240
40	Leu Glu Ser Thr Glu Glu Glu Leu Ala Gln Val Gln Glu Leu Leu Met		
	245	250	255
	Ser Tyr Tyr Gln Lys Arg Glu Lys Leu Glu Glu Glu Asn Gln Thr Leu		
	260	265	270
45	Lys Lys Gln Arg Gln Asp Leu Gln Ala Glu Met Ala Lys Asp Gln Gly		
	275	280	285
	Ser Leu Met Asp Leu Thr Ser Leu Ile Ser Asp Leu Glu Arg Lys Leu		
50	290	295	300
	Ala Leu Ser Lys Leu Glu Ser Glu Gln Val Ala Leu Asn Gln Gln Glu		
	305	310	315 320
55	Ala Gln Ala Arg Leu Ala Ala Leu Glu Asp Lys Arg Asn Ser Leu Ser		
	325	330	335
	Lys Glu Lys Tyr Asp Lys Glu Ser Ser Leu Ala Leu Leu Glu Gly Asn		

	340	345	350
	Leu Val Gln Asn Asn Gln Lys Leu Asn Arg Leu Glu Ala Glu Leu Leu		
	355	360	365
5	Ala Phe Ser Asp Asp Pro Asp Gln Met Ile Glu Leu Leu Arg Glu Arg		
	370	375	380
10	Phe Val Ala Leu Leu Gln Glu Glu Ala Asp Val Ser Asn Gln Leu Thr		
	385	390	395
	Arg Ile Glu Asn Glu Leu Glu Asn Ser Arg Gln Leu Ser Gln Lys Gln		
		405	410
15	Ala Asp Gln Leu Glu Lys Leu Lys Glu Gln Leu Ala Thr Ala Lys Glu		
		420	425
			430
	Lys Ala Ser Gln Gln Lys Asp Glu Leu Glu Thr Ala Lys Val Gln Val		
		435	440
20	Gln Lys Leu Leu Ala Asp Tyr Gln Ala Ile Ala Lys Glu Gln Glu Glu		
		445	450
			455
	Gln Lys Thr Ser Tyr Gln Ala Gln Gln Ser Gln Leu Phe Asp Arg Leu		
25		460	465
			470
	Asp Ser Leu Lys Asn Lys Gln Ala Arg Ala Gln Ser Leu Glu Asn Ile		
		475	480
			485
30	Leu Arg Asn His Ser Asn Phe Tyr Ala Gly Val Lys Ser Val Leu Gln		
		490	495
			500
	Glu Lys Asp Arg Leu Gly Gly Ile Ile Gly Ala Val Ser Glu His Leu		
		505	510
			515
35	Thr Phe Asp Val Tyr Tyr Gln Thr Ala Leu Glu Ile Ala Leu Gly Ala		
		520	525
			530
	Ser Ser Gln His Ile Ile Val Glu Asp Glu Glu Ser Ala Thr Lys Ala		
40		535	540
			545
	Ile Asp Phe Leu Lys Arg Asn Arg Val Gly Arg Ala Thr Phe Leu Pro		
		550	555
			560
		565	570
45	Leu Thr Thr Ile Lys Ala Arg Thr Ile Ser Ser Gln Asn Gln Asp Ala		
		575	580
			585
	Ile Ala Val Ser Pro Gly Phe Leu Gly Met Ala Asp Glu Leu Val Thr		
		590	595
50	Phe Asp Thr Arg Leu Glu Ala Ile Phe Lys Asn Leu Leu Ala Thr Thr		
		600	605
			610
	Ala Ile Phe Asp Thr Val Glu His Ala Arg Glu Ala Ala Arg Gln Val		
55		615	620
			625
		630	635
			640
	Arg Tyr Gln Val Arg Met Val Thr Leu Asp Gly Thr Glu Leu Arg Thr		

	645							650							655		
5	Gly	Gly	Ser	Tyr	Ala	Gly	Gly	Ala	Asn	Arg	Gln	Asn	Asn	Ser	Ile	Phe	
				660					665					670			
	Ile	Lys	Pro	Glu	Leu	Glu	Gln	Leu	Gln	Lys	Glu	Ile	Ala	Ala	Asp	Glu	
			675					680					685				
10	Ala	Ser	Leu	Gly	Ser	Glu	Glu	Ala	Ala	Leu	Lys	Thr	Leu	Gln	Asp	Gln	
		690					695					700					
	Met	Ala	Ala	Leu	Thr	Glu	Arg	Leu	Glu	Ala	Ile	Lys	Ser	Gln	Gly	Glu	
	705					710					715					720	
15	Gln	Ala	Arg	Ile	Gln	Glu	Gln	Gly	Leu	Ser	Leu	Ala	Tyr	Gln	Gln	Thr	
					725					730					735		
	Ser	Gln	Gln	Val	Glu	Glu	Leu	Glu	Thr	Leu	Trp	Lys	Leu	Gln	Glu	Glu	
				740					745					750			
20	Glu	Ile	Asp	Arg	Leu	Ser	Glu	Gly	Asp	Trp	Gln	Ala	Asp	Lys	Glu	Lys	
			755					760					765				
25	Cys	Gln	Glu	Ser	Leu	Ala	Thr	Ile	Ala	Ser	Asp	Lys	Gln	Asn	Leu	Glu	
		770					775					780					
	Ala	Glu	Ile	Glu	Glu	Ile	Lys	Ser	Asn	Lys	Asn	Ala	Ile	Gln	Glu	Arg	
	785					790					795					800	
30	Tyr	Gln	Asn	Leu	Gln	Glu	Glu	Val	Ala	Gln	Ala	Arg	Leu	Leu	Lys	Thr	
					805					810					815		
	Lys	Leu	Gln	Gly	Gln	Lys	Arg	Tyr	Glu	Val	Ala	Asp	Ile	Glu	Arg	Leu	
				820					825					830			
35	Gly	Lys	Glu	Leu	Asp	Asn	Leu	Asn	Ile	Glu	Gln	Glu	Glu	Ile	Gln	Arg	
			835					840					845				
40	Met	Leu	Gln	Glu	Lys	Val	Asp	Asn	Leu	Glu	Lys	Val	Asp	Thr	Glu	Leu	
		850					855					860					
	Leu	Ser	Gln	Gln	Ala	Glu	Glu	Ser	Lys	Thr	Gln	Lys	Thr	Asn	Leu	Gln	
	865					870					875					880	
45	Gln	Gly	Leu	Ile	Arg	Lys	Gln	Phe	Glu	Leu	Asp	Asp	Ile	Glu	Gly	Gln	
					885					890					895		
	Leu	Asp	Asp	Ile	Ala	Ser	His	Leu	Asp	Gln	Ala	Arg	Gln	Gln	Asn	Glu	
				900					905					910			
50	Glu	Trp	Ile	Arg	Lys	Gln	Thr	Arg	Ala	Glu	Ala	Lys	Lys	Glu	Lys	Val	
			915					920					925				
55	Ser	Glu	Arg	Leu	Arg	His	Leu	Gln	Asn	Gln	Leu	Thr	Asp	Gln	Tyr	Gln	
		930					935					940					
	Ile	Ser	Tyr	Thr	Glu	Ala	Leu	Glu	Lys	Ala	His	Glu	Leu	Glu	Asn	Leu	

	945		950		955		960
	Asn Leu Ala Glu Gln Glu Val Gln Asp Leu Glu Lys Ala Ile Arg Ser						
		965			970		975
5	Leu Gly Pro Val Asn Leu Glu Ala Ile Asp Gln Tyr Glu Glu Val His						
		980		985			990
10	Asn Arg Leu Asp Phe Leu Asn Ser Gln Arg Asp Asp Ile Leu Ser Ala						
		995		1000			1005
	Lys Asn Leu Leu Leu Glu Thr Ile Thr Glu Met Asn Asp Glu Val Lys						
		1010		1015			1020
15	Glu Arg Phe Lys Ser Thr Phe Glu Ala Ile Arg Glu Ser Phe Lys Val						
		1025		1030		1035	1040
	Thr Phe Lys Gln Met Phe Gly Gly Gly Gln Ala Asp Leu Ile Leu Thr						
		1045		1050			1055
20	Glu Gly Asp Leu Leu Thr Ala Gly Val Glu Ile Ser Val Gln Pro Pro						
		1060		1065			1070
25	Gly Lys Lys Ile Gln Ser Leu Asn Leu Met Ser Gly Gly Glu Lys Ala						
		1075		1080			1085
	Leu Ser Ala Leu Ala Leu Leu Phe Ser Ile Ile Arg Val Lys Thr Ile						
		1090		1095			1100
30	Pro Phe Val Ile Leu Asp Glu Val Glu Ala Ala Leu Asp Glu Ala Asn						
		1105		1110		1115	1120
	Val Lys Arg Phe Gly Asp Tyr Leu Asn Arg Phe Asp Lys Asp Ser Gln						
		1125		1130			1135
35	Phe Ile Val Val Thr His Arg Lys Gly Thr Met Ala Ala Ala Asp Ser						
		1140		1145			1150
40	Ile Tyr Gly Val Thr Met Gln Glu Ser Gly Val Ser Lys Ile Val Ser						
		1155		1160			1165
	Val Lys Leu Lys Asp Leu Glu Ser Ile Glu Gly						
		1170		1175			
45	<210> 220						
	<211> 447						
	<212> PRT						
	<213> Streptococcus pneumoniae						
50	<400> 220						
	Met Thr Lys Arg Val Thr Ile Ile Asp Val Lys Asp Tyr Val Gly Gln						
	1 5 10 15						
55	Glu Val Thr Ile Gly Ala Trp Val Ala Asn Lys Ser Gly Lys Gly Lys						
	20 25 30						

Ile Ala Phe Leu Gln Leu Arg Asp Gly Thr Ala Phe Phe Gln Gly Val
 35 40 45
 5 Ala Phe Lys Pro Asn Phe Val Glu Lys Phe Gly Glu Glu Val Gly Leu
 50 55 60
 Glu Lys Phe Asp Val Ile Lys Arg Leu Ser Gln Glu Thr Ser Val Tyr
 65 70 75 80
 10 Val Thr Gly Ile Val Lys Glu Asp Glu Arg Ser Lys Phe Gly Tyr Glu
 85 90 95
 Leu Asp Ile Thr Asp Ile Glu Val Ile Gly Glu Ser Gln Asp Tyr Pro
 100 105 110
 15 Ile Thr Pro Lys Glu His Gly Thr Asp Phe Leu Met Asp Asn Arg His
 115 120 125
 Leu Trp Leu Arg Ser Arg Lys Gln Val Ala Val Leu Gln Ile Arg Asn
 130 135 140
 Ala Ile Ile Tyr Ala Thr Tyr Glu Phe Phe Asp Lys Asn Gly Phe Met
 145 150 155 160
 25 Lys Phe Asp Ser Pro Ile Leu Ser Gly Asn Ala Ala Glu Asp Ser Thr
 165 170 175
 Glu Leu Phe Glu Thr Asp Tyr Phe Gly Thr Pro Ala Tyr Leu Ser Gln
 180 185 190
 30 Ser Gly Gln Leu Tyr Leu Glu Ala Gly Ala Met Ala Leu Gly Arg Val
 195 200 205
 Phe Asp Phe Gly Pro Val Phe Arg Ala Glu Lys Ser Lys Thr Arg Arg
 210 215 220
 His Leu Thr Glu Phe Trp Met Met Asp Ala Glu Tyr Ser Tyr Leu Thr
 225 230 235 240
 40 His Asp Glu Ser Leu Asp Leu Gln Glu Ala Tyr Val Lys Ala Leu Leu
 245 250 255
 Gln Gly Val Leu Asp Arg Ala Pro Gln Ala Leu Glu Thr Leu Glu Arg
 260 265 270
 45 Asp Thr Glu Leu Leu Lys Arg Tyr Ile Ala Glu Pro Phe Lys Arg Ile
 275 280 285
 Thr Tyr Asp Gln Ala Ile Asp Leu Leu Gln Glu His Glu Asn Asp Glu
 290 295 300
 Asp Ala Asp Tyr Glu His Leu Glu His Gly Asp Asp Phe Gly Ser Pro
 305 310 315 320
 55 His Glu Thr Trp Ile Ser Asn His Phe Gly Val Pro Thr Phe Val Met
 325 330 335

Asn Tyr Pro Ala Ala Ile Lys Ala Phe Tyr Met Lys Pro Val Pro Gly
 340 345 350
 5 Asn Pro Glu Arg Val Leu Cys Ala Asp Leu Leu Ala Pro Glu Gly Tyr
 355 360 365
 Gly Glu Ile Ile Gly Gly Ser Met Arg Glu Glu Asp Tyr Asp Ala Leu
 370 375 380
 10 Val Ala Lys Met Asp Glu Leu Gly Met Asp Arg Thr Glu Tyr Glu Phe
 385 390 395 400
 Tyr Leu Asp Leu Arg Lys Tyr Gly Thr Val Pro His Gly Gly Phe Gly
 405 410 415
 15 Ile Gly Ile Glu Arg Met Val Thr Phe Ala Ala Gly Thr Lys His Ile
 420 425 430
 20 Arg Glu Ala Ile Pro Phe Pro Arg Met Leu His Arg Ile Lys Pro
 435 440 445
 <210> 221
 <211> 308
 25 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 221
 30 Met Ser Glu Lys Leu Val Glu Ile Lys Asp Leu Glu Ile Ser Phe Gly
 1 5 10 15
 Glu Gly Ser Lys Lys Phe Val Ala Val Lys Asn Ala Asn Phe Phe Ile
 20 25 30
 35 Asn Lys Gly Glu Thr Phe Ser Leu Val Gly Glu Ser Gly Ser Gly Lys
 35 40 45
 Thr Thr Ile Gly Arg Ala Ile Ile Gly Leu Asn Asp Thr Ser Asn Gly
 50 55 60
 40 Asp Ile Ile Phe Asp Gly Gln Lys Ile Asn Gly Lys Lys Ser Arg Glu
 65 70 75 80
 45 Gln Ala Ala Glu Leu Ile Arg Arg Ile Gln Met Ile Phe Gln Asp Pro
 85 90 95
 Ala Ala Ser Leu Asn Glu Arg Ala Thr Val Asp Tyr Ile Ile Ser Glu
 100 105 110
 50 Gly Leu Tyr Asn His Arg Leu Phe Lys Asp Glu Glu Glu Arg Lys Glu
 115 120 125
 Lys Val Gln Asn Ile Ile Arg Glu Val Gly Leu Leu Ala Glu His Leu
 130 135 140
 55 Thr Arg Tyr Pro His Glu Phe Ser Gly Gly Gln Arg Gln Arg Ile Gly
 145 150 155 160

Ile Ala Arg Ala Leu Val Met Gln Pro Asp Phe Val Ile Ala Asp Glu
 165 170 175
 5 Pro Ile Ser Ala Leu Asp Val Ser Val Arg Ala Gln Val Leu Asn Leu
 180 185 190
 Leu Lys Lys Phe Gln Lys Glu Leu Gly Leu Thr Tyr Leu Phe Ile Ala
 195 200 205
 10 His Asp Leu Ser Val Val Arg Phe Ile Ser Asp Arg Ile Ala Val Ile
 210 215 220
 Tyr Lys Gly Val Ile Val Glu Val Ala Glu Thr Glu Glu Leu Phe Asn
 15 225 230 235 240
 Asn Pro Ile His Pro Tyr Thr Gln Ala Leu Leu Ser Ala Val Pro Ile
 245 250 255
 20 Pro Asp Pro Ile Leu Glu Arg Lys Lys Val Leu Lys Val Tyr Asp Pro
 260 265 270
 Ser Gln His Asp Tyr Glu Thr Asp Lys Pro Ser Met Val Glu Ile Arg
 275 280 285
 25 Pro Gly His Tyr Val Trp Ala Asn Gln Thr Glu Leu Ala Arg Tyr Gln
 290 295 300
 Lys Gly Leu Asn
 30 305
 <210> 222
 <211> 424
 35 <212> PRT
 <213> Streptococcus pneumoniae
 <400> 222
 Met Lys Ile Ser Trp Asn Gly Phe Ser Lys Lys Ser Tyr Gln Glu Arg
 40 1 5 10 15
 Leu Glu Leu Leu Lys Ala Gln Ala Leu Leu Ser Pro Glu Arg Gln Ala
 20 25 30
 45 Ser Leu Glu Lys Asp Glu Gln Met Ser Val Thr Val Ala Asp Gln Leu
 35 40 45
 Ser Glu Asn Val Val Gly Thr Phe Ser Leu Pro Tyr Ser Leu Val Pro
 50 50 55 60
 Glu Val Leu Val Asn Gly Gln Glu Tyr Thr Val Pro Tyr Val Thr Glu
 65 70 75 80
 55 Glu Pro Ser Val Val Ala Ala Ala Ser Tyr Ala Ser Lys Ile Ile Lys
 85 90 95
 Arg Ala Gly Gly Phe Thr Ala Gln Val His Gln Arg Gln Met Ile Gly

	100	105	110
	Gln Val Ala Leu Tyr Gln Ile Ala Asn Pro Lys Leu Ala Gln Glu Lys 115 120 125		
5	Ile Ala Ser Lys Lys Ala Glu Leu Leu Glu Leu Ala Asn Gln Ala Tyr 130 135 140		
10	Pro Ser Ile Val Lys Arg Gly Gly Gly Ala Arg Asp Leu His Val Glu 145 150 155 160		
	Gln Ile Lys Gly Glu Pro Asp Phe Leu Val Val Tyr Ile His Val Asp 165 170 175		
15	Thr Gln Glu Ala Met Gly Ala Asn Met Leu Asn Thr Met Leu Glu Ala 180 185 190		
	Leu Lys Pro Val Leu Glu Glu Leu Ser Gln Gly Gln Ser Leu Met Gly 195 200 205		
20	Ile Leu Ser Asn Tyr Ala Thr Asp Ser Leu Val Thr Ala Ser Cys Arg 210 215 220		
25	Ile Ala Phe Arg Tyr Leu Ser Arg Gln Lys Asp Gln Gly Arg Glu Ile 225 230 235 240		
	Ala Glu Lys Ile Ala Leu Ala Ser Gln Phe Ala Gln Ala Asp Pro Tyr 245 250 255		
30	Arg Ala Ala Thr His Asn Lys Gly Ile Phe Asn Gly Ile Asp Ala Ile 260 265 270		
	Leu Ile Ala Thr Gly Asn Asp Trp Arg Ala Ile Glu Ala Gly Ala His 275 280 285		
35	Ala Phe Ala Ser Arg Asp Gly Arg Tyr Gln Gly Leu Ser Cys Trp Thr 290 295 300		
40	Leu Asp Leu Glu Arg Glu Glu Leu Val Gly Glu Met Thr Leu Pro Met 305 310 315 320		
	Pro Val Ala Thr Lys Gly Gly Ser Ile Gly Leu Asn Pro Arg Val Ala 325 330 335		
45	Leu Ser His Asp Leu Leu Gly Asn Pro Ser Ala Arg Glu Leu Ala Gln 340 345 350		
	Ile Ile Val Ser Ile Gly Leu Ala Gln Asn Phe Ala Ala Leu Lys Ala 355 360 365		
50	Leu Val Ser Thr Gly Ile Gln Gln Gly His Met Lys Leu Gln Ala Lys 370 375 380		
55	Ser Leu Ala Leu Leu Ala Gly Ala Ser Glu Ser Glu Val Ala Pro Leu 385 390 395 400		
	Val Glu Arg Leu Ile Ser Asp Lys Thr Phe Asn Leu Glu Thr Ala Gln		

405 410 415

Arg Tyr Leu Glu Asn Leu Arg Ser
420

5

<210> 223
<211> 262
<212> PRT
10 <213> Streptococcus pneumoniae

<400> 223
Met Pro Ile Thr Ser Leu Glu Ile Lys Asp Lys Thr Phe Gly Thr Arg
1 5 10 15

15 Phe Arg Gly Phe Asp Pro Glu Glu Val Asp Glu Phe Leu Asp Ile Val
20 25 30

Val Arg Asp Tyr Glu Asp Leu Val Arg Ala Asn His Asp Lys Asn Leu
20 35 40 45

Arg Ile Lys Ser Leu Glu Glu Arg Leu Ser Tyr Phe Asp Glu Ile Lys
50 55 60

25 Asp Ser Leu Ser Gln Ser Val Leu Ile Ala Gln Asp Thr Ala Glu Arg
65 70 75 80

Val Lys Gln Ala Ala His Glu Arg Ser Asn Asn Ile Ile His Gln Ala
85 90 95

30 Glu Gln Asp Ala Gln Arg Leu Leu Glu Glu Ala Lys Tyr Lys Ala Asn
100 105 110

35 Glu Ile Leu Arg Gln Ala Thr Asp Asn Ala Lys Lys Val Ala Val Glu
115 120 125

Thr Glu Glu Leu Lys Asn Lys Ser Arg Val Phe His Gln Arg Leu Lys
130 135 140

40 Ser Thr Ile Glu Ser Gln Leu Ala Ile Val Glu Ser Ser Asp Trp Glu
145 150 155 160

Asp Ile Leu Arg Pro Thr Ala Thr Tyr Leu Gln Thr Ser Asp Glu Ala
165 170 175

45 Phe Lys Glu Val Val Ser Glu Val Leu Gly Glu Pro Ile Pro Ala Pro
180 185 190

Ile Glu Glu Glu Pro Ile Asp Met Thr Arg Gln Phe Ser Gln Ala Glu
50 195 200 205

Met Ala Glu Leu Gln Ala Arg Ile Glu Val Ala Asp Lys Glu Leu Ser
210 215 220

55 Glu Phe Glu Ala Gln Ile Lys Gln Glu Val Glu Ala Pro Thr Pro Val
225 230 235 240

Val Ser Pro Gln Val Glu Glu Glu Pro Leu Leu Ile Gln Leu Ala Gln
 245 250 255

Cys Met Lys Asn Gln Lys
 260

<210> 224

<211> 575

<212> PRT

<213> Streptococcus pneumoniae

<400> 224

Met Ser Asn Gly Gln Leu Ile Tyr Leu Met Val Ala Ile Ala Val Ile
 1 5 10 15

Leu Val Leu Ala Tyr Val Val Ala Ile Phe Leu Arg Lys Arg Asn Glu
 20 25 30

Gly Arg Leu Glu Ala Leu Glu Glu Arg Lys Glu Glu Leu Tyr Asn Leu
 35 40 45

Pro Val Asn Asp Glu Val Glu Ala Val Lys Asn Met His Leu Ile Gly
 50 55 60

Gln Ser Gln Val Ala Phe Arg Glu Trp Asn Gln Lys Trp Val Asp Leu
 65 70 75 80

Ser Leu Asn Ser Phe Ala Asp Ile Glu Asn Asn Leu Phe Glu Ala Glu
 85 90 95

Gly Tyr Asn His Ser Phe Arg Phe Leu Lys Ala Ser His Gln Ile Asp
 100 105 110

Gln Ile Glu Ser Gln Ile Thr Leu Ile Glu Glu Asp Ile Ala Ala Ile
 115 120 125

Arg Asn Ala Leu Ala Asp Leu Glu Lys Gln Glu Ser Lys Asn Ser Gly
 130 135 140

Arg Val Leu His Ala Leu Asp Leu Phe Glu Glu Leu Gln His Arg Val
 145 150 155 160

Ala Glu Asn Ser Glu Gln Tyr Gly Gln Ala Leu Asp Glu Ile Glu Lys
 165 170 175

Gln Leu Glu Asn Ile Gln Ser Glu Phe Ser Gln Phe Val Thr Leu Asn
 180 185 190

Ser Ser Gly Asp Pro Val Glu Ala Ala Val Ile Leu Asp Asn Thr Glu
 195 200 205

Asn His Ile Leu Ala Leu Ser His Ile Val Asp Arg Val Pro Ala Leu
 210 215 220

Val Thr Thr Leu Ser Thr Glu Leu Pro Asp Gln Leu Gln Asp Leu Glu
 225 230 235 240

	Ala	Gly	Tyr	Arg	Lys	Leu	Ile	Asp	Ala	Asn	Tyr	His	Phe	Val	Glu	Thr	
					245					250					255		
5	Asp	Ile	Glu	Ala	Arg	Phe	His	Leu	Leu	Tyr	Glu	Ala	Phe	Lys	Lys	Asn	
				260					265					270			
	Gln	Glu	Asn	Ile	Arg	Gln	Leu	Glu	Leu	Asp	Asn	Ala	Glu	Tyr	Glu	Asn	
			275					280					285				
10	Gly	Gln	Ala	Gln	Glu	Glu	Ile	Asn	Ala	Leu	Tyr	Asp	Ile	Phe	Thr	Arg	
		290					295					300					
	Glu	Ile	Ala	Ala	Gln	Lys	Val	Val	Glu	Asn	Leu	Leu	Ala	Thr	Leu	Pro	
15	305					310					315					320	
	Thr	Tyr	Leu	Gln	His	Met	Lys	Glu	Asn	Asn	Thr	Leu	Leu	Gly	Glu	Asp	
					325					330					335		
20	Ile	Ala	Arg	Leu	Asn	Lys	Thr	Tyr	Leu	Leu	Pro	Glu	Thr	Ala	Ala	Ser	
				340					345					350			
	His	Val	Arg	Arg	Ile	Gln	Thr	Glu	Leu	Glu	Ser	Phe	Glu	Ala	Ala	Ile	
			355					360					365				
25	Val	Glu	Val	Thr	Ser	Asn	Gln	Glu	Glu	Pro	Thr	Gln	Ala	Tyr	Ser	Val	
		370					375					380					
	Leu	Glu	Glu	Asn	Leu	Glu	Asp	Leu	Gln	Thr	Gln	Leu	Lys	Asp	Ile	Glu	
30	385					390					395					400	
	Asp	Glu	Gln	Ile	Ser	Val	Ser	Glu	Arg	Leu	Thr	Gln	Ile	Glu	Lys	Asp	
					405					410					415		
35	Asp	Ile	Asn	Ala	Arg	Gln	Lys	Ala	Asn	Val	Tyr	Val	Asn	Arg	Leu	His	
				420					425					430			
	Thr	Ile	Lys	Arg	Tyr	Met	Glu	Lys	Arg	Asn	Leu	Pro	Gly	Ile	Pro	Gln	
			435					440					445				
40	Thr	Phe	Leu	Lys	Leu	Phe	Phe	Thr	Ala	Ser	Asn	Asn	Thr	Glu	Asp	Leu	
		450					455					460					
	Met	Val	Glu	Leu	Glu	Gln	Lys	Met	Ile	Asn	Ile	Glu	Ser	Val	Thr	Arg	
45	465					470					475					480	
	Val	Leu	Glu	Ile	Ala	Thr	Asn	Asp	Met	Glu	Ala	Leu	Glu	Thr	Glu	Thr	
					485					490					495		
50	Tyr	Asn	Ile	Val	Gln	Tyr	Ala	Thr	Leu	Thr	Glu	Gln	Leu	Leu	Gln	Tyr	
				500					505					510			
	Ser	Asn	Arg	Tyr	Arg	Ser	Phe	Asp	Glu	Arg	Ile	Gln	Glu	Ala	Phe	Asn	
			515					520					525				
55	Glu	Ala	Leu	Asp	Ile	Phe	Glu	Lys	Glu	Phe	Asp	Tyr	His	Ala	Ser	Phe	
		530					535					540					

Asp Lys Ile Ser Gln Ala Leu Glu Val Ala Glu Pro Gly Val Thr Asn
 545 550 555 560
 5 Arg Phe Val Thr Ser Tyr Glu Lys Thr Arg Glu Thr Ile Arg Phe
 565 570 575
 10 <210> 225
 <211> 800
 <212> PRT
 <213> Streptococcus pneumoniae
 15 <400> 225
 Met Leu Ile Ser Tyr Lys Trp Leu Lys Glu Leu Val Asp Ile Asp Val
 1 5 10 15
 Pro Ser Gln Glu Leu Ala Glu Lys Met Ser Thr Thr Gly Ile Glu Val
 20 20 25 30
 Glu Gly Val Glu Ser Pro Ala Ala Gly Leu Ser Lys Ile Val Val Gly
 35 40 45
 25 Glu Val Leu Ser Cys Glu Asp Val Pro Glu Thr His Leu His Val Cys
 50 55 60
 Gln Val Asn Val Gly Glu Glu Glu Arg Gln Ile Val Cys Gly Ala Pro
 65 70 75 80
 30 Asn Val Arg Ala Gly Ile Lys Val Met Val Ala Leu Pro Gly Ala Arg
 85 90 95
 Ile Ala Asp Asn Tyr Lys Ile Lys Lys Gly Lys Ile Arg Gly Leu Glu
 100 105 110
 35 Ser Leu Gly Met Ile Cys Ser Leu Gly Glu Leu Gly Ile Ser Asp Ser
 115 120 125
 Val Val Pro Lys Glu Phe Ala Asp Gly Ile Gln Ile Leu Pro Glu Asp
 40 130 135 140
 Ala Val Pro Gly Glu Glu Val Phe Ser Tyr Leu Asp Leu Asp Asp Glu
 145 150 155 160
 45 Ile Ile Glu Leu Ser Ile Thr Pro Asn Arg Ala Asp Ala Leu Ser Met
 165 170 175
 Cys Gly Val Ala His Glu Val Ala Ala Ile Tyr Asp Lys Ala Val Asn
 180 185 190
 50 Phe Lys Glu Phe Thr Leu Thr Glu Thr Asn Glu Ala Ala Ala Asp Ala
 195 200 205
 55 Leu Ser Val Ser Ile Glu Thr Asp Lys Ala Pro Tyr Tyr Ala Ala Arg
 210 215 220
 Ile Leu Asp Asn Val Thr Ile Ala Pro Ser Pro Gln Trp Leu Gln Asn

	225		230		235		240
	Leu Leu Met Asn	Glu Gly Ile Arg Pro	Ile Asn Asn Val Val	Asp Val			
		245		250		255	
5	Thr Asn Tyr Ile	Leu Leu Tyr Phe	Gly Gln Pro Met His	Ala Phe Asp			
		260		265		270	
10	Leu Asp Asn Phe	Glu Gly Thr Asp	Ile Arg Val Arg	Glu Ala Arg Ala			
		275		280		285	
	Gly Glu Lys Leu	Val Thr Leu Asp	Gly Glu Glu Arg	Asp Leu Asp Val			
		290		295		300	
15	Asn Asp Leu Val	Ile Thr Val Ala	Asp Lys Pro Val	Ala Leu Ala Gly			
		305		310		315	
	Val Met Gly Gly	Gln Ala Thr Glu	Ile Ser Glu Lys	Ser Ser Arg Val			
		325		330		335	
20	Val Leu Glu Ala	Ala Val Phe Asn	Gly Lys Ser Ile	Arg Lys Thr Ser			
		340		345		350	
	Gly Arg Leu Asn	Leu Arg Ser Glu	Ser Ser Ser Arg	Phe Glu Lys Gly			
		355		360		365	
25	Ile Asn Val Ala	Thr Val Asn Glu	Ala Leu Asp Ala	Ala Ala Ser Leu			
		370		375		380	
30	Ile Ala Glu Leu	Ala Gly Ala Thr	Val Arg Lys Gly	Ile Val Ser Ala			
		385		390		395	
	Gly Glu Leu Asp	Thr Ser Asp Val	Glu Val Ser Ser	Thr Leu Ala Asp			
		405		410		415	
35	Val Asn Arg Val	Leu Gly Thr Glu	Leu Ser Tyr Ala	Asp Val Glu Asp			
		420		425		430	
	Val Phe Arg Arg	Leu Gly Phe Gly	Leu Ser Gly Asn	Ala Asp Ser Phe			
		435		440		445	
40	Thr Val Arg Val	Pro Arg Arg Arg	Trp Asp Ile Thr	Ile Glu Ala Asp			
		450		455		460	
45	Leu Phe Glu Glu	Ile Ala Arg Ile	Tyr Gly Tyr Asp	Arg Leu Pro Thr			
		465		470		475	
	Ser Leu Pro Lys	Asp Asp Gly Thr	Ala Gly Glu Leu	Thr Ala Thr Gln			
		485		490		495	
50	Lys Leu Arg Arg	Gln Val Arg Thr	Ile Ala Glu Gly	Ala Gly Leu Thr			
		500		505		510	
	Glu Ile Ile Thr	Tyr Thr Leu Thr	Thr Pro Glu Lys	Ala Val Glu Phe			
		515		520		525	
55	Thr Ala Gln Pro	Ser Asn Leu Thr	Glu Leu Met Trp	Pro Met Thr Val			

	530		535		540												
	Asp	Arg	Ser	Val	Leu	Arg	Gln	Asn	Met	Ile	Ser	Gly	Ile	Leu	Asp	Thr	
	545					550					555				560		
5	Val	Ala	Tyr	Asn	Val	Ala	Arg	Lys	Asn	Lys	Asn	Leu	Ala	Leu	Tyr	Glu	
				565					570						575		
10	Ile	Gly	Lys	Val	Phe	Glu	Gln	Thr	Gly	Asn	Pro	Lys	Glu	Glu	Leu	Pro	
				580					585					590			
	Asn	Glu	Ile	Asn	Ser	Phe	Ala	Phe	Ala	Leu	Thr	Gly	Leu	Val	Ala	Glu	
			595					600					605				
15	Lys	Asp	Phe	Gln	Thr	Ala	Ala	Val	Pro	Val	Asp	Phe	Phe	Tyr	Ala	Lys	
	610						615					620					
	Gly	Ile	Leu	Glu	Ala	Leu	Phe	Thr	Arg	Leu	Gly	Leu	Gln	Val	Thr	Tyr	
20	625					630				635						640	
	Thr	Ala	Thr	Ser	Glu	Ile	Ala	Ser	Leu	His	Pro	Gly	Arg	Thr	Ala	Val	
					645				650						655		
25	Ile	Ser	Leu	Gly	Asp	Gln	Val	Leu	Gly	Phe	Leu	Gly	Gln	Val	His	Pro	
			660						665					670			
	Val	Thr	Ala	Lys	Ala	Tyr	Asp	Ile	Pro	Glu	Thr	Tyr	Val	Ala	Glu	Leu	
			675					680					685				
30	Asn	Leu	Ser	Ala	Ile	Glu	Ala	Ala	Leu	Gln	Pro	Ala	Thr	Pro	Phe	Val	
	690						695					700					
	Glu	Ile	Thr	Lys	Phe	Pro	Ala	Val	Ser	Arg	Asp	Val	Ala	Leu	Leu	Leu	
35	705					710					715					720	
	Lys	Ala	Glu	Val	Thr	His	Gln	Glu	Val	Val	Asp	Ala	Ile	Gln	Ala	Ala	
					725					730					735		
40	Gly	Val	Lys	Arg	Leu	Thr	Asp	Ile	Lys	Leu	Phe	Asp	Val	Phe	Ser	Gly	
				740					745					750			
	Glu	Lys	Leu	Gly	Leu	Gly	Met	Lys	Ser	Met	Ala	Tyr	Ser	Leu	Thr	Phe	
			755					760					765				
45	Gln	Asn	Pro	Glu	Asp	Ser	Leu	Thr	Asp	Glu	Glu	Val	Ala	Arg	Tyr	Met	
	770						775					780					
	Glu	Lys	Ile	Gln	Ala	Ser	Leu	Glu	Glu	Lys	Val	Asn	Ala	Glu	Val	Arg	
50	785					790					795					800	
55	<210>	226															
	<211>	180															
	<212>	PRT															

<213> Streptococcus pneumoniae

<400> 226

5 Met Leu Glu Asn Asp Ile Lys Lys Val Leu Val Ser His Asp Glu Ile
 1 5 10 15
 Thr Glu Ala Ala Lys Lys Leu Gly Ala Gln Leu Thr Lys Asp Tyr Ala
 20 25 30
 10 Gly Lys Asn Pro Ile Leu Val Gly Ile Leu Lys Gly Ser Ile Pro Phe
 35 40 45
 Met Ala Glu Leu Val Lys His Ile Asp Thr His Ile Glu Met Asp Phe
 50 55 60
 15 Met Met Val Ser Ser Tyr His Gly Gly Thr Ala Ser Ser Gly Val Ile
 65 70 75 80
 20 Asn Ile Lys Gln Asp Val Thr Gln Asp Ile Lys Gly Arg His Val Leu
 85 90 95
 Phe Val Glu Asp Ile Ile Asp Thr Gly Gln Thr Leu Lys Asn Leu Arg
 100 105 110
 25 Asp Met Phe Lys Ala Arg Glu Ala Ala Ser Val Lys Ile Ala Thr Leu
 115 120 125
 Leu Asp Lys Pro Glu Gly Arg Val Val Glu Ile Glu Ala Asp Tyr Thr
 130 135 140
 30 Cys Phe Thr Ile Pro Asn Glu Phe Val Val Gly Tyr Gly Leu Asp Tyr
 145 150 155 160
 35 Lys Glu Asn Tyr Arg Asn Leu Pro Tyr Ile Gly Val Leu Lys Glu Glu
 165 170 175
 Val Tyr Ser Asn
 180
 40